



Open Source Used In AppDynamics_Netviz_Agent 23.5.0- 2837

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1662053854

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1662053854

Contents

1.1 civetweb 1.15

1.1.1 Available under license

1.2 civetweb 1.15

1.2.1 Available under license

1.3 google-test 1.13.0

1.3.1 Available under license

1.4 winpcap 4.1.2

1.4.1 Available under license

1.5 openssl 23.2.0-10

1.5.1 Available under license

1.6 libpcap 1.10.3

1.6.1 Available under license

1.7 zeromq 4.3.4

1.7.1 Available under license

1.8 curl 8.0.1

1.8.1 Available under license

1.9 libtins 4.4

1.9.1 Available under license

1.10 zeromq 4.3.4.0

1.10.1 Available under license

1.11 luajit 2.0.5

1.11.1 Available under license

1.12 libssh2 1.10.0

1.12.1 Available under license

1.13 protobuf 21.12

1.13.1 Available under license

1.14 openssl 3.0.8

1.14.1 Available under license

1.15 pcre 10.42

1.15.1 Available under license

1.16 atf 0.21

1.16.1 Available under license

1.17 ncap 1.01

1.17.1 Available under license

1.1 civetweb 1.15

1.1.1 Available under license :

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Lua License

Lua is licensed under the terms of the MIT license reproduced below. This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html> .

=====
Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(end of COPYRIGHT)

Lua is under the MIT license: <http://www.lua.org/license.html>.

The MIT License

Copyright (c) <year> <copyright holders>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Duktape license

=====

(<http://opensource.org/licenses/MIT>)

Copyright (c) 2013-2016 by Duktape authors (see AUTHORS.rst)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ALL LICENSES

=====

This document includes several copyright licenses for different aspects of the software. Not all licenses may apply depending on the features chosen.

Civetweb License

Included with all features.

> Copyright (c) 2013-2021 The CivetWeb developers
([CREDITS.md](https://github.com/civetweb/civetweb/blob/master/CREDITS.md))

>

> Copyright (c) 2004-2013 Sergey Lyubka

>

> Copyright (c) 2013 No Face Press, LLC (Thomas Davis)

>

> Copyright (c) 2013 F-Secure Corporation

>

> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:

>

> The above copyright notice and this permission notice shall be included in

> all copies or substantial portions of the Software.
>
> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

Lua License

Included only if built with Lua support.

<http://www.lua.org/license.html>

> Copyright (C) 1994-2020 Lua.org, PUC-Rio.
>
> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:
>
> The above copyright notice and this permission notice shall be included in
> all copies or substantial portions of the Software.
>
> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

Additional components Copyright (C) Lua.org, PUC-Rio, with MIT license:

<http://www.inf.puc-rio.br/~roberto/struct/>

SQLite3 License

Included only if built with Lua and SQLite support.

<http://www.sqlite.org/copyright.html>

- > 2001-09-15
- >
- > The author disclaims copyright to this source code. In place of
- > a legal notice, here is a blessing:
- >
- > May you do good and not evil.
- > May you find forgiveness for yourself and forgive others.
- > May you share freely, never taking more than you give.

Sqlite3 License

Included only if built with Lua and SQLite support.

- > Copyright (C) 2002-2016 Tiago Dionizio, Doug Currie
- > All rights reserved.
- > Author : Tiago Dionizio <tiago.dionizio@ist.utl.pt>
- > Author : Doug Currie <doug.currie@alum.mit.edu>
- > Library : Sqlite3 - an SQLite 3 database binding for Lua 5
- >
- > Permission is hereby granted, free of charge, to any person obtaining a copy
- > of this software and associated documentation files (the "Software"), to deal
- > in the Software without restriction, including without limitation the rights
- > to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- > copies of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be included in
- > all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- > IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- > FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- > AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- > LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- > OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- > THE SOFTWARE.

Lua File System License

Included only if built with Lua support.

<https://github.com/keplerproject/luafilename/blob/master/LICENSE>

- > Copyright 2003-2020 Kepler Project.
- >
- > Permission is hereby granted, free of charge, to any person
- > obtaining a copy of this software and associated documentation
- > files (the "Software"), to deal in the Software without
- > restriction, including without limitation the rights to use, copy,
- > modify, merge, publish, distribute, sublicense, and/or sell copies
- > of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be
- > included in all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
- > EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
- > MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
- > NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
- > BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
- > ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
- > CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
- > SOFTWARE.

LuaXML License

Included only if built with Lua and LuaXML support.

Version 1.8.0 (Lua 5.2), 2013-06-10 by Gerald Franz, eludi.net

Modified and extended 2015 by Bernhard Nortmann, <https://github.com/n1tehawk/LuaXML> version 2.0.x,
compatible with Lua 5.1 to 5.3 and LuaJIT.

- > LuaXML License
- >
- > LuaXml is licensed under the terms of the MIT license reproduced below,
- > the same as Lua itself. This means that LuaXml is free software and can be
- > used for both academic and commercial purposes at absolutely no cost.
- >
- > Copyright (C) 2007-2013 Gerald Franz, eludi.net
- >
- > Permission is hereby granted, free of charge, to any person obtaining a copy
- > of this software and associated documentation files (the "Software"), to deal
- > in the Software without restriction, including without limitation the rights
- > to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- > copies of the Software, and to permit persons to whom the Software is

- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be included in
- > all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- > IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- > FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- > AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- > LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- > OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- > THE SOFTWARE.

Duktape License

Included only if built with Duktape support.

<https://github.com/svaarala/duktape/blob/master/LICENSE.txt>

- > =====
- > Duktape license
- > =====
- >
- > (<http://opensource.org/licenses/MIT>)
- >
- > Copyright (c) 2013-2017 by Duktape authors (see AUTHORS.rst)
- >
- > Permission is hereby granted, free of charge, to any person obtaining a copy
- > of this software and associated documentation files (the "Software"), to deal
- > in the Software without restriction, including without limitation the rights
- > to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- > copies of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be included in
- > all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- > IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- > FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- > AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- > LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- > OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- > THE SOFTWARE.

zlib License

Included only if built with zlib support.

https://www.zlib.net/zlib_license.html

```
> zlib.h -- interface of the 'zlib' general purpose compression library
> version 1.2.11, January 15th, 2017
>
> Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler
>
> This software is provided 'as-is', without any express or implied
> warranty. In no event will the authors be held liable for any damages
> arising from the use of this software.
>
> Permission is granted to anyone to use this software for any purpose,
> including commercial applications, and to alter it and redistribute it
> freely, subject to the following restrictions:
>
> 1. The origin of this software must not be misrepresented; you must not
> claim that you wrote the original software. If you use this software
> in a product, an acknowledgment in the product documentation would be
> appreciated but is not required.
> 2. Altered source versions must be plainly marked as such, and must not be
> misrepresented as being the original software.
> 3. This notice may not be removed or altered from any source distribution.
>
> Jean-loup Gailly      Mark Adler
> jloup@gzip.org       madler@alumni.caltech.edu
```

=====

Duktape license

=====

(<http://opensource.org/licenses/MIT>)

Copyright (c) 2013-2017 by Duktape authors (see AUTHORS.rst)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
<?xml version="1.0" encoding="UTF-8"?>
<rdf:RDF
  xmlns:ns1="http://spdx.org/rdf/terms#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
>
  <rdf:Description rdf:nodeID="N94159d76d84b469887115176d9239479">
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
    <ns1:checksum rdf:nodeID="N51194b48c97b46fba1bf7917f373dad3"/>
    <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
    <ns1:fileName>./src-separate/duk_lexer.c</ns1:fileName>
    <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="Nafd9524861ff4209a3ba96ec961369c8">
    <ns1:referencesFile rdf:nodeID="N1534fd30a381448aaf2322d2a4948c8e"/>
    <ns1:referencesFile rdf:nodeID="N1a218f5530844b65a3ee1acfbe9e4aa9"/>
    <ns1:referencesFile rdf:nodeID="Ne31475eb6e1e4f83b53783d22330d320"/>
    <ns1:referencesFile rdf:nodeID="N955eeb1c49bd4fcfbbbc46f437ea116d"/>
    <ns1:referencesFile rdf:nodeID="N2747241e86c94481b6ea911aca0bc4d3"/>
    <ns1:referencesFile rdf:nodeID="Na5ca44b7718547c5a9f0237edbae6e43"/>
    <ns1:referencesFile rdf:nodeID="N4b4509c86f3041149ccaddb609bf5579"/>
    <ns1:referencesFile rdf:nodeID="N63b180f6b6e7409c8c4a2d75f3f3bf94"/>
    <ns1:referencesFile rdf:nodeID="Naca60bb8b93545eaa4d3be66d583d909"/>
    <ns1:referencesFile rdf:nodeID="N8b8373b4c6ad49cf819040f520e88f53"/>
    <ns1:referencesFile rdf:nodeID="Nc4a5aa89b2a344fbaf246ac444d13f01"/>
    <ns1:referencesFile rdf:nodeID="N80d5b180e5134affb1e27351e225a9a9"/>
    <ns1:referencesFile rdf:nodeID="N9481decc425d485788d28e57b220f04d"/>
    <ns1:referencesFile rdf:nodeID="N51e937528d7f427490005864b4b9ff15"/>
    <ns1:referencesFile rdf:nodeID="N659bbbed62f144d8ebbf87663485ddcd2"/>
    <rdfs:comment>SPDX license for Duktape 1.8.0</rdfs:comment>
    <ns1:referencesFile rdf:nodeID="N971a4f90fc8e4c8c8dfd150f53f0cc3d"/>
    <ns1:specVersion>SPDX-1.2</ns1:specVersion>
    <ns1:referencesFile rdf:nodeID="N5a0706ad02f04ee2a6c04aa577b9577b"/>
    <ns1:referencesFile rdf:nodeID="Nd3e7dba43fef48a484cafff2dd9b0a13"/>
    <ns1:referencesFile rdf:nodeID="N9b7fe2aef248403588b7ada79de9193b"/>
    <ns1:referencesFile rdf:nodeID="N5f29137284284b4bbb17a46ea04b9ec1"/>
    <ns1:dataLicense rdf:resource="http://spdx.org/licenses/CC0-1.0"/>
  </rdf:Description>
</rdf:RDF>
```

<ns1:referencesFile rdf:nodeID="Na07feffc3d5348e0a449af1fd9b4de9e"/>
<ns1:referencesFile rdf:nodeID="N5f1c969f97074a8c97cad68eed9b8052"/>
<ns1:describesPackage rdf:nodeID="Nd54d9cf3f46d49f697d3500c9482df74"/>
<ns1:referencesFile rdf:nodeID="Nd719d48e04d242f78fb1d0a486c69340"/>
<ns1:referencesFile rdf:nodeID="Nd048c706eb0c43a098d0ac1af984b656"/>
<ns1:referencesFile rdf:nodeID="N25bd82047bdb4a0199e50f36080e6c62"/>
<ns1:referencesFile rdf:nodeID="Necfaa636d53549e8b2773759e5fbba58"/>
<ns1:referencesFile rdf:nodeID="N8205f4f8616b46e68bc6c5dc73a948c8"/>
<ns1:referencesFile rdf:nodeID="N255def7372bd47f18aa1a53888ee9b9f"/>
<ns1:referencesFile rdf:nodeID="N87c0330f84024bef83feecb13353bf9d"/>
<ns1:referencesFile rdf:nodeID="N6b570f8bc5b7476e80335d58937603ff"/>
<ns1:referencesFile rdf:nodeID="N0acbf28649514c9ab431dfe196d8e423"/>
<ns1:referencesFile rdf:nodeID="N3d24a0ee1a424956b3b3455d706fd61f"/>
<ns1:referencesFile rdf:nodeID="N59a4b3ef06704ac3805126dcebbbeb328"/>
<ns1:referencesFile rdf:nodeID="N6345761d589444a6b57c1b3a1963fd7c"/>
<ns1:referencesFile rdf:nodeID="N3e1b3c36658a444dbe46a92d49a2a59a"/>
<ns1:referencesFile rdf:nodeID="N4a07d616f5af48a89b75208d25045751"/>
<ns1:referencesFile rdf:nodeID="N274908e1380e49e6ae93f6cde969325a"/>
<ns1:referencesFile rdf:nodeID="N5a7ce0eaad9045299a0b4960d89aef73"/>
<ns1:referencesFile rdf:nodeID="Nb8d7da14715f4b328ada1e5142ff71fe"/>
<ns1:referencesFile rdf:nodeID="N7aa6c260fc0e4927a3e03c0c588ef31b"/>
<ns1:referencesFile rdf:nodeID="N964f0e52d3e1404b976e7b15b4289d98"/>
<ns1:referencesFile rdf:nodeID="N12fdf274c72c4cf0bf54e11a0459d6af"/>
<ns1:referencesFile rdf:nodeID="N14fcc315e6f74fe8a14c27aa8f27c581"/>
<ns1:referencesFile rdf:nodeID="Nb651244cf8cf437b8c4b9f4225b28342"/>
<ns1:referencesFile rdf:nodeID="N539dab7a52034988b7847ee3b66c6b3c"/>
<ns1:referencesFile rdf:nodeID="N2d8aba5a7b514788bca78e3fb55c9c53"/>
<ns1:referencesFile rdf:nodeID="N28e80a793d914be68123e9c5cd6571aa"/>
<ns1:referencesFile rdf:nodeID="Nda4e6d29e6ea4524b32fcfcbc2e62866"/>
<ns1:referencesFile rdf:nodeID="N199467d073a54f1cbc8c5c4f9b90c94a"/>
<ns1:referencesFile rdf:nodeID="Nb2228c8653524fd89380b3df9a7a2cd1"/>
<ns1:referencesFile rdf:nodeID="N3f09339e89b34e2a907db05ff6e5231f"/>
<ns1:referencesFile rdf:nodeID="Ne4d270a566ff4d4f848a18c91f9fce5c"/>
<ns1:referencesFile rdf:nodeID="N76d11aa38abc44c0aa7ec850f678355a"/>
<ns1:referencesFile rdf:nodeID="N771cbb1b56654a919d8b24170e2dcedd"/>
<ns1:referencesFile rdf:nodeID="Nc4c52b8edbf4464cb602a2c9bad36813"/>
<ns1:referencesFile rdf:nodeID="N2e4774aac22f42f4ab75186dd55e760f"/>
<ns1:referencesFile rdf:nodeID="N9f6e2e668d6f4c9d858b3145aec54784"/>
<ns1:referencesFile rdf:nodeID="Nc68afc19e80c48ffacaa9ea43da74a21"/>
<ns1:referencesFile rdf:nodeID="N581cfab506844f24b0ffc65896227847"/>
<ns1:referencesFile rdf:nodeID="N78ef565d0b4842e59e0fcdcf0ff25acd"/>
<ns1:referencesFile rdf:nodeID="Nd0c16c02a31f461bb5b895298eb3d429"/>
<ns1:referencesFile rdf:nodeID="N84d6e2f48e1b4e18be72c48c463c2e34"/>
<ns1:referencesFile rdf:nodeID="N625f9fece6f7428eb27fea7a468e8db9"/>
<ns1:referencesFile rdf:nodeID="N1e657515cdba40b093ae02a81c1f1694"/>
<ns1:referencesFile rdf:nodeID="Ne5c62b49f8bf49e5b8ae0c3d39eeb15b"/>
<ns1:referencesFile rdf:nodeID="N496edf2d350b4425a015678b132ffd36"/>
<ns1:referencesFile rdf:nodeID="N127e032aec53405280adacea99f7a1aa"/>

<ns1:referencesFile rdf:nodeID="Nec4635663d1a4069bde5084f9c57cc2c"/>
<ns1:referencesFile rdf:nodeID="N4aed04f0817044138b37b4b8b8afcdde"/>
<ns1:referencesFile rdf:nodeID="N43b67d36799d456694307a9eb5494c8b"/>
<ns1:referencesFile rdf:nodeID="Nbe138ac3064f47b982ebaeda0173f61"/>
<ns1:referencesFile rdf:nodeID="N69968a7c2c014c98a8d1334007137917"/>
<ns1:referencesFile rdf:nodeID="Nfba5e8a6a1654a3fbd3ff4de9b464156"/>
<ns1:referencesFile rdf:nodeID="Nb360fc3316e449ddb4e6ed574df21fe2"/>
<ns1:referencesFile rdf:nodeID="Nf7e45e8abf304688b9f5bbec94bdd46c"/>
<ns1:referencesFile rdf:nodeID="Na4f250fbfb6e48bb956b1d2ed1c24162"/>
<ns1:referencesFile rdf:nodeID="Nb95a7fff6efd4616b92cb2bf89109bae"/>
<ns1:referencesFile rdf:nodeID="Ne4049e1c835a44b49f2170d98539e678"/>
<ns1:referencesFile rdf:nodeID="Nf4d8e62bfb14b118461ed59dbeab1ba"/>
<ns1:referencesFile rdf:nodeID="N3a4b221777ac45c8ab644cb44db92d8b"/>
<ns1:referencesFile rdf:nodeID="N2bd077c0eac6450db5bc3fc7d15b6d87"/>
<ns1:referencesFile rdf:nodeID="Nb557228cfd94d4c8265e22fc6e9a848"/>
<ns1:referencesFile rdf:nodeID="Nd5bcafd1c74e4a7ba3503a9c86ed2ef4"/>
<ns1:referencesFile rdf:nodeID="Nb05b9aad549243d7ae645ff3dff4be63"/>
<ns1:referencesFile rdf:nodeID="N044eacd88a3a484eb1b9127a667e9249"/>
<ns1:referencesFile rdf:nodeID="Nd42d22397da04500a33fbd094fc484e4"/>
<ns1:referencesFile rdf:nodeID="Nb2b1a3fe00dc437c844c126604453cd1"/>
<ns1:referencesFile rdf:nodeID="N1c3027149f63426484ed8f98fee5904b"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#SpdxDocument"/>
<ns1:referencesFile rdf:nodeID="N76875dfd80c4588b530dcc471f8207f"/>
<ns1:referencesFile rdf:nodeID="N4b886bd43ea64e19b9e5fd2c5db48a7a"/>
<ns1:referencesFile rdf:nodeID="N5621e2ab84e44774878c44a2c7656558"/>
<ns1:referencesFile rdf:nodeID="Nfe393f19e2384a16b1112664d22025b5"/>
<ns1:referencesFile rdf:nodeID="N5815d731ada943bd8ad3d1ca679d0ea4"/>
<ns1:referencesFile rdf:nodeID="Nedb34d98a47349a2b2b7bcac8307ade1"/>
<ns1:referencesFile rdf:nodeID="N8c0a8ac2b0a24aea9321494aae2b3f83"/>
<ns1:referencesFile rdf:nodeID="N2e5639ce715b4fc094288e1df160799e"/>
<ns1:referencesFile rdf:nodeID="N78d9be6f3cb5446fb36b209232d2a065"/>
<ns1:referencesFile rdf:nodeID="N6a4b80d2ca674001a66ccddc87e92dda"/>
<ns1:referencesFile rdf:nodeID="Nb0f1b8f8e27248c98285da82f920e212"/>
<ns1:referencesFile rdf:nodeID="N9a3b961cfcc84127a662aa20163db7c2"/>
<ns1:referencesFile rdf:nodeID="Ndfa7a5ba4d7845128c04b1a6951d361e"/>
<ns1:referencesFile rdf:nodeID="N953fdc753d8b41e097c4cffe628b36c7"/>
<ns1:referencesFile rdf:nodeID="Nd85340537be04b1aa018208d5fbe706d"/>
<ns1:referencesFile rdf:nodeID="N85f2bb17133644dd8adf388783011c86"/>
<ns1:referencesFile rdf:nodeID="N0afed25856c14729a01a563f46f9bc73"/>
<ns1:referencesFile rdf:nodeID="N4c400621931e432b98bcfb6d10ebdae3"/>
<ns1:referencesFile rdf:nodeID="N5eb213eaacb949c3895908a413b64919"/>
<ns1:referencesFile rdf:nodeID="Nc3927826180342c6b74f647f5f4be64"/>
<ns1:referencesFile rdf:nodeID="Nb9879a7b703b4c74aff0e5529ec0890f"/>
<ns1:referencesFile rdf:nodeID="Na2aed6539b2a429fabad9335eb89acd6"/>
<ns1:referencesFile rdf:nodeID="Naf84dad9d3d645bbaaf14e411a019365"/>
<ns1:referencesFile rdf:nodeID="N58f6468d6890470592978b277cd54599"/>
<ns1:referencesFile rdf:nodeID="Ndc851e7e4ea544e1a75e8a1b587c7ac6"/>
<ns1:referencesFile rdf:nodeID="N0fe469dbfde344768f7b99734cbf0a16"/>

<ns1:referencesFile rdf:nodeID="Nfb5092ce3cf648d494168bbadfdbfffc"/>
<ns1:referencesFile rdf:nodeID="Na41b6ea84c99434997affc0d5d862040"/>
<ns1:referencesFile rdf:nodeID="N69bf9aae90764e6d94623e138e263578"/>
<ns1:referencesFile rdf:nodeID="Nc62ae45072744ebb9e7b631cef3ef853"/>
<ns1:referencesFile rdf:nodeID="N70780d6683804bb39ed96cba34a87132"/>
<ns1:referencesFile rdf:nodeID="Nff5c40e266e84aa7a96fc73ef1fabf10"/>
<ns1:referencesFile rdf:nodeID="N7d968ec953494762b4619853d38fb353"/>
<ns1:referencesFile rdf:nodeID="Nac1ac1f5e27648d8a5dd5500997c7e66"/>
<ns1:referencesFile rdf:nodeID="N21d223e103e4485dafac4fe71bd3b586"/>
<ns1:referencesFile rdf:nodeID="Nab610c0ceee746c4a0f0c48a131cf1dd"/>
<ns1:referencesFile rdf:nodeID="N65c488124b4f4276aeb62e79525daa55"/>
<ns1:referencesFile rdf:nodeID="N5fc56582fdf34f378200bfefc77fde34"/>
<ns1:referencesFile rdf:nodeID="Nc2f77e5a7126428d8436da0b7703131f"/>
<ns1:referencesFile rdf:nodeID="N85fab0d49a3b4a3eab58b2101db54367"/>
<ns1:referencesFile rdf:nodeID="N321ec8d849cc4b4fa15438934b06b9e9"/>
<ns1:referencesFile rdf:nodeID="Ncf8e07810e7d4506bfb6057b1b806246"/>
<ns1:referencesFile rdf:nodeID="N1b65b2ebc3ce4672972d9ab4813df807"/>
<ns1:referencesFile rdf:nodeID="Nfc95c250f4e54f8b9c418c59eab02120"/>
<ns1:referencesFile rdf:nodeID="N9dde54da24b047c99b44fc8d3741f617"/>
<ns1:referencesFile rdf:nodeID="Nb67913679f964221b701ed048e5f7265"/>
<ns1:referencesFile rdf:nodeID="N4c0f3f318a8249d98a3281f805927b67"/>
<ns1:referencesFile rdf:nodeID="N701c4c287380429dbc1b59b4d273e81e"/>
<ns1:referencesFile rdf:nodeID="Nc23bbcfa716d4cc5b405d862c82a7c41"/>
<ns1:referencesFile rdf:nodeID="N381d668aa9f94da09b2e3b7474763e15"/>
<ns1:referencesFile rdf:nodeID="Naf4a15c9666045c5a04a2593e0f732e1"/>
<ns1:referencesFile rdf:nodeID="N3d65345a7cc74ef085118b413f56cbf6"/>
<ns1:referencesFile rdf:nodeID="Na8b5d310729d49ac8f8f3e751c5278f1"/>
<ns1:referencesFile rdf:nodeID="Ndc712f7c7f64122ba556265143ee234"/>
<ns1:referencesFile rdf:nodeID="N3f717419af4d4a349741ac269553711c"/>
<ns1:referencesFile rdf:nodeID="Na19acc57c2364e29bfacedad86326625"/>
<ns1:referencesFile rdf:nodeID="N90816d42d6d7411b821655abadcfc3c2"/>
<ns1:referencesFile rdf:nodeID="Ne99ec63e0741462b9a012fff74a5d291"/>
<ns1:referencesFile rdf:nodeID="N6ab50ab9fbfe4fe7a7b795bd2ae49ccc"/>
<ns1:referencesFile rdf:nodeID="N3ca9e1b60e4843a89d906524f6cc4c24"/>
<ns1:referencesFile rdf:nodeID="N5d99bd74b27c497381620ab229f93dc2"/>
<ns1:referencesFile rdf:nodeID="N05c8938cb8654bbebcf6f474b4f46c41"/>
<ns1:referencesFile rdf:nodeID="N31225da44ef4496cabd6e7ae86eb43a6"/>
<ns1:referencesFile rdf:nodeID="Naa79378d98f247c68455fd5aa2c6e31a"/>
<ns1:referencesFile rdf:nodeID="N9013c3a2eb5141d4a39ab238a62a80c8"/>
<ns1:referencesFile rdf:nodeID="N5b49c6ac8dd34a3da284739b92e75db1"/>
<ns1:referencesFile rdf:nodeID="Nec423a0453e44c2ba6d3461d47fa6ab1"/>
<ns1:referencesFile rdf:nodeID="Ndd1e7fdf4f5d4d33a6ff1b18ee75bfe8"/>
<ns1:referencesFile rdf:nodeID="Nceed48f25d914b03a30524bfeaf35bb6"/>
<ns1:referencesFile rdf:nodeID="Nb3f548fc27ff4317b5d614b1311bfa85"/>
<ns1:referencesFile rdf:nodeID="N710963674b514ea7aae2566d4513d7d6"/>
<ns1:referencesFile rdf:nodeID="N422e89076060451db2985c0669b5e257"/>
<ns1:referencesFile rdf:nodeID="Nb5659f6364ad454fae3375887c5709fd"/>
<ns1:referencesFile rdf:nodeID="Nf16fc812a97a4d6fb4adfa8e6c3123c5"/>

<ns1:referencesFile rdf:nodeID="N5a953bc57e2b4f06af31c00d22c1837a"/>
<ns1:referencesFile rdf:nodeID="N8a340c44f43943f0ab1672a40e1c945b"/>
<ns1:referencesFile rdf:nodeID="N54c4221697db461a975311a851b502fe"/>
<ns1:referencesFile rdf:nodeID="N61bc4b57e4204c9885dc8ac2db190332"/>
<ns1:referencesFile rdf:nodeID="N74cd6070a1bd48b681f85975e4688a53"/>
<ns1:referencesFile rdf:nodeID="N7ba4bc391fb847dda2869a7ff2741099"/>
<ns1:referencesFile rdf:nodeID="Nab4921879d3e41e49289987e4915dfa5"/>
<ns1:referencesFile rdf:nodeID="N24ae5d1e92e04c419dfba329f6ca64da"/>
<ns1:referencesFile rdf:nodeID="N58ff577ed80a43df8e1646668551583a"/>
<ns1:referencesFile rdf:nodeID="N68b416697da34a0ea89ba76795174db4"/>
<ns1:referencesFile rdf:nodeID="N50bc3d74b26b43b9a1216c3979e23254"/>
<ns1:referencesFile rdf:nodeID="N420d873a1c6c464297fc9041f2779e11"/>
<ns1:referencesFile rdf:nodeID="N52fd73edbf0c475bb9529f08cb7a762e"/>
<ns1:referencesFile rdf:nodeID="Nf351e2d66ec74a1e8c5375e2b9025188"/>
<ns1:referencesFile rdf:nodeID="Nf101e181b30d472dba57f50dc3a9536d"/>
<ns1:referencesFile rdf:nodeID="N2539a565f7614844a2ee69e2ff8e78e4"/>
<ns1:referencesFile rdf:nodeID="N481e6682d7094bd19b01043fd5c311f5"/>
<ns1:referencesFile rdf:nodeID="Nff5d8e1481b84a198f5a6d85d31bdf70"/>
<ns1:referencesFile rdf:nodeID="N4f362a5590564897b128718602b7094f"/>
<ns1:referencesFile rdf:nodeID="N383a910e5426458883b137862108d075"/>
<ns1:referencesFile rdf:nodeID="Nccb6495f9b3d4b86a0683c1698772b2c"/>
<ns1:referencesFile rdf:nodeID="N412ce8309bc5459b8b6f7d6daa2d4151"/>
<ns1:referencesFile rdf:nodeID="Ncede568b05eb4f1f8070243a51bcf11e"/>
<ns1:referencesFile rdf:nodeID="N3f4834a29d1e41bb8aa5b2225f6f5912"/>
<ns1:referencesFile rdf:nodeID="N6da4854955d24955bb2ce86109976273"/>
<ns1:referencesFile rdf:nodeID="Nbff9f94714e2434bac4ac0fc5787fbb7"/>
<ns1:referencesFile rdf:nodeID="N5cf0169732cf46a4bc6361f4fc393ece"/>
<ns1:referencesFile rdf:nodeID="N5f0a79284b4e476e859018fe36e0cc5f"/>
<ns1:referencesFile rdf:nodeID="Ndc06fc10c615480a92d0b06a55dcea59"/>
<ns1:referencesFile rdf:nodeID="Nbbf5383cec894fda8418670dc4f41bf4"/>
<ns1:referencesFile rdf:nodeID="N7addc8388ede4c3ca2d99915837f88be"/>
<ns1:referencesFile rdf:nodeID="N319cbde2f13e43dc8b525d2002379f84"/>
<ns1:referencesFile rdf:nodeID="N2a57c95956d44e9482163e89790eaaac"/>
<ns1:referencesFile rdf:nodeID="N17ffbb3e8104477abd099faf01b6127d"/>
<ns1:referencesFile rdf:nodeID="N20e55df79a0f4d0ca1ca75327d733054"/>
<ns1:referencesFile rdf:nodeID="N11336b92427d40e6b81206c6f51effc3"/>
<ns1:referencesFile rdf:nodeID="N5074cd0c9ddc49e8829d23ca1f9103ae"/>
<ns1:referencesFile rdf:nodeID="N4867af028fb24e9581483f74ca5077af"/>
<ns1:creationInfo rdf:nodeID="N152032b2527843f3a94ffec7f53d90ed"/>
<ns1:referencesFile rdf:nodeID="N6a1c34da591f4b8a8ffb97822fbc5b5e"/>
<ns1:referencesFile rdf:nodeID="N2791704e829d40d7b5a8b635b27ded9b"/>
<ns1:referencesFile rdf:nodeID="N32cc3b0ed2d14fe0ad78dc9eeda6a514"/>
<ns1:referencesFile rdf:nodeID="N626e213860344b7eb57e3c20110adc91"/>
<ns1:referencesFile rdf:nodeID="N4fe7b3b77be64ad59c7172bd2cc6ce44"/>
<ns1:referencesFile rdf:nodeID="Nc27c83a9e51f4db89074048d655801e1"/>
<ns1:referencesFile rdf:nodeID="N71d4d0d7d9524fff99c079055e1eae0"/>
<ns1:referencesFile rdf:nodeID="N7465323286254cff9e28d0a77238c638"/>
<ns1:referencesFile rdf:nodeID="N4c4c78ab85444ec6a42a693356673d92"/>


```

<ns1:referencesFile rdf:nodeID="N06a544f99ac449b0b78001e40784f880"/>
<ns1:referencesFile rdf:nodeID="N7822469c545c4df9b12406ee54e2afe5"/>
<ns1:referencesFile rdf:nodeID="Nb9690485257a4f89ae2832262b5b9068"/>
<ns1:referencesFile rdf:nodeID="Ncc48633f106b4d1d890d5b506c2c842e"/>
<ns1:referencesFile rdf:nodeID="Nfbfdccfc7cb94fd9abaac10e3769f0ee"/>
<ns1:referencesFile rdf:nodeID="Nd9257f1e539745018373913249a0a732"/>
<ns1:referencesFile rdf:nodeID="N055d44e63a724a49ad28fd9bf1132b99"/>
<ns1:referencesFile rdf:nodeID="N61315ca50d11440b929ae300961b0165"/>
<ns1:referencesFile rdf:nodeID="Nfa6de39b89644d10b5df503b6ae25a63"/>
<ns1:referencesFile rdf:nodeID="N22523e0d50ae44c0b95ea6d990c0a73f"/>
<ns1:referencesFile rdf:nodeID="N35daf48f843a47abad54d5217cb286bb"/>
<ns1:referencesFile rdf:nodeID="N8544b56b46c3459b877290f392be602b"/>
<ns1:referencesFile rdf:nodeID="N1678e165bea94c52a92e7ce244c6a68d"/>
<ns1:referencesFile rdf:nodeID="N4814be37a47247fab5693d1a26f6f9f3"/>
<ns1:referencesFile rdf:nodeID="Nfddb957ad37a4abeb9377329ffc2c960"/>
<ns1:referencesFile rdf:nodeID="N26ff3ae9156248898c733dd02014d12f"/>
<ns1:referencesFile rdf:nodeID="N609988e1c85a423189275e54cfed6e2e"/>
<ns1:referencesFile rdf:nodeID="Ncbaf7bd47ba14ac8bd63b6be7d0139c6"/>
<ns1:referencesFile rdf:nodeID="Nc1e60b42196c44479c5828e0d88db47f"/>
<ns1:referencesFile rdf:nodeID="N24286d37e44143fd93b7ea670aa8d07b"/>
<ns1:referencesFile rdf:nodeID="N5f51cf2e28fe4ad6aec292c7885365a7"/>
<ns1:referencesFile rdf:nodeID="N28ce88b9a132452aa8ce3370a8527ef3"/>
<ns1:referencesFile rdf:nodeID="N94159d76d84b469887115176d9239479"/>
<ns1:referencesFile rdf:nodeID="N79d61ae1cb61488a9843a5b8eeee3319"/>
<ns1:referencesFile rdf:nodeID="N499798cc9fe14dc3bcc10ccdde48f04c"/>
<ns1:referencesFile rdf:nodeID="N6cf339ce5bb54258b60f47035de6b2fc"/>
<ns1:referencesFile rdf:nodeID="N71b83fbd45742529de0264842a6d208"/>
<ns1:referencesFile rdf:nodeID="N9ffc99f3bb56479b9afa9d1309284a49"/>
<ns1:referencesFile rdf:nodeID="N36433892e9c84884b370b088739f0d80"/>
<ns1:referencesFile rdf:nodeID="Na6c43ed99e8643c3adf4d26fce9bafa2"/>
<ns1:referencesFile rdf:nodeID="N45dd11110bd249a483ed54186dbb64c0"/>
<ns1:referencesFile rdf:nodeID="N7babdf7e87a449a08487c5a86e13b4ea"/>
<ns1:referencesFile rdf:nodeID="Neb52a07446dc49b1999a057d7a8d61bc"/>
<ns1:referencesFile rdf:nodeID="N065527d039d048c9a2eee17d76646a41"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N055d44e63a724a49ad28fd9bf1132b99">
  <ns1:fileName>./src-separate/duk_api_call.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Ne708901cde614b5aafb2bb7e8b803766"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N21d223e103e4485dafac4fe71bd3b586">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./examples/guide/primecheck.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nb5e5d4a64fe746b492c57a7c03e2724e"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd9257f1e539745018373913249a0a732">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_config.h</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Na650e8dfb19a4f44aef75d5e2c394ba4"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbc040aa8353649f1a6fb3e523bc76e04">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>54a05944602f4a24864001a40d770591c6800daf</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc27c83a9e51f4db89074048d655801e1">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./examples/cmdline/duk_cmdline.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Na55d2779e9f04b1cb976b501fc32432d"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8205f4f8616b46e68bc6c5dc73a948c8">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_hobject_pc2line.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Na6d53b82062749f8808119f241f07cf5"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd54d9cf3f46d49f697d3500c9482df74">
<ns1:hasFile rdf:nodeID="N481e6682d7094bd19b01043fd5c311f5"/>
<ns1:hasFile rdf:nodeID="N8c0a8ac2b0a24aea9321494aae2b3f83"/>
<ns1:hasFile rdf:nodeID="N420d873a1c6c464297fc9041f2779e11"/>
<ns1:hasFile rdf:nodeID="N771cbb1b56654a919d8b24170e2dcedd"/>
<ns1:hasFile rdf:nodeID="N43b67d36799d456694307a9eb5494c8b"/>

```

```
<ns1:hasFile rdf:nodeID="Nc1e60b42196c44479c5828e0d88db47f"/>
<ns1:hasFile rdf:nodeID="Naf84dad9d3d645bbaaf14e411a019365"/>
<ns1:hasFile rdf:nodeID="N8a340c44f43943f0ab1672a40e1c945b"/>
<ns1:hasFile rdf:nodeID="N964f0e52d3e1404b976e7b15b4289d98"/>
<ns1:hasFile rdf:nodeID="N710963674b514ea7aae2566d4513d7d6"/>
<ns1:hasFile rdf:nodeID="Nb3f548fc27ff4317b5d614b1311bfa85"/>
<ns1:hasFile rdf:nodeID="Nb8d7da14715f4b328ada1e5142ff71fe"/>
<ns1:hasFile rdf:nodeID="Nceed48f25d914b03a30524bfeaf35bb6"/>
<ns1:hasFile rdf:nodeID="Naa79378d98f247c68455fd5aa2c6e31a"/>
<ns1:hasFile rdf:nodeID="N3ca9e1b60e4843a89d906524f6cc4c24"/>
<ns1:hasFile rdf:nodeID="N71d4d0d7d9524fff99c079055e1eae0"/>
<ns1:hasFile rdf:nodeID="Nd9257f1e539745018373913249a0a732"/>
<ns1:hasFile rdf:nodeID="N87c0330f84024bef83feecb13353bf9d"/>
<ns1:hasFile rdf:nodeID="Nd048c706eb0c43a098d0ac1af984b656"/>
<ns1:supplier>Organization: duktape.org</ns1:supplier>
<ns1:hasFile rdf:nodeID="N5f1c969f97074a8c97cad68eed9b8052"/>
<ns1:hasFile rdf:nodeID="Nc23bbcfa716d4cc5b405d862c82a7c41"/>
<ns1:hasFile rdf:nodeID="N9481decc425d485788d28e57b220f04d"/>
<ns1:hasFile rdf:nodeID="N9dde54da24b047c99b44fc8d3741f617"/>
<ns1:hasFile rdf:nodeID="N24ae5d1e92e04c419dfba329f6ca64da"/>
<ns1:hasFile rdf:nodeID="N5a0706ad02f04ee2a6c04aa577b9577b"/>
<ns1:name>Duktape</ns1:name>
<ns1:hasFile rdf:nodeID="N4c0f3f318a8249d98a3281f805927b67"/>
<ns1:hasFile rdf:nodeID="Nc2f77e5a7126428d8436da0b7703131f"/>
<ns1:hasFile rdf:nodeID="N625f9fece6f7428eb27fea7a468e8db9"/>
<ns1:hasFile rdf:nodeID="N68b416697da34a0ea89ba76795174db4"/>
<ns1:summary>Duktape EcmaScript interpreter</ns1:summary>
<ns1:hasFile rdf:nodeID="N7d968ec953494762b4619853d38fb353"/>
<ns1:hasFile rdf:nodeID="Na5ca44b7718547c5a9f0237edbae6e43"/>
<ns1:hasFile rdf:nodeID="N2747241e86c94481b6ea911aca0bc4d3"/>
<ns1:hasFile rdf:nodeID="Ne31475eb6e1e4f83b53783d22330d320"/>
<ns1:hasFile rdf:nodeID="N61bc4b57e4204c9885dc8ac2db190332"/>
<ns1:hasFile rdf:nodeID="N94159d76d84b469887115176d9239479"/>
<ns1:hasFile rdf:nodeID="Na6c43ed99e8643c3adf4d26fce9bafa2"/>
<ns1:hasFile rdf:nodeID="Na2aed6539b2a429fabad9335eb89acd6"/>
<ns1:hasFile rdf:nodeID="N9ffc99f3bb56479b9afa9d1309284a49"/>
<ns1:hasFile rdf:nodeID="N28e80a793d914be68123e9c5cd6571aa"/>
<ns1:hasFile rdf:nodeID="N5eb213eaacb949c3895908a413b64919"/>
<ns1:hasFile rdf:nodeID="N4c400621931e432b98bcbf6d10ebdae3"/>
<ns1:hasFile rdf:nodeID="N8b8373b4c6ad49cf819040f520e88f53"/>
<ns1:downloadLocation
rdf:datatype="http://www.w3.org/2001/XMLSchema#anyURI">http://duktape.org/duktape-
1.8.0.tar.xz</ns1:downloadLocation>
<ns1:description>Duktape is an embeddable Javascript engine, with a focus on portability and compact
footprint</ns1:description>
<ns1:hasFile rdf:nodeID="N24286d37e44143fd93b7ea670aa8d07b"/>
<ns1:hasFile rdf:nodeID="Nfddb957ad37a4abeb9377329ffc2c960"/>
<ns1:hasFile rdf:nodeID="N2e5639ce715b4fc094288e1df160799e"/>
```

<ns1:hasFile rdf:nodeID="N5815d731ada943bd8ad3d1ca679d0ea4"/>
<ns1:hasFile rdf:nodeID="Nfe393f19e2384a16b1112664d22025b5"/>
<ns1:hasFile rdf:nodeID="Nd42d22397da04500a33fbd094fc484e4"/>
<ns1:sourceInfo>Official duktape.org release built from GitHub repo
[https://github.com/svaarala/duktape.](https://github.com/svaarala/duktape)</ns1:sourceInfo>
<ns1:hasFile rdf:nodeID="N626e213860344b7eb57e3c20110adc91"/>
<ns1:hasFile rdf:nodeID="N2bd077c0eac6450db5bc3fc7d15b6d87"/>
<ns1:hasFile rdf:nodeID="N3a4b221777ac45c8ab644cb44db92d8b"/>
<ns1:hasFile rdf:nodeID="Nf4d8e62bfbd14b118461ed59dbeab1ba"/>
<ns1:hasFile rdf:nodeID="Nb95a7fff6efd4616b92cb2bf89109bae"/>
<ns1:hasFile rdf:nodeID="N4f362a5590564897b128718602b7094f"/>
<ns1:licenseInfoFromFiles rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:hasFile rdf:nodeID="N69968a7c2c014c98a8d1334007137917"/>
<ns1:hasFile rdf:nodeID="Nec4635663d1a4069bde5084f9c57cc2c"/>
<ns1:hasFile rdf:nodeID="Ne5c62b49f8bf49e5b8ae0c3d39eeb15b"/>
<ns1:hasFile rdf:nodeID="N84d6e2f48e1b4e18be72c48c463c2e34"/>
<ns1:hasFile rdf:nodeID="N69bf9aae90764e6d94623e138e263578"/>
<ns1:hasFile rdf:nodeID="Nd0c16c02a31f461bb5b895298eb3d429"/>
<ns1:hasFile rdf:nodeID="Nc68afc19e80c48ffaca9ea43da74a21"/>
<ns1:hasFile rdf:nodeID="Ncf8e07810e7d4506bfb6057b1b806246"/>
<ns1:hasFile rdf:nodeID="Nf101e181b30d472dba57f50dc3a9536d"/>
<ns1:licenseComments>Duktape is copyrighted by its authors and licensed under the MIT license. MurmurHash2
is used internally, it is also under the MIT license. Duktape module loader is based on the CommonJS module
loading specification (without sharing any code), CommonJS is under the MIT license.</ns1:licenseComments>
<ns1:hasFile rdf:nodeID="Nab4921879d3e41e49289987e4915dfa5"/>
<ns1:hasFile rdf:nodeID="N0acbf28649514c9ab431dfe196d8e423"/>
<ns1:hasFile rdf:nodeID="Nb5659f6364ad454fae3375887c5709fd"/>
<ns1:hasFile rdf:nodeID="N12fdf274c72c4cf0bf54e11a0459d6af"/>
<ns1:hasFile rdf:nodeID="N5a7ce0eaad9045299a0b4960d89aef73"/>
<ns1:hasFile rdf:nodeID="N5b49c6ac8dd34a3da284739b92e75db1"/>
<ns1:hasFile rdf:nodeID="N4a07d616f5af48a89b75208d25045751"/>
<ns1:hasFile rdf:nodeID="N1534fd30a381448aaf2322d2a4948c8e"/>
<ns1:hasFile rdf:nodeID="N3d24a0ee1a424956b3b3455d706fd61f"/>
<ns1:hasFile rdf:nodeID="Ne99ec63e0741462b9a012fff74a5d291"/>
<ns1:hasFile rdf:nodeID="N3f717419af4d4a349741ac269553711c"/>
<ns1:hasFile rdf:nodeID="Necfaa636d53549e8b2773759e5fbb58"/>
<ns1:hasFile rdf:nodeID="Ndc712f7c7f64122ba556265143ee234"/>
<ns1:hasFile rdf:nodeID="N5f29137284284b4bbb17a46ea04b9ec1"/>
<ns1:hasFile rdf:nodeID="N701c4c287380429dbc1b59b4d273e81e"/>
<ns1:hasFile rdf:nodeID="N321ec8d849cc4b4fa15438934b06b9e9"/>
<ns1:hasFile rdf:nodeID="N4b886bd43ea64e19b9e5fd2c5db48a7a"/>
<ns1:hasFile rdf:nodeID="Nc4a5aa89b2a344fbaf246ac444d13f01"/>
<ns1:hasFile rdf:nodeID="N4b4509c86f3041149ccaddb609bf5579"/>
<ns1:hasFile rdf:nodeID="N70780d6683804bb39ed96cba34a87132"/>
<ns1:hasFile rdf:nodeID="Nc62ae45072744ebb9e7b631cef3ef853"/>
<ns1:hasFile rdf:nodeID="N065527d039d048c9a2eee17d76646a41"/>
<ns1:hasFile rdf:nodeID="N71b83fbd45742529de0264842a6d208"/>
<ns1:hasFile rdf:nodeID="Nbff9f94714e2434bac4ac0fc5787fbb7"/>

<ns1:hasFile rdf:nodeID="N79d61ae1cb61488a9843a5b8eeee3319"/>
<ns1:hasFile rdf:nodeID="Nd85340537be04b1aa018208d5f8e706d"/>
<ns1:hasFile rdf:nodeID="Nb2b1a3fe00dc437c844c126604453cd1"/>
<ns1:hasFile rdf:nodeID="N496edf2d350b4425a015678b132ffd36"/>
<ns1:hasFile rdf:nodeID="N255def7372bd47f18aa1a53888ee9b9f"/>
<ns1:hasFile rdf:nodeID="Ncbaf7bd47ba14ac8bd63b6be7d0139c6"/>
<ns1:hasFile rdf:nodeID="Nb0f1b8f8e27248c98285da82f920e212"/>
<ns1:hasFile rdf:nodeID="N4814be37a47247fab5693d1a26f6f9f3"/>
<ns1:hasFile rdf:nodeID="N8544b56b46c3459b877290f392be602b"/>
<ns1:hasFile rdf:nodeID="Nfa6de39b89644d10b5df503b6ae25a63"/>
<ns1:hasFile rdf:nodeID="N5621e2ab84e44774878c44a2c7656558"/>
<ns1:hasFile rdf:nodeID="Nfbfdccfc7cb94fd9abaac10e3769f0ee"/>
<ns1:hasFile rdf:nodeID="Ncc48633f106b4d1d890d5b506c2c842e"/>
<ns1:hasFile rdf:nodeID="Nf7e45e8abf304688b9f5bbec94bdd46c"/>
<ns1:hasFile rdf:nodeID="N1c3027149f63426484ed8f98fee5904b"/>
<ns1:hasFile rdf:nodeID="Nb9690485257a4f89ae2832262b5b9068"/>
<ns1:hasFile rdf:nodeID="N4c4c78ab85444ec6a42a693356673d92"/>
<ns1:hasFile rdf:nodeID="N7465323286254cff9e28d0a77238c638"/>
<ns1:hasFile rdf:nodeID="N45dd11110bd249a483ed54186dbb64c0"/>
<ns1:hasFile rdf:nodeID="Na4f250fbfb6e48bb956b1d2ed1c24162"/>
<ns1:hasFile rdf:nodeID="N20e55df79a0f4d0ca1ca75327d733054"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Package"/>
<ns1:hasFile rdf:nodeID="Nbe138ac3064f47b982ebaaeda0173f61"/>
<ns1:hasFile rdf:nodeID="Ndd1e7fd4f5d4d33a6ff1b18ee75bfe8"/>
<ns1:hasFile rdf:nodeID="N3f4834a29d1e41bb8aa5b2225f6f5912"/>
<ns1:hasFile rdf:nodeID="Ncede568b05eb4f1f8070243a51bcf11e"/>
<ns1:hasFile rdf:nodeID="N6cf339ce5bb54258b60f47035de6b2fc"/>
<ns1:hasFile rdf:nodeID="N412ce8309bc5459b8b6f7d6daa2d4151"/>
<ns1:hasFile rdf:nodeID="Nccb6495f9b3d4b86a0683c1698772b2c"/>
<ns1:hasFile rdf:nodeID="N05c8938cb8654bbebcf6f474b4f46c41"/>
<ns1:hasFile rdf:nodeID="N9a3b961cfcc84127a662aa20163db7c2"/>
<ns1:hasFile rdf:nodeID="N2e4774aac22f42f4ab75186dd55e760f"/>
<ns1:hasFile rdf:nodeID="Nc4c52b8edbf4464cb602a2c9bad36813"/>
<ns1:licenseDeclared rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:hasFile rdf:nodeID="N52fd73edbf0c475bb9529f08cb7a762e"/>
<ns1:hasFile rdf:nodeID="N36433892e9c84884b370b088739f0d80"/>
<ns1:hasFile rdf:nodeID="N76d11aa38abc44c0aa7ec850f678355a"/>
<ns1:hasFile rdf:nodeID="Ne4d270a566ff4d4f848a18c91f9fce5c"/>
<ns1:hasFile rdf:nodeID="Nb2228c8653524fd89380b3df9a7a2cd1"/>
<ns1:hasFile rdf:nodeID="N35daf48f843a47abad54d5217cb286bb"/>
<ns1:hasFile rdf:nodeID="N7addc8388ede4c3ca2d99915837f88be"/>
<ns1:hasFile rdf:nodeID="N539dab7a52034988b7847ee3b66c6b3c"/>
<ns1:hasFile rdf:nodeID="Nf16fc812a97a4d6fb4adfa8e6c3123c5"/>
<ns1:hasFile rdf:nodeID="N14fcc315e6f74fe8a14c27aa8f27c581"/>
<ns1:hasFile rdf:nodeID="N9b7fe2aef248403588b7ada79de9193b"/>
<ns1:hasFile rdf:nodeID="N7aa6c260fc0e4927a3e03c0c588ef31b"/>
<ns1:hasFile rdf:nodeID="N63b180f6b6e7409c8c4a2d75f3f3bf94"/>
<ns1:hasFile rdf:nodeID="Naca60bb8b93545eaa4d3be66d583d909"/>

<ns1:hasFile rdf:nodeID="Nec423a0453e44c2ba6d3461d47fa6ab1"/>
<ns1:hasFile rdf:nodeID="N3e1b3c36658a444dbe46a92d49a2a59a"/>
<ns1:hasFile rdf:nodeID="N5d99bd74b27c497381620ab229f93dc2"/>
<ns1:hasFile rdf:nodeID="N6ab50ab9fbfe4fe7a7b795bd2ae49ccc"/>
<ns1:hasFile rdf:nodeID="N6a1c34da591f4b8a8ffb97822fbc5b5e"/>
<ns1:hasFile rdf:nodeID="N8205f4f8616b46e68bc6c5dc73a948c8"/>
<ns1:hasFile rdf:nodeID="Nd719d48e04d242f78fb1d0a486c69340"/>
<ns1:hasFile rdf:nodeID="Na07feffc3d5348e0a449af1fd9b4de9e"/>
<ns1:hasFile rdf:nodeID="Nc3927826180342c6b74f64f7f5f4be64"/>
<ns1:hasFile rdf:nodeID="Nd3e7dba43fef48a484cafff2dd9b0a13"/>
<ns1:hasFile rdf:nodeID="Ndc851e7e4ea544e1a75e8a1b587c7ac6"/>
<ns1:hasFile rdf:nodeID="N971a4f90fc8e4c8c8dfd150f53f0cc3d"/>
<ns1:hasFile rdf:nodeID="N659bbed62f144d8ebbf87663485ddcd2"/>
<ns1:hasFile rdf:nodeID="N5fc56582fdf34f378200bfefc77fde34"/>
<ns1:hasFile rdf:nodeID="N80d5b180e5134affb1e27351e225a9a9"/>
<ns1:hasFile rdf:nodeID="N65c488124b4f4276aeb62e79525daa55"/>
<ns1:versionInfo>1.8.0</ns1:versionInfo>
<ns1:hasFile rdf:nodeID="N21d223e103e4485dafac4fe71bd3b586"/>
<ns1:hasFile rdf:nodeID="Nff5c40e266e84aa7a96fc73ef1fabf10"/>
<ns1:hasFile rdf:nodeID="N1a218f5530844b65a3ee1acfbe9e4aa9"/>
<ns1:homePage
rdf:datatype="http://www.w3.org/2001/XMLSchema#anyURI">http://duktape.org/</ns1:homePage>
<ns1:hasFile rdf:nodeID="N58f6468d6890470592978b277cd54599"/>
<ns1:hasFile rdf:nodeID="N0afed25856c14729a01a563f46f9bc73"/>
<ns1:hasFile rdf:nodeID="N953fdc753d8b41e097c4cffc628b36c7"/>
<ns1:hasFile rdf:nodeID="N9013c3a2eb5141d4a39ab238a62a80c8"/>
<ns1:hasFile rdf:nodeID="N78d9be6f3cb5446fb36b209232d2a065"/>
<ns1:hasFile rdf:nodeID="N1678e165bea94c52a92e7ce244c6a68d"/>
<ns1:hasFile rdf:nodeID="N22523e0d50ae44c0b95ea6d990c0a73f"/>
<ns1:hasFile rdf:nodeID="N7822469c545c4df9b12406ee54e2afe5"/>
<ns1:hasFile rdf:nodeID="N044eacd88a3a484eb1b9127a667e9249"/>
<ns1:hasFile rdf:nodeID="Nb557228cfd94d4c8265e22fc6e9a848"/>
<ns1:hasFile rdf:nodeID="N2791704e829d40d7b5a8b635b27ded9b"/>
<ns1:hasFile rdf:nodeID="N51e937528d7f427490005864b4b9ff15"/>
<ns1:hasFile rdf:nodeID="N4867af028fb24e9581483f74ca5077af"/>
<ns1:hasFile rdf:nodeID="N17ffb3e8104477abd099faf01b6127d"/>
<ns1:hasFile rdf:nodeID="N319cbde2f13e43dc8b525d2002379f84"/>
<ns1:hasFile rdf:nodeID="Nbbf5383cec894fda8418670daf41bf4"/>
<ns1:hasFile rdf:nodeID="N4aed04f0817044138b37b4b8b8afcdde"/>
<ns1:hasFile rdf:nodeID="N5f0a79284b4e476e859018fe36e0cc5f"/>
<ns1:hasFile rdf:nodeID="N6da4854955d24955bb2ce86109976273"/>
<ns1:hasFile rdf:nodeID="Ne4049e1c835a44b49f2170d98539e678"/>
<ns1:hasFile rdf:nodeID="Nff5d8e1481b84a198f5a6d85d31bdf70"/>
<ns1:hasFile rdf:nodeID="N9f6e2e668d6f4c9d858b3145aec54784"/>
<ns1:hasFile rdf:nodeID="N2539a565f7614844a2ee69e2ff8e78e4"/>
<ns1:hasFile rdf:nodeID="N499798cc9fe14dc3bcc10ccdde48f04c"/>
<ns1:hasFile rdf:nodeID="Nf351e2d66ec74a1e8c5375e2b9025188"/>
<ns1:hasFile rdf:nodeID="N50bc3d74b26b43b9a1216c3979e23254"/>

<ns1:hasFile rdf:nodeID="N58ff577ed80a43df8e1646668551583a"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape distributable)</ns1:copyrightText>
<ns1:hasFile rdf:nodeID="N3f09339e89b34e2a907db05ff6e5231f"/>
<ns1:hasFile rdf:nodeID="N74cd6070a1bd48b681f85975e4688a53"/>
<ns1:hasFile rdf:nodeID="N199467d073a54f1cbc8c5c4f9b90c94a"/>
<ns1:hasFile rdf:nodeID="Nda4e6d29e6ea4524b32fcfc2e62866"/>
<ns1:hasFile rdf:nodeID="N54c4221697db461a975311a851b502fe"/>
<ns1:hasFile rdf:nodeID="N2d8aba5a7b514788bca78e3fb55c9c53"/>
<ns1:hasFile rdf:nodeID="N5a953bc57e2b4f06af31c00d22c1837a"/>
<ns1:hasFile rdf:nodeID="Nb651244cf8cf437b8c4b9f4225b28342"/>
<ns1:packageName>duktape-1.8.0.tar.xz</ns1:packageName>
<ns1:hasFile rdf:nodeID="N422e89076060451db2985c0669b5e257"/>
<ns1:hasFile rdf:nodeID="N59a4b3ef06704ac3805126dcebb328"/>
<ns1:hasFile rdf:nodeID="N274908e1380e49e6ae93f6cde969325a"/>
<ns1:hasFile rdf:nodeID="N31225da44ef4496cabd6e7ae86eb43a6"/>
<ns1:hasFile rdf:nodeID="N2a57c95956d44e9482163e89790eaaac"/>
<ns1:hasFile rdf:nodeID="N6345761d589444a6b57c1b3a1963fd7c"/>
<ns1:hasFile rdf:nodeID="N90816d42d6d7411b821655abadcfc3c2"/>
<ns1:hasFile rdf:nodeID="Na19acc57c2364e29bfacecad86326625"/>
<ns1:hasFile rdf:nodeID="N4fe7b3b77be64ad59c7172bd2cc6ce44"/>
<ns1:hasFile rdf:nodeID="N25bd82047bdb4a0199e50f36080e6c62"/>
<ns1:hasFile rdf:nodeID="N3d65345a7cc74ef085118b413f56cbf6"/>
<ns1:hasFile rdf:nodeID="Naf4a15c9666045c5a04a2593e0f732e1"/>
<ns1:hasFile rdf:nodeID="Nb67913679f964221b701ed048e5f7265"/>
<ns1:hasFile rdf:nodeID="Nfc95c250f4e54f8b9c418c59eab02120"/>
<ns1:hasFile rdf:nodeID="Ndfa7a5ba4d7845128c04b1a6951d361e"/>
<ns1:hasFile rdf:nodeID="Nb360fc3316e449ddb4e6ed574df21fe2"/>
<ns1:hasFile rdf:nodeID="Nab610c0ceee746c4a0f0c48a131cf1dd"/>
<ns1:hasFile rdf:nodeID="Nac1ac1f5e27648d8a5dd5500997c7e66"/>
<ns1:hasFile rdf:nodeID="N955eeb1c49bd4fcfbbbc46f437ea116d"/>
<ns1:hasFile rdf:nodeID="N6b570f8bc5b7476e80335d58937603ff"/>
<ns1:hasFile rdf:nodeID="Na41b6ea84c99434997affc0d5d862040"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:hasFile rdf:nodeID="N0fe469dbfde344768f7b99734cbf0a16"/>
<ns1:hasFile rdf:nodeID="Neb52a07446dc49b1999a057d7a8d61bc"/>
<ns1:hasFile rdf:nodeID="N7babdf7e87a449a08487c5a86e13b4ea"/>
<ns1:hasFile rdf:nodeID="N7ba4bc391fb847dda2869a7ff2741099"/>
<ns1:hasFile rdf:nodeID="Nb9879a7b703b4c74aff0e5529ec0890f"/>
<ns1:hasFile rdf:nodeID="N85f2bb17133644dd8adf388783011c86"/>
<ns1:hasFile rdf:nodeID="N28ce88b9a132452aa8ce3370a8527ef3"/>
<ns1:hasFile rdf:nodeID="N5f51cf2e28fe4ad6aec292c7885365a7"/>
<ns1:packageVerificationCode rdf:nodeID="N804bb56e740147288f3905c455e92fe4"/>
<ns1:hasFile rdf:nodeID="Na8b5d310729d49ac8f8f3e751c5278f1"/>
<ns1:hasFile rdf:nodeID="N6a4b80d2ca674001a66ccddc87e92dda"/>
<ns1:hasFile rdf:nodeID="N609988e1c85a423189275e54cfed6e2e"/>
<ns1:hasFile rdf:nodeID="N26ff3ae9156248898c733dd02014d12f"/>
<ns1:hasFile rdf:nodeID="N61315ca50d11440b929ae300961b0165"/>

```

<ns1:hasFile rdf:nodeID="N76875fdfd80c4588b530dcc471f8207f"/>
<ns1:hasFile rdf:nodeID="N055d44e63a724a49ad28fd9bf1132b99"/>
<ns1:hasFile rdf:nodeID="Nfba5e8a6a1654a3fbd3ff4de9b464156"/>
<ns1:hasFile rdf:nodeID="N06a544f99ac449b0b78001e40784f880"/>
<ns1:hasFile rdf:nodeID="Nfb5092ce3cf648d494168bbadfdbfffc"/>
<ns1:hasFile rdf:nodeID="Nc27c83a9e51f4db89074048d655801e1"/>
<ns1:hasFile rdf:nodeID="Nb05b9aad549243d7ae645ff3dff4be63"/>
<ns1:hasFile rdf:nodeID="Nd5bcafd1c74e4a7ba3503a9c86ed2ef4"/>
<ns1:hasFile rdf:nodeID="N78ef565d0b4842e59e0fcdcf0ff25acd"/>
<ns1:hasFile rdf:nodeID="N5074cd0c9ddc49e8829d23ca1f9103ae"/>
<ns1:hasFile rdf:nodeID="N11336b92427d40e6b81206c6f51effc3"/>
<ns1:hasFile rdf:nodeID="Nedb34d98a47349a2b2b7bcac8307ade1"/>
<ns1:hasFile rdf:nodeID="N32cc3b0ed2d14fe0ad78dc9eeda6a514"/>
<ns1:hasFile rdf:nodeID="Ndc06fc10c615480a92d0b06a55dcea59"/>
<ns1:originator>Organization: duktape.org</ns1:originator>
<ns1:hasFile rdf:nodeID="N127e032aec53405280adacea99f7a1aa"/>
<ns1:hasFile rdf:nodeID="N5cf0169732cf46a4bc6361f4fc393ece"/>
<ns1:hasFile rdf:nodeID="N1e657515cdba40b093ae02a81c1f1694"/>
<ns1:hasFile rdf:nodeID="N381d668aa9f94da09b2e3b7474763e15"/>
<ns1:hasFile rdf:nodeID="N1b65b2ebc3ce4672972d9ab4813df807"/>
<ns1:hasFile rdf:nodeID="N85fab0d49a3b4a3eab58b2101db54367"/>
<ns1:hasFile rdf:nodeID="N383a910e5426458883b137862108d075"/>
<ns1:hasFile rdf:nodeID="N581cfab506844f24b0ffc65896227847"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1e725f678b124659a7a1b6f7edfa156c">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>2a665ec86812c67bc02ebdaea35ce43ad82d703</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd5bcafd1c74e4a7ba3503a9c86ed2ef4">
  <ns1:checksum rdf:nodeID="Nfdae9c7d2776481fb36147cb54add3e9"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./examples/eventloop/fileio.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncc48633f106b4d1d890d5b506c2c842e">
  <ns1:checksum rdf:nodeID="N92a9dd3bcb404f33839dde4a823961b0"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/README.rst</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>

```



```

</rdf:Description>
<rdf:Description rdf:nodeID="N7f6128a2b0b34febf5ec96bf6a7bfdcb">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>99ae24d8e1c2b8c0cd3945717480943178a62609</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N381d668aa9f94da09b2e3b7474763e15">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N4f876e7760ee47c49e5b207b575f60a9"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./examples/eventloop/README.rst</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6cf339ce5bb54258b60f47035de6b2fc">
  <ns1:fileName>./src-separate/duk_heaphdr.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N54e172b5f4074728bb9ab6fd9137e715"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N84d6e2f48e1b4e18be72c48c463c2e34">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_js_bytecode.h</ns1:fileName>
  <ns1:checksum rdf:nodeID="Nfb3e08ee6cf3436c977c900fd0c5334d"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N28ce88b9a132452aa8ce3370a8527ef3">
  <ns1:fileName>./examples/sandbox/sandbox.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N4109c0a9099d4ca392a26e854aecb222"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N24ae5d1e92e04c419dfba329f6ca64da">
  <ns1:fileName>./examples/cmdline/README.rst</ns1:fileName>

```

```

<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="N71d69be00d6449e6ae1fd782b807616e"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5a953bc57e2b4f06af31c00d22c1837a">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./licenses/murmurhash2.txt</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N716d78f6af114fc7af78e6d3d8c6b413"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb38f08e12431425db9c6803f53dd9f9f">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>3d700df1f765c39fc63bfd4e31a9d7da8d15c543</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N771cbb1b56654a919d8b24170e2dcedd">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./config/duk_config.h-modular-dll</ns1:fileName>
<ns1:checksum rdf:nodeID="Nfcd43aadaa0247eb9851ab247e13be2e"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf351e2d66ec74a1e8c5375e2b9025188">
<ns1:fileName>./examples/guide/process.js</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N0967db6ac71a467dbe61de1ca6c36434"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2d8aba5a7b514788bca78e3fb55c9c53">
<ns1:checksum rdf:nodeID="N01225c64e27c45bab26e7366ffc292bb"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</ns1:copyrightText>
  <ns1:fileName>./examples/debug-trans-dvalue/test.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne6fa6d2607be44c6a7c0b1d603af921e">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>126d1ebbac4c437d5914a876dbaf4de6676a1117</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndc06fc10c615480a92d0b06a55dcea59">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N2927778282204ec4a05dc67d8784747d"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./examples/debug-trans-dvalue/duk_trans_dvalue.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne4d270a566ff4d4f848a18c91f9fce5c">
  <ns1:fileName>./src-separate/duk_regexp_executor.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nea1fc799176843809471a8df78c339a5"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N4a07d616f5af48a89b75208d25045751">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N866d4c210e18465aafb4e1877d536147"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_strings.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nccb6495f9b3d4b86a0683c1698772b2c">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N1e725f678b124659a7a1b6f7edfa156c"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-noline/duk_config.h</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfd79133b45964e7397fb444282c3d731">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>d529a6faac560def1e5b2cdb991713a6d70b0e26</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N626e213860344b7eb57e3c20110adc91">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./Makefile.coffee</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="N8df4a1d3408a4d5fa6887164d01b6764"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb37b5ea774e34ab288d20c4889711a43">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>c06e1c0dcc0c61e40f7337b40917df034f167e54</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N710963674b514ea7aae2566d4513d7d6">
  <ns1:fileName>./src-separate/duk_js.h</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="Ne115ec1bda10448baf68cc677ec3893a"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4f362a5590564897b128718602b7094f">
  <ns1:checksum rdf:nodeID="N17f15662ac104212acb2cbf997f1c7eb"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_bi_duktape.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na6d53b82062749f8808119f241f07cf5">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>8521b45dcbc72d66c2b4e3f0db9e1dbfb75b45f5</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N11d8e358dd81420694d745ad31b1e8af">

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>422984e8fc919e9f8c64d5cc4b20d7f6d15e341b</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5fc56582fdf34f378200bfefc77fde34">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="Nd805e2d88bfe496a966981fc41a11827"/>
  <ns1:fileName>./AUTHORS.rst</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc2f77e5a7126428d8436da0b7703131f">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_js_compiler.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="Ndaf1ecf33dc942ca8bbecc21b15c04f"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncede568b05eb4f1f8070243a51bcf11e">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="N5332d8ea57ea485caf23589e850b48f7"/>
  <ns1:fileName>./examples/debug-trans-socket/README.rst</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N581cfab506844f24b0ffc65896227847">
  <ns1:fileName>./src-separate/duk_heap.h</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Nd37eb8919bdd40b386e1600c87bc023e"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N87c0330f84024bef83feecb13353bf9d">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<ns1:checksum rdf:nodeID="Nf318d7d97b9743abb1b717f8f24b8826"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_bi_string.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N971a4f90fc8e4c8c8dfd150f53f0cc3d">
<ns1:checksum rdf:nodeID="Nb1c1e915c6794944b401ab2428ecbab3"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_lexer.h</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N61bc4b57e4204c9885dc8ac2db190332">
<ns1:checksum rdf:nodeID="Nc56dc28846eb481599abb21f80134fbc"/>
<ns1:fileName>./src-separate/duk_js_var.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd42d22397da04500a33fbd094fc484e4">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N03c20b0ac06f43f2a5edf004fbae0b29"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./src-separate/duk_heap_memory.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndc851e7e4ea544e1a75e8a1b587c7ac6">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nc71c1940de6c4ebabdc4a6ef5eb8dfcf"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src-separate/duk_util_bufwriter.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N45dd11110bd249a483ed54186dbb64c0">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<ns1:fileName>./src-separate/duk_api_codec.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N6e12533d8c514578ac8a04aab8df6bfb"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf318d7d97b9743abb1b717f8f24b8826">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>030ac3c728cca19fe93d652a4b6b8758d739d9b9</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N28e80a793d914be68123e9c5cd6571aa">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./examples/hello/hello.c</ns1:fileName>
<ns1:checksum rdf:nodeID="N18aadb5233f4983a42657a144b94750"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nff5d8e1481b84a198f5a6d85d31bdf70">
<ns1:fileName>./src-noline/metadata.json</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="Nb42bd9124b6841edafc3cda99cd0781a"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N499798cc9fe14dc3bcc10ccdde48f04c">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N7fb9f1d8cecd441c82e20beef12e95c7"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./examples/eval/eval.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N83972cbbbfe24b6ba5269dd4e826d417">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>21e33f2c348ab084c0869d3bba530b1885464f38</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N420d873a1c6c464297fc9041f2779e11">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src/duk_config.h</ns1:fileName>
  <ns1:checksum rdf:nodeID="N2fa6dfe90bf546158be5267e1f04d32c"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6b570f8bc5b7476e80335d58937603ff">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N8c36adcbed284349bbe0e5aa00bd89bc"/>
  <ns1:fileName>./src-separate/duk_api_debug.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb2b1a3fe00dc437c844c126604453cd1">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./Makefile.sandbox</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N7ddb934c282e406b8662c205759f7710"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6850c845ad19464da3fe97e1d22fb4d4">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>4d3ab8c2d41261b0cae627db9d536d26f72b5f8e</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N32cc3b0ed2d14fe0ad78dc9eeda6a514">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_heap_refcount.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="N7f6128a2b0b34fefb5ec96bf6a7bfdcb"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N2e4774aac22f42f4ab75186dd55e760f">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./debugger/merge_debug_meta.py</ns1:fileName>

```



```

<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nfbd44a63c3704a1cb507e6541fd47cba"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N69968a7c2c014c98a8d1334007137917">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N130bf53da29f4e59aef31d1211d1b42"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_bi_math.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N7babdf7e87a449a08487c5a86e13b4ea">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./examples/debug-trans-dvalue/Makefile</ns1:fileName>
<ns1:checksum rdf:nodeID="N57732a94d27d434485881743fa2d9209"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na635ab5cc18d48d98a6a03c12561ee7a">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>c237e384900f6c517265b6b1f7ded0e5d9faaf69</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6ab50ab9fbfe4fe7a7b795bd2ae49ccc">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_hobject_misc.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nb65bbe4daaf34e9eb7126ed1025a9d1e"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3bba7c45ecdd4f5eb3477d867f7167da">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>0610275779180357a50777f77d1de0e0478f23a7</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Na2aed6539b2a429fabad9335eb89acd6">

```

```

<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:fileName>./Makefile.codepage</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N2c43a4c2cc8e4293b4e25e3c740a0802"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N496edf2d350b4425a015678b132ffd36">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N608f3ec07489451db2c3fa5d2b199831"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_error_macros.c</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf101e181b30d472dba57f50dc3a9536d">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nde3d4282eace4bf797ee167cf2b348be"/>
<ns1:fileName>./examples/codepage-conv/test.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nce865c7644b446b8bfd2411aeaac00ea">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>e44b8b092afcf97e693eb3e0be97d41f8aff301</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3e1b3c36658a444dbe46a92d49a2a59a">
<ns1:checksum rdf:nodeID="N213693bdb49c4346bac780da7a1790dd"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./examples/cpp-exceptions/README.rst</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nec4635663d1a4069bde5084f9c57cc2c">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./examples/debug-trans-socket/duk_trans_socket_windows.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N65e5dd5b200a4872b9a7db1789db5f63"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5815d731ada943bd8ad3d1ca679d0ea4">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_api_bytecode.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N66d93ee17b3f4c37ab218c982ab27858"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9b7fe2aef248403588b7ada79de9193b">
  <ns1:fileName>./examples/codepage-conv/duk_codepage_conv.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Ne7dba3a88cf847a3bd1a540117d78d99"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N065527d039d048c9a2eee17d76646a41">
  <ns1:fileName>./src-separate/duk_hobject_class.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N13da4c8082ec4a5d995595c0d8c9425a"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9481decc425d485788d28e57b220f04d">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_unicode.h</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N83972cbbbf24b6ba5269dd4e826d417"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5f0a79284b4e476e859018fe36e0cc5f">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N4bf08feb34f449caae0f5eef82304a3"/>
<ns1:fileName>./src-separate/duk_hobject_enum.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3cc17f1705324eebb17456a42394362b">
<ns1:checksumValue>ebbb5b2489ccab8f4a6ef741aac3eafac4c49ebd</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb05b9aad549243d7ae645ff3dff4be63">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N7605005ec64b44bfb2e6ffba75ac6752"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_heap_misc.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb36c184de40a4444b8b33c24d7de3b2d">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>339f26c72e051cf531426a63fe6c35c476bad645</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb9fef36066a64eb1991fa1ca72a6df05">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>2321e0a68bf940f8346d00adda9e4a58fa51f608</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N65e5dd5b200a4872b9a7db1789db5f63">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>641b29e08addaa543f37561f5a35689f5fba876e</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb9efef99775c49b8b7c0a457868e0e17">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>d0421b2e96d2365467764d4aecc442fe543d69ad</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfbfdccfc7cb94fd9abaac10e3769f0ee">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="N0fdb767f2ce4960b479d18579d869d8"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</ns1:copyrightText>
  <ns1:fileName>./extras/README.rst</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5621e2ab84e44774878c44a2c7656558">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Nc52b409953fa4c51b1ae425b5d896e86"/>
  <ns1:fileName>./examples/eventloop/main.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4aed04f0817044138b37b4b8b8afcdde">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./Makefile.jxpretty</ns1:fileName>
  <ns1:checksum rdf:nodeID="Nfe3a3474b1ca49d784057130f9133916"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3f717419af4d4a349741ac269553711c">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N64ec2b506363466fbf56c8647ca8831b"/>
  <ns1:fileName>./debugger/README.rst</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N25bd82047bdb4a0199e50f36080e6c62">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N2b9fe9d7676d4348bae04665296dc777"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_json.h</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N24286d37e44143fd93b7ea670aa8d07b">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

<ns1:fileName>./src-separate/duk_hcompiledfunction.h</ns1:fileName>
<ns1:checksum rdf:nodeID="Ne22182ab9a364999ab45de1ed3c881f8"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N03c20b0ac06f43f2a5edf004fbae0b29">
<ns1:checksumValue>ff17cbc9cb84b86f83bb104a247e5c265a9fe5b5</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb5c05a165eb14853ba06e97b3b6dc30f">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>48eafa3f368fc879bfb79c2b2a30846a0b5d9b42</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5a0706ad02f04ee2a6c04aa577b9577b">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src-separate/duk_hbuffer.h</ns1:fileName>
<ns1:checksum rdf:nodeID="N2f8a27c4564346d4841c473cf21b0ed7"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1678e165bea94c52a92e7ce244c6a68d">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./debugger/duk_debug_meta.json</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Nc52f36fbfc5542618ab4923d60a51484"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3d8e070829ec4020a545e0f80ca40052">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>0bba41f542f2279b6bfa297ba4e7ee824e3ebd78</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc52f36fbfc5542618ab4923d60a51484">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>c33541d338ff3d8461dd1a8573a6372e19cb12e4</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N11336b92427d40e6b81206c6f51effc3">

```

```

<ns1:fileName>./src-separate/duk_hthread_alloc.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N08ce910fd3374f358fdf0dd387e7933a"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na40b81b5765147e48ca20b91de493c41">
<ns1:checksumValue>ca9e1a8f73c5dcbe2e8c45d25ce9865cd93866e6</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb67913679f964221b701ed048e5f7265">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./examples/coffee/hello.coffee</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="N6b381f20e8ec4abc91fac4c45bc3488c"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N59a4b3ef06704ac3805126dcebb328">
<ns1:fileName>./debugger/duk_debugcommands.yaml</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N311cf519f5534a6ca90a7ae2edf1ddab"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3f09339e89b34e2a907db05ff6e5231f">
<ns1:fileName>./examples/cpp-exceptions/cpp_exceptions.cpp</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N9d3031f2a94a4361a2bea8442860b531"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4814be37a47247fab5693d1a26f6f9f3">
<ns1:fileName>./examples/debug-trans-socket/duk_trans_socket_unix.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N5d2e2be2c0374e57b8d4688cff1656e7"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2791704e829d40d7b5a8b635b27ded9b">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N5e81594f0d1545f3aaaf15e9601ef879"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./src-separate/duk_api_compile.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N05c8938cb8654bbebcf6f474b4f46c41">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nb38f08e12431425db9c6803f53dd9f9f"/>
<ns1:fileName>./examples/jxpretty/jxpretty.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N78d9be6f3cb5446fb36b209232d2a065">
<ns1:fileName>./src-separate/duk_bi_array.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Na31c214ab57f4e50ac4d70826d23c35d"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8c36adcbed284349bbe0e5aa00bd89bc">
<ns1:checksumValue>ee1f62688128fef0954cc9b93e41c199212e5a82</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N57732a94d27d434485881743fa2d9209">
<ns1:checksumValue>1c40a52fd54baf7ac334fce4829892d5d951401a</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfe393f19e2384a16b1112664d22025b5">
<ns1:fileName>./src-separate/duk_initjs_min.js</ns1:fileName>

```



```

<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N020036c9c51a46038a1f254bf6d98bac"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N85f2bb17133644dd8adf388783011c86">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N1a34c7cdfceb4a77a40d2482ca6942d8"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./examples/dummy-date-provider/dummy_date_provider.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd57e372a38cd4591949b320f009b231b">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>c00100a35037a372ebcde740082d5bb7c7735057</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc56dc28846eb481599abb21f80134fbc">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>27187228d4cf627be5fd393d2328aaa5ea73ce34</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N8a0c6cc228da46a7aaba2ccc77533899">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>53bb205cf45d28f46df0f13a53d327041d6a117c</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7aa6c260fc0e4927a3e03c0c588ef31b">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_hbufferobject.h</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nb223abb18ff94668936cf4b2d25bdc02"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nac1ac1f5e27648d8a5dd5500997c7e66">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N39021bf2fe6b4867a7b5319c653a6ca0"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_hstring_misc.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N130bf53da29f4e59aef31d1211d1b42">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>14ec83aeef66a38c6a4c48a175a544f66d319413</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N1b65b2ebc3ce4672972d9ab4813df807">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./examples/alloc-torture/README.rst</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="N53dc0eec536c470392629c72d380cea3"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5bdae55aa93f48a58cc1e642875b9e2a">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>f20291ecae9e775ebac2a6ed24f5399c2b3a7883</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N6c0433d1ae054204b338758d860889c6">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>d32ab97622eaf870648dfd8e5b9cb034740affa</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd719d48e04d242f78fb1d0a486c69340">
<ns1:fileName>./src-separate/duk_heap_markandsweep.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="Ne563f8a0ce6749b78adaf8438f45ef72"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4c400621931e432b98bcbf6d10ebdae3">
<ns1:fileName>./examples/alloc-torture/duk_alloc_torture.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

<ns1:checksum rdf:nodeID="Nbf2c265665c142589ce5a90fb8faa875"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N20e55df79a0f4d0ca1ca75327d733054">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_hthread_misc.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N6850c845ad19464da3fe97e1d22fb4d4"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9d36c7cd772b4c559877a0b6b34e93a4">
  <ns1:checksumValue>d5f1184bc60b9049b0dbf1e51ae6a5fe7e5e3192</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7465323286254cff9e28d0a77238c638">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_bi_json.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="N9a00ca4ed69b44ea8d2e096844d88f88"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd211d4005b1d477e8f3b0af64caac158">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>a8f8cf615ef79337a83eb791477dc9ed2c22822c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd0c16c02a31f461bb5b895298eb3d429">
  <ns1:checksum rdf:nodeID="N1ebb82cbc74d473a97b181a41a3f8075"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./examples/eventloop/socket.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc31a3e3269014c30a29d23b251d53311">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>5d593ae6316ed7a3ea6e7ed0a47267745d79d12d</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N1e657515cdba40b093ae02a81c1f1694">

```

```

<ns1:fileName>./examples/eventloop/basic-test.js</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N44640a99809e47a6b6de45b50f5e0be7"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nab1b4098949f4206a3fbcf2c0ad5e2d7">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>fcdae530da6f6dfafd21219de294c547b91dd866</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc62ae45072744ebb9e7b631cef3ef853">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_bi_logger.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="Nc18700a0149c4955a2f44a400f042fbc"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7addc8388ede4c3ca2d99915837f88be">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_api_var.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Na461a374c059429b8b01b6b24e79f2c9"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf7e45e8abf304688b9f5bbec94bdd46c">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N62ed43cadae34cd6b7f40bb9a8a32358"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./debugger/static/index.html</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbbf5383cec894fda8418670dcaf41bf4">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N3aaaf58cf6f246769f3d8b3efaf138a7"/>

```

```

<ns1:fileName>./src-separate/duk_debug_heap.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Naa79378d98f247c68455fd5aa2c6e31a">
  <ns1:checksum rdf:nodeID="N7b3d55cbb4ac428a9ec15e838fa57617"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./polyfills/performance-now.js</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc3f5663572e649b488c3d7fff10a47c7">
  <ns1:checksumValue>8483a2211d6323480efa605ee646959695b742c6</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N74cd6070a1bd48b681f85975e4688a53">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./examples/dummy-date-provider/README.rst</ns1:fileName>
  <ns1:checksum rdf:nodeID="N7203f32ff61d41649cd47d41d7b31db5"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndf3376eec2ac40e690dd3768a9a91206">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>f051b42ff42dc8655b9e17739f7cb7cb76bdf78d</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne5c62b49f8bf49e5b8ae0c3d39eeb15b">
  <ns1:fileName>./src-separate/duk_regexp_compiler.c</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nf91c1735d8c948a7b051bf030e792695"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb5659f6364ad454fae3375887c5709fd">
  <ns1:checksum rdf:nodeID="N8ada2613c41b448ba735ddc2bfd2c328"/>

```

```

<ns1:fileName>./src-separate/duk_heap_hashstring.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3a4b221777ac45c8ab644cb44db92d8b">
<ns1:checksum rdf:nodeID="Nf9a6844979b34c10959191a1ef4e01e6"/>
<ns1:fileName>./src-separate/duk_js_compiler.h</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4c4c78ab85444ec6a42a693356673d92">
<ns1:fileName>./examples/eventloop/ncurses.c</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N6c75063a4e784ea192278cd0f79d91d4"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N058a23b467c94e86a31cdb11f905bc4f">
<ns1:checksumValue>c81b68018e3d6f1b93683f7ead8761c01f2ca760</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7ba4bc391fb847dda2869a7ff2741099">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./src-separate/duk_bi_function.c</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="Nb5c05a165eb14853ba06e97b3b6dc30f"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8bcc13d0b2644c34b10cdd2a9166b5c8">
<ns1:checksumValue>c1685717742f3e9af9c901796a8bb5a08950461f</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N942026923c0c430b994ada89d4f73dbb">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>d869c0f8797a659124b3ba31c75f494b15bea5e6</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N3ca9e1b60e4843a89d906524f6cc4c24">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Nba4461f02b8b429bbd15d5cf657bab1c"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./examples/coffee/README.rst</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd048c706eb0c43a098d0ac1af984b656">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-separate/duk_bi_date.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="N4c26ebb43a2647c3b978f1fff4b3fad9"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nceed48f25d914b03a30524bfeaf35bb6">
  <ns1:fileName>./src-separate/duk_selftest.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nf2d7ecc4de84b34aa1acb2871e4d8a3"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N35daf48f843a47abad54d5217cb286bb">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./LICENSE.txt</ns1:fileName>
  <ns1:checksum rdf:nodeID="Na635ab5cc18d48d98a6a03c12561ee7a"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N65c488124b4f4276aeb62e79525daa55">
  <ns1:checksum rdf:nodeID="N51d715ee9c7840de802f4f6a51aa8fb2"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_api_buffer.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N776f8698c658457981197d17ed1bfff4">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>6864ece4fe067f619ea0a3603036afdf50a69c53</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N0acbf28649514c9ab431dfe196d8e423">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./debugger/duk_debug.js</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="Ncb366cebb497472eaf5fe1875924b19c"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfa6de39b89644d10b5df503b6ae25a63">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./licenses/commonjs.txt</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="Nc90835fb0a3c49859ba26246770be9b9"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nedb34d98a47349a2b2b7bcac8307ade1">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="Nd81734c893974e6980997d179efeb83f"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_bi_date_unix.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N1a34c7cdfceb4a77a40d2482ca6942d8">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>a8c0b54002a3a7d8c69d385e7fbcf4b70d1efc70</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbff9f94714e2434bac4ac0fc5787fbb7">

```



```

<ns1:fileName>./config/duk_config.h-modular-static</ns1:fileName>
<ns1:checksum rdf:nodeID="N93bb4e72345a489d93cab4de5b47b9a2"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N422e89076060451db2985c0669b5e257">
<ns1:fileName>./examples/alloc-logging/log2gnuplot.py</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Nf068621b779f46f69d8b05438411cbc3"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbe138ac3064f47b982ebaeda0173f61">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./Makefile.eventloop</ns1:fileName>
<ns1:checksum rdf:nodeID="Nb27bf797d60548e78b1469f516ca9db0"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N64ed73dd5e834b11bea98bb09f1e57fe">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>0ec3478b1e5713ffdb7eb45cd5bb96c1a8a774b</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb557228cfd94d4c8265e22fc6e9a848">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N3bba7c45ecdd4f5eb3477d867f7167da"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./src-separate/duk_internal.h</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc71c1940de6c4ebabdc4a6ef5eb8dfc">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>7f45dbd1e665b257c7186982b8b3362753856b18</ns1:checksumValue>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N54e172b5f4074728bb9ab6fd9137e715">
  <ns1:checksumValue>83c92a39822c4a46c5f6eae6cad52530138a302</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7871a21de3b54d228c05945649d6ebb0">
  <ns1:checksumValue>50a3349a079123b6bdf3db507df0dd9e877e246</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8c0a8ac2b0a24aea9321494aae2b3f83">
  <ns1:checksum rdf:nodeID="N98eebd0bb079413c8f518199975dea9e"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./examples/alloc-logging/duk_alloc_logging.c</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9707f28a601f47119f688716989c6113">
  <ns1:checksumValue>07a167411a356aebf9e987353846a9c711998f20</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9dde54da24b047c99b44fc8d3741f617">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_debugger.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N776f8698c658457981197d17ed1bfff4"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N44bb4af629d34adba248043eebea7f1f">
  <ns1:checksumValue>a4e2dfae71b2316f2c3d149b4a507250b54dd96</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N85fab0d49a3b4a3eab58b2101db54367">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_util_bitdecoder.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="N7afa0b61aa154d75985cf46e87d98622"/>

```

```

<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndc712f7c7f64122ba556265143ee234">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./examples/hello/README.rst</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="Nb3f59be70eb3451fb9e017281a8760e8"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N71b83fbd45742529de0264842a6d208">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Naf9adf4ae72845e585a572031c26bbdc"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src/duktape.h</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N67ae090d127e448da8b12784cc80aa38">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>d535c4e27319a5db6026553a801e8a5ef0e6fe88</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4fe7b3b77be64ad59c7172bd2cc6ce44">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_numconv.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nc62fd84b374d4cbbac6539f0b9361c1b"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3f4834a29d1e41bb8aa5b2225f6f5912">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./src-separate/duk_numconv.h</ns1:fileName>
<ns1:checksum rdf:nodeID="Na892d14a2ce84a0c8ed288813068b0b4"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N570e0787b8f94d3ca4d228497e4b7f1e">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>494667f18c30e4fd36245e6c4e27f93fcf9df87d</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5a7ce0eaad9045299a0b4960d89aef73">
  <ns1:fileName>./src-separate/duk_bi_error.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Nb630977d4a81448f90d0672d3d50a8bc"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc3927826180342c6b74f64f7f5f4be64">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_error_throw.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Nca785b4c0395476b8e841246fd59d1e5"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N7422fcd128046ed9549bcc1b53af0e0">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>aa1f72e7a2b4891ec1f445eb031dfba69bdc85de</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb42bd9124b6841edafc3cda99cd0781a">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>4cb6437d9309f3ae779e800c69e85d2f9ee2ee58</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf4d8e62bfb14b118461ed59dbeab1ba">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N9e4652ad843344ea8422ec65e859bec4"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./Makefile.hello</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncd7d4e839b5243d39ee2c4dfca976e7b">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>e70f9a590f4288c0fee56aa2c421cbc23036a1e</ns1:checksumValue>

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4b4509c86f3041149ccaddb609bf5579">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N44bb4af629d34adba248043eebea7f1f"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./examples/cmdline/duk_cmdline_ajduk.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N8b020e4f3d7148e699dfccf69895b1b6">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>239011a773fbafa409c2f02b5e889bd5d28d16e1</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N4fd6513cc3fb42bfbb60bbfb2f4c060a">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>ed91bf5860fdb107f9c11603c5652b6ab66c0c6</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N044eacd88a3a484eb1b9127a667e9249">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N6c0433d1ae054204b338758d860889c6"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_error_augment.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6dd7aea8fa4245ecbf3d4a12f566ebe3">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>55aa8c67f1fa418f8d625a32a9d6268e9d94429c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N76875fdfd80c4588b530dcc471f8207f">
  <ns1:fileName>./examples/eventloop/server-socket-test.js</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N1cd3c3b180784c6e97865c16ad469a32"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nde3d4282eace4bf797ee167cf2b348be">

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>c8ae046bda2c920b5d807dfa68c8159b655b0873</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb3f548fc27ff4317b5d614b1311bfa85">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_hobject.h</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N9d36c7cd772b4c559877a0b6b34e93a4"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb630977d4a81448f90d0672d3d50a8bc">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>fba891f21dc0b80d282f16d39c37007965adcd04</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb597af2b6c654d63b18a9be10c7f706a">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>bad7c737fdd2d5f21ac00c6936921184cd26908d</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3792fb68bc6b413087957c87020ede28">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>4e5a54de08355669dc98b5d4ad379384b33da4e5</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N964f0e52d3e1404b976e7b15b4289d98">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/codepage-conv/README.rst</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Ncbf1df195dea4635b5b777c119b276bf"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Naf9adf4ae72845e585a572031c26bbdc">
  <ns1:checksumValue>15833dd6cfe8e2e725725216036b30480462f387</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7906ad0dbd51471584ae067dae0339eb">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>8aa63b553757fe1229638e978b540d7116b70274</ns1:checksumValue>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N43b67d36799d456694307a9eb5494c8b">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Nbe30c89366f0463788edacbd9058f3bd"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./examples/coffee/mandel.coffee</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5074cd0c9ddc49e8829d23ca1f9103ae">
  <ns1:checksum rdf:nodeID="N089b9c3f15a0418f82a742ca7d0a0817"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_hthread_stacks.c</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb2228c8653524fd89380b3df9a7a2cd1">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N3cc17f1705324eebb17456a42394362b"/>
  <ns1:fileName>./src-separate/duk_hobject_finalizer.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6da4854955d24955bb2ce86109976273">
  <ns1:checksum rdf:nodeID="N570e0787b8f94d3ca4d228497e4b7f1e"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_unicode_tables.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Na41b6ea84c99434997affc0d5d862040">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-noline/duktape.c</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N8b0ab4d1913a4c2a8ebe71eb3396d1da"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbf2c265665c142589ce5a90fb8faa875">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>9a31edd2028d39d24aa9bfbdbd2b70ce2a64b8493</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N18aadbc5233f4983a42657a144b94750">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>83b27494e6b257ab09828b0a4a1cf907686778a5</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N71d4d0d7d9524fff99c079055e1eaeb0">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nafc64c84417a4fe484ac757f76de73ab"/>
<ns1:fileName>./src-separate/duk_bi_date_windows.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4c0f3f318a8249d98a3281f805927b67">
<ns1:fileName>./src-separate/duk_js_call.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N8a0c6cc228da46a7aaba2ccc77533899"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na5ca44b7718547c5a9f0237edbae6e43">
<ns1:fileName>./src-separate/duk_regexp.h</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N2a1cae1ebda64485945660c6b63ba896"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3e9203094f6d4311948f1e4f0c89ccc6">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>02741b89fd8d8df210223a3da3a200d0f609d803</ns1:checksumValue>
</rdf:Description>

```



```

<rdf:Description rdf:nodeID="Ncb366cebb497472eaf5fe1875924b19c">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>4e41e7165a8d6e3bd370bc4536b16835a7204cf6</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc23bbcfa716d4cc5b405d862c82a7c41">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_util_hashprime.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Nce865c7644b446b8bfd2411aeaac00ea"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N44640a99809e47a6b6de45b50f5e0be7">
  <ns1:checksumValue>88ab1d060886393d94b6fb7c6054a0189117340b</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc4c52b8edbf4464cb602a2c9bad36813">
  <ns1:fileName>./examples/codepage-conv/duk_codepage_conv.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N9cdcde22ad1d4a1da799771548a3ad24"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4c5cebed3cfe49cf9203215eac34885f">
  <ns1:checksumValue>df02f8688766b929639cca4881b73cb8f745c97c</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N152032b2527843f3a94ffec7f53d90ed">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#CreationInfo"/>
  <rdfs:comment></rdfs:comment>
  <ns1:creator>Organization: duktape.org</ns1:creator>
  <ns1:created rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">2017-08-
02T19:11:37+00:00</ns1:created>
  <ns1:licenseListVersion>1.20</ns1:licenseListVersion>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb65bbe4daaf34e9eb7126ed1025a9d1e">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>3fa5d72893eb3e1d42d07c8effc8bb1443f87dd6</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```
<rdf:Description rdf:nodeID="N7605005ec64b44bfb2e6ffba75ac6752">
  <ns1:checksumValue>467388c812411a0d2b80760983171c346d35953d</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N481e6682d7094bd19b01043fd5c311f5">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_js_ops.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N217b3a8077dd4fa986f8370ab5935994"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N5f29137284284b4bbb17a46ea04b9ec1">
  <ns1:checksum rdf:nodeID="N60ff244284b44944a5a8829d5133d7b5"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_bi_thrower.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfbd44a63c3704a1cb507e6541fd47cba">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>23f0401f57af7b8e4df6636637caffce6956445b</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9cdcde22ad1d4a1da799771548a3ad24">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>7e2674dd72227576375a80f6ddb11320f5b987a</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf1a80731f5ef474da42ea69a4cc3f2ee">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>206ffd13c06208e85baba2b257fe3ddebb56a6c2</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb9879a7b703b4c74aff0e5529ec0890f">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="N058a23b467c94e86a31cdb11f905bc4f"/>
```

```

<ns1:fileName>./debugger/duk_classnames.yaml</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nab4921879d3e41e49289987e4915dfa5">
  <ns1:fileName>./examples/alloc-torture/duk_alloc_torture.h</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N1ebf57297e664f6c996c6dc9fa13eec8"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne9a49176c0c645f783362a2ae146b151">
  <ns1:checksumValue>15833dd6cfe8e2e725725216036b30480462f387</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5d99bd74b27c497381620ab229f93dc2">
  <ns1:fileName>./mandel.js</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N8b804a612f5e4ed285d48f0b62570cc2"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd7f5efe5b9124135b1dbe08bfa5ca03f">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>6a1500fea27ea278c4f0c64d908e16cc60df684b</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N98eebd0bb079413c8f518199975dea9e">
  <ns1:checksumValue>194e0bf80a1ddcc4d2d68ea6d2539656f3044f78</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc68afc19e80c48ffacaa9ea43da74a21">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N287b2434ca394c8fb55e1067b0bd60e6"/>
  <ns1:fileName>./src-separate/duk_debug_vsnprintf.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb9690485257a4f89ae2832262b5b9068">

```

```

<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nf7e0170f83fc4ae4a27a3bf6ff19ad0e"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_jmpbuf.h</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N5b49c6ac8dd34a3da284739b92e75db1">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./polyfills/duktape-isfastint.js</ns1:fileName>
<ns1:checksum rdf:nodeID="Nb6ac1c2a792e46c9bb72fcb2b021d06e"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na07feffc3d5348e0a449af1fd9b4de9e">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N06e4db75b3b644fc88f89762933d6652"/>
<ns1:fileName>./src-separate/duk_hbufferobject_misc.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7afa0b61aa154d75985cf46e87d98622">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>786369a33ccbadc3d2efba613a43fdd638971fc</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfb5092ce3cf648d494168bbadfdbfffc">
<ns1:fileName>./examples/eventloop/curses-timers.js</ns1:fileName>
<ns1:checksum rdf:nodeID="Nd7f5efe5b9124135b1dbe08bfa5ca03f"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd81734c893974e6980997d179efeb83f">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>6b438afc07b9ac67fb6ea8bc9d4f01f3b362c9e1</ns1:checksumValue>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N85facfc9572a4ce8b9f9c5fe0cc88591">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>fb4f806e7282dd3cb2df04e228672d8b0b1b8eb4</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N76d11aa38abc44c0aa7ec850f678355a">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N5bed9532242b40af8f256a909ea4e257"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./examples/alloc-logging/duk_alloc_logging.h</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1c3027149f63426484ed8f98fee5904b">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Nc3f5663572e649b488c3d7fff10a47c7"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_alloc_default.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N020036c9c51a46038a1f254bf6d98bac">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>e17ef51b2a16cee731cf341ce08d04690da095ce</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2f8a27c4564346d4841c473cf21b0ed7">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>52b4480b68f7f8bf93543d3bb795cdc5ade66fba</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd3e7dba43fef48a484cafff2dd9b0a13">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N942026923c0c430b994ada89d4f73dbb"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/eventloop/client-socket-test.js</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5cf0169732cf46a4bc6361f4fc393ece">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nbe9d7e8af3894b3b93773ebf32501bd4"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_api_heap.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd805e2d88bfe496a966981fc41a11827">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>8ddb97a1a5acc3bed35f4df60e3aa1f4267380</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N2a57c95956d44e9482163e89790eaaac">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="Na40b81b5765147e48ca20b91de493c41"/>
<ns1:fileName>./debugger/duk_debugerrors.yaml</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N651f105268b44899b29f31b648e114d8">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>3b4a522bf6b6ef32cd7115d394dd18f7a880489e</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3f6f2aabf53544529e796fbb0277ebda">
<ns1:checksumValue>6b98824e13a3d9536542b8da51d012a3d66ceec1</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9e4652ad843344ea8422ec65e859bec4">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>44c9219558aba26dc69982a9f432028290707c36</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb4cf83f3e59e468bbf01c22dc1ba2326">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>b8b0b86cff52e4f5e8c31e520e1bc8666ebf3b9f</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6a4b80d2ca674001a66ccddc87e92dda">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N738a7e3c39654a14b50784adaf0c1ae5"/>
<ns1:fileName>./debugger/static/style.css</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N54c4221697db461a975311a851b502fe">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src/duktape.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N3eed04d6285c4542a734c1ea419e7bc6"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc0b5311862144f8da1c1c263004fd45c">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>11ecff4142b35382d0aaf80ee6c04ae3dfd0b4c</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbe30c89366f0463788edacbd9058f3bd">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>4239a907720cf3620bd0b03eb43981e7182e305a</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N64ec2b506363466fbf56c8647ca8831b">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>9406eff44dfa3fe00ae52c28963df486fc48dfa</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne31475eb6e1e4f83b53783d22330d320">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N466af883137249a8b9a2d1cabe76db5d"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_api_internal.h</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Necfaa636d53549e8b2773759e5fbba58">
<ns1:fileName>./Makefile.cmdline</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N4c5cebed3cfe49cf9203215eac34885f"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndd1e7fdf4f5d4d33a6ff1b18ee75bfe8">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="Na9e4f0ab8aad45a4bcffa57f9056ac0b"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/eval/README.rst</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf16fc812a97a4d6fb4adfa8e6c3123c5">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./polyfills/object-assign.js</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="Ne50e916d10a342daa349042862a71363"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N12fdf274c72c4cf0bf54e11a0459d6af">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./examples/eventloop/c_eventloop.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N67ae090d127e448da8b12784cc80aa38"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N0fdbe767f2ce4960b479d18579d869d8">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>d49c1cdb51b3a4fdd823c13831617a1f0a93edd1</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N7d968ec953494762b4619853d38fb353">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Nde43406887a144b28ed5041a26760cd3"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./duk_build_meta.json</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb97c82ea926547db87f037fa0f74e3c4">

```



```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>3f2b3b6b16cc969631b9980bc67aa6cc2c872048</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf3360d50b9614f988c64d80ecd85890b">
<ns1:checksumValue>74db5de722a3f7da4826445b4aa3a1e658bb7f71</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1cd3c3b180784c6e97865c16ad469a32">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>f9072f5c361c86887b57ce662b3cd7211b4ce346</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N701c4c287380429dbc1b59b4d273e81e">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N7632393b09074650aab8f2452c03dcdd"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:fileName>./examples/coffee/globals.coffee</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb360fc3316e449ddb4e6ed574df21fe2">
<ns1:fileName>./polyfills/object-prototype-definegetter.js</ns1:fileName>
<ns1:checksum rdf:nodeID="Ndac8123197764330a118f49ad44d5210"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfa0b8a46def2407ab85f84b06d96bff2">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>5b51bef448b4362be883a2e91def18ebd79dc9ef</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd85340537be04b1aa018208d5fbe706d">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:checksum rdf:nodeID="N3d8e070829ec4020a545e0f80ca40052"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./debugger/Makefile</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N1ebb82cbc74d473a97b181a41a3f8075">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>24a2346fa389c2294cc0e96427e0bd206dac10b9</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N1a218f5530844b65a3ee1acfbe9e4aa9">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_hobject_alloc.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Nb37b5ea774e34ab288d20c4889711a43"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N953fdc753d8b41e097c4ffc628b36c7">
  <ns1:checksum rdf:nodeID="N7d9219f9a8a5441c9a828327546e8d4b"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_error_longjmp.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Naf84dad9d3d645bbaaf14e411a019365">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_error_misc.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Nd57e372a38cd4591949b320f009b231b"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na8b5d310729d49ac8f8f3e751c5278f1">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:checksum rdf:nodeID="Nb19f011a15104c3084b27d4848116341"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./examples/guide/README.rst</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N8b0ab4d1913a4c2a8ebe71eb3396d1da">
  <ns1:checksumValue>af2017788555d2692f957edd5ae2e6ef5a8caef8</ns1:checksumValue>

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5eb213eaacb949c3895908a413b64919">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src-noline/duktape.h</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Ne9a49176c0c645f783362a2ae146b151"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N274908e1380e49e6ae93f6cde969325a">
<ns1:fileName>./examples/eventloop/ecma_eventloop.js</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N7a62d95d450f48f6b25e54fabb13c98e"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N1ebf57297e664f6c996c6dc9fa13eec8">
<ns1:checksumValue>d45e3fc443887261ce432a807aaebd2a1812264e</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N58f6468d6890470592978b277cd54599">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./Makefile.dukdebug</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N5bdae55aa93f48a58cc1e642875b9e2a"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N92a9dd3bcb404f33839dde4a823961b0">
<ns1:checksumValue>09ee87b3ae8afe8b7c2295127835b05b00603b25</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf91c1735d8c948a7b051bf030e792695">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>1289ac12dfcacbe472caea1333de3fbe70a5662c</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N319cbde2f13e43dc8b525d2002379f84">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_hbuffer_ops.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="Nb597af2b6c654d63b18a9be10c7f706a"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne115ec1bda10448baf68cc677ec3893a">
  <ns1:checksumValue>c763ffca7e15df01f44cf89518eb870380b03ee8</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8a340c44f43943f0ab1672a40e1c945b">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Ne269ab317943455f8b83bdf3ad54752"/>
  <ns1:fileName>./src-separate/duk_bi_boolean.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc1e60b42196c44479c5828e0d88db47f">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_replacements.h</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="Nda1b60bbea814f3b93dea3c63b927081"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N62ed43cadae34cd6b7f40bb9a8a32358">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>03cad085177f1e776be90afceef1f2160e6c8bf4</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2747241e86c94481b6ea911aca0bc4d3">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N9707f28a601f47119f688716989c6113"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/eventloop/c_eventloop.js</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc4a5aa89b2a344fbaf246ac444d13f01">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-separate/duk_hbuffer_alloc.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Nb9efef99775c49b8b7c0a457868e0e17"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfddb957ad37a4abeb9377329ffc2c960">
  <ns1:fileName>./polyfills/object-prototype-definesetter.js</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N6ee4770d4a0c481ca6db39546b3fe5e3"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7ddb934c282e406b8662c205759f7710">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>3b8236810650f4e28bd84984b3c7e55029f241b0</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfcd43aadaa0247eb9851ab247e13be2e">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>f7199f62d139748f185f08382530f667999c9b90</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndaf1ecf33dc942ca8abbecc21b15c04f">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>ab29fe562681a0e6785515ef284fc51a20f0f7b5</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N287b2434ca394c8fb55e1067b0bd60e6">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>ef83823d07ee05f2373502187af9700d5c2aa952</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne774362a22534ad79fcfbf28a5cbadaa4">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>525e80da2b6d3640fd42af0f662d7b68865d6529</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb0f1b8f8e27248c98285da82f920e212">

```

```

<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N3a73a130e64a49c881756e071759e784"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_bi_protos.h</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Na19acc57c2364e29bfacecad86326625">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Nbc040aa8353649f1a6fb3e523bc76e04"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_bi_number.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N0a16e611a2d74e34910bd6a3fc4e2b41">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>dfd71ae51277aae2fe511f4df732a20bc72ab75a</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N199467d073a54f1cbc8c5c4f9b90c94a">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="N05e43c58d08e4632b0fcf121d2c79c21"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./README.rst</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N151879cff57846c69298d90d6f62de22">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>ebaa68746ec59e01ef742f68aab11e053f882f63</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N4f876e7760ee47c49e5b207b575f60a9">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>64566ae0bdc1c3e1017604b6b45d515c30d976eb</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncbf1df195dea4635b5b777c119b276bf">
<ns1:checksumValue>9bb6ca1fa3ad4c593b000b2de5aca013b95adda0</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="Nda1b60bbea814f3b93dea3c63b927081">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>a23d89e3ff8fe247e09338af7b38bdab41da5c3e</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb8d7da14715f4b328ada1e5142ff71fe">
  <ns1:checksum rdf:nodeID="Nb9fef36066a64eb1991fa1ca72a6df05"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_bi_pointer.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N412ce8309bc5459b8b6f7d6daa2d4151">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_bi_object.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="N06c44d4442484d50b46e960ab16d7b27"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfb3e08ee6cf3436c977c900fd0c5334d">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>4fae13370046b51fe87c60fa86eb14f2948fd143</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N188782d600f54b868b4197751c1566d2">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>7fb677dccf1364b7db710f9362313fe44302fc6f</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N79d61ae1cb61488a9843a5b8eeee3319">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N687ed4c6f06d4f8b82297e7aac9f0544"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_api_string.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncfc096d968724b3c98eeb430825c1a41">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>93573df8348a41adb790f59e39bf99d9a7bf3a3d</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N255def7372bd47f18aa1a53888ee9b9f">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./examples/eventloop/poll.c</ns1:fileName>
<ns1:checksum rdf:nodeID="N3f6f2aabf53544529e796fbb0277ebda"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc18700a0149c4955a2f44a400f042fbc">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>7b167c1ea560de7ac67e217c1fdff8912f8b677d</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc27ffa557561465cb95af6a8588287fe">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>036a814b2c1187af4c5c882095bd6b3d710cb79a</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N90816d42d6d7411b821655abadcfc3c2">
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="Nb7e97a375c814773846f140695dc2de4"/>
<ns1:fileName>./src-separate/duk_error.h</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf577f15caf9a4b27953e987d7821f498">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>9427ae3e3c4b912c1ce1b4fb28de2f3f3a13a4ad</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne6ffe53c9a144408aa2b3b27943ffec">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>2c508fbc7eb127f6793cfe62bf947879668983a4</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N866d4c210e18465aafb4e1877d536147">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>e172079513ed0c12550285bcb4d6bfc83985676</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```



```

<rdf:Description rdf:nodeID="N4109c0a9099d4ca392a26e854aecb222">
  <ns1:checksumValue>22046b9dfc552ed692193d1bf5e3d0e182111ae5</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N466af883137249a8b9a2d1cabe76db5d">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>a32730ebb239feb5599bcac3561b7a0acb3a1b94</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N4b0a8f3b773b49e493ce16066c19bdde">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>3da07a99a4ed68844140352133867b2857fab685</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na6c43ed99e8643c3adf4d26fce9bafa2">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./examples/guide/prime.js</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N3792fb68bc6b413087957c87020ede28"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Neb52a07446dc49b1999a057d7a8d61bc">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src/metadata.json</ns1:fileName>
  <ns1:checksum rdf:nodeID="N986830ccf5db4ab5897aec986a5bdeb1"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2539a565f7614844a2ee69e2ff8e78e4">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./examples/debug-trans-dvalue/README.rst</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N0704c6e9bba745fd98fc90eddb6916ca"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncbaf7bd47ba14ac8bd63b6be7d0139c6">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

<ns1:checksum rdf:nodeID="Nb379a9c081234bc482db86ac8a50a60d"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_bi_proxy.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Naf4a15c9666045c5a04a2593e0f732e1">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N65f37986e0fb4b319fc0077a78618d23"/>
<ns1:fileName>./src-separate/duk_bi_regex.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N80d5b180e5134affb1e27351e225a9a9">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Nfd79133b45964e7397fb444282c3d731"/>
<ns1:fileName>./src-separate/duk_util_tinyrandom.c</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N39021bf2fe6b4867a7b5319c653a6ca0">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>fd24ca07cfd8fd37f3e70d10ad078ee5f149c9ce</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nda4e6d29e6ea4524b32fcfbc2e62866">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./examples/guide/uppercase.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="Ne63725b7db51410c9dadd31b765038a2"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Naca60bb8b93545eaa4d3be66d583d909">
<ns1:checksum rdf:nodeID="N74361eab013244dfb6509f7aaee42f0b"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<ns1:fileName>./examples/alloc-logging/README.rst</ns1:fileName>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N018f2d5e08b94ddf9fcfcf37cb65e59c">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>fe251e819feb6f84c1c8169eb6921174be2b1373</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N4867af028fb24e9581483f74ca5077af">
  <ns1:fileName>./src-separate/duk_unicode_support.c</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Ncd7d4e839b5243d39ee2c4dfca976e7b"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf2d7eccc4de84b34aa1acb2871e4d8a3">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>34b0dc439c1aeb920a1db0ac0ed20ee189069ea1</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb1c1e915c6794944b401ab2428ecbab3">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>4edee4bb513bcff807e343902af260ed8ff72850</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N06a544f99ac449b0b78001e40784f880">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./polyfills/duktape-error-setter-nonwritable.js</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N7422fcdb128046ed9549bcc1b53af0e0"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N61315ca50d11440b929ae300961b0165">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./licenses/lua.txt</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N6dd7aea8fa4245ecbf3d4a12f566ebe3"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="Nf9a6844979b34c10959191a1ef4e01e6">
  <ns1:checksumValue>a9db75839022e7dcf7e691ada7480a9b7c2715d0</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc52b409953fa4c51b1ae425b5d896e86">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>5f89525f75f61dd8c89e010cb62bc071d6d13170</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N5d2e2be2c0374e57b8d4688cff1656e7">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>01d4eb01e522172282a4a0ea3aa06f33ce7bec3c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N9a3b961cfcc84127a662aa20163db7c2">
  <ns1:fileName>./src-separate/duk_hthread.h</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N3e9203094f6d4311948f1e4f0c89ccc6"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N5f1c969f97074a8c97cad68eed9b8052">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="Nf577f15caf9a4b27953e987d7821f498"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_hthread_builtins.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nec423a0453e44c2ba6d3461d47fa6ab1">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N0a16e611a2d74e34910bd6a3fc4e2b41"/>
  <ns1:fileName>./src-separate/duk_util_hashbytes.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N17ffbb3e8104477abd099faf01b6127d">
  <ns1:fileName>./src-separate/duk_util.h</ns1:fileName>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:checksum rdf:nodeID="N8bcc13d0b2644c34b10cdd2a9166b5c8"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N804bb56e740147288f3905c455e92fe4">
<ns1:packageVerificationCodeExcludedFile>./license.spdx</ns1:packageVerificationCodeExcludedFile>
<ns1:packageVerificationCodeValue>6c773a7601b705a8a491047f8e484fb29039e62f</ns1:packageVerificationCo
deValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ncf8e07810e7d4506bfb6057b1b806246">
<ns1:checksum rdf:nodeID="N1f668ef82d064015ae969437ef6de833"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src-separate/duk_api_logging.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N8544b56b46c3459b877290f392be602b">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileName>./src-separate/duk_selftest.c</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nd14c9df158a940db99636722e0e8031c"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N0704c6e9bba745fd98fc90eddb6916ca">
<ns1:checksumValue>23575db7cd88e42c0c3fc1630f44bf608fcec76d</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6b381f20e8ec4abc91fac4c45bc3488c">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>ea413ed7d47cf27c6f3ffe25956b1370b653c200</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nea1fc799176843809471a8df78c339a5">
<ns1:checksumValue>52554f56c3e3420d3643aa22f563d32a2b18be1f</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N3d24a0ee1a424956b3b3455d706fd61f">
  <ns1:checksum rdf:nodeID="Nc0b5311862144f8da1c1c263004fd45c"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_api_memory.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N321ec8d849cc4b4fa15438934b06b9e9">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N876e4be768744477ae5ed88eb0b81c0c"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_tval.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3fc31ee4c43948b2a409b4f827759425">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>4392fa63e6e9174ec09ef2e3a4e4e3bd03e94126</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Na31c214ab57f4e50ac4d70826d23c35d">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>5bf6196d028d10a8f2f8e3da67b7d59bb8fd9eff</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N539dab7a52034988b7847ee3b66c6b3c">
  <ns1:fileName>./src-separate/duk_heap_stringtable.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N85b2f9b1f09e4619bd7ae915e4012269"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N5bed9532242b40af8f256a909ea4e257">
  <ns1:checksumValue>742635fda10ef9775864077e647b59442768a69c</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf068621b779f46f69d8b05438411cbc3">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<ns1:checksumValue>2c86a9ed51255ba3b0b225e48c093851a78cae71</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne50e916d10a342daa349042862a71363">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>0125ebcabe62cef4923e75527d3128e8c48cdf1f</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nafc64c84417a4fe484ac757f76de73ab">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>0053a77d6c3562af6d2238f096f3a9bd4b5a834f</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N2fa6dfe90bf546158be5267e1f04d32c">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>2a665ec86812c67bc02ebdaeea35ce43ad82d703</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N738a7e3c39654a14b50784adaf0c1ae5">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>ad583b87e72c08b4b44918dd1d7fce97e4950aa4</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N0d788592e7914ef4a46ded1c8e6677a4">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>16fe5da30709e49a62c569b3e037fa6dd8fd960f</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N93e3d74b96a34bc0ba8b0c087c573180">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>f788091973ac91ad9562aaadac9c2de87af2ba76</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N1f668ef82d064015ae969437ef6de833">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>fb9c2ff459fd84b4587f846fbd36219cf8f06931</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Na2991b77027f429585afde1e886f4737">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>149fd21526c90d52b22e77b297f76e6da3e656ff</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N625f9fece6f7428eb27fea7a468e8db9">
  <ns1:checksum rdf:nodeID="N85facfc9572a4ce8b9f9c5fe0cc88591"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./Makefile.eval</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb95a7fff6efd4616b92cb2bf89109bae">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nd211d4005b1d477e8f3b0af64caac158"/>
  <ns1:fileName>./examples/alloc-hybrid/duk_alloc_hybrid.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6e12533d8c514578ac8a04aab8df6bfb">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>61db5ef1604240b33fa9e1e8825ad588076a5aef</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7203f32ff61d41649cd47d41d7b31db5">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>82314b509ee3b15b393fefe747c8e0169ab39aaa</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nab610c0ceee746c4a0f0c48a131cf1dd">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N0d788592e7914ef4a46ded1c8e6677a4"/>
  <ns1:fileName>./src-separate/duk_bi_global.c</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N14fcc315e6f74fe8a14c27aa8f27c581">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./Makefile.sharedlibrary</ns1:fileName>
  <ns1:checksum rdf:nodeID="Ne6fa6d2607be44c6a7c0b1d603af921e"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9013c3a2eb5141d4a39ab238a62a80c8">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```



```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:fileName>./examples/alloc-hybrid/README.rst</ns1:fileName>
<ns1:checksum rdf:nodeID="Na2991b77027f429585afde1e886f4737"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8ada2613c41b448ba735ddc2bfd2c328">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>6f9134b7d1c939593043b9e0ecb308fbc745c9af</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndfa7a5ba4d7845128c04b1a6951d361e">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N018f2d5e08b94ddf9fcfcf37cb65e59c"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./debugger/duk_debug_proxy.js</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb3f59be70eb3451fb9e017281a8760e8">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>10c24a17c2f5f82d8c1a8fab8673c0c9075c1817</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N51194b48c97b46fba1bf7917f373dad3">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>d0784306b87556fdf45debf5bc19660b2b42e921</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N26ff3ae9156248898c733dd02014d12f">
  <ns1:fileName>./src-separate/duk_debug_macros.c</ns1:fileName>
  <ns1:checksum rdf:nodeID="Nc27ffa557561465cb95af6a8588287fe"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N78ef565d0b4842e59e0fcdcf0ff25acd">
  <ns1:fileName>./src-separate/duk_debugger.h</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="Nb36c184de40a4444b8b33c24d7de3b2d"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7a62d95d450f48f6b25e54fabb13c98e">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>4db4ca2d7ce3f076fd195372d53e8bc5714d2597</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N6345761d589444a6b57c1b3a1963fd7c">
<ns1:checksum rdf:nodeID="N93e3d74b96a34bc0ba8b0c087c573180"/>
<ns1:fileName>./src-separate/duk_util_misc.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb19f011a15104c3084b27d4848116341">
<ns1:checksumValue>e023af5c2fb4b1efab74a230c552f1eb1b37fc10</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N74361eab013244dfb6509f7aaee42f0b">
<ns1:checksumValue>8015d14ffbc7a4a4b93d654f093aa48ec17fce4e</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na55d2779e9f04b1cb976b501fc32432d">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>b1c899faac8f0a8b1f7844d8c773ce5e6d9262d1</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8b804a612f5e4ed285d48f0b62570cc2">
<ns1:checksumValue>f3ed5c785b60b0f39a74cc3f5b73b0c6e24287c3</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne4049e1c835a44b49f2170d98539e678">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./debugger/duk_opcodes.yaml</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N4b0a8f3b773b49e493ce16066c19bdde"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="Ne99ec63e0741462b9a012fff74a5d291">
  <ns1:checksum rdf:nodeID="Nf3360d50b9614f988c64d80ecd85890b"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_heap_alloc.c</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N70780d6683804bb39ed96cba34a87132">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_forwdecl.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Nb97c82ea926547db87f037fa0f74e3c4"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N36433892e9c84884b370b088739f0d80">
  <ns1:checksum rdf:nodeID="N93ad41cfd424134a43707fc42494549"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-separate/duk_tval.h</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb223abb18ff94668936cf4b2d25bdc02">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>47e1001460004f53dfc350355e02bf56f18b0398</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N8b8373b4c6ad49cf819040f520e88f53">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./examples/sandbox/README.rst</ns1:fileName>
  <ns1:checksum rdf:nodeID="Nc31a3e3269014c30a29d23b251d53311"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nde43406887a144b28ed5041a26760cd3">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<ns1:checksumValue>21fb5a71ece35fc4eeb9a54a1755954829eb8d88</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N7fb9f1d8cecd441c82e20beef12e95c7">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>c2d899e7f2343579f29ad3079fde44eec5d6a544</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5f51cf2e28fe4ad6aec292c7885365a7">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N188782d600f54b868b4197751c1566d2"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_api_stack.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne269ab317943455f8b83bdf3ad54752">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>a20231719c1f9b97ea38fbc42dd8af1e21d74879</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N52fd73edbf0c475bb9529f08cb7a762e">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nc9e56631ab4242d5b82c06e678750ce4"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:fileName>./examples/jxpretty/README.rst</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N31225da44ef4496cabd6e7ae86eb43a6">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./examples/debug-trans-socket/duk_trans_socket.h</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:checksum rdf:nodeID="N14da4f0fa38343f6b8ef6f9f2500e462"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Na4f250fbfb6e48bb956b1d2ed1c24162">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N4fd6513cc3fb42bfb60bbfb2f4c060a"/>

```

```

<ns1:fileName>./src-separate/duk_hobject_props.c</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N05e43c58d08e4632b0fcf121d2c79c21">
  <ns1:checksumValue>6203fc3c6caba29249b20ab7ca3fdd153d5fcb11</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc9e56631ab4242d5b82c06e678750ce4">
  <ns1:checksumValue>8c5ee5b508a23ac5089a7e6c76593b6678965869</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndd26a21cf7c443cea73c7b56e69931fb">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>62a4483b185b620431e13ddb2b18555baa344937</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4b886bd43ea64e19b9e5fd2c5db48a7a">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Ne774362a22534ad79fcbf28a5cbedaa4"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_replacements.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Na461a374c059429b8b01b6b24e79f2c9">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>5bd828887b0f46810358539868398e64b622d047</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6c75063a4e784ea192278cd0f79d91d4">
  <ns1:checksumValue>484fb41d516abcbe8c97af5aa80b76c67dbfb0cb</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nff5c40e266e84aa7a96fc73ef1fabf10">
  <ns1:checksum rdf:nodeID="N3a55397d0f4d4d579fd7ac7c710b3f5f"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./examples/debug-trans-dvalue/duk_trans_dvalue.h</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N3d65345a7cc74ef085118b413f56cbf6">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="Ne6ffe53c9a144408aa2b3b27943ffec"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_hnativefunction.h</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N0afed25856c14729a01a563f46f9bc73">
  <ns1:checksum rdf:nodeID="N62592816a5a04d06b12f71cfc7a471d9"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileName>./src-separate/duk_builtins.h</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N217b3a8077dd4fa986f8370ab5935994">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>229159020a0bd3c9b31e6d7a75a14d6dbba1e1ae</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N93ad41cfd424134a43707fc42494549">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>a9493898a19810a5450d2442d1ff1dfb4ff76d1c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N85b2f9b1f09e4619bd7ae915e4012269">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>734560a1ac6155f124000b5a93569aae99149b6c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N659bbed62f144d8ebbf87663485ddcd2">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="Ne36bb31bdc3e436096cc9a046ff88f93"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./src-separate/duk_bi_buffer.c</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="N0967db6ac71a467dbe61de1ca6c36434">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>7edf7600e1a6f09d1e4a0e2f9be418b59fff7c52</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N986830ccf5db4ab5897aec986a5bdeb1">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>4dd8391d765986ab871cb34ff39229dc7bfb2dfa</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfba5e8a6a1654a3fbd3ff4de9b464156">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nf1a80731f5ef474da42ea69a4cc3f2ee"/>
<ns1:fileName>./examples/guide/fib.js</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N68b416697da34a0ea89ba76795174db4">
<ns1:checksum rdf:nodeID="Ncfc096d968724b3c98eeb430825c1a41"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./polyfills/console-minimal.js</ns1:fileName>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne36bb31bdc3e436096cc9a046ff88f93">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>0c7c5d15ccdb24c78977c52e4e5240353be55d04</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nbe9d7e8af3894b3b93773ebf32501bd4">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>b445a2b1cb2a851860e7b51810b7f465ba6fcd7d</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N51e937528d7f427490005864b4b9ff15">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileName>./src-separate/duk_debug_fixedbuffer.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="Nb4e51350c30d44f199843a86cc10f34a"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N955eeb1c49bd4fcfbbbc46f437ea116d">
  <ns1:fileName>./src-separate/duk_js_executor.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="Nb4cf83f3e59e468bbf01c22dc1ba2326"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nf7e0170f83fc4ae4a27a3bf6ff19ad0e">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>742d035afe3ae16b3498926494419b74c53dfaf4</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N6400c3b41ca5430792598893702bc141">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>0811e545a133c3a62672e239624a0c1f11478b8d</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2e5639ce715b4fc094288e1df160799e">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N556979d04ca049e3a33ae78ad213e86e"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-separate/duk_strings.h</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N08ce910fd3374f358fdf0dd387e7933a">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>d70b4083ccd3b5dac32ad07e58d3132dc3390b79</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N9f6e2e668d6f4c9d858b3145aec54784">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_exception.h</ns1:fileName>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N151879cff57846c69298d90d6f62de22"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N50bc3d74b26b43b9a1216c3979e23254">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```



```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="Nab1b4098949f4206a3fbcf2c0ad5e2d7"/>
<ns1:fileName>./src-separate/duk_hstring.h</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="N69bf9aae90764e6d94623e138e263578">
<ns1:checksum rdf:nodeID="N2e661af7b38249a2bd23ee6a02463f97"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:fileName>./examples/alloc-hybrid/duk_alloc_hybrid.c</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7822469c545c4df9b12406ee54e2afe5">
<ns1:fileName>./src-separate/duktape.h</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:checksum rdf:nodeID="Nfa0b8a46def2407ab85f84b06d96bff2"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd37eb8919bdd40b386e1600c87bc023e">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>127e52c8b193d777811c25ceaab2c97c26a2bdab</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N51d715ee9c7840de802f4f6a51aa8fb2">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>62b2d820f9a27df439cd24ac8766e680d27a95da</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne708901cde614b5aafb2bb7e8b803766">
<ns1:checksumValue>9215f9b8f79aeb5527b45854c7b50ef591d5280</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N609988e1c85a423189275e54cfed6e2e">
<ns1:checksum rdf:nodeID="Ndd26a21cf7c443cea73c7b56e69931fb"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./src-separate/duk_heap_stringcache.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N01225c64e27c45bab26e7366ffc292bb">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>5f3b6cd81be97aa687fe8b47751e68b5561d7c1b</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfdae9c7d2776481fb36147cb54add3e9">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>a9206a7b46f8d8319b798475650217f494fa76ab</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N7632393b09074650aab8f2452c03dcdd">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>75c61dd080cd643b7449f673105b7b7e4bdda0f5</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N63b180f6b6e7409c8c4a2d75f3f3bf94">
<ns1:checksum rdf:nodeID="Ndf3376eec2ac40e690dd3768a9a91206"/>
<ns1:fileName>./debugger/static/webui.js</ns1:fileName>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9ffc99f3bb56479b9afa9d1309284a49">
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./src-separate/duk_debug.h</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="N8b020e4f3d7148e699dfccf69895b1b6"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N556979d04ca049e3a33ae78ad213e86e">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>89a7d62e8ae337fca35cacbb4b4cc6f294daedc9</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N7d9219f9a8a5441c9a828327546e8d4b">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>cd7bd1908b56fe13dc63ac64b53ca793221f9359</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N383a910e5426458883b137862108d075">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:checksum rdf:nodeID="N64fea1147c69473d94f17be3719dab19"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileName>./config/README.rst</ns1:fileName>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9a00ca4ed69b44ea8d2e096844d88f88">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>b7ee0e88e6365390db594e5e1a90c383847cfdf0f</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2c43a4c2cc8e4293b4e25e3c740a0802">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>f396c6aec456b183ef77e33da1dffc89c417056</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb651244cf8cf437b8c4b9f4225b28342">
  <ns1:checksum rdf:nodeID="N6400c3b41ca5430792598893702bc141"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./src-separate/duk_util_bitencoder.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne563f8a0ce6749b78adaf8438f45ef72">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>0edfa68772ce7637ba45f8c38b1996241bb9d564</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nca785b4c0395476b8e841246fd59d1e5">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>b381ea15009eb8140c0789203345cdcc2c6c1cd6</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N876e4be768744477ae5ed88eb0b81c0c">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>949e147e9b5e284590449d0e8f74427c8c12f00f</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N687ed4c6f06d4f8b82297e7aac9f0544">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>13e6591c152934ace923d9e49cc52872c8a515b9</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd5dcf82ee5bf4f0984ffdc815c050f07">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>87018db6c5898305a7e5196d9590c5b42424a7ea</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N311cf519f5534a6ca90a7ae2edf1ddab">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>79dac8ea1aa08daa3c8e9b6137b8a01c8d501893</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2bd077c0eac6450db5bc3fc7d15b6d87">
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<ns1:checksum rdf:nodeID="N7871a21de3b54d228c05945649d6ebb0"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:fileName>./debugger/package.json</ns1:fileName>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc90835fb0a3c49859ba26246770be9b9">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>92ce3decf72b10b0023116ac727a752e8749aa90</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfc95c250f4e54f8b9c418c59eab02120">
<ns1:fileName>./src-separate/duk_bi_thread.c</ns1:fileName>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
<ns1:checksum rdf:nodeID="Nd5dcf82ee5bf4f0984ffdc815c050f07"/>
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N71d69be00d6449e6ae1fd782b807616e">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>58c701ade28e5a475dede84a6e771893e3fc40f</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb5e5d4a64fe746b492c57a7c03e2724e">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>ed3bd07dbd103d285277ab38c4b4a7dd4a4b654b</ns1:checksumValue>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="Ne22182ab9a364999ab45de1ed3c881f8">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>73ff75213f392b6125c68ab6b430176dfad71269</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne63725b7db51410c9dadd31b765038a2">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>4baffeb2aa785bdc1065eb9ddb8c64c8a028655d</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N3a55397d0f4d4d579fd7ac7c710b3f5f">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>11f16b15a8e52598a078b88a8d0440ff61dd5ba2</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N6a1c34da591f4b8a8ffb97822fbc5b5e">
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N3fc31ee4c43948b2a409b4f827759425"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./polyfills/duktape-error-setter-writable.js</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb4e51350c30d44f199843a86cc10f34a">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>7c438de1ba7ca2ef226340d28ec0071ece1c9e43</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N53dc0eec536c470392629c72d380cea3">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>881f1b114c9fbba139044ddcbbc5398243185d10</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nc62fd84b374d4cbbac6539f0b9361c1b">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>221600498f2801d0bfc71e36009f084f363e159e</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N14da4f0fa38343f6b8ef6f9f2500e462">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>012eed9a677efd2062f7ed6965d5a39e9e569c25</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N608f3ec07489451db2c3fa5d2b199831">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>84b33d737bba2dadfdd950adad7a96d3d88eb01d</ns1:checksumValue>

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N2927778282204ec4a05dc67d8784747d">
  <ns1:checksumValue>0783cf4f48c9baf2b3820a36ab276b01e2102600</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1e3395d1a16141859053527e84be4752">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>7d9fa832b248637111993cc745e8e8f0b8aaa7fa</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N3a73a130e64a49c881756e071759e784">
  <ns1:checksumValue>59df770184e4c26b190a76f4cd035c7e661d573f</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ndac8123197764330a118f49ad44d5210">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>e5a5f0db067ec56c6d2f7356f41222a8884dc92</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb27bf797d60548e78b1469f516ca9db0">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>fa85ee3394206d18c611b837e700257ba8336250</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N127e032aec53405280adacea99f7a1aa">
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./src-separate/duk_builtins.c</ns1:fileName>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:checksum rdf:nodeID="N651f105268b44899b29f31b648e114d8"/>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb379a9c081234bc482db86ac8a50a60d">
  <ns1:checksumValue>bd2f85dccc23b76b9cf9900b8b2b86f0bf97421b</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N5332d8ea57ea485caf23589e850b48f7">
  <ns1:checksumValue>bdb9243b436ef5c70967bddd16d0cc9e74971b1c</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nfe3a3474b1ca49d784057130f9133916">

```

```

<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>f88d68880f451267e7e2eca4b6c4191e8c3fe011</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N62592816a5a04d06b12f71cfc7a471d9">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>9b7de9f9f25d095dfcffbf2d7629cd772fe632f0</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N8df4a1d3408a4d5fa6887164d01b6764">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>61043b4a6f3cf86375ea6e34ebf83b550a1935b2</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N0fe469dbfde344768f7b99734cbf0a16">
<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
<ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<ns1:checksum rdf:nodeID="N1e3395d1a16141859053527e84be4752"/>
<ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
<ns1:fileName>./config/genconfig_metadata.tar.gz</ns1:fileName>
</rdf:Description>
<rdf:Description rdf:nodeID="Na9e4f0ab8aad45a4bcffa57f9056ac0b">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>29b1960bc40607c2cf496465068611b2ffc4de87</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N7b3d55cbb4ac428a9ec15e838fa57617">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>11a7a5b6b1557adeca8a9def51cb44282f24c853</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N9d3031f2a94a4361a2bea8442860b531">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>2df8e3d302a5c74ac385b0e1e110d0845a4aef35</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Na650e8dfb19a4f44aef75d5e2c394ba4">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>2a665ec86812c67bc02ebdaeea35ce43ad82d703</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N06e4db75b3b644fc88f89762933d6652">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>29be453689679c9bab977c0b333a4a224d9f02e6</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="N5e81594f0d1545f3aaaf15e9601ef879">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>d650b46e62e2579b3f4c16ee9b5a8abd1c8241b5</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N2b9fe9d7676d4348bae04665296dc777">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>82ae634976f8641d5582058879d42d843713927b</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N2e661af7b38249a2bd23ee6a02463f97">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>ddbc206357dd4b97f3630b87bfdac148a5e8b190</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N66d93ee17b3f4c37ab218c982ab27858">
  <ns1:checksumValue>32ba21f45afd4b027113eda5aba53314c3f00da9</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4c26ebb43a2647c3b978f1fff4b3fad9">
  <ns1:checksumValue>1f430f45a3e52e4327eb17b2213a6f473dc1f6d2</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N22523e0d50ae44c0b95ea6d990c0a73f">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <ns1:fileName>./examples/guide/processlines.c</ns1:fileName>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N7906ad0dbd51471584ae067dae0339eb"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Ne7dba3a88cf847a3bd1a540117d78d99">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>01138dd2786346a159c06e43f094d07f002df881</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N089b9c3f15a0418f82a742ca7d0a0817">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>62ecbef7a21dd5c49b38fbe344e2511c07f36261</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Na892d14a2ce84a0c8ed288813068b0b4">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```



```

<ns1:checksumValue>a2c79a55a60f73e1a1567b96d584399571180ef5</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N13da4c8082ec4a5d995595c0d8c9425a">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>6988aac432dcc185c2967732e21947ea0696377f</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N4bf08feb34f449caee0f5eef82304a3">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>6806426efc13e73e41899bef0aeca7eec097c18</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N6ee4770d4a0c481ca6db39546b3fe5e3">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>089c395fca3cedceec09fd38d32d0c77dc8658f4</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N2a1cae1ebda64485945660c6b63ba896">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>063133679b6d072efc1c27f3a510101744ffde0c</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="Nd14c9df158a940db99636722e0e8031c">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>93e24d8abbf79fb6a2fcd54679c476866ad6ab2a</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N60ff244284b44944a5a8829d5133d7b5">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>982e40839854be361e3b57b5c07ef4f710ab749b</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N17f15662ac104212acb2cbf997f1c7eb">
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>a913f60f44a9e19cd5c31e84242db88a0868eba8</ns1:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N93bb4e72345a489d93cab4de5b47b9a2">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:checksumValue>e23d3c1764a8872117054a43bbff38dd2fe60b9c</ns1:checksumValue>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N64fea1147c69473d94f17be3719dab19">
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
<ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<ns1:checksumValue>6d5f56a1b76f9dcc9bb68d62ad0df958bd4d38ec</ns1:checksumValue>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="N213693bdb49c4346bac780da7a1790dd">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>601a6783177c1c6140c12b42c0bedb0ee0079d16</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N3eed04d6285c4542a734c1ea419e7bc6">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>0aa059114343d9595ac106a1ff966391bd75604a</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N65f37986e0fb4b319fc0077a78618d23">
  <ns1:checksumValue>2e9dca0919a92c68ed30593292b3fe7140480062</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N06c44d4442484d50b46e960ab16d7b27">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>64edd8d85b88c69b5c2c686b85f19b350bef7880</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb6ac1c2a792e46c9bb72fcb2b021d06e">
  <ns1:checksumValue>1db75c875cb94e1317f095e3d78f11275c17d154</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N58ff577ed80a43df8e1646668551583a">
  <ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <ns1:fileName>./config/genconfig.py</ns1:fileName>
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:checksum rdf:nodeID="N11d8e358dd81420694d745ad31b1e8af"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
</rdf:Description>
<rdf:Description rdf:nodeID="Nb7e97a375c814773846f140695dc2de4">
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>714e6fe76e2aed0bbb54f6c5e3674472813e4382</ns1:checksumValue>
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N1534fd30a381448aaf2322d2a4948c8e">
  <ns1:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <ns1:checksum rdf:nodeID="N64ed73dd5e834b11bea98bb09f1e57fe"/>
  <ns1:copyrightText>Copyright 2013-2017 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</ns1:copyrightText>
  <ns1:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <ns1:fileName>./src-separate/duk_api_object.c</ns1:fileName>

```

```

<ns1:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="Nba4461f02b8b429bbd15d5cf657bab1c">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <ns1:checksumValue>af6b0cd61c02efa575b9106682606297d26f013b</ns1:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="N716d78f6af114fc7af78e6d3d8c6b413">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>215f6fec820889330048f7f2c1b5a220eb963657</ns1:checksumValue>
</rdf:Description>
<rdf:Description rdf:nodeID="N3aaaf58cf6f246769f3d8b3efaf138a7">
  <ns1:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  <ns1:checksumValue>23b6b54a8a35fbec735ffb332f4100a7f00557be</ns1:checksumValue>
</rdf:Description>
</rdf:RDF>
CommonJS specification snapshots are included in the references/
directory. CommonJS is under the MIT license: http://www.commonjs.org/.
<?xml version="1.0" encoding="UTF-8"?>
<rdf:RDF
  xmlns:_3="http://spdx.org/rdf/terms#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
>
  <rdf:Description rdf:nodeID="svBMzJkP376">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>6f9134b7d1c939593043b9e0ecb308fbc745c9af</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP101">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP102"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/eventloop/main.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP414">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>bd2f85dcd23b76b9cf9900b8b2b86f0bf97421b</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP415">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP416"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_initjs_min.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP321">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP322"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_internal.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP292">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>b7ee0e88e6365390db594e5e1a90c383847cfd0f</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP3">
    <_3:created rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">2016-12-
08T20:32:53Z</_3:created>
    <rdfs:comment></rdfs:comment>
    <_3:licenseListVersion>1.20</_3:licenseListVersion>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#CreationInfo"/>
    <_3:creator>Organization: duktape.org</_3:creator>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP79">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP80"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/coffee/README.rst</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP275">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP276"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<_3:fileName>./src-separate/duk_heap_stringtable.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP360">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>d70b4083ccd3b5dac32ad07e58d3132dc3390b79</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP70">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>f051b42ff42dc8655b9e17739f7cb7cb76bdf78d</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP382">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>61db5ef1604240b33fa9e1e8825ad588076a5aef</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP365">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP366"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_debug.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP208">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>52554f56c3e3420d3643aa22f563d32a2b18be1f</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP323">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP324"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_hbufferobject_misc.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP441">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>

```

```

<_3:checksum rdf:nodeID="svBMzJkP442"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_debug_fixedbuffer.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP32">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>fb4f806e7282dd3cb2df04e228672d8b0b1b8eb4</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP289">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP290"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_heap_misc.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP383">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP384"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_api_compile.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP468">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>422984e8fc919e9f8c64d5cc4b20d7f6d15e341b</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP277">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP278"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_error_longjmp.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP258">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>d0421b2e96d2365467764d4aecc442fe543d69ad</_3:checksumValue>

```

```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP462">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>1db75c875cb94e1317f095e3d78f11275c17d154</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP137">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP138"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/cpp-exceptions/cpp_exceptions.cpp</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP180">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>23575db7cd88e42c0c3fc1630f44bf608fcec76d</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP271">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP272"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_builtins.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP417">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP418"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_api_string.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP331">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP332"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_lexer.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP327">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP328"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_buffer.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP476">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>97bf0ab32255874def0bd3157bf4bb2fc731d37f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP147">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP148"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/process.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP388">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0811e545a133c3a62672e239624a0c1f11478b8d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP214">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>742d035afe3ae16b3498926494419b74c53dfaf4</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP312">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>34b0dc439c1aeb920a1db0ac0ed20ee189069ea1</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP439">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape

```



```

distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP440"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_debug_heap.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP209">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP210"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_util_bufwriter.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP31">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP32"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./Makefile.eval</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP408">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>221600498f2801d0bfc71e36009f084f363e159e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP443">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP444"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_alloc_default.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP374">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>bad7c737fdd2d5f21ac00c6936921184cd26908d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP246">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>21e33f2c348ab084c0869d3bba530b1885464f38</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP69">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP70"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/static/webui.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP349">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP350"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_object.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP279">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP280"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hstring.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP217">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP218"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hobject_enum.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP436">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>525e80da2b6d3640fd42af0f662d7b68865d6529</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP370">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>84b33d737bba2dadfdd950adad7a96d3d88eb01d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP53">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP54"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/Makefile</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP105">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP106"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/ncurses.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP341">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP342"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_error_misc.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP338">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>012bd42371c53e6c32e357201ee91c258640e546</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP253">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP254"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_js_bytecode.h</_3:fileName>

```

```

    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP133">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP134"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/eval/eval.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP305">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP306"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_util_tinyrandom.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP169">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP170"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/debug-trans-socket/duk_trans_socket_windows.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP263">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP264"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_forwdecl.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP351">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP352"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_hbuffer.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP250">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>a5985c22d5e36eaced8ebc72338a38ae0b73c9ad</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP103">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP104"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/eventloop/c_eventloop.js</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP483">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP484"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./licenses/commonjs.txt</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP487">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP488"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src/duk_config.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP332">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>4edee4bb513bcff807e343902af260ed8ff72850</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP423">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP424"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_tval.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP490">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>5e427d4685c63b3e7c638c6eaac5e7df8216507f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP107">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP108"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/socket.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP165">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP166"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/cmdline/duk_cmdline.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP355">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP356"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_selftest.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP255">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP256"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<_3:fileName>./src-separate/duk_heap.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP189">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP190"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/sandbox/README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP373">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP374"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_hbuffer_ops.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP466">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>11a7a5b6b1557adeca8a9def51cb44282f24c853</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP339">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP340"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_js_var.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP247">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP248"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_hobject_props.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP375">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP376"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_heap_hashstring.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP38">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>2e1b55e44a5845fb785dde5b8c2e24bb7bd2e1bf</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP252">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a98ed9095834cad5b50d63cf8e659cca90e01062</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP227">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP228"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_date_unix.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP290">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>467388c812411a0d2b80760983171c346d35953d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP371">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP372"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_regexp_compiler.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP234">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4d3ab8c2d41261b0cae627db9d536d26f72b5f8e</_3:checksumValue>

```



```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP459">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP460"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./polyfills/object-prototype-definesetter.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP56">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>79dac8ea1aa08daa3c8e9b6137b8a01c8d501893</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP142">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>8aa63b553757fe1229638e978b540d7116b70274</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP325">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP326"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_js_compiler.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP354">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>32ba21f45afd4b027113eda5aba53314c3f00da9</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP45">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP46"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./debugger/duk_debug.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP342">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>c00100a35037a372ebcde740082d5bb7c7735057</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP135">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP136"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/cpp-exceptions/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP485">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP486"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src/metadata.json</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP428">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>5bd828887b0f46810358539868398e64b622d047</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP128">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>82314b509ee3b15b393fefe747c8e0169ab39aaa</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP407">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP408"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_numconv.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP269">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape

```

```

distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP270"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_date.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP440">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>23b6b54a8a35fbec735ffb332f4100a7f00557be</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP345">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP346"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hthread.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP57">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP58"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/duk_debug_meta.json</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP50">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>fe251e819feb6f84c1c8169eb6921174be2b1373</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP218">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>6806426efc13e73e41899bef0aecca7eec097c18</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP433">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP434"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<_3:fileName>./src-separate/duktape.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP39">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP40"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-noline/duk_config.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP449">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP450"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_debug_macros.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP174">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>012eed9a677efd2062f7ed6965d5a39e9e569c25</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP198">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>8015d14ffbc7a4a4b93d654f093aa48ec17fce4e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP117">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP118"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/curses-timers.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP8">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>fa2824f02d8a2d21f729a4e9d44557f3b39a9355</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP403">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP404"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_strings.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP183">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP184"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/debug-trans-dvalue/duk_trans_dvalue.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP130">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a8c0b54002a3a7d8c69d385e7fbcf4b70d1efc70</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP62">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>c81b68018e3d6f1b93683f7ead8761c01f2ca760</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP445">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP446"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_heap_stringcache.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP20">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>df02f8688766b929639cca4881b73cb8f745c97c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP335">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP336"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_heap_refcount.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP298">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>59df770184e4c26b190a76f4cd035c7e661d573f</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP469">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP470"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./config/README.rst</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP232">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>fd24ca07cfd8fd37f3e70d10ad078ee5f149c9ce</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP29">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP30"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./Makefile.dukdebug</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP435">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP436"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_replacements.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP188">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>22046b9dfc552ed692193d1bf5e3d0e182111ae5</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP283">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP284"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_internal.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP399">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP400"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_js_executor.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP481">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP482"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./licenses/lua.txt</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP140">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>e023af5c2fb4b1efab74a230c552f1eb1b37fc10</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP127">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP128"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/dummy-date-provider/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP438">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>54a05944602f4a24864001a40d770591c6800daf</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP46">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4e41e7165a8d6e3bd370bc4536b16835a7204cf6</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP308">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a23d89e3ff8fe247e09338af7b38bdab41da5c3e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP357">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP358"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_tval.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP336">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>821b268a1d4339ea2b309bdb6f527aa61bdb6b23</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP192">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>194e0bf80a1ddcc4d2d68ea6d2539656f3044f78</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP260">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>063133679b6d072efc1c27f3a510101744ffde0c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP353">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP354"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```



```

<_3:fileName>./src-separate/duk_api_bytecode.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP186">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>5f3b6cd81be97aa687fe8b47751e68b5561d7c1b</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP68">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>ad583b87e72c08b4b44918dd1d7fce97e4950aa4</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP96">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>7e2674dd72227576375a80f6ddbb11320f5b987a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP160">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>83b27494e6b257ab09828b0a4a1cf907686778a5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP367">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP368"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_boolean.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP42">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>829c4239ff43a1e15aa08bbbab41e7fba9207859</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP125">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP126"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/server-socket-test.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP392">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a913f60f44a9e19cd5c31e84242db88a0868eba8</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP143">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP144"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/uppercase.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP282">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>786369a33ccbadc3d2efba613a43fdd638971fc</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP219">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP220"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_debug.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP154">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>881f1b114c9fbba139044ddcbbc5398243185d10</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP63">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP64"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/duk_opcodes.yaml</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP216">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>3fa5d72893eb3e1d42d07c8effc8bb1443f87dd6</_3:checksumValue>

```

```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP248">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>105dd2e79d90b96b6b1ae419bff31ed6a0273af6</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP226">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>48eafa3f368fc879bfb79c2b2a30846a0b5d9b42</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP264">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>3f2b3b6b16cc969631b9980bc67aa6cc2c872048</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP313">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP314"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_error_augment.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP363">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP364"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_bi_thrower.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP122">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>6b98824e13a3d9536542b8da51d012a3d66ceec1</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP66">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>23f0401f57af7b8e4df6636637caffce6956445b</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP161">

```

```

<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP162"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/hello/README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP410">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>457df68e290e23da40cac39a7cc35d6d6b4257c6</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP61">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP62"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./debugger/duk_classnames.yaml</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP164">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>a4e2dface71b2316f2c3d149b4a507250b54dd96</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP213">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP214"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_jmpbuf.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP460">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>089c395fca3cedceec09fd38d32d0c77dc8658f4</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP328">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>3f640daaa5e9d226a04fe419cb5eb1c07d06d346</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP47">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP48"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/duk_debugerrors.yaml</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP369">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP370"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_error_macros.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP76">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4239a907720cf3620bd0b03eb43981e7182e305a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP293">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP294"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hthread_builtins.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP75">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP76"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/coffee/mandel.coffee</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP296">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>6988aac432dcc185c2967732e21947ea0696377f</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP300">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>7b167c1ea560de7ac67e217c1fdff8912f8b677d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP422">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>521f29841ddeb9be08ff9f7e2db06277da31bd47</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP155">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP156"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-torture/duk_alloc_torture.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP157">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP158"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-torture/duk_alloc_torture.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP71">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP72"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/static/index.html</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP356">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>93e24d8abbf79fb6a2fcd54679c476866ad6ab2a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP4">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:sourceInfo>Official duktape.org release built from GitHub repo
https://github.com/svaarala/duktape.</_3:sourceInfo>
  <_3:downloadLocation
rdf:datatype="http://www.w3.org/2001/XMLSchema#anyURI">http://duktape-
1.5.2.tar.xz</_3:downloadLocation>
  <_3:licenseDeclared rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:supplier>Organization: duktape.org</_3:supplier>
  <_3:packageVerificationCode rdf:nodeID="svBMzJkP5"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Package"/>
  <_3:description>Duktape is an embeddable Javascript engine, with a focus on portability and compact
footprint</_3:description>
  <_3:licenseComments>Duktape is copyrighted by its authors and licensed under the MIT license. MurmurHash2
is used internally, it is also under the MIT license. Duktape module loader is based on the CommonJS module
loading specification (without sharing any code), CommonJS is under the MIT license.</_3:licenseComments>
  <_3:originator>Organization: duktape.org</_3:originator>
  <_3:hasFile rdf:nodeID="svBMzJkP127"/>
  <_3:hasFile rdf:nodeID="svBMzJkP101"/>
  <_3:hasFile rdf:nodeID="svBMzJkP21"/>
  <_3:hasFile rdf:nodeID="svBMzJkP337"/>
  <_3:hasFile rdf:nodeID="svBMzJkP55"/>
  <_3:hasFile rdf:nodeID="svBMzJkP91"/>
  <_3:hasFile rdf:nodeID="svBMzJkP413"/>
  <_3:hasFile rdf:nodeID="svBMzJkP321"/>
  <_3:hasFile rdf:nodeID="svBMzJkP129"/>
  <_3:hasFile rdf:nodeID="svBMzJkP139"/>
  <_3:hasFile rdf:nodeID="svBMzJkP473"/>
  <_3:hasFile rdf:nodeID="svBMzJkP357"/>
  <_3:hasFile rdf:nodeID="svBMzJkP419"/>
  <_3:hasFile rdf:nodeID="svBMzJkP451"/>
  <_3:hasFile rdf:nodeID="svBMzJkP95"/>
  <_3:hasFile rdf:nodeID="svBMzJkP115"/>
  <_3:hasFile rdf:nodeID="svBMzJkP79"/>
  <_3:hasFile rdf:nodeID="svBMzJkP275"/>
  <_3:hasFile rdf:nodeID="svBMzJkP191"/>
  <_3:hasFile rdf:nodeID="svBMzJkP261"/>
  <_3:hasFile rdf:nodeID="svBMzJkP23"/>
  <_3:hasFile rdf:nodeID="svBMzJkP353"/>
  <_3:hasFile rdf:nodeID="svBMzJkP267"/>
  <_3:hasFile rdf:nodeID="svBMzJkP427"/>
  <_3:hasFile rdf:nodeID="svBMzJkP119"/>
  <_3:hasFile rdf:nodeID="svBMzJkP205"/>
  <_3:hasFile rdf:nodeID="svBMzJkP335"/>
  <_3:hasFile rdf:nodeID="svBMzJkP211"/>
  <_3:hasFile rdf:nodeID="svBMzJkP19"/>

```

<_3:hasFile rdf:nodeID="svBMzJkP149"/>
<_3:hasFile rdf:nodeID="svBMzJkP319"/>
<_3:hasFile rdf:nodeID="svBMzJkP367"/>
<_3:hasFile rdf:nodeID="svBMzJkP265"/>
<_3:hasFile rdf:nodeID="svBMzJkP441"/>
<_3:hasFile rdf:nodeID="svBMzJkP385"/>
<_3:hasFile rdf:nodeID="svBMzJkP289"/>
<_3:hasFile rdf:nodeID="svBMzJkP175"/>
<_3:hasFile rdf:nodeID="svBMzJkP277"/>
<_3:hasFile rdf:nodeID="svBMzJkP125"/>
<_3:hasFile rdf:nodeID="svBMzJkP471"/>
<_3:hasFile rdf:nodeID="svBMzJkP229"/>
<_3:hasFile rdf:nodeID="svBMzJkP143"/>
<_3:hasFile rdf:nodeID="svBMzJkP415"/>
<_3:hasFile rdf:nodeID="svBMzJkP137"/>
<_3:hasFile rdf:nodeID="svBMzJkP219"/>
<_3:hasFile rdf:nodeID="svBMzJkP37"/>
<_3:hasFile rdf:nodeID="svBMzJkP429"/>
<_3:hasFile rdf:nodeID="svBMzJkP485"/>
<_3:hasFile rdf:nodeID="svBMzJkP63"/>
<_3:hasFile rdf:nodeID="svBMzJkP295"/>
<_3:hasFile rdf:nodeID="svBMzJkP301"/>
<_3:hasFile rdf:nodeID="svBMzJkP231"/>
<_3:hasFile rdf:nodeID="svBMzJkP89"/>
<_3:hasFile rdf:nodeID="svBMzJkP35"/>
<_3:hasFile rdf:nodeID="svBMzJkP349"/>
<_3:hasFile rdf:nodeID="svBMzJkP297"/>
<_3:hasFile rdf:nodeID="svBMzJkP271"/>
<_3:hasFile rdf:nodeID="svBMzJkP171"/>
<_3:hasFile rdf:nodeID="svBMzJkP467"/>
<_3:hasFile rdf:nodeID="svBMzJkP393"/>
<_3:hasFile rdf:nodeID="svBMzJkP417"/>
<_3:hasFile rdf:nodeID="svBMzJkP331"/>
<_3:hasFile rdf:nodeID="svBMzJkP291"/>
<_3:hasFile rdf:nodeID="svBMzJkP185"/>
<_3:hasFile rdf:nodeID="svBMzJkP327"/>
<_3:hasFile rdf:nodeID="svBMzJkP313"/>
<_3:hasFile rdf:nodeID="svBMzJkP147"/>
<_3:hasFile rdf:nodeID="svBMzJkP363"/>
<_3:hasFile rdf:nodeID="svBMzJkP97"/>
<_3:hasFile rdf:nodeID="svBMzJkP49"/>
<_3:hasFile rdf:nodeID="svBMzJkP409"/>
<_3:hasFile rdf:nodeID="svBMzJkP41"/>
<_3:hasFile rdf:nodeID="svBMzJkP243"/>
<_3:hasFile rdf:nodeID="svBMzJkP151"/>
<_3:hasFile rdf:nodeID="svBMzJkP439"/>
<_3:hasFile rdf:nodeID="svBMzJkP213"/>
<_3:hasFile rdf:nodeID="svBMzJkP379"/>

<_3:hasFile rdf:nodeID="svBMzJkP131"/>
<_3:hasFile rdf:nodeID="svBMzJkP333"/>
<_3:hasFile rdf:nodeID="svBMzJkP47"/>
<_3:hasFile rdf:nodeID="svBMzJkP369"/>
<_3:hasFile rdf:nodeID="svBMzJkP209"/>
<_3:hasFile rdf:nodeID="svBMzJkP273"/>
<_3:hasFile rdf:nodeID="svBMzJkP31"/>
<_3:hasFile rdf:nodeID="svBMzJkP73"/>
<_3:hasFile rdf:nodeID="svBMzJkP293"/>
<_3:hasFile rdf:nodeID="svBMzJkP389"/>
<_3:hasFile rdf:nodeID="svBMzJkP27"/>
<_3:hasFile rdf:nodeID="svBMzJkP281"/>
<_3:hasFile rdf:nodeID="svBMzJkP259"/>
<_3:hasFile rdf:nodeID="svBMzJkP75"/>
<_3:hasFile rdf:nodeID="svBMzJkP443"/>
<_3:hasFile rdf:nodeID="svBMzJkP287"/>
<_3:hasFile rdf:nodeID="svBMzJkP383"/>
<_3:hasFile rdf:nodeID="svBMzJkP317"/>
<_3:hasFile rdf:nodeID="svBMzJkP69"/>
<_3:hasFile rdf:nodeID="svBMzJkP155"/>
<_3:hasFile rdf:nodeID="svBMzJkP157"/>
<_3:hasFile rdf:nodeID="svBMzJkP279"/>
<_3:hasFile rdf:nodeID="svBMzJkP215"/>
<_3:hasFile rdf:nodeID="svBMzJkP217"/>
<_3:hasFile rdf:nodeID="svBMzJkP71"/>
<_3:hasFile rdf:nodeID="svBMzJkP83"/>
<_3:hasFile rdf:nodeID="svBMzJkP199"/>
<_3:hasFile rdf:nodeID="svBMzJkP53"/>
<_3:hasFile rdf:nodeID="svBMzJkP105"/>
<_3:hasFile rdf:nodeID="svBMzJkP341"/>
<_3:hasFile rdf:nodeID="svBMzJkP195"/>
<_3:hasFile rdf:nodeID="svBMzJkP347"/>
<_3:hasFile rdf:nodeID="svBMzJkP253"/>
<_3:hasFile rdf:nodeID="svBMzJkP133"/>
<_3:hasFile rdf:nodeID="svBMzJkP305"/>
<_3:hasFile rdf:nodeID="svBMzJkP169"/>
<_3:hasFile rdf:nodeID="svBMzJkP465"/>
<_3:hasFile rdf:nodeID="svBMzJkP303"/>
<_3:hasFile rdf:nodeID="svBMzJkP187"/>
<_3:hasFile rdf:nodeID="svBMzJkP489"/>
<_3:hasFile rdf:nodeID="svBMzJkP351"/>
<_3:hasFile rdf:nodeID="svBMzJkP109"/>
<_3:hasFile rdf:nodeID="svBMzJkP103"/>
<_3:hasFile rdf:nodeID="svBMzJkP9"/>
<_3:hasFile rdf:nodeID="svBMzJkP17"/>
<_3:hasFile rdf:nodeID="svBMzJkP395"/>
<_3:hasFile rdf:nodeID="svBMzJkP381"/>
<_3:hasFile rdf:nodeID="svBMzJkP431"/>

<_3:hasFile rdf:nodeID="svBMzJkP343"/>
<_3:hasFile rdf:nodeID="svBMzJkP481"/>
<_3:hasFile rdf:nodeID="svBMzJkP251"/>
<_3:hasFile rdf:nodeID="svBMzJkP421"/>
<_3:hasFile rdf:nodeID="svBMzJkP189"/>
<_3:hasFile rdf:nodeID="svBMzJkP405"/>
<_3:hasFile rdf:nodeID="svBMzJkP299"/>
<_3:hasFile rdf:nodeID="svBMzJkP487"/>
<_3:hasFile rdf:nodeID="svBMzJkP93"/>
<_3:hasFile rdf:nodeID="svBMzJkP463"/>
<_3:hasFile rdf:nodeID="svBMzJkP67"/>
<_3:hasFile rdf:nodeID="svBMzJkP423"/>
<_3:hasFile rdf:nodeID="svBMzJkP329"/>
<_3:hasFile rdf:nodeID="svBMzJkP107"/>
<_3:hasFile rdf:nodeID="svBMzJkP165"/>
<_3:hasFile rdf:nodeID="svBMzJkP111"/>
<_3:hasFile rdf:nodeID="svBMzJkP355"/>
<_3:hasFile rdf:nodeID="svBMzJkP223"/>
<_3:hasFile rdf:nodeID="svBMzJkP483"/>
<_3:hasFile rdf:nodeID="svBMzJkP387"/>
<_3:hasFile rdf:nodeID="svBMzJkP255"/>
<_3:hasFile rdf:nodeID="svBMzJkP453"/>
<_3:hasFile rdf:nodeID="svBMzJkP391"/>
<_3:hasFile rdf:nodeID="svBMzJkP7"/>
<_3:hasFile rdf:nodeID="svBMzJkP249"/>
<_3:hasFile rdf:nodeID="svBMzJkP241"/>
<_3:hasFile rdf:nodeID="svBMzJkP197"/>
<_3:hasFile rdf:nodeID="svBMzJkP263"/>
<_3:hasFile rdf:nodeID="svBMzJkP177"/>
<_3:hasFile rdf:nodeID="svBMzJkP397"/>
<_3:hasFile rdf:nodeID="svBMzJkP245"/>
<_3:hasFile rdf:nodeID="svBMzJkP113"/>
<_3:hasFile rdf:nodeID="svBMzJkP475"/>
<_3:hasFile rdf:nodeID="svBMzJkP59"/>
<_3:hasFile rdf:nodeID="svBMzJkP247"/>
<_3:hasFile rdf:nodeID="svBMzJkP375"/>
<_3:hasFile rdf:nodeID="svBMzJkP437"/>
<_3:hasFile rdf:nodeID="svBMzJkP173"/>
<_3:hasFile rdf:nodeID="svBMzJkP163"/>
<_3:hasFile rdf:nodeID="svBMzJkP411"/>
<_3:hasFile rdf:nodeID="svBMzJkP373"/>
<_3:hasFile rdf:nodeID="svBMzJkP371"/>
<_3:hasFile rdf:nodeID="svBMzJkP65"/>
<_3:hasFile rdf:nodeID="svBMzJkP459"/>
<_3:hasFile rdf:nodeID="svBMzJkP461"/>
<_3:hasFile rdf:nodeID="svBMzJkP257"/>
<_3:hasFile rdf:nodeID="svBMzJkP325"/>
<_3:hasFile rdf:nodeID="svBMzJkP43"/>

<_3:hasFile rdf:nodeID="svBMzJkP45"/>
<_3:hasFile rdf:nodeID="svBMzJkP51"/>
<_3:hasFile rdf:nodeID="svBMzJkP457"/>
<_3:hasFile rdf:nodeID="svBMzJkP365"/>
<_3:hasFile rdf:nodeID="svBMzJkP167"/>
<_3:hasFile rdf:nodeID="svBMzJkP479"/>
<_3:hasFile rdf:nodeID="svBMzJkP233"/>
<_3:hasFile rdf:nodeID="svBMzJkP135"/>
<_3:hasFile rdf:nodeID="svBMzJkP377"/>
<_3:hasFile rdf:nodeID="svBMzJkP309"/>
<_3:hasFile rdf:nodeID="svBMzJkP235"/>
<_3:hasFile rdf:nodeID="svBMzJkP207"/>
<_3:hasFile rdf:nodeID="svBMzJkP339"/>
<_3:hasFile rdf:nodeID="svBMzJkP237"/>
<_3:hasFile rdf:nodeID="svBMzJkP407"/>
<_3:hasFile rdf:nodeID="svBMzJkP269"/>
<_3:hasFile rdf:nodeID="svBMzJkP13"/>
<_3:hasFile rdf:nodeID="svBMzJkP307"/>
<_3:hasFile rdf:nodeID="svBMzJkP123"/>
<_3:hasFile rdf:nodeID="svBMzJkP221"/>
<_3:hasFile rdf:nodeID="svBMzJkP345"/>
<_3:hasFile rdf:nodeID="svBMzJkP323"/>
<_3:hasFile rdf:nodeID="svBMzJkP57"/>
<_3:hasFile rdf:nodeID="svBMzJkP193"/>
<_3:hasFile rdf:nodeID="svBMzJkP77"/>
<_3:hasFile rdf:nodeID="svBMzJkP433"/>
<_3:hasFile rdf:nodeID="svBMzJkP39"/>
<_3:hasFile rdf:nodeID="svBMzJkP401"/>
<_3:hasFile rdf:nodeID="svBMzJkP161"/>
<_3:hasFile rdf:nodeID="svBMzJkP283"/>
<_3:hasFile rdf:nodeID="svBMzJkP227"/>
<_3:hasFile rdf:nodeID="svBMzJkP445"/>
<_3:hasFile rdf:nodeID="svBMzJkP425"/>
<_3:hasFile rdf:nodeID="svBMzJkP117"/>
<_3:hasFile rdf:nodeID="svBMzJkP203"/>
<_3:hasFile rdf:nodeID="svBMzJkP403"/>
<_3:hasFile rdf:nodeID="svBMzJkP447"/>
<_3:hasFile rdf:nodeID="svBMzJkP183"/>
<_3:hasFile rdf:nodeID="svBMzJkP87"/>
<_3:hasFile rdf:nodeID="svBMzJkP159"/>
<_3:hasFile rdf:nodeID="svBMzJkP361"/>
<_3:hasFile rdf:nodeID="svBMzJkP145"/>
<_3:hasFile rdf:nodeID="svBMzJkP491"/>
<_3:hasFile rdf:nodeID="svBMzJkP225"/>
<_3:hasFile rdf:nodeID="svBMzJkP61"/>
<_3:hasFile rdf:nodeID="svBMzJkP33"/>
<_3:hasFile rdf:nodeID="svBMzJkP311"/>
<_3:hasFile rdf:nodeID="svBMzJkP239"/>

```

<_3:hasFile rdf:nodeID="svBMzJkP85"/>
<_3:hasFile rdf:nodeID="svBMzJkP15"/>
<_3:hasFile rdf:nodeID="svBMzJkP81"/>
<_3:hasFile rdf:nodeID="svBMzJkP121"/>
<_3:hasFile rdf:nodeID="svBMzJkP455"/>
<_3:hasFile rdf:nodeID="svBMzJkP359"/>
<_3:hasFile rdf:nodeID="svBMzJkP25"/>
<_3:hasFile rdf:nodeID="svBMzJkP469"/>
<_3:hasFile rdf:nodeID="svBMzJkP477"/>
<_3:hasFile rdf:nodeID="svBMzJkP29"/>
<_3:hasFile rdf:nodeID="svBMzJkP141"/>
<_3:hasFile rdf:nodeID="svBMzJkP285"/>
<_3:hasFile rdf:nodeID="svBMzJkP11"/>
<_3:hasFile rdf:nodeID="svBMzJkP449"/>
<_3:hasFile rdf:nodeID="svBMzJkP435"/>
<_3:hasFile rdf:nodeID="svBMzJkP99"/>
<_3:hasFile rdf:nodeID="svBMzJkP201"/>
<_3:hasFile rdf:nodeID="svBMzJkP181"/>
<_3:hasFile rdf:nodeID="svBMzJkP315"/>
<_3:hasFile rdf:nodeID="svBMzJkP179"/>
<_3:hasFile rdf:nodeID="svBMzJkP399"/>
<_3:hasFile rdf:nodeID="svBMzJkP153"/>
<_3:packageFileName>duktape-1.5.2.tar.xz</_3:packageFileName>
<_3:name>Duktape</_3:name>
<_3:homePage
rdf:datatype="http://www.w3.org/2001/XMLSchema#anyURI">http://duktape.org</_3:homePage>
<_3:versionInfo>1.5.2</_3:versionInfo>
<_3:summary>Duktape EcmaScript interpreter</_3:summary>
<_3:licenseInfoFromFiles rdf:resource="http://spdx.org/licenses/MIT"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP80">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>af6b0cd61c02efa575b9106682606297d26f013b</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP430">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>ddcaaa8f260ff00f22e09d7fb4b4b7ca94858f30</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP176">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>bdb9243b436ef5c70967bdd16d0cc9e74971b1c</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP12">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>cb09ad82ed76b6caf0ac32db698c1ce50e0a508</_3:checksumValue>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP412">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>b3919a740c97b1d3ceb4e03c9ae53456916222a4</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP368">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a20231719c1f9b97ea38fbc42dd8af1e21d74879</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP406">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>62b2d820f9a27df439cd24ac8766e680d27a95da</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP272">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>95a06fb24eca405019eb7b7d535179245eda6099</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP78">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>ea413ed7d47cf27c6f3ffe25956b1370b653c200</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP54">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0bba41f542f2279b6bfa297ba4e7ee824e3ebd78</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP421">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP422"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_js_ops.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP7">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP8"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./LICENSE.txt</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP60">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>50a3349a079123b6bddf3db507df0dd9e877e246</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP299">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP300"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_logger.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP112">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>64566ae0bdc1c3e1017604b6b45d515c30d976eb</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP463">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP464"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./polyfills/console-minimal.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP223">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP224"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_global.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP194">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>2c86a9ed51255ba3b0b225e48c093851a78cae71</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP196">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>742635fda10ef9775864077e647b59442768a69c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP249">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP250"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_call.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP397">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP398"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_regexp.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP163">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP164"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/cmdline/duk_cmdline_ajduk.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP411">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP412"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_heaphdr.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP362">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>5ab84f0ff2ed8c4b4a2daa5957d2a20447887103</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP444">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>8483a2211d6323480efa605ee646959695b742c6</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP200">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>fba891f21dc0b80d282f16d39c37007965adcd04</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP396">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>47e1001460004f53dfc350355e02bf56f18b0398</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP113">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP114"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/fileio.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP306">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>d529a6faac560def1e5b2cdb991713a6d70b0e26</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP434">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>b7be4a3a943099fdf318480615d1c130be87a841</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP358">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a9493898a19810a5450d2442d1ff1dfb4ff76d1c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP220">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>ee1f62688128fef0954cc9b93e41c199212e5a82</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```



```

<rdf:Description rdf:nodeID="svBMzJkP65">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP66"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/merge_debug_meta.py</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP44">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>bc9d119b5e66085e7e4219685fd351fb3f68d800</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP195">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP196"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-logging/duk_alloc_logging.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP452">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>aa1f72e7a2b4891ec1f445eb031dfba69bdc85de</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP270">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>1f430f45a3e52e4327eb17b2213a6f473dc1f6d2</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP206">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>9b7de9f9f25d095dfcfff2d7629cd772fe632f0</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP401">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP402"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_date_windows.c</_3:fileName>

```

```

    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP479">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP480"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./licenses/murmurhash2.txt</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP120">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>88ab1d060886393d94b6fb7c6054a0189117340b</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP314">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>d32ab97622eaf870648dfdf8e5b9cb034740affa</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP398">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>2e9dca0919a92c68ed30593292b3fe7140480062</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP378">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>d5f1184bc60b9049b0dbf1e51ae6a5fe7e5e3192</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP18">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>f3ed5c785b60b0f39a74cc3f5b73b0c6e24287c3</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP425">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP426"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_bi_object.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP203">

```

```

<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP204"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_unicode_support.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP159">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP160"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/hello/hello.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP491">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP492"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src/duktape.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP391">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP392"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_bi_duktape.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP33">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP34"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./Makefile.eventloop</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP311">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP312"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_selftest.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP115">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP116"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/ecma_eventloop.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP92">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>01138dd2786346a159c06e43f094d07f002df881</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP405">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP406"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_buffer.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP141">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP142"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/processlines.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP236">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

    <_3:checksumValue>c763ffca7e15df01f44cf89518eb870380b03ee8</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP99">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP100"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/jxpretty/jxpretty.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP132">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>29b1960bc40607c2cf496465068611b2ffc4de87</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP482">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>55aa8c67f1fa418f8d625a32a9d6268e9d94429c</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP333">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP334"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_debug_vsnprintf.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP21">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP22"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./Makefile.coffee</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP211">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>

```

```

<_3:checksum rdf:nodeID="svBMzJkP212"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_numconv.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP413">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP414"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_bi_proxy.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP184">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>0783cf4f48c9baf2b3820a36ab276b01e2102600</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP129">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP130"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/dummy-date-provider/dummy_date_provider.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP139">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP140"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/guide/README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP148">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>7edf7600e1a6f09d1e4a0e2f9be418b59fff7c52</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP95">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP96"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/codepage-conv/duk_codepage_conv.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP22">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>61043b4a6f3cf86375ea6e34ebf83b550a1935b2</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP418">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>13e6591c152934ace923d9e49cc52872c8a515b9</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP261">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP262"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hobject_alloc.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP48">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>ca9e1a8f73c5dcbe2e8c45d25ce9865cd93866e6</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP416">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>e17ef51b2a16cee731cf341ce08d04690da095ce</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP267">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP268"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_js_call.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP104">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>07a167411a356aebf987353846a9c711998f20</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP19">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP20"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./Makefile.cmdline</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP319">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP320"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hnativefunction.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP472">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4fa87de84388dcd955ce27acbe2c2026babf32bc</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP156">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>9a31edd2028d39d24aa9bfdbd2b70ce2a64b8493</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP359">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP360"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hthread_alloc.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP175">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape

```



```

distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP176"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/debug-trans-socket/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP229">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP230"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_util.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP23">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP24"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./Makefile.codepage</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP486">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>9bcb9de5ed729ecc7093ab48e4f5c04e9704bb30</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP37">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP38"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-noline/metadata.json</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP302">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>494667f18c30e4fd36245e6c4e27f93fcf9df87d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP393">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP394"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_heap_memory.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP295">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP296"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hobject_class.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP36">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>f88d68880f451267e7e2eca4b6c4191e8c3fe011</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP35">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP36"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./Makefile.jxpretty</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP222">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>714e6fe76e2aed0bbb54f6c5e3674472813e4382</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP297">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP298"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_bi_protos.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP171">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP172"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/debug-trans-socket/duk_trans_socket_unix.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP467">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP468"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./config/genconfig.py</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP350">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0ec3478b1e5713ffdbe7eb45cd5bb96c1a8a774b</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP442">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>7c438de1ba7ca2ef226340d28ec0071ece1c9e43</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP116">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4db4ca2d7ce3f076fd195372d53e8bc5714d2597</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP84">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a8f8cf615ef79337a83eb791477dc9ed2c22822c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP124">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>d869c0f8797a659124b3ba31c75f494b15bea5e6</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP273">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP274"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hobject_pc2line.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP389">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP390"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_debugger.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP281">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP282"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_util_bitdecoder.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP380">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>5bf6196d028d10a8f2f8e3da67b7d59bb8fd9eff</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP301">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP302"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_unicode_tables.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP324">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>29be453689679c9bab977c0b333a4a224d9f02e6</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP110">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>d535c4e27319a5db6026553a801e8a5ef0e6fe88</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP215">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP216"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hobject_misc.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP280">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>fcdae530da6f6dfafd21219de294c547b91dd866</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP274">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>8521b45dcbc72d66c2b4e3f0db9e1dbfb75b45f5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP83">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP84"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-hybrid/duk_alloc_hybrid.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP26">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>3b8236810650f4e28bd84984b3c7e55029f241b0</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP453">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP454"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./polyfills/duktape-error-setter-writable.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP278">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>cd7bd1908b56fe13dc63ac64b53ca793221f9359</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP337">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP338"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_heap_markandsweep.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP465">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP466"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./polyfills/performance-now.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP303">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP304"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_exception.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP187">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP188"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/sandbox/sandbox.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP109">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP110"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/eventloop/c_eventloop.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP17">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP18"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./mandel.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP395">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP396"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hbufferobject.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP470">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>6d5f56a1b76f9dcc9bb68d62ad0df958bd4d38ec</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP162">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>10c24a17c2f5f82d8c1a8fab8673c0c9075c1817</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP288">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>14ec83aeef66a38c6a4c48a175a544f66d319413</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP320">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>2c508fbc7eb127f6793cfe62bf947879668983a4</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP172">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>01d4eb01e522172282a4a0ea3aa06f33ce7bec3c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP93">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP94"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/codepage-conv/test.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP144">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4baffeb2aa785bdc1065eb9ddb8c64c8a028655d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP150">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>ed3bd07dbd103d285277ab38c4b4a7dd4a4b654b</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP379">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP380"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_array.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP111">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP112"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP90">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>9bb6ca1fa3ad4c593b000b2de5aca013b95adda0</_3:checksumValue>

```



```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP52">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>9406efff4ddfa3fe00ae52c28963df486fc48dfa</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP240">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>ebbb5b2489ccab8f4a6ef741aac3eafac4c49ebd</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP134">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>c2d899e7f2343579f29ad3079fde44eec5d6a544</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP197">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP198"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/alloc-logging/README.rst</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP402">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>0053a77d6c3562af6d2238f096f3a9bd4b5a834f</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP348">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>82ae634976f8641d5582058879d42d843713927b</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP178">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>11f16b15a8e52598a078b88a8d0440ff61dd5ba2</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP13">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP14"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP384">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>d650b46e62e2579b3f4c16ee9b5a8abd1c8241b5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP344">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>11ecff4142b35382d0aaf80ee6c04ae3dfd0b4c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP322">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0610275779180357a50777f77d1de0e0478f23a7</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP14">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0221b13981af62e7382a806c24f92450597b6106</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP152">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4e5a54de08355669dc98b5d4ad379384b33da4e5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP457">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP458"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./polyfills/object-assign.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP6">
  <rdfs:comment>SPDX license for Duktape 1.5.2</rdfs:comment>
  <_3:referencesFile rdf:nodeID="svBMzJkP127"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP101"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP21"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP337"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP55"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP91"/>
  <_3:referencesFile rdf:nodeID="svBMzJkP413"/>

```

<_3:referencesFile rdf:nodeID="svBMzJkP321"/>
<_3:referencesFile rdf:nodeID="svBMzJkP129"/>
<_3:referencesFile rdf:nodeID="svBMzJkP139"/>
<_3:referencesFile rdf:nodeID="svBMzJkP473"/>
<_3:referencesFile rdf:nodeID="svBMzJkP357"/>
<_3:referencesFile rdf:nodeID="svBMzJkP419"/>
<_3:referencesFile rdf:nodeID="svBMzJkP451"/>
<_3:referencesFile rdf:nodeID="svBMzJkP95"/>
<_3:referencesFile rdf:nodeID="svBMzJkP115"/>
<_3:referencesFile rdf:nodeID="svBMzJkP79"/>
<_3:referencesFile rdf:nodeID="svBMzJkP275"/>
<_3:referencesFile rdf:nodeID="svBMzJkP191"/>
<_3:referencesFile rdf:nodeID="svBMzJkP261"/>
<_3:referencesFile rdf:nodeID="svBMzJkP23"/>
<_3:referencesFile rdf:nodeID="svBMzJkP353"/>
<_3:referencesFile rdf:nodeID="svBMzJkP267"/>
<_3:referencesFile rdf:nodeID="svBMzJkP427"/>
<_3:referencesFile rdf:nodeID="svBMzJkP119"/>
<_3:referencesFile rdf:nodeID="svBMzJkP205"/>
<_3:referencesFile rdf:nodeID="svBMzJkP335"/>
<_3:referencesFile rdf:nodeID="svBMzJkP211"/>
<_3:referencesFile rdf:nodeID="svBMzJkP19"/>
<_3:referencesFile rdf:nodeID="svBMzJkP149"/>
<_3:referencesFile rdf:nodeID="svBMzJkP319"/>
<_3:referencesFile rdf:nodeID="svBMzJkP367"/>
<_3:referencesFile rdf:nodeID="svBMzJkP265"/>
<_3:referencesFile rdf:nodeID="svBMzJkP441"/>
<_3:referencesFile rdf:nodeID="svBMzJkP385"/>
<_3:referencesFile rdf:nodeID="svBMzJkP289"/>
<_3:referencesFile rdf:nodeID="svBMzJkP175"/>
<_3:referencesFile rdf:nodeID="svBMzJkP277"/>
<_3:referencesFile rdf:nodeID="svBMzJkP125"/>
<_3:referencesFile rdf:nodeID="svBMzJkP471"/>
<_3:referencesFile rdf:nodeID="svBMzJkP229"/>
<_3:referencesFile rdf:nodeID="svBMzJkP143"/>
<_3:referencesFile rdf:nodeID="svBMzJkP415"/>
<_3:referencesFile rdf:nodeID="svBMzJkP137"/>
<_3:referencesFile rdf:nodeID="svBMzJkP219"/>
<_3:referencesFile rdf:nodeID="svBMzJkP37"/>
<_3:referencesFile rdf:nodeID="svBMzJkP429"/>
<_3:referencesFile rdf:nodeID="svBMzJkP485"/>
<_3:referencesFile rdf:nodeID="svBMzJkP63"/>
<_3:referencesFile rdf:nodeID="svBMzJkP295"/>
<_3:referencesFile rdf:nodeID="svBMzJkP301"/>
<_3:referencesFile rdf:nodeID="svBMzJkP231"/>
<_3:referencesFile rdf:nodeID="svBMzJkP89"/>
<_3:referencesFile rdf:nodeID="svBMzJkP35"/>
<_3:referencesFile rdf:nodeID="svBMzJkP349"/>

<_3:referencesFile rdf:nodeID="svBMzJkP297"/>
<_3:referencesFile rdf:nodeID="svBMzJkP271"/>
<_3:referencesFile rdf:nodeID="svBMzJkP171"/>
<_3:referencesFile rdf:nodeID="svBMzJkP467"/>
<_3:referencesFile rdf:nodeID="svBMzJkP393"/>
<_3:referencesFile rdf:nodeID="svBMzJkP417"/>
<_3:referencesFile rdf:nodeID="svBMzJkP331"/>
<_3:referencesFile rdf:nodeID="svBMzJkP291"/>
<_3:referencesFile rdf:nodeID="svBMzJkP185"/>
<_3:referencesFile rdf:nodeID="svBMzJkP327"/>
<_3:referencesFile rdf:nodeID="svBMzJkP313"/>
<_3:referencesFile rdf:nodeID="svBMzJkP147"/>
<_3:referencesFile rdf:nodeID="svBMzJkP363"/>
<_3:referencesFile rdf:nodeID="svBMzJkP97"/>
<_3:referencesFile rdf:nodeID="svBMzJkP49"/>
<_3:referencesFile rdf:nodeID="svBMzJkP409"/>
<_3:referencesFile rdf:nodeID="svBMzJkP41"/>
<_3:referencesFile rdf:nodeID="svBMzJkP243"/>
<_3:referencesFile rdf:nodeID="svBMzJkP151"/>
<_3:referencesFile rdf:nodeID="svBMzJkP439"/>
<_3:referencesFile rdf:nodeID="svBMzJkP213"/>
<_3:referencesFile rdf:nodeID="svBMzJkP379"/>
<_3:referencesFile rdf:nodeID="svBMzJkP131"/>
<_3:referencesFile rdf:nodeID="svBMzJkP333"/>
<_3:referencesFile rdf:nodeID="svBMzJkP47"/>
<_3:referencesFile rdf:nodeID="svBMzJkP369"/>
<_3:referencesFile rdf:nodeID="svBMzJkP209"/>
<_3:referencesFile rdf:nodeID="svBMzJkP273"/>
<_3:referencesFile rdf:nodeID="svBMzJkP31"/>
<_3:referencesFile rdf:nodeID="svBMzJkP73"/>
<_3:referencesFile rdf:nodeID="svBMzJkP293"/>
<_3:referencesFile rdf:nodeID="svBMzJkP389"/>
<_3:referencesFile rdf:nodeID="svBMzJkP27"/>
<_3:referencesFile rdf:nodeID="svBMzJkP281"/>
<_3:referencesFile rdf:nodeID="svBMzJkP259"/>
<_3:referencesFile rdf:nodeID="svBMzJkP75"/>
<_3:referencesFile rdf:nodeID="svBMzJkP443"/>
<_3:referencesFile rdf:nodeID="svBMzJkP287"/>
<_3:referencesFile rdf:nodeID="svBMzJkP383"/>
<_3:referencesFile rdf:nodeID="svBMzJkP317"/>
<_3:referencesFile rdf:nodeID="svBMzJkP69"/>
<_3:referencesFile rdf:nodeID="svBMzJkP155"/>
<_3:referencesFile rdf:nodeID="svBMzJkP157"/>
<_3:referencesFile rdf:nodeID="svBMzJkP279"/>
<_3:referencesFile rdf:nodeID="svBMzJkP215"/>
<_3:referencesFile rdf:nodeID="svBMzJkP217"/>
<_3:referencesFile rdf:nodeID="svBMzJkP71"/>
<_3:referencesFile rdf:nodeID="svBMzJkP83"/>

<_3:referencesFile rdf:nodeID="svBMzJkP199"/>
<_3:referencesFile rdf:nodeID="svBMzJkP53"/>
<_3:referencesFile rdf:nodeID="svBMzJkP105"/>
<_3:referencesFile rdf:nodeID="svBMzJkP341"/>
<_3:referencesFile rdf:nodeID="svBMzJkP195"/>
<_3:referencesFile rdf:nodeID="svBMzJkP347"/>
<_3:referencesFile rdf:nodeID="svBMzJkP253"/>
<_3:referencesFile rdf:nodeID="svBMzJkP133"/>
<_3:referencesFile rdf:nodeID="svBMzJkP305"/>
<_3:referencesFile rdf:nodeID="svBMzJkP169"/>
<_3:referencesFile rdf:nodeID="svBMzJkP465"/>
<_3:referencesFile rdf:nodeID="svBMzJkP303"/>
<_3:referencesFile rdf:nodeID="svBMzJkP187"/>
<_3:referencesFile rdf:nodeID="svBMzJkP489"/>
<_3:referencesFile rdf:nodeID="svBMzJkP351"/>
<_3:referencesFile rdf:nodeID="svBMzJkP109"/>
<_3:referencesFile rdf:nodeID="svBMzJkP103"/>
<_3:referencesFile rdf:nodeID="svBMzJkP9"/>
<_3:referencesFile rdf:nodeID="svBMzJkP17"/>
<_3:referencesFile rdf:nodeID="svBMzJkP395"/>
<_3:referencesFile rdf:nodeID="svBMzJkP381"/>
<_3:referencesFile rdf:nodeID="svBMzJkP431"/>
<_3:referencesFile rdf:nodeID="svBMzJkP343"/>
<_3:referencesFile rdf:nodeID="svBMzJkP481"/>
<_3:referencesFile rdf:nodeID="svBMzJkP251"/>
<_3:referencesFile rdf:nodeID="svBMzJkP421"/>
<_3:referencesFile rdf:nodeID="svBMzJkP189"/>
<_3:referencesFile rdf:nodeID="svBMzJkP405"/>
<_3:referencesFile rdf:nodeID="svBMzJkP299"/>
<_3:referencesFile rdf:nodeID="svBMzJkP487"/>
<_3:referencesFile rdf:nodeID="svBMzJkP93"/>
<_3:referencesFile rdf:nodeID="svBMzJkP463"/>
<_3:referencesFile rdf:nodeID="svBMzJkP67"/>
<_3:referencesFile rdf:nodeID="svBMzJkP423"/>
<_3:referencesFile rdf:nodeID="svBMzJkP329"/>
<_3:referencesFile rdf:nodeID="svBMzJkP107"/>
<_3:referencesFile rdf:nodeID="svBMzJkP165"/>
<_3:referencesFile rdf:nodeID="svBMzJkP111"/>
<_3:referencesFile rdf:nodeID="svBMzJkP355"/>
<_3:referencesFile rdf:nodeID="svBMzJkP223"/>
<_3:referencesFile rdf:nodeID="svBMzJkP483"/>
<_3:referencesFile rdf:nodeID="svBMzJkP387"/>
<_3:referencesFile rdf:nodeID="svBMzJkP255"/>
<_3:referencesFile rdf:nodeID="svBMzJkP453"/>
<_3:referencesFile rdf:nodeID="svBMzJkP391"/>
<_3:referencesFile rdf:nodeID="svBMzJkP7"/>
<_3:referencesFile rdf:nodeID="svBMzJkP249"/>
<_3:referencesFile rdf:nodeID="svBMzJkP241"/>

<_3:referencesFile rdf:nodeID="svBMzJkP197"/>
<_3:referencesFile rdf:nodeID="svBMzJkP263"/>
<_3:referencesFile rdf:nodeID="svBMzJkP177"/>
<_3:referencesFile rdf:nodeID="svBMzJkP397"/>
<_3:referencesFile rdf:nodeID="svBMzJkP245"/>
<_3:referencesFile rdf:nodeID="svBMzJkP113"/>
<_3:referencesFile rdf:nodeID="svBMzJkP475"/>
<_3:referencesFile rdf:nodeID="svBMzJkP59"/>
<_3:referencesFile rdf:nodeID="svBMzJkP247"/>
<_3:referencesFile rdf:nodeID="svBMzJkP375"/>
<_3:referencesFile rdf:nodeID="svBMzJkP437"/>
<_3:referencesFile rdf:nodeID="svBMzJkP173"/>
<_3:referencesFile rdf:nodeID="svBMzJkP163"/>
<_3:referencesFile rdf:nodeID="svBMzJkP411"/>
<_3:referencesFile rdf:nodeID="svBMzJkP373"/>
<_3:referencesFile rdf:nodeID="svBMzJkP371"/>
<_3:referencesFile rdf:nodeID="svBMzJkP65"/>
<_3:referencesFile rdf:nodeID="svBMzJkP459"/>
<_3:referencesFile rdf:nodeID="svBMzJkP461"/>
<_3:referencesFile rdf:nodeID="svBMzJkP257"/>
<_3:referencesFile rdf:nodeID="svBMzJkP325"/>
<_3:referencesFile rdf:nodeID="svBMzJkP43"/>
<_3:referencesFile rdf:nodeID="svBMzJkP45"/>
<_3:referencesFile rdf:nodeID="svBMzJkP51"/>
<_3:referencesFile rdf:nodeID="svBMzJkP457"/>
<_3:referencesFile rdf:nodeID="svBMzJkP365"/>
<_3:referencesFile rdf:nodeID="svBMzJkP167"/>
<_3:referencesFile rdf:nodeID="svBMzJkP479"/>
<_3:referencesFile rdf:nodeID="svBMzJkP233"/>
<_3:referencesFile rdf:nodeID="svBMzJkP135"/>
<_3:referencesFile rdf:nodeID="svBMzJkP377"/>
<_3:referencesFile rdf:nodeID="svBMzJkP309"/>
<_3:referencesFile rdf:nodeID="svBMzJkP235"/>
<_3:referencesFile rdf:nodeID="svBMzJkP207"/>
<_3:referencesFile rdf:nodeID="svBMzJkP339"/>
<_3:referencesFile rdf:nodeID="svBMzJkP237"/>
<_3:referencesFile rdf:nodeID="svBMzJkP407"/>
<_3:referencesFile rdf:nodeID="svBMzJkP269"/>
<_3:referencesFile rdf:nodeID="svBMzJkP13"/>
<_3:referencesFile rdf:nodeID="svBMzJkP307"/>
<_3:referencesFile rdf:nodeID="svBMzJkP123"/>
<_3:referencesFile rdf:nodeID="svBMzJkP221"/>
<_3:referencesFile rdf:nodeID="svBMzJkP345"/>
<_3:referencesFile rdf:nodeID="svBMzJkP323"/>
<_3:referencesFile rdf:nodeID="svBMzJkP57"/>
<_3:referencesFile rdf:nodeID="svBMzJkP193"/>
<_3:referencesFile rdf:nodeID="svBMzJkP77"/>
<_3:referencesFile rdf:nodeID="svBMzJkP433"/>

<_3:referencesFile rdf:nodeID="svBMzJkP39"/>
<_3:referencesFile rdf:nodeID="svBMzJkP401"/>
<_3:referencesFile rdf:nodeID="svBMzJkP161"/>
<_3:referencesFile rdf:nodeID="svBMzJkP283"/>
<_3:referencesFile rdf:nodeID="svBMzJkP227"/>
<_3:referencesFile rdf:nodeID="svBMzJkP445"/>
<_3:referencesFile rdf:nodeID="svBMzJkP425"/>
<_3:referencesFile rdf:nodeID="svBMzJkP117"/>
<_3:referencesFile rdf:nodeID="svBMzJkP203"/>
<_3:referencesFile rdf:nodeID="svBMzJkP403"/>
<_3:referencesFile rdf:nodeID="svBMzJkP447"/>
<_3:referencesFile rdf:nodeID="svBMzJkP183"/>
<_3:referencesFile rdf:nodeID="svBMzJkP87"/>
<_3:referencesFile rdf:nodeID="svBMzJkP159"/>
<_3:referencesFile rdf:nodeID="svBMzJkP361"/>
<_3:referencesFile rdf:nodeID="svBMzJkP145"/>
<_3:referencesFile rdf:nodeID="svBMzJkP491"/>
<_3:referencesFile rdf:nodeID="svBMzJkP225"/>
<_3:referencesFile rdf:nodeID="svBMzJkP61"/>
<_3:referencesFile rdf:nodeID="svBMzJkP33"/>
<_3:referencesFile rdf:nodeID="svBMzJkP311"/>
<_3:referencesFile rdf:nodeID="svBMzJkP239"/>
<_3:referencesFile rdf:nodeID="svBMzJkP85"/>
<_3:referencesFile rdf:nodeID="svBMzJkP15"/>
<_3:referencesFile rdf:nodeID="svBMzJkP81"/>
<_3:referencesFile rdf:nodeID="svBMzJkP121"/>
<_3:referencesFile rdf:nodeID="svBMzJkP455"/>
<_3:referencesFile rdf:nodeID="svBMzJkP359"/>
<_3:referencesFile rdf:nodeID="svBMzJkP25"/>
<_3:referencesFile rdf:nodeID="svBMzJkP469"/>
<_3:referencesFile rdf:nodeID="svBMzJkP477"/>
<_3:referencesFile rdf:nodeID="svBMzJkP29"/>
<_3:referencesFile rdf:nodeID="svBMzJkP141"/>
<_3:referencesFile rdf:nodeID="svBMzJkP285"/>
<_3:referencesFile rdf:nodeID="svBMzJkP11"/>
<_3:referencesFile rdf:nodeID="svBMzJkP449"/>
<_3:referencesFile rdf:nodeID="svBMzJkP435"/>
<_3:referencesFile rdf:nodeID="svBMzJkP99"/>
<_3:referencesFile rdf:nodeID="svBMzJkP201"/>
<_3:referencesFile rdf:nodeID="svBMzJkP181"/>
<_3:referencesFile rdf:nodeID="svBMzJkP315"/>
<_3:referencesFile rdf:nodeID="svBMzJkP179"/>
<_3:referencesFile rdf:nodeID="svBMzJkP399"/>
<_3:referencesFile rdf:nodeID="svBMzJkP153"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#SpdxDocument"/>
<_3:dataLicense rdf:resource="http://spdx.org/licenses/CC0-1.0"/>
<_3:creationInfo rdf:nodeID="svBMzJkP3"/>
<_3:describesPackage rdf:nodeID="svBMzJkP4"/>

```

    <_3:specVersion>SPDX-1.2</_3:specVersion>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP381">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP382"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_api_codec.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP233">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP234"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hthread_misc.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP235">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP236"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_js.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP207">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP208"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_regexp_executor.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP478">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>d49c1cdb51b3a4fdd823c13831617a1f0a93edd1</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP334">

```



```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>ef83823d07ee05f2373502187af9700d5c2aa952</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP237">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP238"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_js_compiler.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP364">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>982e40839854be361e3b57b5c07ef4f710ab749b</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP307">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP308"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_replacements.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP123">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP124"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/client-socket-test.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP309">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP310"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_util_hashprime.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP347">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP348"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_json.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP149">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP150"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/primecheck.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP185">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP186"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/debug-trans-dvalue/test.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP242">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>f788091973ac91ad9562aaadac9c2de87af2ba76</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP204">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>e70f9a590f4288c0feee56aa2c421cbc23036a1e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP82">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>75c61dd080cd643b7449f673105b7b7e4bdda0f5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP480">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>215f6fec820889330048f7f2c1b5a220eb963657</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP447">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP448"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_pointer.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP87">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP88"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-hybrid/duk_alloc_hybrid.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP448">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>2321e0a68bf940f8346d00adda9e4a58fa51f608</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP225">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP226"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_function.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP15">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP16"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./Makefile.hello</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP81">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP82"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/coffee/globals.coffee</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP424">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>949e147e9b5e284590449d0e8f74427c8c12f00f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP455">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP456"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./polyfills/object-prototype-definegetter.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP25">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP26"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./Makefile.sandbox</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP477">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP478"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./extras/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP461">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>

```

```

    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP462"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./polyfills/duktape-isfastint.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP285">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP286"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_api_logging.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP11">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP12"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./Makefile.sharedlibrary</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP316">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>0f87aa4dae2a89f7ed3163197f96790ec6b28b19</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP310">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>e44b8b092afcfa97e693eb3e0be97d41f8aff301</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP315">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP316"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_api_heap.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP179">

```

```

<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP180"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/debug-trans-dvalue/README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP98">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>8c5ee5b508a23ac5089a7e6c76593b6678965869</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP210">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>7f45dbd1e665b257c7186982b8b3362753856b18</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP55">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP56"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./debugger/duk_debugcommands.yaml</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP91">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP92"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/codepage-conv/duk_codepage_conv.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP318">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>62ecbef7a21dd5c49b38fbe344e2511c07f36261</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP266">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>030ac3c728cca19fe93d652a4b6b8758d739d9b9</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP74">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>09ee87b3ae8afe8b7c2295127835b05b00603b25</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP473">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP474"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./config/duk_config.h-modular-static</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP254">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4fae13370046b51fe87c60fa86eb14f2948fd143</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP262">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>c06e1c0dcc0c61e40f7337b40917df034f167e54</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP432">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>dfd71ae51277aae2fe511f4df732a20bc72ab75a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP419">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP420"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_thread.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP170">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>641b29e08addaa543f37561f5a35689f5fba876e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP286">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>fb9c2ff459fd84b4587f846fbd36219cf8f06931</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP166">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>b1c899faac8f0a8b1f7844d8c773ce5e6d9262d1</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP191">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP192"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-logging/duk_alloc_logging.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP158">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>d45e3fc443887261ce432a807aaebd2a1812264e</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP427">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP428"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_var.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP119">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP120"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eventloop/basic-test.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP205">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>

```



```

<_3:checksum rdf:nodeID="svBMzJkP206"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_builtins.h</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP94">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>c8ae046bda2c920b5d807dfa68c8159b655b0873</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP30">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>f20291ecae9e775ebac2a6ed24f5399c2b3a7883</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP385">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP386"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_heap_alloc.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP366">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>239011a773fbafa409c2f02b5e889bd5d28d16e1</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP118">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>6a1500fea27ea278c4f0c64d908e16cc60df684b</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP471">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP472"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./config/duk_config.h-modular-dll</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP58">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>c33541d338ff3d8461dd1a8573a6372e19cb12e4</_3:checksumValue>

```

```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP231">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP232"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hstring_misc.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP89">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP90"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/codepage-conv/README.rst</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP24">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>f396c6aec456b183ef77e33da1dffc89c417056</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP326">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>a9db75839022e7dcf7e691ada7480a9b7c2715d0</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP212">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>a2c79a55a60f73e1a1567b96d584399571180ef5</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP484">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>92ce3decf72b10b0023116ac727a752e8749aa90</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP390">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>339f26c72e051cf531426a63fe6c35c476bad645</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP114">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>a9206a7b46f8d8319b798475650217f494fa76ab</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP34">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>fa85ee3394206d18c611b837e700257ba8336250</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP291">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP292"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_json.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP86">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>149fd21526c90d52b22e77b297f76e6da3e656ff</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP72">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>03cad085177f1e776be90afceef1f2160e6c8bf4</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP49">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP50"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/duk_debug_proxy.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP409">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP410"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_debugger.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP41">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP42"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-noline/duktape.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP243">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP244"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_strings.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP151">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP152"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/prime.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP131">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP132"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/eval/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP446">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>62a4483b185b620431e13ddb2b18555baa344937</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP294">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>

```

```

<_3:checksumValue>a476b63d336a8d171891330c965fbb8b72f5863a</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP27">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP28"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./AUTHORS.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP259">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP260"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_regexp.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP287">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP288"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_math.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP284">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>a32730ebb239feb5599bcac3561b7a0acb3a1b94</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP317">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP318"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hthread_stacks.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP420">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>87018db6c5898305a7e5196d9590c5b42424a7ea</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP138">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>2df8e3d302a5c74ac385b0e1e110d0845a4aef35</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP40">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>5ab84f0ff2ed8c4b4a2daa5957d2a20447887103</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP106">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>484fb41d516abcbe8c97af5aa80b76c67dbfb0cb</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP489">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP490"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src/duktape.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP199">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP200"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_error.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP59">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP60"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/package.json</_3:fileName>

```

```

    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP9">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP10"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./duk_build_meta.json</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP431">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP432"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_util_hashbytes.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP146">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>206ffd13c06208e85baba2b257fe3ddebb56a6c2</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP228">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>6b438afc07b9ac67fb6ea8bc9d4f01f3b362c9e1</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP330">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>73ff75213f392b6125c68ab6b430176dfad71269</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP451">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP452"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./polyfills/duktape-error-setter-nonwritable.js</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP108">

```

```

<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>24a2346fa389c2294cc0e96427e0bd206dac10b9</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP394">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>ff17cbc9cb84b86f83bb104a247e5c265a9fe5b5</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP488">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>5ab84f0ff2ed8c4b4a2daa5957d2a20447887103</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP5">
  <_3:packageVerificationCodeExcludedFile>./license.spdx</_3:packageVerificationCodeExcludedFile>
<_3:packageVerificationCodeValue>a60d2f27825f0294858de60a5ef8f35433967a27</_3:packageVerificationCode
Value>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP67">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP68"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./debugger/static/style.css</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP329">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP330"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hcompiledfunction.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP241">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP242"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_util_misc.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>

```



```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP450">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>036a814b2c1187af4c5c882095bd6b3d710cb79a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP386">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>6fdfe8f7b5fc3226d83f0246079f76b33d4bcb9b</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP202">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>b381ea15009eb8140c0789203345cdcc2c6c1cd6</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP400">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>6c4bfae55df6a1fef08fd758e32bf465316cab9a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP276">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>734560a1ac6155f12400b5a93569aae99149b6c</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP265">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP266"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_string.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP426">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>64edd8d85b88c69b5c2c686b85f19b350bef7880</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP182">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>1c40a52fd54baf7ac334fce4829892d5d951401a</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP251">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>

```

```

    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP252"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_lexer.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP429">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP430"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_api_stack.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP224">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>fbe432d33d4ef75f30fa2d87f4f1a83f78b4811b</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP177">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP178"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/debug-trans-dvalue/duk_trans_dvalue.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP492">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>bc9d119b5e66085e7e4219685fd351fb3f68d800</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP245">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP246"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_unicode.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP64">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>3da07a99a4ed68844140352133867b2857fab685</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP475">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP476"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./config/genconfig_metadata.tar.gz</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP343">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP344"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_api_memory.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP377">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP378"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hobject.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP454">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>4392fa63e6e9174ec09ef2e3a4e4e3bd03e94126</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP340">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>9b95f60e95f7da3773bdac1d2a436b3c5a662ab1</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP474">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>6985052d270ff2a00543b641115b946fc91ebf3a</_3:checksumValue>

```

```

    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP126">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>f9072f5c361c86887b57ce662b3cd7211b4ce346</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP190">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>5d593ae6316ed7a3ea6e7ed0a47267745d79d12d</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP88">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>ddb206357dd4b97f3630b87bfdac148a5e8b190</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP257">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP258"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_hbuffer_alloc.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP43">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP44"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-noline/duktape.h</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP51">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP52"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./debugger/README.rst</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP73">

```

```

<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP74"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/README.rst</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP404">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>89a7d62e8ae337fca35cacbb4b4cc6f294daedc9</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP102">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>5f89525f75f61dd8c89e010cb62bc071d6d13170</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP268">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>4396fb38f8a42bfc90ef1bc7c11c402074367343</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP238">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>ab29fe562681a0e6785515ef284fc51a20f0f7b5</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP304">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>ebaa68746ec59e01ef742f68aab11e053f882f63</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP387">
<_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
<_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
<_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
<_3:checksum rdf:nodeID="svBMzJkP388"/>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./src-separate/duk_util_bitencoder.c</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP28">
<_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
<_3:checksumValue>8ddbeb97a1a5acc3bed35f4df60e3aa1f4267380</_3:checksumValue>
<rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>

```

```

</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP97">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP98"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/jxpretty/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP167">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP168"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/cmdline/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP221">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP222"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_error.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP193">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP194"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-logging/log2gnuplot.py</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP77">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP78"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>

```

```

<_3:fileName>./examples/coffee/hello.coffee</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP458">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>0125ebcabe62cef4923e75527d3128e8c48cdf1f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP437">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP438"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_bi_number.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP230">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>c1685717742f3e9af9c901796a8bb5a08950461f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP244">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>e172079513ed0c12550285bcbc4d6bfc83985676</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP173">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP174"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/debug-trans-socket/duk_trans_socket.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP352">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>52b4480b68f7f8bf93543d3bb795cdc5ade66fba</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP464">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>93573df8348a41adb790f59e39bf99d9a7bf3a3d</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>

```

```

<rdf:Description rdf:nodeID="svBMzJkP145">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP146"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/guide/fib.js</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP256">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>127e52c8b193d777811c25ceaab2c97c26a2bdab</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP136">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>601a6783177c1c6140c12b42c0bedb0ee0079d16</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP346">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>02741b89fd8d8df210223a3da3a200d0f609d803</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP239">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP240"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_hobject_finalizer.c</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP16">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>44c9219558aba26dc69982a9f432028290707c36</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP85">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP86"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-hybrid/README.rst</_3:fileName>

```



```

    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP372">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>1289ac12dfcacbe472caea1333de3fbe70a5662c</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP100">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>3d700df1f765c39fc63bfd4e31a9d7da8d15c543</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP121">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP122"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./examples/eventloop/poll.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP456">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>e5a5f0db067ec56c6d2f7356f412222a8884dc92</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP10">
    <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
    <_3:checksumValue>46f70bf98738ea7c9e5b353490d3e8815c610aa6</_3:checksumValue>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP201">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP202"/>
    <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
    <_3:fileName>./src-separate/duk_error_throw.c</_3:fileName>
    <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
  </rdf:Description>
  <rdf:Description rdf:nodeID="svBMzJkP181">
    <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
    <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
    <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
    <_3:checksum rdf:nodeID="svBMzJkP182"/>

```

```

<rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
<_3:fileName>./examples/debug-trans-dvalue/Makefile</_3:fileName>
<_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP361">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP362"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./src-separate/duk_config.h</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_source"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP168">
  <_3:algorithm rdf:resource="http://spdx.org/rdf/terms#checksumAlgorithm_sha1"/>
  <_3:checksumValue>58c701ade28ee5a475dede84a6e771893e3fc40f</_3:checksumValue>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#Checksum"/>
</rdf:Description>
<rdf:Description rdf:nodeID="svBMzJkP153">
  <_3:licenseConcluded rdf:resource="http://spdx.org/licenses/MIT"/>
  <_3:licenseInfoInFile rdf:resource="http://spdx.org/rdf/terms#none"/>
  <_3:copyrightText>Copyright 2013-2016 Duktape authors (see AUTHORS.rst in the Duktape
distributable)</_3:copyrightText>
  <_3:checksum rdf:nodeID="svBMzJkP154"/>
  <rdf:type rdf:resource="http://spdx.org/rdf/terms#File"/>
  <_3:fileName>./examples/alloc-torture/README.rst</_3:fileName>
  <_3:fileType rdf:resource="http://spdx.org/rdf/terms#fileType_other"/>
</rdf:Description>
</rdf:RDF>

```

1.2 civetweb 1.15

1.2.1 Available under license :

```

/* Copyright (c) 2013-2021 the Civetweb developers
* Copyright (c) 2004-2013 Sergey Lyubka
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*

```

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

ALL LICENSES

=====

This document includes several copyright licenses for different aspects of the software. Not all licenses may apply depending on the features chosen.

Civetweb License

Included with all features.

> Copyright (c) 2013-2021 The CivetWeb developers

([CREDITS.md](https://github.com/civetweb/civetweb/blob/master/CREDITS.md))

>

> Copyright (c) 2004-2013 Sergey Lyubka

>

> Copyright (c) 2013 No Face Press, LLC (Thomas Davis)

>

> Copyright (c) 2013 F-Secure Corporation

>

> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:

>

> The above copyright notice and this permission notice shall be included in
> all copies or substantial portions of the Software.

>

> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

Lua License

Included only if built with Lua support.

<http://www.lua.org/license.html>

> Copyright (C) 1994-2020 Lua.org, PUC-Rio.

>

> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:

>

> The above copyright notice and this permission notice shall be included in
> all copies or substantial portions of the Software.

>

> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

SQLite3 License

Included only if built with Lua and SQLite support.

<http://www.sqlite.org/copyright.html>

> 2001-09-15

>

> The author disclaims copyright to this source code. In place of
> a legal notice, here is a blessing:

>

> May you do good and not evil.
> May you find forgiveness for yourself and forgive others.
> May you share freely, never taking more than you give.

Isqlite3 License

Included only if built with Lua and SQLite support.

- > Copyright (C) 2002-2016 Tiago Dionizio, Doug Currie
- > All rights reserved.
- > Author : Tiago Dionizio <tiago.dionizio@ist.utl.pt>
- > Author : Doug Currie <doug.currie@alum.mit.edu>
- > Library : lsqlite3 - an SQLite 3 database binding for Lua 5
- >
- > Permission is hereby granted, free of charge, to any person obtaining a copy
- > of this software and associated documentation files (the "Software"), to deal
- > in the Software without restriction, including without limitation the rights
- > to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- > copies of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be included in
- > all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- > IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- > FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- > AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- > LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- > OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- > THE SOFTWARE.

Lua File System License

Included only if built with Lua support.

<https://github.com/keplerproject/luafilesystem/blob/master/LICENSE>

- > Copyright © 2003-2020 Kepler Project.
- >
- > Permission is hereby granted, free of charge, to any person
- > obtaining a copy of this software and associated documentation
- > files (the "Software"), to deal in the Software without
- > restriction, including without limitation the rights to use, copy,
- > modify, merge, publish, distribute, sublicense, and/or sell copies
- > of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be
- > included in all copies or substantial portions of the Software.
- >

> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
> EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
> MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
> NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
> BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
> ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
> CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
> SOFTWARE.

LuaXML License

Included only if built with Lua and LuaXML support.

Version 1.8.0 (Lua 5.2), 2013-06-10 by Gerald Franz, eludi.net

Modified and extended 2015 by Bernhard Nortmann, <https://github.com/n1tehawk/LuaXML> – version 2.0.x,
compatible with Lua 5.1 to 5.3 and LuaJIT.

> LuaXML License

>

> LuaXml is licensed under the terms of the MIT license reproduced below,
> the same as Lua itself. This means that LuaXml is free software and can be
> used for both academic and commercial purposes at absolutely no cost.

>

> Copyright (C) 2007-2013 Gerald Franz, eludi.net

>

> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:

>

> The above copyright notice and this permission notice shall be included in
> all copies or substantial portions of the Software.

>

> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

Duktape License

Included only if built with Duktape support.

<https://github.com/svaarala/duktape/blob/master/LICENSE.txt>

> =====

> Duktape license

> =====

>

> (<http://opensource.org/licenses/MIT>)

>

> Copyright (c) 2013-2017 by Duktape authors (see AUTHORS.rst)

>

> Permission is hereby granted, free of charge, to any person obtaining a copy
> of this software and associated documentation files (the "Software"), to deal
> in the Software without restriction, including without limitation the rights
> to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
> copies of the Software, and to permit persons to whom the Software is
> furnished to do so, subject to the following conditions:

>

> The above copyright notice and this permission notice shall be included in
> all copies or substantial portions of the Software.

>

> THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
> IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
> FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
> AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
> LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
> OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
> THE SOFTWARE.

zlib License

Included only if built with zlib support.

https://www.zlib.net/zlib_license.html

> zlib.h -- interface of the 'zlib' general purpose compression library

> version 1.2.11, January 15th, 2017

>

> Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

>

> This software is provided 'as-is', without any express or implied

- > warranty. In no event will the authors be held liable for any damages
- > arising from the use of this software.
- >
- > Permission is granted to anyone to use this software for any purpose,
- > including commercial applications, and to alter it and redistribute it
- > freely, subject to the following restrictions:
- >
- > 1. The origin of this software must not be misrepresented; you must not
- > claim that you wrote the original software. If you use this software
- > in a product, an acknowledgment in the product documentation would be
- > appreciated but is not required.
- > 2. Altered source versions must be plainly marked as such, and must not be
- > misrepresented as being the original software.
- > 3. This notice may not be removed or altered from any source distribution.
- >
- > Jean-loup Gailly Mark Adler
- > jloup@gzip.org madler@alumni.caltech.edu

1.3 google-test 1.13.0

1.3.1 Available under license :

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This file contains a list of people who've made non-trivial
contribution to the Google C++ Testing Framework project. People
who commit code to the project are encouraged to add their names
here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>
Balzs Dn <balazs.dan@gmail.com>
Benoit Sigoure <tsuna@google.com>
Bharat Mediratta <bharat@menalto.com>
Bogdan Piloa <boo@google.com>
Chandler Carruth <chandlerc@google.com>
Chris Prince <cprince@google.com>
Chris Taylor <taylorc@google.com>
Dan Egnor <egnor@google.com>
Dave MacLachlan <dmaclach@gmail.com>
David Anderson <danderson@google.com>
Dean Sturtevant
Eric Roman <eroman@chromium.org>
Gene Volovich <gv@cite.com>
Hady Zalek <hady.zalek@gmail.com>
Hal Burch <gmock@hburch.com>
Jeffrey Yasskin <jyasskin@google.com>
Jim Keller <jimkeller@google.com>
Joe Walnes <joe@truemesh.com>
Jon Wray <jwray@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Kostya Serebryany <kcc@google.com>
Krystian Kuzniarek <krystian.kuzniarek@gmail.com>
Lev Makhlis
Manuel Klimek <klimek@google.com>
Mario Tanev <radix@google.com>
Mark Paskin
Markus Heule <markus.heule@gmail.com>
Martijn Vels <mvels@google.com>
Matthew Simmons <simmonmt@acm.org>
Mika Raento <mikie@iki.fi>
Mike Bland <mbland@google.com>
Mikls Fazekas <mfazekas@szemafor.com>
Neal Norwitz <nnorwitz@gmail.com>
Nermin Ozkiranartli <nermin@google.com>
Owen Carlsen <ocarlsen@google.com>
Paneendra Ba <paneendra@google.com>

Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Paul Menage <menage@google.com>
Peter Kaminski <piotrk@google.com>
Piotr Kaminski <piotrk@google.com>
Preston Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean McAfee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Sverre Sundsdal <sundsda@gmail.com>
Szymon Sobik <sobik.szymon@gmail.com>
Takeshi Yoshino <tyoshino@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
Wolfgang Klier <wklier@google.com>
Zhanyong Wan <wan@google.com>

1.4 winpcap 4.1.2

1.4.1 Available under license :

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

1.5 openssl 23.2.0-10

1.5.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free

programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph

1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.
- d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate

manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.6 libpcap 1.10.3

1.6.1 Available under license :

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

1.7 zeromq 4.3.4

1.7.1 Available under license :

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Beaty that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbobbeaty", with commit author "Bob Beaty <drbob@themanfromspud.com>", are copyright of Robert Beaty . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Beaty
2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tore Halvorsen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "demozon", with commit author "Tore Halvorsen <tore.halvorsen@gmail.com>", are copyright of Tore Halvorsen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tore Halvorsen
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Braun that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "t-b", with commit author "thomas.braun@virtuell-zuhause.de" and "thomas.braun@byte-physics.de", are copyright of Thomas Braun.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Braun

2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Shubham Lagwankar that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ssbl", with commit author "Shubham Lagwankar <shubhu105@gmail.com>", are copyright of Shubham Lagwankar. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shubham Lagwankar

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Iwan Paolucci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipa", with commit author "Iwan Paolucci <iwan.paolucci@gmail.com>", are copyright of Iwan Paolucci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Iwan Paolucci

2019/04/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William P Strang that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "willstrang", with commit author "Will Strang <william.p.strang@gmail.com>", are copyright of William P Strang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William P Strang

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rik van der Heijden that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rikvdh", with commit author "Rik van der Heijden <mail@rikvanderheijden.com>" and "Rik van der Heijden <rik.vanderheijden@dualinventive.com>", are copyright of Rik van der Heijden. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rik van der Heijden

2017/04/23

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Rottmann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rotty", with commit author "Andreas Rottmann <a.rottmann@gmx.at>", are copyright of Andreas Rottmann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Rottmann

2017/05/07

Permission to Relicense under MPLv2

This is a statement by Goswin von Brederlow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mrvn", with commit author "Goswin von Brederlow <goswin-v-b@web.de>" or "Goswin von Brederlow <brederlo@q-leap.de>", are copyright of Goswin von Brederlow.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Goswin von Brederlow

2020/12/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Orry

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chickenkiller", with commit author "Lionel Orry <lionel.orry@gmail.com>", are copyright of Lionel Orry.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Orry

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthias Kluwe

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkluwe", with commit author "Matthias Kluwe <mkluwe@gmail.com>", are copyright of Matthias Kluwe.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Kluwe

2017/03/24

Permission to Relicense under MPLv2

This is a statement by Hewlett Packard Enterprise

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with commit author "Brett Cameron <Brett.Cameron@hp.com>", are copyright of Hewlett Packard Enterprise.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hewlett Packard Enterprise
2019/03/12
wepoll - epoll for Windows
<https://github.com/piscisaureus/wepoll>

Copyright 2012-2018, Bert Belder <bertbelder@gmail.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Labsch on behalf of KST innovations GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-ksti", with commit author "Martin Labsch <martin.labsch@ksti.de>", are copyright of Martin Labsch on behalf of KST innovations GmbH. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Labsch

2020/10/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Laws that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "claws", with commit author "Chris Laws <clawsicus@gmail.com>", are copyright of Christopher Laws. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Laws

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL
This is a statement by Rickard Hallerbeck that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Ricardicus", with commit author "Rickard Hallerbeck", are copyright of Rickard Hallerbeck. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rickard Hallerbeck 2020/02/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anthony Scemama that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "scemama", with commit author "Anthony Scemama <scemama@irsamc.ups-tlse.fr>", are copyright of Anthony Scemama. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anthony Scemama

2017/03/21

Permission to Relicense under MPLV2

This directory collects grants from individuals and firms that hold copyrights in ZeroMQ to permit licensing the ZeroMQ code under the [Mozilla Public License, version 2](<https://www.mozilla.org/en-US/MPL/2.0/>). See [GitHub Pull Request #1917](<https://github.com/zeromq/libzmq/pull/1917>),

the [0MQ Licensing Page](<http://zeromq.org/area:licensing>) and [original iMatix zeromq-dev license grant](<http://lists.zeromq.org/pipermail/zeromq-dev/2016-April/030288.html>) for some background information.

Please create a separate file in this directory for each individual or firm holding copyright in ZeroMQ, named after the individual or firm holding the copyright.

Each patch must be made with a GitHub handle that is clearly associated with the copyright owner, to guarantee the identity of the signatory. Please avoid changing the files created by other individuals or firms granting a copyright license over their copyrights (if rewording is required contact them and ask them to submit an updated version). This makes it easier to verify that the license grant was made by an authorized GitHub account.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Fons that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dfons", with commit author "Diego Fons <diego.fons@gmail.com>" or "Diego Fons <diego.fons@intraway.com>", are copyright of Diego Fons.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Fons

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Caleb Epstein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Bklyn", with commit author "Caleb Epstein <cae@bklyn.org>", are copyright of Caleb Epstein.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Caleb Epstein

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Steven McCoy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "steve-o", with
commit author "Steven McCoy <steven.mccoy@miru.hk>" and "Steve-o
<fnjordy@gmail.com>", are copyright of Steven McCoy.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Steven McCoy

2019/02/24

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ZeroMQ

Source: <http://zeromq.org>

Files: *

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/xreq.cpp

src/xpub.cpp

src/xsub.cpp

tests/test_reqrep_device.cpp

tests/test_invalid_rep.cpp

Copyright: 2010-2011, 250bpm s.r.o

2011, VMware, Inc

2010-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/msg.hpp

src/xrep.*

src/options.*

src/req.*

src/socket_base.*

src/pipe.*

src/encoder.cpp

src/lb.cpp

src/session_base.*

src/fq.cpp

include/zmq.h

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2011, VMware, Inc

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/pgm_receiver.*

src/pgm_sender.*

src/pgm_socket.*

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2010-2011, Miru Limited

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: external/unity/*

Copyright: 2007-2014 Mike Karlesky

2007-2014 Mark VanderVoord

2007-2014 Greg Williams

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/*

Copyright: 2014- , Laszlo Boszormenyi (GCS) <gcs@debian.org>

2012-2014, Alessandro Ghedini <ghedo@debian.org>

2010-2012, Martin Lucina <martin@lucina.net>

2009-2010, Adrian von Bidder <cmot@debian.org>

2009-2010, Peter Busser <peter@mirabilix.nl>

2012, Alessandro Ghedini <ghedo@debian.org>

License: LGPL-2.0+

License: LGPL-2.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either

version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <<http://www.gnu.org/licenses/>>.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-3.0+

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 3 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <<http://www.gnu.org/licenses/>>.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-3". BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

Permission to Relicense under MPLv2

This is a statement by Cameron Smith
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cwsmith", with
commit author "Cameron Smith <smithc11@rpi.edu>", are copyright of Cameron Smith.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Cameron Smith
2020/02/05

Permission to Relicense under MPLv2

This is a statement by Jean-Christophe Fillion-Robin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcfr", with commit author "Jean-Christophe Fillion-Robin <jchris.fillionr@kitware.com>", are copyright of Kitware Inc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jean-Christophe Fillion-Robin
2019/09/03

Permission to Relicense under MPLv2

This is a statement by sonoware GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sonoware", with commit author "Stephan Senkbeil" are copyright of sonoware GmbH. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Stephan Senkbeil <stephan.senkbeil@sonoware.de>
2019/12/13

Permission to Relicense under MPLv2

This is a statement by Dave Meehan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dmeehan1968", with commit author "Dave Meehan dave_meehan@replicated.co.uk", are copyright of Dave Meehan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dave Meehan
2019/08/31

Permission to Relicense under MPLv2

This is a statement by Brett Cameron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with commit author "Brett Cameron <brett.r.cameron@gmail.com>" or "Brett Cameron <brett.cameron@vmssoftware.com>", are copyright of Brett Cameron.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brett Russell Cameron
2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Egomotion Limited that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "robertcastle", with commit author "Robert Castle <robert@egomotion.co.uk>", are copyright of Egomotion Limited. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Castle,
Director, Egomotion Limited
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Rosen Penev that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Rosen Penev <rosenp@gmail.com>", are copyright of Rosen Penev . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rosen Penev
2019/04/19
Permission to Relicense under MPLv2

This is a statement by Maurizio Melato that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mauri-melato", with commit author "Maurizio Melato", are copyright of Maurizio Melato. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Maurizio Melato
2017-04-04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Franco Fichtner that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fichtner", with commit author "Franco Fichtner <franco@lastsummer.de>", are copyright of Franco Fichtner. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Franco Fichtner

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dmitrii (Dima) Pasechnik that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dimpase", with commit author "Dima Pasechnik dimpase@gmail.com", are copyright of Dmitrii Pasechnik. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dmitrii Pasechnik 2019/09/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lloyd that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "CommanderBubble", with commit author "Michael Lloyd <commander.bubble@gmail.com>", are copyright of Michael Lloyd. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lloyd

2019/02/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Xujing Yang (laplaceyang) that grants permission to relicense his copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "laplaceyang", with commit author "laplaceyang <laplace2013@outlook.com>", are copyright of Xujing Yang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Xujing Yang

2020/04/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Colomiets that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tailhook", with commit author "Paul Colomiets <paul@colomiets.name>" or "Paul Colomiets <pc@gafol.net>", are copyright of Paul Colomiets. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Paul Colomiets

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bill Torpey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "wallstprog", with commit author "Bill Torpey <wallstprog@gmail.com>", are copyright of Bill Torpey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bill Torpey

2018/11/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jean Airoldie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license

chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jean-airoldie", with commit author "jean-airoldie <25088801+jean-airoldie@users.noreply.github.com>", are copyright of Jean Airoldie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jean Airoldie 2019/04/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Szekely Gyorgy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hoditohod", with commit author "Szekely Gyorgy <hoditohod@gmail.com>", are copyright of Szekely Gyorgy. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Szekely Gyorgy

2018/08/15

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are

covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If

you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yuval Langer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yuvallanger", with commit author "Yuval Langer <yuvallanger@gmail.com>", are copyright of Yuval Langer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yuval Langer
2017-03-19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Rodgers that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rodgert", with commit author "Thomas Rodgers <rodgert@twrogers.com>", are copyright of Thomas Rodgers.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas W Rodgers
2017/04/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Fox

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gitfoxi", with commit author "gitfoxi", are copyright of Michael Fox.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Fox

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roy Lenferink that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rlenferink", with commit author "Roy Lenferink <lenferinkroy@gmail.com>" or "Roy Lenferink <rlenferink@apache.org>", are copyright of Roy Lenferink.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roy Lenferink

2017/03/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Aaron Linville that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "linville", with commit author "Aaron Linville <aaron@linville.org>", are copyright of Aaron Linville.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aaron Linville

2017/03/27

Permission to Relicense under MPLv2

This is a statement by Nikita Kozlov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "KLNikita", with commit author "nikita kozlov <nikita@elyzion.net>", are copyright of Nikita Kozlov . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nikita Kozlov
6 February 2020

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Silverman that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brian-peloton", with commit author "brian@peloton-tech.com", are copyright of Brian Silverman . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Silverman
2019/08/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "chugga_fan" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuggafan", with commit author "chugga_fan chuggafans@gmail.com", are copyright of "chugga_fan" . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"chugga_fan"
2017/03/19

Permission to Relicense under MPLv2

This is a statement by Google, Inc. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tkoeppe", with commit author "Thomas Kppe", are copyright of Google, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Kppe
2017/09/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Min Ragan-Kelley that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "minrk", with commit author "Min RK benjaminrk@gmail.com", are copyright of Min Ragan-Kelley. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Min Ragan-Kelley
2017/07/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arthur O'Dwyer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Quuxplusone", with commit author "Arthur O'Dwyer <arthur@push.am>", are copyright of Arthur O'Dwyer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arthur O'Dwyer
2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Henri Gourvest that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hgourvest", with commit author "Henri Gourvest <hgourvest@progdigy.com>", are copyright of Henri Gourvest. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henri Gourvest

2018/12/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Juniet

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cjuniet", with commit author "Christophe Juniet <c.juniet@gmail.com>", are copyright of Christophe Juniet.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Juniet

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Connolly

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mattconnolly", with commit author "Matt Connolly <matt.connolly@me.com>", are copyright of Matthew Connolly.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Connolly

2017/06/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christian Kamm

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ckamm", with commit author "Christian Kamm kamm@incasoftware.de", are copyright of Christian Kamm.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christian Kamm

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gonzalo Diethelm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gonzus", with
commit author "Gonzalo Diethelm <gonzalo.diethelm@diethelm.org>" or "Gonzalo Diethelm
<gdiethelm@dcv.cl>", are copyright of Gonzalo Diethelm .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gonzalo Diethelm

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nikolay Amiantov that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abbradar", with commit
author "Nikolay Amiantov <ab@fmap.me>", are copyright of Nikolay Amiantov.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Nikolay Amiantov

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wang Yunlai
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hnyllmm", with
commit author "hnyllmm hnyllmm@126.com", are copyright of Wang Yunlai .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Wang Yunlai

2019/08/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mark Jan van Kampen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mjvk", with commit author "Mark Jan van Kampen <markjanvankampen@gmail.com>", are copyright of Mark Jan van Kampen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Jan van Kampen

2020/02/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Piotr TrojaneK that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ptroja", with commit author "Piotr TrojaneK <piotr.trojaneK@gmail.com>", are copyright of Piotr TrojaneK. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Piotr TrojaneK

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Volodymyr Korniiichuk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ezhikus", with commit author "VolodymyrKorn@gmail.com", are copyright of Volodymyr Korniiichuk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Volodymyr Korniiichuk

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John T. Conklin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "johntconklin", with commit author "J.T. Conklin <jtc@acorntoolworks.com>", are copyright of John T. Conklin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John T. Conklin
2017-03-19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrij Abyzov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drolevar", with commit author "Andrij Abyzov <drolevar@gmail.com>", are copyright of Andrij Abyzov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrij Abyzov
2019/11/19

Permission to Relicense under MPLv2

This is a statement by Kevin Sapper that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sappo", with commit author "Kevin Sapper <mail@kevinsapper.de>", are copyright of Kevin Sapper. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kevin Sapper
2017/03/20

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;

keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License,

in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any

tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this

License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this

License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and

propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may

otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Barrios Romero that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eldruin", with commit author "Diego Barrios Romero <eldruin@gmail.com>", are copyright of Diego Barrios Romero. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Barrios Romero
2019/11/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Isaac Poulton that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Omegastick", with commit author "Omegastick", are copyright of Isaac Poulton. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Isaac Poulton
2019/04/14

Permission to Relicense under MPLv2

This is a statement by KIU Shueng Chuan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "pijyoi", with commit author "KIU Shueng Chuan <nixchuan@gmail.com>", are copyright of KIU Shueng Chuan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

KIU Shueng Chuan
2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by JaeSang Yoo that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JSYoo5B", with commit author "JaeSang Yoo <jsyoo5b@gmail.com>", are copyright of JaeSang Yoo. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

JaeSang Yoo

2020.02.29

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jimenezrick", with commit author "Ricardo Catalinas Jimenez", are copyright of Ricardo Catalinas Jimenez.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ricardo Catalinas Jimenez

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Davit Kalantaryan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made with commit author "Davit Kalantaryan <davit.kalantaryan@desy.de>", are copyright of Davit Kalantaryan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Davit Kalantaryan

2020/08/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Elliot Saba that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "staticfloat", with commit author "Elliot Saba <staticfloat@gmail.com>", are copyright of Elliot Saba.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Elliot Saba

2017/03/19

Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Hague that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "banburybill", with commit author "Jim Hague <jim.hague@acm.org>", are copyright of Jim Hague. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Hague

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey KHripchenko that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "shripchenko", with commit author "Sergey KHripchenko <shripchenko@intermedia.net>", are copyright of Sergey KHripchenko. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sergey KHripchenko
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by C-Sir that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "C-Sir", with commit author "C-Sir <942510829@qq.com>", are copyright of C-Sir. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

C-Sir
2020/09/28

Permission to Relicense under MPLv2

This is a statement by Antonio Vanegas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hpsaturn", with commit author "Antonio Vanegas", are copyright of Antonio Vanegas. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antonio Vanegas
2018/10/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chuck Remes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuckremes", with commit author "Chuck Remes", are copyright of Chuck Remes. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Chuck Remes

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stoian Ivanov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sdrsdr", with commit author "Stoian Ivanov sdr@mail.bg", are copyright of Stoian Ivanov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stoian Ivanov

2017-03-23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Schulz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "schulzch", with commit author "Christoph Schulz <schulzchs@gmail.com>", are copyright of Christoph Schulz. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Schulz

2018/09/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

I happily grant permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The portion of the commits made by the Github handle "chymanfx", are not copyrighted in any way.

Chyman

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Latchmoor Services, LLC

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbitboy", with commit author "Brian Carcich <drbitboy@gmail.com>", are copyright of Latchmoor Services, LLC.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Latchmoor Services, LLC
2019/07/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Hasenack that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "panlinux", with commit author "Andreas Hasenack <andreas@canonical.com>", are copyright of Andreas Hasenack. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Hasenack
2019/03/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Denis Collette that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "colletted", with commit author "Denis Collette <deniscollette@gmail.com>", are copyright of Denis Collette. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Denis Collette 2020/01/22
Permission to Relicense under MPLv2

This is a statement by Frdric Trgon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "FredTreg", with commit author "Frederic Tregon <frederic.tregon@gmail.com>", are copyright of Frdric Trgon.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Frdric Trgon
2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrei Tomashpolskiy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "atomashpolskiy", with commit author "Andrei Tomashpolskiy <nordmann89@gmail.com>", are copyright of Andrei Tomashpolskiy . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrei Tomashpolskiy
2019/08/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dries Harnie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Botje", with commit author "Dries Harnie <dries@harnie.be>", are copyright of Dries Harnie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dries Harnie
2019/10/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Leonardo J. Consoni that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AnCaPepe", with commit author "Leonardo Jos Consoni <consoni_2519@hotmail.com>", are copyright of Leonardo J. Consoni. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Leonardo Jos Consoni

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gudmundur Adalsteinsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gummif", with commit author "Gudmundur Adalsteinsson <ofpgummi@yahoo.com>", are copyright of Gudmundur Adalsteinsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gudmundur Adalsteinsson

2020/02/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Byron Mallett that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mystfit", with commit author "Byron Mallett <byronated@gmail.com>", are copyright of Byron Mallett . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Byron Mallett

2018/9/1

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adam Seering that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "aseering", with commit author "Adam Seering <aseering@gmail.com>", are copyright of Adam Seering. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adam Seering

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Claudio Biagi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "emtr", with commit author "Claudio Biagi <retmt@gmx.com>", are copyright of Claudio Biagi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Claudio Biagi

2019/03/07

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }} that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{ github username }}", with commit author "{{ github commit author }}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2

This is a statement by Liquid Instruments that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "acsearle", with commit author "Antony Searle", are copyright of Liquid Instruments . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antony Searle

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lutz

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "michic", with commit author "Michael Lutz <michi@icosahedron.de>", are copyright of Michael Lutz. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lutz

2017/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by aixxe (aixxe) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "aixxe", with commit author "aixxe <me@aixxe.net>" are copyright of aixxe.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

aixxe

2019/07/25

Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tommd", with commit author "Thomas M. DuBuisson", are copyright of Thomas M. DuBuisson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas M. DuBuisson

2019/04/11

Permission to Relicense under MPLv2

This is a statement by trya. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "trya", with commit author "trya", are copyright of trya.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

trya

2019/09/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Juha Reunanen, Tomaattinen Ltd, and Outotec (Finland) Oy that grants permission to relicense their copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "reunanen", with commit author "Juha Reunanen <juha.reunanen@tomaattinen.com>", are copyright of Juha Reunanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juha Reunanen

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Vincent Tellier that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vtellier", with commit author "Vincent Tellier", are copyright of Vincent Tellier . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Vincent Louis Thophile Tellier

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pawel Kurdybacha that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kurdybacha", with commit author "Pawel Kurdybacha pawel.kurdybacha@gmail.com", are copyright of Pawel Kurdybacha . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pawel Kurdybacha

2017/04/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stefan Radomski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sradomski", with commit author "Stefan Radomski <radomski@tk.informatik.tu-darmstadt.de>", are copyright of Stefan Radomski . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Radomski

2020/12/20

Permission to Relicense under MPLv2

This is a statement by Nokia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "aheroff1", with commit author "Andy Heroff", are copyright of Nokia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andy Heroff

2021/01/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Michal Vyskocil" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vyskocilm", with commit author "Michal Vyskocil michal.vyskocil@gmail.com", are copyright of "Michal Vyskocil". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michal Vyskocil 2017/03/24

Permission to Relicense under MPLv2

This is a statement by Brian Knox that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "taotetek", with

commit author "Brian Knox", are copyright of Brian Knox.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Knox

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothy Mossbarger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Prarrot", with commit author "Prarrot", are copyright of Timothy Mossbarger .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Timothy Mossbarger

18 Feb 2019

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Axel Nennker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AxelNennker", with commit author "Axel Nennker <axel@nennker.de>", are copyright of Axel Nennker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Axel Nennker

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Maarten Ditzel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mditzel", with

commit author "Maarten Ditzel <maarten.ditzel@gmail.com>", are copyright of Maarten Ditzel.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Maarten Ditzel

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ming Ji

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "answeroo", with commit author "answeroo <jiming@yafoo.com>", are copyright of Ming Ji. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ming Ji

2018/08/20

Permission to Relicense under MPLv2

This is a statement by Olaf Mandel

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "olafmandel", with commit author "Olaf Mandel <o.mandel@menlosystems.com>", are copyright of Olaf Mandel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Olaf Mandel

2017/03/21

Permission to Relicense under MPLV2 or any Open Source Initiative (OSI) approved license chosen by the current ZeroMQ BDFL

This is a statement by Nick Guiffrida that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The commits made by the Github handle "goodfella", with commit author "Nick Guiffrida goodfella005@gmail.com" are copyright of Nick Guiffrida. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xantares", with
commit author "Michel Zou <xantares09@hotmail.com>", are copyright of Michel Zou.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Michel Zou
2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Trevor Bernard (trevorbernard) that grants
permission to relicense his copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open
Source Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "trevorbernard",
with commit author "Trevor Bernard <trevor.bernard@gmail.com>", are
copyright of Trevor Bernard. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Trevor Bernard
2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{ github username }}", with
commit author "{{ github commit author }}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2

This is a statement by Laurent Stacul
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stac47", with commit author "Laurent Stacul <laurent.stacul@gmail.com>", are copyright of Laurent Stacul .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laurent Stacul

2020/02/21

Permission to Relicense under MPLv2

This is a statement by Jrmie Courrges-Anglas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcourreges", with commit author "Jrmie Courrges-Anglas", are copyright of Jrmie Courrges-Anglas.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jrmie Courrges-Anglas

2018/12/07

Permission to Relicense under MPLv2

This is a statement by Benjamin Deroche that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "benjdero", with commit author "Benjamin Deroche", are copyright of Benjamin Deroche.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Benjamin Deroche

2019/10/26

Permission to Relicense under MPLv2

This is a statement by Victor Luchits that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "viciious", with commit author "Victor Luchits", are copyright of Victor Luchits.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Victor Luchits

2019/11/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Phillip Mienk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "pmienk", with
commit author "Phillip Mienk <mienkphi@gmail.com>", are copyright of Phillip Mienk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Phillip Mienk

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ian Barber
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "ianbarber", with
commit author "Ian Barber <ianbarber@gmail.com>", are copyright of Ian Barber.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ian Barber

2017/03/27

Permission to Relicense under MPLv2

This is a statement by Asaf Kahlon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "asafkahlon", with
commit author "Asaf Kahlon asafka7@gmail.com", are copyright of Asaf Kahlon.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Asaf Kahlon

2020/02/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jon Dyte
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JonDyte", with
commit author "Jon Dyte <jon@totient.co.uk>", are copyright of Jon Dyte.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jon Dyte
2019/10/03
Permission to Relicense under MPLv2

This is a statement by Bernd Prager
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bprager", with
commit author "Bernd Prager <bernd@prager.ws>", are copyright of Bernd Prager.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Bernd Prager
2017/03/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jakub Kaczmarzyk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kaczmarj", with
commit author "Jakub Kaczmarzyk jakub.kaczmarzyk@gmail.com", are copyright of Jakub Kaczmarzyk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jakub Kaczmarzyk
2020/07/29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mikko Koppanen that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkoppanen", with commit author "Mikko Koppanen <mikko@kuut.io>", are copyright of Mikko Koppanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mikko Koppanen
2018/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Reza Ebrahimi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "reza-ebrahimi", with commit author "Reza Ebrahimi <reza.ebrahimi.dev@gmail.com>", are copyright of Reza Ebrahimi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Reza Ebrahimi
2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Guillon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guillon", with commit author "Christophe Guillon <christophe.guillon.perso@gmail.com>", are copyright of Christophe Guillon . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Guillon
2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tom Whittock that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "twhittock", with commit author "Tom Whittock", are copyright of Tom Whittock.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tom Whittock
2017/04/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jan Kryl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jkryl", with commit author "Jan Kryl jan.kryl@nexenta.com", are copyright of Jan Kryl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jan Kryl
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Dr. Stefan Kaes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "skaes", with commit author "Stefan Kaes <stefan.kaes@xing.com>", are copyright of New Work SE. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dr. Stefan Kaes
2021/01/04
Permission to Relicense under MPLv2

This is a statement by Dhammika Pathirana that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dhammika", with commit author "Dhammika Pathirana <dhammika@gmail.com>", are copyright of Dhammika Pathirana . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dhammika Pathirana
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Norman Oveneri
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "normano", with
commit author "normano", are copyright of Norman Oveneri.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

This is a statement by Norman Oveneri
2019/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Natano
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "natano", with
commit author "Martin Natano", are copyright of Martin Natano.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Martin Natano
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Kahl that grants permission to relicense its copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kanonet", with commit author "Christoph Kahl", are
copyright of Christoph Kahl. This document hereby grants the libzmq project team to relicense libzmq, including all
past, present and future contributions of the author listed above.

Christoph Kahl
2020/01/09

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by xqcool
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "xqcool", with commit author "xqcool <xuquan316@live.com>", are copyright of xqcool . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

xqcool

2020/01/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alex Grnholm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "agronholm", with commit author "Alex Grnholm <alex.grnholm+git@nextday.fi>", are copyright of Alex Grnholm. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alex Grnholm

2017/03/19

Permission to Relicense under MPLv2

This is a statement by Floris Bruynooghe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Floris Bruynooghe <flub@devork.be>", are copyright of Floris Bruynooghe . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Floris Bruynooghe

2017/05/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Murphy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "murphybytes", with commit author "John Murphy <murphybytes@gmail.com>", are copyright of John Murphy . This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

John Murphy

2019/08/12

Permission to Relicense under MPLV2

This document collects grants from firms that hold copyrights in ZeroMQ. Please add new firms at the start. Each patch must be made with a GitHub handle that guarantees identity of the signatory.

iMatix Corporation

This is a statement by iMatix Corporation sprl (iMatix) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

1. The original ZeroMQ codebase was developed from 2007-2009 by FastMQ Inc. (FastMQ) in Slovakia, which held all copyrights in code written by its staff.
2. On 2009-11-01, iMatix exercised an option to acquire FastMQ and its assets, including ZeroMQ. On or before 2010-01-05 the FastMQ copyrights in ZeroMQ were transferred to iMatix ([commit](https://github.com/zeromq/libzmq/commit/4f6baf4dde627656b63cc4e2acdb78a8577ba640)). The FastMQ legal entity was subsequently liquidated.
3. Between 2009 and 2016, iMatix has continued to add contributions to ZeroMQ under the GitHub handle 'hintjens'.
4. This grant therefore covers what remains of the original FastMQ codebase plus all later contributions.
5. iMatix hereby grants an irrevocable, global, and fully paid-up license on all its copyrights that exist in ZeroMQ, under the MPLv2.

-Pieter Hintjens

CEO, iMatix Corporation sprl

23 April 2016

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Conrad Parker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kfish", with commit author "Conrad Parker <conrad@metadecks.org>", are copyright of Conrad Parker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Conrad Parker

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Zoe Faltib

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoedberg", with commit author "Zoe Faltib zoefaltiba@gmail.com", are copyright of Zoe Faltib.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Zoe Faltib

2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jeff Brubaker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brubakerjeff", with commit author "Jeff Brubaker <brubaker.jeff@gmail.com>", are copyright of Jeff Brubaker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jeff Brubaker

2018/11/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Attila Mark Sz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ambitslix", with commit author "gougolith@gmail.com", are copyright of Attila Mark. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Attila Mark Sz 2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alain Kalker

that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ackalker", with commit author "Alain Kalker <a.c.kalker@gmail.com>", are copyright of Alain Kalker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alain Kalker

2019/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivan Pechorin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipechorin", with commit author "Ivan Pechorin <ivan.pechorin@gmail.com>", are copyright of Ivan Pechorin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivan Pechorin

2019/09/25

Permission to Relicense under MPLv2

This is a statement by Sven Liedtke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "liedtkeInTUM", with commit author "Sven Liedtke", are copyright of Sven Liedtke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sven Liedtke

2019/11/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Dolan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cdolan", with commit author "Christopher Dolan <chris@codingstream.org>", are copyright of Christopher Dolan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Dolan

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Giuseppe Corbelli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cowo78" with commit author "Giuseppe Corbelli <cowo78@gmail.com>", are copyright of Giuseppe Corbelli. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Giuseppe Corbelli

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Ericsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hugne", with commit author "Erik Hugne erik.hugne@ericsson.com", are copyright of Ericsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jon Maloy <jon.maloy@ericsson.com>

2019/03/27

Permission to Relicense under MPLv2

This is a statement by Fredrick Paul Eisele that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle phreed, with commit author "Fred Eisele", are copyright of Fred Eisele . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fredrick Paul Eisele

2020/01/03

Permission to Relicense under MPLv2

This is a statement by Connamara Systems llc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cbusbey", with commit author "chris busbey", are copyright of Connamara Systems, llc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Busbey

2019/09/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with commit author "Jonathan Reams <jbreams@gmail.com>", are copyright of Jonathan Reams.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Vilim that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mvilim", with commit author "Michael Vilim <697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8@697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8.com>", are copyright of Michael Vilim. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Vilim

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Gagnon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rgagnon24", with commit author "Robert Gagnon rgagnon24+zmq@gmail.com", are copyright of Robert Gagnon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gagnon

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joe Eli McIlvain that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jemc", with commit author "Joe Eli McIlvain", are copyright of Joe Eli McIlvain. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joe Eli McIlvain

2017/03/28

Permission to Relicense under MPLv2

This is a statement by Chris Staite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "chrisstaite", with commit author "Chris <chris@yourdreamnet.co.uk>", are copyright of Chris Staite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Staite

2017/03/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jovan Bunjevacki that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the

Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjovke", with commit author "Jovan Bunjevacki <bjovan@gmail.com>", are copyright of Jovan Bunjevacki. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jovan Bunjevacki

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andre Caron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AndreLouisCaron", with commit author "Andre Caron <andre.l.caron@gmail.com>", are copyright of Andre Caron. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andre Caron

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dongmin Yu that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "miniway", with commit author "Dongmin Yu <miniway@gmail.com>", are copyright of Dongmin Yu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dongmin Yu

2019/08/12

Permission to Relicense under MPLv2

This is a statement by Kapp Arnaud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xaqq", with commit author "Kapp Arnaud", are copyright of Kapp Arnaud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kapp Arnaud

2017/03/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Simon Giesecke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sigieseck", with commit author "Simon Giesecke <simon.giesecke@btc-ag.com>", are copyright of Simon Giesecke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Simon Giesecke

2017/08/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Kymeta Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opensource-kymetacorp", with commit author "opensource-kymetacorp", are copyright of Kymeta Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kymeta Corporation

2018/11/21

Permission to Relicense under MPLv2

This is a statement by Hendrik Beskow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Asmod4n", with commit author "Asmod4n Asmod4n@users.noreply.github.com", are copyright of Hendrik Beskow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hendrik Beskow

2017/04/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bryan Gillespie (RPGillespie6) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "RPGillespie6", with commit author "Bryan Gillespie <rpgillespie6@gmail.com>", are copyright of Bryan Gillespie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bryan Gillespie

2019/09/06

Permission to Relicense under MPLv2

This is a statement by Joerg Kreuzberger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "kreuzberger", with commit author "Joerg Kreuzberger", are copyright of Joerg Kreuzberger . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joerg Kreuzberger

2019/09/02

Permission to Relicense under MPLv2

This is a statement by Daniel Krikun that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dkrikun", with commit author "Daniel Krikun", are copyright of Daniel Krikun . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daniel Krikun

2019/08/17

Permission to Relicense under MPLv2

This is a statement by Matthias Loy

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mloy", with commit author "Matthias Loy", are copyright of Matthias Loy. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Loy
2020/01/18
Permission to Relicense under MPLv2

This is a statement by Jake Cobb that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jakecobb", with commit author "Jake Cobb <jake.cobb@gmail.com>", are copyright of Jake Cobb. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jake Cobb
2017/04/04
Permission to Relicense under MPLv2

This is a statement by Douglas Young that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "rcxdude", with commit author "Douglas Young <rcxdude@gmail.com>", are copyright of Douglas Young . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Douglas Young
2019/08/31
This is a statement by Peter LaDow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Suudy", with commit author "Suudy <pladow@gmail.com>", are copyright of Peter LaDow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Peter LaDow
14 August 2019

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Guido Vranken that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guidovranken", with commit author "Guido Vranken <guidovranken@gmail.com>", are copyright of Guido Vranken. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Guido Vranken

2019/01/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarmo Tnav that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tarmo", with commit author "Tarmo Tnav <tarmo@itech.ee>", are copyright of Tarmo Tnav. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tarmo Tnav

2020/08/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daiyu Hurst that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "daiyuhurst", with commit author "Daiyu Hurst <daiyu.hurst@gmail.com>", are copyright of Daiyu Hurst. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daiyu Hurst

2019/08/31

Permission to Relicense under MPLv2

This is a statement by Juraj Oruli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ojura", with commit author "Juraj Oruli", are copyright of Juraj Oruli.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juraj Oruli

2018/10/26

Permission to Relicense under MPLv2

This is a statement by Quantum Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vortechs2000", with commit author "AJ Lewis aj.lewis@quantum.com", are copyright of Quantum Corporation.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

AJ Lewis

2019/02/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dennis Klein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dennisklein", with commit author "Dennis Klein <d.klein@gsi.de>", are copyright of Dennis Klein.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dennis Klein

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adrian Muraru that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "amuraru", with commit author "Adrian Muraru <adi.muraru@gmail.com>", are copyright of Adrian Muraru. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adrian Muraru

2017/03/20

Permission to Relicense under MPLv2

This is a statement by IVU Traffic Technologies AG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jruffin", with commit author "Julien Ruffin <jur@ivu.de>", are copyright of IVU Traffic Technologies AG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henrik Benner

Head of Department Ticketing Development, IVU Traffic Technologies AG

2017/05/10

Permission to Relicense under MPLv2

This is a statement by Roal Zanazzi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "roalz", with commit author "roalz <roal.zanazzi@gmail.com>", are copyright of Roal Zanazzi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roal Zanazzi

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Fedor Sheremetyev that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sheremetyev", with commit author "Fedor Sheremetyev <sheremetyev@gmail.com>", are copyright of Fedor Sheremetyev. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fedor Sheremetyev

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by niXman (github.nixman@pm.me)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "niXman", with
commit author "niXman", are copyright of nixMan .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

niXman (github.nixman@pm.me)

2019/10/03

Permission to Relicense under MPLv2

This is a statement by Jesse Gorzinski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ThePrez", with
commit author "ThePrez <jgorzinski@gmail.com>", are copyright of Jesse Gorzinski.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jesse Gorzinski

2019/10/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by H. Eduardo Montoya Snchez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "montoyaedu", with
commit author "Montoya Edu <montoya.edu@gmail.com>", are copyright of H. Eduardo Montoya Snchez.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

H. Eduardo Montoya Snchez

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Pavel Pimenov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle pavel-pimenov, with commit author Pavel Pimenov pavel.pimenov@gmail.com, are copyright of Pavel Pimenov . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pavel Pimenov
2020/02/04
Permission to Relicense under MPLv2

This is a statement by Spotify AB that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gimaker", with commit author "Staffan Gimker", the commits made by the Github handle "danielnorberg", with commit author "Daniel Norberg", and the commits made by the Github handle "caipre", with commit author "Nick Platt", are copyright of Spotify AB. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Nick Platt <nickplatt@spotify.com>
2019/08/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arkadiusz Drabczyk (ardrabczyk) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ardrabczyk", with commit author "Arkadiusz Drabczyk <arkadiusz@drabczyk.org>", are copyright of Arkadiusz Drabczyk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arkadiusz Drabczyk
2020/11/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stephane Vales that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "StephaneVales", with commit author "Stephane Vales <7755128+stvales@users.noreply.github.com>", are copyright of Stephane Vales. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stephane Vales

2020/08/06

Permission to Relicense under MPLv2

This is a statement by Patrik Wenger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "paddor", with commit author "Patrik Wenger", are copyright of Patrik Wenger . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrik Wenger

2019/08/31

Naos Ltd (a New Zealand company)

This is a statement by Naos Ltd (Naos) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

The port of libzmq to run on the z/OS Mainframe ([GitHub Pull request #1136](https://github.com/zeromq/libzmq/pull/1136), [GitHub Pull request #1138](https://github.com/zeromq/libzmq/pull/1138), and [GitHub Pull request #1139](https://github.com/zeromq/libzmq/pull/1139)) was performed as work for hire under contract to iMatix Corporation sprl, itself under contract to a client. Thus copyright in that portability work does not belong to Naos Ltd, and Naos Ltd hereby releases any claim to the copyright in the z/OS Mainframe portability work identified by the above three GitHub pull requests.

Ewen McNeill

Managing Director, Naos Ltd

2016-04-25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Johan Mabile that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JohanMabille", with commit author "Johan Mabille johan.mabille@gmail.com", are copyright of Johan Mabille. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Johan Mabille

2017/03/20

Brocade Communications Systems Inc.

This is a statement by Brocade Communications Systems Inc. (Brocade) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <lboccass@brocade.com>", are copyright of Brocade. This permission to relicense includes all past, present and future contributions of Brocade employees.

Luca Boccassi

Software Engineer, Brocade Communications Systems Inc.

2016-05-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lonard Michelet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "leonarf", with commit author "Lonard Michelet <leonard.michelet@openwide.fr>", are copyright of Lonard Michelet. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michelet Lonard 2017/03/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Constantin Rack that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "c-rack", with commit author "Constantin Rack <constantin.rack@gmail.com>", are copyright of Constantin Rack. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Constantin Rack

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Camachat that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "camachat", with commit author "Eric Camachat <eric@camachat.org>", are copyright of Eric Camachat. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric L. Camachat

March 20, 2017

Permission to Relicense under MPLv2

This is a statement by Chih-Hsuan Yen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "yan12125", with commit author "Chih-Hsuan Yen <yan12125@gmail.com>", are copyright of Chih-Hsuan Yen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chih-Hsuan Yen

2019/10/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diorcet Yann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "diorcety", with commit author "yann.diorcet@xenocs.com", are copyright of Diorcet Yann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diorcet Yann

2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anonymous Maarten
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "madebr", with
commit author "Anonymous Maarten <anonymous.maarten@gmail.com>", are copyright of Anonymous Maarten.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Anonymous Maarten
2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Uli Khler.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

All commits made by the Github handle "ulikoehler", with
commit author "Uli Khler", are copyright of Uli Khler.

This document hereby grants the libzmq project team to relicense libzmq and / or CZMQ,
including all past, present and future contributions of the author listed above.

Uli Khler
2017/03/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrew Thompson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thompsa", with
commit author "Andrew Thompson <andy@fud.org.nz>", are copyright of Andrew Thompson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andrew Thompson
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Doron Somech (somedoron)
that grants permission to relicense his copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "somdoron", with commit author "Doron Somech <somdoron@gmail.com>", are copyright of Doron Somech. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Doron Somech

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rishi Theivendan (inuik) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "inuik", with commit author "Rishi Theivendran <29522253+inuik@users.noreply.github.com>" or "Rishi Theivendran <rishi.theivendran@rohde-schwarz.com>", are copyright of Rishi Theivendran. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rishi Theivendran

2019/07/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Benjamin HENRION that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoobab", with commit author "Benjamin HENRION", are copyright of Benjamin HENRION . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Benjamin HENRION (zoobab)

Done in Brussels on the 2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jens Auer that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jens.auer", with commit author "Jens Auer", are copyright of Jens Auer.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jens Auer

2019/11/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Arsenault that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "arsenm", with commit author "Matt Arsenault <arsenm2@gmail.com>", are copyright of Matthew Arsenault.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Arsenault

2017/10/12

Permission to Relicense under MPLv2

This is a statement by Matthias Gabriel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gabm", with commit author "Matthias Gabriel <matthias.gabriel@etit.tu-chemnitz.de>", are copyright of Matthias Gabriel.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Gabriel

2018/10/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division)

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license (at least as permissive as the MPLv2) chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hashstat", with commit author "Brandon Carpenter <brandon.carpenter@pnnl.gov>", are copyright of Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division). This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jereme Haack on behalf of Brandon Carpenter
2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Luca Boccassi (bluca) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <bluca@debian.org>", are copyright of Luca Boccassi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Luca Boccassi
2019/02/16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Osiris Pedroso" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opedroso", with commit author "Osiris Pedroso <opedroso@gmail.com>", are copyright of "Osiris Pedroso". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Osiris Pedroso
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams (of MongoDB, Inc.) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbrems", with commit author "Jonathan Reams jbrems@mongodb.com" (specifically the commits merged in pull requests #1451, #1449, #1448, and #1174), are copyright of MongoDB, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/10/1

Permission to Relicense under MPLv2

This is a statement by Aleksander Melnikov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "malexx", with commit author "Aleksander Melnikov", are copyright of Aleksander Melnikov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aleksander Melnikov

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by skicc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skicc", with commit author "skicc <skicc@fastmail.com>", are copyright of skicc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

skicc

2019/06/15

Permission to Relicense under MPLv2

This is a statement by Laszlo Boszormenyi (GCS) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gcsideal", with commit author "Laszlo Boszormenyi (GCS) <gcs@debian.org>", are copyright of Laszlo Boszormenyi (GCS).

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Laszlo Boszormenyi (GCS)

2020/02/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Micromass UK Limited that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ricnewton", with commit author "Richard Newton" are copyright of Micromass UK Limited. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Steve Smith

Director Micromass UK Limited

2017/04/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jack Pimbert that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jackpimbert", with commit author "jackpimbert <jack.pimbert@gmail.com>", are copyright of Jack Pimbert. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jack Pimbert

2019/05/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daniel Shih that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danielhtshih", with commit author "Daniel Shih <hotingwow@gmail.com>", are copyright of Daniel Shih. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Daniel Shih

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego R.Losada that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drodri", with commit author "drodri <diego.rlosada@gmail.com>", are copyright of Diego Rodriguez-Losada. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Rodriguez-Losada

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tobias Schlter that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TobiSchluter", with commit author "TobiSchluter", are copyright of Tobias Schlter . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tobias Schlter

2019/09/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bastian Lher that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bl0x", with commit author "Bastian Lher <me@l-dot.de>", are copyright of Bastian Lher. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bastian Lher

2019/08/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gennady Makovetski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gena-moscow", with commit author "Gennady Makovetski <makovetski@gmail.com>", are copyright of Gennady Makovetski. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gennady Makovetski

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Takeshi Abe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tabe", with commit author "Takeshi Abe <tabe@fixedpoint.jp>", are copyright of Takeshi Abe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Takeshi Abe

2017/03/22

Permission to Relicense under MPLv2

This is a statement by Telford Berkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tberkey", with commit author "Telford Berkey <tberkey@gmail.com>", are copyright of Telford Berkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Telford Berkey

03 Feb 2020

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wouter Overmeire that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "lodagro", with commit author "lodagro <lodagro@gmail.com>", are copyright of Wouter Overmeire. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wouter Overmeire

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Romain Moret that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "moretomain", with commit author "Romain Moret <moretomain@gmail.com>", are copyright of Romain Moret. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Romain Moret

2019/05/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Florian Ebeling that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "febeling", with commit author "Florian Ebeling <florian.ebeling@gmail.com>", are copyright of Florian Ebeling. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Florian Ebeling

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Bruno Bodin that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bbdb68", with commit author "Bruno Bodin <brunobodin@gmail.com>", are copyright of Bruno Bodin . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bruno Bodin

2017/04/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joel Lauener that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jlauenercern", with commit author "Joel Lauener <Joel.Lauener@cern.ch>", are copyright of Joel Lauener . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joel Lauener

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Weidmueller Interface GmbH & Co KG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "herbrechtsmeier", with commit author "Stefan Herbrechtsmeier", are copyright of Weidmueller Interface GmbH & Co KG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Herbrechtsmeier

2019/09/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roberto Santacroce Martins that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mileschet", with commit author "Roberto Santacroce Martins miles.chet@gmail.com", are copyright of Roberto Santacroce Martins. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roberto Santacroce Martins 2020/07/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stanisaw Macia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "stanpl", with commit author "Stanisaw Macia", are copyright of Stanisaw Macia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stanisaw Macia

2020/12/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Evgeny (Jim) Klimov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jimklimov", with commit author "Jim Klimov <jim@jimklimov.com>" or "Jim Klimov <jimklimov@gmail.com>", are copyright of Evgeny (Jim) Klimov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Evgeny (Jim) Klimov

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Buchanan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bwbuchanan", with commit author "Brian Buchanan <bwb@holo.org>" or "Brian Buchanan <brian@tiogalake.com>", are copyright of Brian Buchanan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Buchanan
2017/03/23
Permission to Relicense under MPLv2

This is a statement by Shannen Saez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "shancat", with
commit author "Shannen Saez <shannenlaptop@gmail.com>", are copyright of Shannen Saez.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Shannen Saez
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ghislain PUTOIS
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ghpu", with
commit author "Ghislain PUTOIS", are copyright of Ghislain PUTOIS.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ghislain PUTOIS
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dan Riegsecker
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danriegsecker", with
commit author "Dan Riegsecker 1baldgeek@gmail.com", are copyright of
Dan Riegsecker. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions of
the author listed above.

Dan Riegsecker
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothee Besset
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TTimo", with
commit author "Timothee Besset <timo@ttime.net>", are copyright of Timothee Besset.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Timothee Besset
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Frank R. Dana Jr.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ferdnyc", with
commit author "FeRD (Frank Dana)", are copyright of Frank R. Dana, Jr.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Frank Richard Dana, Jr.
2020-03-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Erik Hugne
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Hugne", with
commit author "erik.hugne@gmail.com", are copyright of Erik Hugne.
Commits made by author "erik.hugne@ericsson.com" are NOT covered by this
statement.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Erik Hugne
2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Harald Achitz

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "a4z", with commit author "Harald Achitz <harald.achitz@gmail.com>" or "Harald Achitz <harald.achitz@tritech.se>" or "Harald Achitz <harald.achitz@getinge.com>", are copyright of Harald Achitz. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Harald Achitz

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Samuel Martin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tSed", with commit author "Samuel Martin <s.martin49@gmail.com>", are copyright of Samuel Martin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Samuel Martin

2017/03/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mrio Kauba that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "soulik", with commit author "Mrio Kauba mario.kasuba@it-academy.sk", are copyright of Mrio Kauba. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mrio Kauba

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boxkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the

current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boxkey", with commit author "boxkey 289844900@qq.com", are copyright of boxkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

boxkey 2020/11/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Fabrice Fontaine that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ffontaine", with commit author "Fabrice Fontaine <fontaine.fabrice@gmail.com>", are copyright of Fabrice Fontaine. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fabrice Fontaine

2018-09-13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gavin McNiff that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gavinmcniff", with commit author "Gavin McNiff <gavin@mcniff.ie>", are copyright of Gavin McNiff .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gavin McNiff

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Ford that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fanquake", with commit author "Michael Ford <fanquake@gmail.com>", are copyright of Michael Ford. This document hereby grants the libzmq

project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Ford
2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Voskuil that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "evoskuil", with commit author "Eric Voskuil <eric@voskuil.org>", are copyright of Eric Voskuil. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric Voskuil
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mdionisio", with commit author "Michele Dionisio", are copyright of Michele Dionisio. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michele Dionisio
2019/07/09
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by the Github user "std-any-emplace" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "std-any-emplace", with commit author "std-any-emplace", are copyright of the Github user "std-any-emplace". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"std-any-emplace"

2020/01/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Skallerwe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skaller", with commit author "skaller", are copyright of John Skaller .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Skaller

2019/09/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by G. Evan Burkitt that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eburkitt", with commit author "Evan Burkitt <evanb@edulinksys.com>", are copyright of G. Evan Burkitt.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

G. Evan Burkitt

2017/04/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Hall that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hwx", with commit author "Christopher Hall <hsw@ms2.hinet.net>", are copyright of Christopher Hall. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Hall

2019/08/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bjrn Tpel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjoto", with commit author "Bjorn Topel <bjorn.topel@gmail.com>", are copyright of Bjrn Tpel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bjrn Tpel
2017/03/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Manca George that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mancasg", with commit author "Manca George <mancas.f.george@gmail.com>", are copyright of Manca George . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manca George
2019/07/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jacques Germishuys that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jacquesg", with commit author "Jacques Germishuys <jacquesg@striata.com>", are copyright of Jacques Germishuys. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jacques Germishuys
2018/12/14

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chia-liang Kao that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "clkao", with commit author "Chia-liang Kao clkao@clkao.org", are copyright of Chia-liang Kao. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chia-liang Kao

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by crocket that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "crocket", with commit author "crocket <748856+crocket@users.noreply.github.com>", are copyright of crocket. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

crocket

2018/11/10

Permission to Relicense under MPLv2

This is a statement by Fabien Ninoles that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ninoles", with commit author "Fabien Ninoles", are copyright of Fabien Ninoles.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fabien Ninoles

2020/02/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Hand
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mipaaa", with
commit author "Michael Hand <mipaaa@gmail.com>", are copyright of Michael Hand.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Hand
2017/03/21

Permission to Relicense under MPLv2

This is a statement by Brian Adamson that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2
(MPLv2).

A portion of the commits made by the Github handle "bebopagogo", with commit
author "bebopagogo <bebopagogo@users.noreply.github.com>" and "Brian Adamson
<badamson@gmail.com>", are copyright of Brian Adamson. This document hereby grants
the libzmq project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Brian Adamson 2019/08/11 s

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chengye Ke
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "imkcy9", with
commit author "Chengye Ke <imkcy9@icloud.com>" or
"Chengye Ke <imkcy9@gmail.com>", are copyright of Chengye Ke.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chengye Ke
2019/05/18

Permission to Relicense under MPLv2

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "{{ github username }}", with commit author "{{ github commit author }}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Francesco Montorsi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "f18m", with commit author "Francesco Montorsi <francesco.montorsi@gmail.com>", are copyright of Francesco Montorsi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Francesco Montorsi

2018/09/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Flandrin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "simias", with commit author "Lionel Flandrin lflandrin@ereca.fr", are copyright of Lionel Flandrin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Flandrin

2018/05/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrey Sibiriyov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kobolog", with commit author "Andrey Sibiriyov <me@kobology.ru>", are copyright of Andrey Sibiriyov. This document hereby grants the libzmq project team to

relicense libzmq, including all past, present and future contributions of the author listed above.

Andrey Sibiryov

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by serg06 (serg06)

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "serg06", with commit author "serg06 <serkhas@hotmail.com>" are copyright of serg06.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

serg06

2020/05/25

Permission to Relicense under MPLv2

This is a statement by Mark Barbisan

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mbarbisan", with commit author "Mark Barbisan <mark@barbisan.ca>", are copyright of Mark Barbisan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Barbisan

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Felipe Goron Farinon (psl-felipefarinon)

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "psl-felipefarinon", with commit author "Felipe Goron Farinon", are copyright of Felipe Goron Farinon.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Felipe Goron Farinon

2019/09/02

The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Justin.Hung that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "loachfish", with commit author "Justin.Hung fronront@qq.com", are copyright of Justin.Hung . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Justin.Hung
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alexander Straub that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "straubar", with commit author "Alexander Straub <alexander.straub@visus.uni-stuttgart.de>", are copyright of Alexander Straub. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alexander Straub

2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marc Su Clos (msune) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "msune", with commit author "Marc Sune <marcdevel@gmail.com>" or "Marc Sune <marc@voltanet.io>", are copyright of Marc Su. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Marc Su Clos

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Serghei Novac that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "carbofos", with commit author "Serghei Novac <serghei.novac@epyd.com>", are copyright of Serghei Novac. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Serghei Novac

2019/03/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Grigorov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-g", with commit author "Martin Grigorov", are copyright of Martin Grigorov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Grigorov

2021/01/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "antonrd", with commit author "Anton Dimitrov <dimitrov.anton@gmail.com>", are copyright of Anton Dimitrov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anton Dimitrov

2018/10/01

Permission to Relicense under MPLv2

This is a statement by grmt.
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "grmt", with commit author "grmt", are copyright of grmt.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

grmt (garmt.noname@gmail.com)

2020/05/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sbastien Rombauts
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SRombauts", with commit author "Sbastien Rombauts", are copyright of Sbastien Rombauts.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sbastien Rombauts

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by David Jelenc
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djelenc", with
commit author "David Jelenc <david.jelenc@fri.uni-lj.si>", are copyright of David Jelenc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

David Jelenc
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wenbin Hou
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "WenbinHou", with
commit author "Wenbin Hou <houwenbin@pku.edu.cn>", are copyright of Wenbin Hou.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Wenbin Hou
2018/05/16

Permission to Relicense under MPLv2

This is a statement by Manuel Segura
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mesegura", with
commit author "Manuel Segura", are copyright of Manuel Segura .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Manuel Eduardo Segura
2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Philippe Leite that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative

approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "philippeleite", with commit author "Philippe Leite <philippe.leite@gmail.com>", are copyright of Philippe Leite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Philippe Leite

2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Garlick (garlick) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "garlick", with commit author "Jim Garlick <garlick.jim@gmail.com>", are copyright of Jim Garlick. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Garlick

2019/08/10

Permission to Relicense under MPLv2

This is a statement by Dylan Cali that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "calid", with commit author "Dylan Cali <calid1984@gmail.com>", are copyright of Dylan Cali. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dylan Cali

2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mike Gatny (mgatny) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mgatny", with commit author "Mike Gatny <mgatny@gmail.com>" or "Mike Gatny <mgatny@connamara.com>", are copyright of Mike Gatny. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mike Gatny

2019/02/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "glemercier", with commit author "Gregory Lmercier <greglemercier@free.fr>", are copyright of Gregory Lmercier. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gregory Lmercier

2018/10/07

Permission to Relicense under MPLv2

This is a statement by Thomas Chiantia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tomzbench", with commit author "Thomas<Thomas@Altronix.com>", are copyright of Thomas Chiantia.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Chiantia

2019/08/10

Permission to Relicense under MPLv2

This is a statement by Robert G. Jakabosky that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Neopallium", with commit author "Robert G. Jakabosky <bobby@sharedrealm.com>", are copyright of Robert G. Jakabosky.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Robert Gabriel Jakabosky

2019/08/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivo Danihelka that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fidlej", with commit author "Ivo Danihelka <ivo@danihelka.net>", are copyright of Ivo Danihelka. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivo Danihelka

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William Swanson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "swansontec", with commit author "William Swanson <swansontec@gmail.com>", are copyright of William Swanson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William Swanson

2017/04/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gian Lorenzo Meocci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "meox", with commit author "Gian Lorenzo Meocci <glmeocci@gmail.com>", are copyright of Gian Lorenzo Meocci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gian Lorenzo Meocci

2017/04/09

Permission to Relicense under MPLv2

This is a statement by Pierre Yager
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "zedalaye", with
commit author "Pierre Yager <pierre.y@gmail.com>" or
"Pierre Yager <pierre.yager@crisalid.com", are copyright of Pierre Yager.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Pierre Yager

2021/01/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ilya Kulakov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kentzo", with
commit author "Ilya Kulakov <kulakov.ilya@gmail.com>", are copyright of Ilya Kulakov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ilya Kulakov

2017/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eelis van der Weegen that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "Eelis", with
commit author "Eelis van der Weegen <eelis@eelis.net>", are
copyright of Eelis van der Weegen. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Eelis van der Weegen

2019/02/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sylvain Corlay that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SylvainCorlay", with commit author "Sylvain Corlay sylvain.corlay@gmail.com", are copyright of Sylvain Corlay . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sylvain Corlay
2017/03/20

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lourens Naud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "methodmissing", with commit author "Lourens Naud <lourens@methodmissing.com>", are copyright of Lourens Naud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lourens Naud
2019/07/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nathan Toone that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "toonetown", with commit author "Nathan Toone <nathan@toonetown.com>", are copyright of Nathan Toone. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nathan Toone
2018/11/05

1.8 curl 8.0.1

1.8.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2023, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

1.9 libtins 4.4

1.9.1 Available under license :

Copyright (c) 2012-2017, Matias Fontanini
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.10 zeromq 4.3.4.0

1.10.1 Available under license :

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Beaty
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbobbeaty", with
commit author "Bob Beaty <drbob@themanfromspud.com>", are copyright of Robert Beaty .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Beaty
2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tore Halvorsen
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "demozon", with
commit author "Tore Halvorsen <tore.halvorsen@gmail.com>", are copyright of Tore Halvorsen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tore Halvorsen
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Braun
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "t-b", with commit author "thomas.braun@virtuell-zuhause.de" and "thomas.braun@byte-physics.de", are copyright of Thomas Braun.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Braun

2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Shubham Lagwankar that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ssbl", with commit author "Shubham Lagwankar <shubhu105@gmail.com>", are copyright of Shubham Lagwankar. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shubham Lagwankar

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Iwan Paolucci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipa", with commit author "Iwan Paolucci <iwan.paolucci@gmail.com>", are copyright of Iwan Paolucci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Iwan Paolucci

2019/04/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William P Strang that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "willstrang", with commit author "Will Strang <william.p.strang@gmail.com>", are copyright of William P Strang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William P Strang
2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rik van der Heijden that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rikvdh", with commit author "Rik van der Heijden <mail@rikvanderheijden.com>" and "Rik van der Heijden <rik.vanderheijden@dualinventive.com>", are copyright of Rik van der Heijden. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rik van der Heijden
2017/04/23

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Rottmann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rotty", with commit author "Andreas Rottmann <a.rottmann@gmx.at>", are copyright of Andreas Rottmann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Rottmann
2017/05/07

Permission to Relicense under MPLv2

This is a statement by Goswin von Brederlow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mrvn", with commit author "Goswin von Brederlow <goswin-v-b@web.de>" or "Goswin von Brederlow <brederlo@q-leap.de>", are copyright of Goswin von Brederlow.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Goswin von Brederlow

2020/12/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Orry that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chickenkiller", with commit author "Lionel Orry <lionel.orry@gmail.com>", are copyright of Lionel Orry.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Orry

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthias Kluwe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkluwe", with commit author "Matthias Kluwe <mkluwe@gmail.com>", are copyright of Matthias Kluwe.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Kluwe

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Labsch on behalf of KST innovations GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-ksti", with commit author "Martin Labsch <martin.labsch@ksti.de>", are copyright of Martin Labsch on behalf of KST innovations GmbH. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Labsch

2020/10/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Laws that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "claws", with commit author "Chris Laws <clawsicus@gmail.com>", are copyright of Christopher Laws. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Laws

2019/08/11

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nevin Valsaraj that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "nevalsar", with commit author "Nevin Valsaraj <nevin.valsaraj32@gmail.com>", are copyright of Nevin Valsaraj. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nevin Valsaraj

2022/08/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL
This is a statement by Rickard Hallerbck that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Ricardicus", with commit author "Rickard Hallerbck", are copyright of Rickard Hallerbck. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rickard Hallerbck 2020/02/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anthony Scemama that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "scemama", with commit author "Anthony Scemama <scemama@irsamc.ups-tlse.fr>", are copyright of Anthony Scemama. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anthony Scemama
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sascha van Vliet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "saschavv", with commit author "Sascha van Vliet <saschavv@gmail.com>", are copyright of Sascha van Vliet. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sascha van Vliet
2021/07/30

Permission to Relicense under MPLV2

This directory collects grants from individuals and firms that hold copyrights in ZeroMQ to permit licensing the ZeroMQ code under the [Mozilla Public License, version 2](<https://www.mozilla.org/en-US/MPL/2.0/>). See [GitHub Pull Request #1917](<https://github.com/zeromq/libzmq/pull/1917>), the [0MQ Licensing Page](<http://zeromq.org/area:licensing>) and [original iMatix zeromq-dev license grant](<http://lists.zeromq.org/pipermail/zeromq-dev/2016-April/030288.html>) for some background information.

Please create a separate file in this directory for each individual or firm holding copyright in ZeroMQ, named after the individual or firm holding the copyright.

Each patch must be made with a GitHub handle that is clearly associated with the copyright owner, to guarantee the identity of the signatory. Please avoid changing the files created by other individuals or firms granting a copyright license over their copyrights (if rewording is required contact them and ask them to submit an updated version). This makes it easier to verify that the license grant was made by an authorized GitHub account.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Fons that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dfons", with commit author "Diego Fons <diego.fons@gmail.com>" or "Diego Fons <diego.fons@intraway.com>", are copyright of Diego Fons.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Fons

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Caleb Epstein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Bklyn", with commit author "Caleb Epstein <cae@bklyn.org>", are copyright of Caleb Epstein.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Caleb Epstein

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Steven McCoy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "steve-o", with commit author "Steven McCoy <steven.mccoy@miru.hk>" and "Steve-o <fnjordy@gmail.com>", are copyright of Steven McCoy.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Steven McCoy

2019/02/24

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ZeroMQ

Source: <http://zeromq.org>

Files: *

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/xreq.cpp

src/xpub.cpp

src/xsub.cpp

tests/test_reqrep_device.cpp

tests/test_invalid_rep.cpp

Copyright: 2010-2011, 250bpm s.r.o

2011, VMware, Inc

2010-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/msg.hpp

src/xrep.*

src/options.*

src/req.*

src/socket_base.*

src/pipe.*

src/encoder.cpp

src/lb.cpp

src/session_base.*

src/fq.cpp

include/zmq.h

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2011, VMware, Inc

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/pgm_receiver.*

src/pgm_sender.*

src/pgm_socket.*

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2010-2011, Miru Limited

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: external/unity/*

Copyright: 2007-2014 Mike Karlesky

2007-2014 Mark VanderVoord

2007-2014 Greg Williams

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/*

Copyright: 2014- , Laszlo Boszormenyi (GCS) <gcs@debian.org>

2012-2014, Alessandro Ghedini <ghedo@debian.org>

2010-2012, Martin Lucina <martin@lucina.net>

2009-2010, Adrian von Bidder <cmot@debian.org>

2009-2010, Peter Busser <peter@mirabilix.nl>

2012, Alessandro Ghedini <ghedo@debian.org>

License: LGPL-2.0+

License: LGPL-2.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.
On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-3.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.
This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.
On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-3". BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission to Relicense under MPLv2

This is a statement by Cameron Smith that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cwsmith", with commit author "Cameron Smith <smithc11@rpi.edu>", are copyright of Cameron Smith. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Cameron Smith

2020/02/05

Permission to Relicense under MPLv2

This is a statement by Jean-Christophe Fillion-Robin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcfr", with commit author "Jean-Christophe Fillion-Robin <jchris.fillionr@kitware.com>", are copyright of Kitware Inc. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Jean-Christophe Fillion-Robin

2019/09/03

Permission to Relicense under MPLv2

This is a statement by sonoware GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sonoware", with commit author "Stephan Senkbeil" are copyright of sonoware GmbH.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Stephan Senkbeil <stephan.senkbeil@sonoware.de>

2019/12/13

Permission to Relicense under MPLv2

This is a statement by Dave Meehan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dmeehan1968", with commit author "Dave Meehan dave_meehan@replicated.co.uk", are copyright of Dave Meehan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dave Meehan

2019/08/31

Permission to Relicense under MPLv2

This is a statement by Brett Cameron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with commit author "Brett Cameron <brett.r.cameron@gmail.com>" or

"Brett Cameron <brett.cameron@vmssoftware.com>", are copyright of Brett Cameron.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brett Russell Cameron

2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Egomotion Limited

that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "robertcastle", with commit author "Robert Castle <robert@egomotion.co.uk>", are copyright of Egomotion Limited. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Castle,
Director, Egomotion Limited
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Rosen Penev that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Rosen Penev <rosenp@gmail.com>", are copyright of Rosen Penev . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rosen Penev
2019/04/19
Permission to Relicense under MPLv2

This is a statement by Maurizio Melato that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mauri-melato", with commit author "Maurizio Melato", are copyright of Maurizio Melato. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Maurizio Melato
2017-04-04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Franco Fichtner that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fichtner", with commit author "Franco Fichtner <franco@lastsummer.de>", are copyright

of Franco Fichtner. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Franco Fichtner

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dmitrii (Dima) Pasechnik that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dimpase", with commit author "Dima Pasechnik dimpase@gmail.com", are copyright of Dmitrii Pasechnik. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dmitrii Pasechnik 2019/09/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lloyd that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "CommanderBubble", with commit author "Michael Lloyd <commander.bubble@gmail.com>", are copyright of Michael Lloyd. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lloyd

2019/02/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Xujing Yang (laplaceyang) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "laplaceyang", with commit author "laplaceyang <laplace2013@outlook.com>", are copyright of Xujing Yang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Xujing Yang

2020/04/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Colomiets that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tailhook", with commit author "Paul Colomiets <paul@colomiets.name>" or "Paul Colomiets <pc@gafol.net>", are copyright of Paul Colomiets. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Paul Colomiets

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bill Torpey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "wallstprog", with commit author "Bill Torpey <wallstprog@gmail.com>", are copyright of Bill Torpey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bill Torpey

2018/11/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jean Airoidie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jean-airoidie", with commit author "jean-airoidie <25088801+jean-airoidie@users.noreply.github.com>", are copyright of Jean Airoidie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jean Airoidie 2019/04/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Szekely Gyorgy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hoditohod", with commit author "Szekely Gyorgy <hoditohod@gmail.com>", are copyright of Szekely Gyorgy. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Szekely Gyorgy
2018/08/15

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code

for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,

taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must

extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boxkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boxkey", with commit author "boxkey 289844900@qq.com", are copyright of boxkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

boxkey 2020/11/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yuval Langer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yuvallanger", with commit author "Yuval Langer <yuvallanger@gmail.com>", are copyright of Yuval Langer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yuval Langer
2017-03-19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Rodgers that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rodgert", with commit author "Thomas Rodgers <rodgert@twrogers.com>", are copyright of Thomas Rodgers.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas W Rodgers
2017/04/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Fox
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gitfoxi", with
commit author "gitfoxi", are copyright of Michael Fox.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Fox

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roy Lenferink
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rlenferink", with
commit author "Roy Lenferink <lenferinkroy@gmail.com>" or "Roy Lenferink <rlenferink@apache.org>", are
copyright of Roy Lenferink.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Roy Lenferink

2017/03/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Aaron Linville
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "linville", with
commit author "Aaron Linville <aaron@linville.org>", are copyright of Aaron Linville.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Aaron Linville

2017/03/27

Permission to Relicense under MPLv2

This is a statement by Nikita Kozlov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "KLNikita", with
commit author "nikita kozlov <nikita@elyzion.net>", are copyright of Nikita Kozlov .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Nikita Kozlov
6 February 2020

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Silverman
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brian-peloton", with
commit author "brian@peloton-tech.com", are copyright of Brian Silverman .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Silverman
2019/08/14

Permission to Relicense under MPLv2

This is a statement by Google, Inc.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tkoeppe", with
commit author "Thomas Kppe", are copyright of Google, Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Kppe
2017/09/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Min Ragan-Kelley
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "minrk", with commit author "Min RK benjaminrk@gmail.com", are copyright of Min Ragan-Kelley. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Min Ragan-Kelley
2017/07/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arthur O'Dwyer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Quuxplusone", with commit author "Arthur O'Dwyer <arthur@push.am>", are copyright of Arthur O'Dwyer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arthur O'Dwyer
2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Henri Gourvest that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hgourvest", with commit author "Henri Gourvest <hgourvest@progdigy.com>", are copyright of Henri Gourvest. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henri Gourvest
2018/12/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Juniet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cjuniet", with commit author "Christophe Juniet <c.juniet@gmail.com>", are copyright of Christophe Juniet. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Juniet
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Connolly that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mattconnolly", with commit author "Matt Connolly <matt.connolly@me.com>", are copyright of Matthew Connolly. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Connolly
2017/06/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christian Kamm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ckamm", with commit author "Christian Kamm kamm@incasoftware.de", are copyright of Christian Kamm. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christian Kamm
2017/03/20

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by MICHAEL NGARIMU that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thxkiwi", with

commit author "Michael Ngarimu <michael@thx.com>", are copyright of Michael Ngarimu.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Ngarimu

2021/10/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gonzalo Diethelm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gonzus", with
commit author "Gonzalo Diethelm <gonzalo.diethelm@diethelm.org>" or "Gonzalo Diethelm
<gdiethelm@dcv.cl>", are copyright of Gonzalo Diethelm .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gonzalo Diethelm

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nikolay Amiantov that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abbradar", with commit
author "Nikolay Amiantov <ab@fmap.me>", are copyright of Nikolay Amiantov.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Nikolay Amiantov

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wang Yunlai
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hnwyllmm", with
commit author "hnwyllmm hnwyllmm@126.com", are copyright of Wang Yunlai .

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Wang Yunlai

2019/08/13

Permission to Relicense under MPLv2

This is a statement by Pontus Skldstrm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "eponsko", with commit author "Pontus Skldstrm <pontus.skoldstrom@ri.se>", are copyright of Pontus Skldstrm. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pontus Skldstrm

2021/1/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Piotr Trojanek that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ptroja", with commit author "Piotr Trojanek <piotr.trojanek@gmail.com>", are copyright of Piotr Trojanek. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Piotr Trojanek

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Volodymyr Korniiichuk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ezhikus", with commit author "VolodymyrKorn@gmail.com", are copyright of Volodymyr Korniiichuk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Volodymyr Korniiichuk

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL
This is a statement by Qqzk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "qzkLicense", with commit author "Qzk quzhongkui1@163.com", are copyright of Qqzk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Qqzk 2021/11/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John T. Conklin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "johntconklin", with
commit author "J.T. Conklin <jtc@acorntoolworks.com>", are copyright of John T. Conklin.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

John T. Conklin

2017-03-19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrij Abyzov
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drolevar", with
commit author "Andrij Abyzov <drolevar@gmail.com>", are copyright of Andrij Abyzov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Andrij Abyzov

2019/11/19

Permission to Relicense under MPLv2

This is a statement by Kevin Sapper that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "sappo", with commit author

"Kevin Sapper <mail@kevinsapper.de>", are copyright of Kevin Sapper. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kevin Sapper
2017/03/20

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain

clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates

for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after

your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The

work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the

Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a

copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see

<<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Barrios Romero that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eldruin", with commit author "Diego Barrios Romero <eldruin@gmail.com>", are copyright of Diego Barrios Romero. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Barrios Romero
2019/11/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Isaac Poulton that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Omegastick", with commit author "Omegastick", are copyright of Isaac Poulton. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Isaac Poulton
2019/04/14

Permission to Relicense under MPLv2

This is a statement by KIU Shueng Chuan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "pijyoi", with commit author "KIU Shueng Chuan <nixchuan@gmail.com>", are copyright of KIU Shueng Chuan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

KIU Shueng Chuan

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by JaeSang Yoo
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JSYoo5B", with
commit author "JaeSang Yoo <jsyoo5b@gmail.com>", are copyright of JaeSang Yoo.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

JaeSang Yoo

2020.02.29

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jimenezrick", with
commit author "Ricardo Catalinas Jimenez", are copyright of Ricardo
Catalinas Jimenez.

This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Ricardo Catalinas Jimenez

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Davit Kalantaryan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made with commit author
"Davit Kalantaryan <davit.kalantaryan@desy.de>", are copyright of Davit Kalantaryan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Davit Kalantaryan

2020/08/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Elliot Saba that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "staticfloat", with commit author "Elliot Saba <staticfloat@gmail.com>", are copyright of Elliot Saba. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Elliot Saba
2017/03/19
Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Hague that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for

Life).

A portion of the commits made by the Github handle "banburybill", with commit author "Jim Hague <jim.hague@acm.org>", are copyright of Jim Hague. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Hague

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey KHripchenko that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "shripchenko", with commit author "Sergey KHripchenko <shripchenko@intermedia.net>", are copyright of Sergey KHripchenko. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sergey KHripchenko

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by C-Sir that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "C-Sir", with commit author "C-Sir <942510829@qq.com>", are copyright of C-Sir. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

C-Sir

2020/09/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Teebonne that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Teebonne", with commit author "Teebonne", are copyright of Teebonne.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Teebonne

06/12/2022

Permission to Relicense under MPLv2

This is a statement by Antonio Vanegas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hpsaturn", with commit author "Antonio Vanegas", are copyright of Antonio Vanegas.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antonio Vanegas

2018/10/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chuck Remes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuckremes", with commit author "Chuck Remes", are copyright of Chuck Remes.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chuck Remes

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stoian Ivanov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sdrsdr", with commit author "Stoian Ivanov sdr@mail.bg", are copyright of Stoian Ivanov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stoian Ivanov

2017-03-23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Schulz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "schulzch", with
commit author "Christoph Schulz <schulzchs@gmail.com>", are copyright of Christoph Schulz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christoph Schulz
2018/09/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

I happily grant permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

The portion of the commits made by the Github handle "chymanfx", are
not copyrighted in any way.

Chyman
2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Latchmoor Services, LLC
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbitboy", with
commit author "Brian Carcich <drbitboy@gmail.com>", are copyright of Latchmoor
Services, LLC.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Latchmoor Services, LLC
2019/07/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Hasenack that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative

approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "panlinux", with commit author "Andreas Hasenack <andreas@canonical.com>", are copyright of Andreas Hasenack. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Hasenack
2019/03/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Denis Collette that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "colletted", with commit author "Denis Collette denisncollette@gmail.com", are copyright of Denis Collette. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Denis Collette 2020/01/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bart Smink that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sab24", with commit author "sab24 <sab24@github.com>", are copyright of Bart Smink. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bart Smink 2021/01/30

Permission to Relicense under MPLv2

This is a statement by Frdric Trgon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "FredTreg", with commit author "Frederic Tregon <frederic.tregon@gmail.com>", are copyright of Frdric Trgon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Frdric Trgon

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrei Tomashpolskiy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "atomashpolskiy", with commit author "Andrei Tomashpolskiy <nordmann89@gmail.com>", are copyright of Andrei Tomashpolskiy . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrei Tomashpolskiy

2019/08/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dries Harnie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Botje", with commit author "Dries Harnie <dries@harnie.be>", are copyright of Dries Harnie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dries Harnie

2019/10/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Leonardo J. Consoni that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AnCaPepe", with commit author "Leonardo Jos Consoni <consoni_2519@hotmail.com>", are copyright of Leonardo J. Consoni. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Leonardo Jos Consoni

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gudmundur Adalsteinsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gummif", with commit author "Gudmundur Adalsteinsson <ofpgummi@yahoo.com>", are copyright of Gudmundur Adalsteinsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gudmundur Adalsteinsson

2020/02/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Byron Mallett that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mystfit", with commit author "Byron Mallett <byronated@gmail.com>", are copyright of Byron Mallett . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Byron Mallett

2018/9/1

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adam Seering that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "aseering", with commit author "Adam Seering <aseering@gmail.com>", are copyright of Adam Seering. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adam Seering

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Claudio Biagi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public

License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "emtr", with commit author "Claudio Biagi <retmt@gmx.com>", are copyright of Claudio Biagi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Claudio Biagi

2019/03/07

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }} that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{ github username }}", with commit author "{{ github commit author }}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2

This is a statement by Liquid Instruments that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "acsearle", with commit author "Antony Searle", are copyright of Liquid Instruments . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antony Searle

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lutz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "michicc", with commit author "Michael Lutz <michi@icosahedron.de>", are copyright of Michael Lutz. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lutz
2017/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by aixxe (aixxe) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "aixxe", with commit author "aixxe <me@aixxe.net>" are copyright of aixxe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

aixxe
2019/07/25

Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tommd", with commit author "Thomas M. DuBuisson", are copyright of Thomas M. DuBuisson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas M. DuBuisson
2019/04/11

Permission to Relicense under MPLv2

This is a statement by trya. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "trya", with commit author "trya", are copyright of trya. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

trya

2019/09/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Juha Reunanen, Tomaattinen Ltd, and Outotec (Finland) Oy that grants permission to relicense their copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "reunanen", with commit author "Juha Reunanen <juha.reunanen@tomaattinen.com>", are copyright of Juha Reunanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juha Reunanen

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Vincent Tellier that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vtellier", with commit author "Vincent Tellier", are copyright of Vincent Tellier . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Vincent Louis Thophile Tellier

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pawel Kurdybacha that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kurdybacha", with commit author "Pawel Kurdybacha pawel.kurdybacha@gmail.com", are copyright of Pawel Kurdybacha . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pawel Kurdybacha

2017/04/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stefan Radomski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sradomski", with commit author "Stefan Radomski <radomski@tk.informatik.tu-darmstadt.de>", are copyright of Stefan Radomski . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Radomski
2020/12/20
Permission to Relicense under MPLv2

This is a statement by Nokia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "aheroff1", with commit author "Andy Heroff", are copyright of Nokia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andy Heroff
2021/01/05
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Michal Vyskocil" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vyskocilm", with commit author "Michal Vyskocil michal.vyskocil@gmail.com", are copyright of "Michal Vyskocil". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michal Vyskocil 2017/03/24
Permission to Relicense under MPLv2

This is a statement by Brian Knox that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "taotetek", with commit author "Brian Knox", are copyright of Brian Knox. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Knox

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothy Mossbarger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Prarrot", with commit author "Prarrot", are copyright of Timothy Mossbarger .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Timothy Mossbarger

18 Feb 2019

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Axel Nennker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AxelNennker", with commit author "Axel Nennker <axel@nennker.de>", are copyright of Axel Nennker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Axel Nennker

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Maarten Ditzel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mditzel", with commit author "Maarten Ditzel <maarten.ditzel@gmail.com>", are copyright of Maarten Ditzel.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Maarten Ditzel

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ming Ji
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "answeroo", with
commit author "answeroo <jiming@yafoo.com>", are copyright of Ming Ji.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ming Ji
2018/08/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by sabotagebeats
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sabotagebeats", with
commit author "sabotagebeats", are copyright of sabotagebeats .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

sabotagebeats
2021/7/24

Permission to Relicense under MPLv2

This is a statement by Olaf Mandel
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "olafmandel", with
commit author "Olaf Mandel <o.mandel@menlosystems.com>", are copyright of Olaf Mandel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Olaf Mandel
2017/03/21

Permission to Relicense under MPLV2 or any Open Source Initiative (OSI) approved license chosen by the
current ZeroMQ BDFL

This is a statement by Nick Guiffrida that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The commits made by the Github handle "goodfella", with commit author "Nick Guiffrida goodfella005@gmail.com" are copyright of Nick Guiffrida. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xantares", with commit author "Michel Zou <xantares09@hotmail.com>", are copyright of Michel Zou. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michel Zou

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Trevor Bernard (trevorbernard) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "trevorbernard", with commit author "Trevor Bernard <trevor.bernard@gmail.com>", are copyright of Trevor Bernard. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Trevor Bernard

2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }} that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with commit author "{{github commit author}}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2

This is a statement by Laurent Stacul
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stac47", with
commit author "Laurent Stacul <laurent.stacul@gmail.com>", are copyright of
Laurent Stacul .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Laurent Stacul
2020/02/21
Permission to Relicense under MPLv2

This is a statement by Jrmie Courrges-Anglas
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcourreges", with
commit author "Jrmie Courrges-Anglas", are copyright of Jrmie Courrges-Anglas.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jrmie Courrges-Anglas
2018/12/07
Permission to Relicense under MPLv2

This is a statement by Benjamin Deroche
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "benjdero", with
commit author "Benjamin Deroche", are copyright of Benjamin Deroche.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Benjamin Deroche
2019/10/26

Permission to Relicense under MPLv2

This is a statement by Victor Luchits
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vicious", with
commit author "Victor Luchits", are copyright of Victor Luchits.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Victor Luchits
2019/11/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Phillip Mienk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "pmienk", with
commit author "Phillip Mienk <mienkphi@gmail.com>", are copyright of Phillip Mienk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Phillip Mienk
2019/02/18

Permission to Relicense under MPLv2

This is a statement by Stephan Lachnit
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stephanlachnit", with
commit author "Stephan Lachnit <stephanlachnit@debian.org>", are copyright of Stephan Lachnit.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stephan Lachnit
2023/03/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ian Barber
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "ianbarber", with commit author "Ian Barber <ianbarber@gmail.com>", are copyright of Ian Barber. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ian Barber

2017/03/27

Permission to Relicense under MPLv2

This is a statement by Asaf Kahlon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "asafkahlon", with commit author "Asaf Kahlon asafka7@gmail.com", are copyright of Asaf Kahlon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Asaf Kahlon

2020/02/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jon Dyte that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JonDyte", with commit author "Jon Dyte <jon@totient.co.uk>", are copyright of Jon Dyte. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jon Dyte

2019/10/03

Permission to Relicense under MPLv2

This is a statement by Bernd Prager that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bprager", with commit author "Bernd Prager <bernd@prager.ws>", are copyright of Bernd Prager. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bernd Prager
2017/03/22
Permission to Relicense under MPLv2

This is a statement by Jose L. Santiago
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jlsantiago0", with
commit author "Jose L. Santiago", are copyright of Jose L. Santiago.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jose L. Santiago
2021/02/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jakub Kaczmarzyk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kaczmarj", with
commit author "Jakub Kaczmarzyk jakub.kaczmarzyk@gmail.com", are copyright of Jakub Kaczmarzyk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jakub Kaczmarzyk
2020/07/29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mikko Koppanen that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkoppanen", with commit
author "Mikko Koppanen <mikko@kuut.io>", are copyright of Mikko Koppanen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Mikko Koppanen
2018/02/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Reza Ebrahimi
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "reza-ebrahimi", with
commit author "Reza Ebrahimi <reza.ebrahimi.dev@gmail.com>", are copyright of Reza Ebrahimi.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Reza Ebrahimi
2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Guillon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guillon", with
commit author "Christophe Guillon <christophe.guillon.perso@gmail.com>", are copyright of Christophe Guillon .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christophe Guillon
2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tom Whittock
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "twhittock", with
commit author "Tom Whittock", are copyright of Tom Whittock.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tom Whittock
2017/04/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jan Kryl
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jkryl", with commit author "Jan Kryl jan.kryl@nexenta.com", are copyright of Jan Kryl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jan Kryl
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Dr. Stefan Kaes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "skaes", with commit author "Stefan Kaes <stefan.kaes@xing.com>", are copyright of New Work SE. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dr. Stefan Kaes
2021/01/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Delille that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martindelille", with commit author "Martin Delille", are copyright of Martin Delille. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Delille (martindelille)
Done in Lyon on the 2023/01/27
Permission to Relicense under MPLv2

This is a statement by Dhammika Pathirana that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dhammika", with commit author "Dhammika Pathirana <dhammika@gmail.com>", are copyright of Dhammika Pathirana . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dhammika Pathirana

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Norman Oveneri that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "normano", with commit author "normano", are copyright of Norman Oveneri.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

This is a statement by Norman Oveneri

2019/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Natano that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "natano", with commit author "Martin Natano", are copyright of Martin Natano.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Natano

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Kahl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kanonet", with commit author "Christoph Kahl", are copyright of Christoph Kahl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Kahl

2020/01/09

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by xqcool
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "xqcool", with
commit author "xqcool <xuquan316@live.com>", are copyright of xqcool .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

xqcool
2020/01/01
Permission to Relicense under MPLv2

This is a statement by Stephan Guilloux
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stephan57160", with
commit author "Stephan Guilloux <stephan.guilloux@crisalid.com>" or
are copyright of Stephan Guilloux.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stephan Guilloux
2022/10/13
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alex Grnholm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "agronholm", with
commit author "Alex Grnholm <alex.grnholm+git@nextday.fi>", are copyright of Alex Grnholm.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alex Grnholm
2017/03/19
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by Yunye Pu
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Yunye-Pu", with commit author "Yunye Pu <yunye.pu.4743@gmail.com>", are copyright of Yunye Pu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yunye Pu
2021/08/31
Permission to Relicense under MPLv2

This is a statement by Floris Bruynooghe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Floris Bruynooghe <flub@devork.be>", are copyright of Floris Bruynooghe . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Floris Bruynooghe
2017/05/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Murphy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "murphybytes", with commit author "John Murphy <murphybytes@gmail.com>", are copyright of John Murphy . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Murphy
2019/08/12
Permission to Relicense under MPLV2

This document collects grants from firms that hold copyrights in ZeroMQ. Please add new firms at the start. Each patch must be made with a GitHub handle that guarantees identity of the signatory.

iMatix Corporation

This is a statement by iMatix Corporation sprl (iMatix) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

1. The original ZeroMQ codebase was developed from 2007-2009 by FastMQ Inc. (FastMQ) in Slovakia, which held all copyrights in code written by its staff.
2. On 2009-11-01, iMatix exercised an option to acquire FastMQ and its assets, including ZeroMQ. On or before 2010-01-05 the FastMQ copyrights in ZeroMQ were transferred to iMatix ([commit](https://github.com/zeromq/libzmq/commit/4f6baf4dde627656b63cc4e2acdb78a8577ba640)). The FastMQ legal entity was subsequently liquidated.
3. Between 2009 and 2016, iMatix has continued to add contributions to ZeroMQ under the GitHub handle 'hintjens'.
4. This grant therefore covers what remains of the original FastMQ codebase plus all later contributions.
5. iMatix hereby grants an irrevocable, global, and fully paid-up license on all its copyrights that exist in ZeroMQ, under the MPLv2.

-Pieter Hintjens

CEO, iMatix Corporation sprl

23 April 2016

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Conrad Parker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kfish", with commit author "Conrad Parker <conrad@metadecks.org>", are copyright of Conrad Parker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Conrad Parker

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Zoe Faltib that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoedberg", with commit author "Zoe Faltib zoefaltiba@gmail.com", are copyright of Zoe Faltib.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Zoe Faltib

2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jeff Brubaker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brubakerjeff", with commit author "Jeff Brubaker <brubaker.jeff@gmail.com>", are copyright of Jeff Brubaker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jeff Brubaker

2018/11/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Attila Mark Sz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ambitslix", with commit author "gougolith@gmail.com", are copyright of Attila Mark. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Attila Mark Sz 2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alain Kalker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ackalker", with commit author "Alain Kalker <a.c.kalker@gmail.com>", are copyright of Alain Kalker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alain Kalker

2019/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivan Pechorin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipechorin", with commit author "Ivan Pechorin <ivan.pechorin@gmail.com>", are copyright of Ivan Pechorin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivan Pechorin
2019/09/25
Permission to Relicense under MPLv2

This is a statement by Sven Liedtke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "liedtkeInTUM", with commit author "Sven Liedtke", are copyright of Sven Liedtke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sven Liedtke
2019/11/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Dolan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cdolan", with commit author "Christopher Dolan <chris@codingstream.org>", are copyright of Christopher Dolan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Dolan
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Giuseppe Corbelli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cowo78" with commit author "Giuseppe Corbelli <cowo78@gmail.com>", are copyright of Giuseppe Corbelli. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Giuseppe Corbelli

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Ericsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hugne", with commit author "Erik Hugne erik.hugne@ericsson.com", are copyright of Ericsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jon Maloy <jon.maloy@ericsson.com>

2019/03/27

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Patrick Volante that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rex4539", with commit author "Dimitris Apostolou <dimitris.apostolou@icloud.com>", are copyright of Dimitris Apostolou. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dimitris Apostolou

11/02/2022

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by orije Manojlovi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djolemanojlovic", with commit author "orije Manojlovi <djordjije.manojlovic@omicronenergy.com>",

are copyright of orije Manojlovi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

orije Manojlovi

2022/11/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mark Jan van Kampen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mjvk" and "mjvankampen", with commit author "Mark Jan van Kampen <markjanvankampen@gmail.com>", are copyright of Mark Jan van Kampen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Jan van Kampen

2020/02/24

Permission to Relicense under MPLv2

This is a statement by Fredrick Paul Eisele that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle phreed, with commit author "Fred Eisele", are copyright of Fred Eisele .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fredrick Paul Eisele

2020/01/03

Permission to Relicense under MPLv2

This is a statement by Connamara Systems llc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cbusbey", with commit author "chris busbey", are copyright of Connamara Systems, llc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Busbey

2019/09/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with commit author "Jonathan Reams <jbreams@gmail.com>", are copyright of Jonathan Reams.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Vilim that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mvilim", with commit author "Michael Vilim <697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8@697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8.com>", are copyright of Michael Vilim. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Vilim

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Gagnon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rgagnon24", with commit author "Robert Gagnon rgagnon24+zmq@gmail.com", are copyright of Robert Gagnon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gagnon
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Hewlett Packard Enterprise
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with
commit author "Brett Cameron <Brett.Cameron@hp.com>", and the commits made
by the Github handle "dgloe-hpe", with commit author
"David Gloe <david.gloe@hpe.com>", are copyright of Hewlett Packard Enterprise.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the authors listed above.

Hewlett Packard Enterprise
2019/03/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joe Eli McIlvain
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jemc", with
commit author "Joe Eli McIlvain", are copyright of Joe Eli McIlvain.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joe Eli McIlvain
2017/03/28
Permission to Relicense under MPLv2

This is a statement by Chris Staite that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "chrisstaite", with commit
author "Chris <chris@yourdreamnet.co.uk>", are copyright of Chris Staite.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Chris Staite
2017/03/28
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jovan Bunjevacki that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjovke", with commit author "Jovan Bunjevacki <bjovan@gmail.com>", are copyright of Jovan Bunjevacki. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jovan Bunjevacki

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tim Blechmann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "timblechmann", with commit author "Tim Blechmann <tim@klingt.org>", are copyright of Tim Blechmann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tim Blechmann

2021/09/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andre Caron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AndreLouisCaron", with commit author "Andre Caron <andre.l.caron@gmail.com>", are copyright of Andre Caron. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andre Caron

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dongmin Yu

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "miniway", with commit author "Dongmin Yu <miniway@gmail.com>", are copyright of Dongmin Yu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dongmin Yu
2019/08/12
Permission to Relicense under MPLv2

This is a statement by Kapp Arnaud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xaqq", with commit author "Kapp Arnaud", are copyright of Kapp Arnaud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kapp Arnaud
2017/03/30
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Simon Giesecke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sigiesec", with commit author "Simon Giesecke <simon.giesecke@btc-ag.com>", are copyright of Simon Giesecke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Simon Giesecke
2017/08/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Kymeta Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opensource-kymetacorp", with commit author "opensource-kymetacorp", are copyright of Kymeta Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kymeta Corporation

2018/11/21

Permission to Relicense under MPLv2

This is a statement by Hendrik Beskow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Asmod4n", with commit author "Asmod4n Asmod4n@users.noreply.github.com", are copyright of Hendrik Beskow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hendrik Beskow

2017/04/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bryan Gillespie (RPGillespie6) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "RPGillespie6", with commit author "Bryan Gillespie <rgillespie6@gmail.com>", are copyright of Bryan Gillespie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bryan Gillespie

2019/09/06

Permission to Relicense under MPLv2

This is a statement by Joerg Kreuzberger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "kreuzberger", with commit author "Joerg Kreuzberger", are copyright of Joerg Kreuzberger. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joerg Kreuzberger

2019/09/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarn W. Burton

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yitzchak", with commit author "Tarn W. Burton", are copyright of Tarn W. Burton.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tarn W. Burton

2021/05/16

Permission to Relicense under MPLv2

This is a statement by Daniel Krikun

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dkrikun", with commit author "Daniel Krikun", are copyright of Daniel Krikun .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daniel Krikun

2019/08/17

Permission to Relicense under MPLv2

This is a statement by Matthias Loy

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mloy", with commit author "Matthias Loy", are copyright of Matthias Loy.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Loy

2020/01/18

Permission to Relicense under MPLv2

This is a statement by Jake Cobb

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jakecobb", with commit author "Jake Cobb <jake.cobb@gmail.com>", are copyright of Jake Cobb. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jake Cobb

2017/04/04

Permission to Relicense under MPLv2

This is a statement by Douglas Young that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "rcxdude", with commit author "Douglas Young <rcxdude@gmail.com>", are copyright of Douglas Young . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Douglas Young

2019/08/31

This is a statement by Peter LaDow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Suudy", with commit author "Suudy <pladow@gmail.com>", are copyright of Peter LaDow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Peter LaDow

14 August 2019

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Guido Vranken that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guidovranken", with commit author "Guido Vranken <guidovranken@gmail.com>", are copyright of Guido Vranken. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Guido Vranken

2019/01/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarmo Tnav that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tarmo", with commit author "Tarmo Tnav <tarmo@itech.ee>", are copyright of Tarmo Tnav. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tarmo Tnav

2020/08/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daiyu Hurst that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "daiyuhurst", with commit author "Daiyu Hurst <daiyu.hurst@gmail.com>", are copyright of Daiyu Hurst. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daiyu Hurst

2019/08/31

Permission to Relicense under MPLv2

This is a statement by Juraj Oruli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ojura", with commit author "Juraj Oruli", are copyright of Juraj Oruli.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juraj Oruli

2018/10/26

Permission to Relicense under MPLv2

This is a statement by Quantum Corporation that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vortechs2000", with commit author "AJ Lewis aj.lewis@quantum.com", are copyright of Quantum Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

AJ Lewis

2019/02/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dennis Klein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dennisklein", with commit author "Dennis Klein <d.klein@gsi.de>", are copyright of Dennis Klein. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dennis Klein

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Thiele that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thielepaul", with commit author "Paul Thiele <thielepaul@gmail.com>", are copyright of Paul Thiele. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Paul Thiele

2021/11/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adrian Muraru that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "amuraru", with commit author "Adrian Muraru <adi.muraru@gmail.com>", are copyright of Adrian Muraru. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adrian Muraru

2017/03/20

Permission to Relicense under MPLv2

This is a statement by IVU Traffic Technologies AG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jruffin", with commit author "Julien Ruffin <jur@ivu.de>", are copyright of IVU Traffic Technologies AG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henrik Benner

Head of Department Ticketing Development, IVU Traffic Technologies AG

2017/05/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by serg06 (serg06) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "serg06", with commit author "serg06 <serkhas@hotmail.com>" are copyright of serg06. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

serg06

2020/05/25

Permission to Relicense under MPLv2

This is a statement by Roal Zanazzi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "roalz", with commit author "roalz <roal.zanazzi@gmail.com>", are copyright of Roal Zanazzi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roal Zanazzi

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Fedor Sheremetyev
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sheremetyev", with
commit author "Fedor Sheremetyev <sheremetyev@gmail.com>", are copyright of Fedor Sheremetyev.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Fedor Sheremetyev

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by niXman (github.nixman@pm.me)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "niXman", with
commit author "niXman", are copyright of nixMan .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

niXman (github.nixman@pm.me)

2019/10/03

Permission to Relicense under MPLv2

This is a statement by Jesse Gorzinski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ThePrez", with
commit author "ThePrez <jgorzinski@gmail.com>", are copyright of Jesse Gorzinski.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jesse Gorzinski

2019/10/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by H. Eduardo Montoya Snchez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "montoyaedu", with commit author "Montoya Edu <montoya.edu@gmail.com>", are copyright of H. Eduardo Montoya Snchez. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

H. Eduardo Montoya Snchez

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Pavel Pimenov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle pavel-pimenov, with commit author Pavel Pimenov pavel.pimenov@gmail.com, are copyright of Pavel Pimenov . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pavel Pimenov

2020/02/04

Permission to Relicense under MPLv2

This is a statement by Spotify AB that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gimaker", with commit author "Staffan Gimker", the commits made by the Github handle "danielnorberg", with commit author "Daniel Norberg", and the commits made by the Github handle "caipre", with commit author "Nick Platt", are copyright of Spotify AB. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Nick Platt <nickplatt@spotify.com>

2019/08/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arkadiusz Drabczyk (ardrabczyk) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ardrabczyk", with

commit author "Arkadiusz Drabczyk <arkadiusz@drabczyk.org>", are copyright of Arkadiusz Drabczyk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arkadiusz Drabczyk

2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stephane Vales that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "StephaneVales", with commit author "Stephane Vales <7755128+stvales@users.noreply.github.com>", are copyright of Stephane Vales. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stephane Vales

2020/08/06

Permission to Relicense under MPLv2

This is a statement by Patrik Wenger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "paddor", with commit author "Patrik Wenger", are copyright of Patrik Wenger . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrik Wenger

2019/08/31

Permission to Relicense under MPLv2

This is a statement by the Netherlands eScience Center that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Jasper-Bekkers", with commit author "Jasper Bekkers bekkers@gmail.com", are copyright of Traverse Research BV. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jasper Bekkers <bekkers@gmail.com

2022/02/08

Naos Ltd (a New Zealand company)

This is a statement by Naos Ltd (Naos) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

The port of libzmq to run on the z/OS Mainframe ([GitHub Pull request #1136](https://github.com/zeromq/libzmq/pull/1136), [GitHub Pull request #1138](https://github.com/zeromq/libzmq/pull/1138), and [GitHub Pull request #1139](https://github.com/zeromq/libzmq/pull/1139)) was performed as work for hire under contract to iMatix Corporation sprl, itself under contract to a client. Thus copyright in that portability work does not belong to Naos Ltd, and Naos Ltd hereby releases any claim to the copyright in the z/OS Mainframe portability work identified by the above three GitHub pull requests.

Ewen McNeill

Managing Director, Naos Ltd

2016-04-25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Johan Mabile that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JohanMabile", with commit author "Johan Mabile johan.mabile@gmail.com", are copyright of Johan Mabile. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Johan Mabile

2017/03/20

Brocade Communications Systems Inc.

This is a statement by Brocade Communications Systems Inc. (Brocade) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <lboccass@brocade.com>", are copyright of Brocade. This permission to relicense includes all past, present and future contributions of Brocade employees.

Luca Boccassi

Software Engineer, Brocade Communications Systems Inc.

2016-05-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lonard Michelet
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "leonarf", with
commit author "Lonard Michelet <leonard.michelet@openwide.fr>", are copyright of Lonard Michelet.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michelet Lonard 2017/03/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Constantin Rack
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "c-rack", with
commit author "Constantin Rack <constantin.rack@gmail.com>", are copyright of Constantin Rack.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Constantin Rack

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Camachat
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "camachat", with
commit author "Eric Camachat <eric@camachat.org>", are copyright of Eric Camachat.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Eric L. Camachat

March 20, 2017

Permission to Relicense under MPLv2

This is a statement by Chih-Hsuan Yen

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "yan12125", with commit author "Chih-Hsuan Yen <yan12125@gmail.com>", are copyright of Chih-Hsuan Yen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chih-Hsuan Yen
2019/10/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diorcet Yann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "diorcety", with commit author "yann.diorcet@xenocs.com", are copyright of Diorcet Yann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diorcet Yann
2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anonymous Maarten that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "madebr", with commit author "Anonymous Maarten <anonymous.maarten@gmail.com>", are copyright of Anonymous Maarten. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anonymous Maarten
2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Uli Khler that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

All commits made by the Github handle "ulikoehler", with commit author "Uli Khler", are copyright of Uli Khler.

This document hereby grants the libzmq project team to relicense libzmq and / or CZMQ, including all past, present and future contributions of the author listed above.

Uli Khler
2017/03/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrew Thompson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thompsa", with commit author "Andew Thompson <andy@fud.org.nz>", are copyright of Andrew Thompson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrew Thompson
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Doron Somech (somedoron) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "somedoron", with commit author "Doron Somech <somedoron@gmail.com>", are copyright of Doron Somech. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Doron Somech
2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rishi Theivendan (inuik) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "inuik", with

commit author "Rishi Theivendran <29522253+inuik@users.noreply.github.com>" or "Rishi Theivendran <rishi.theivendran@rohde-schwarz.com>", are copyright of Rishi Theivendran. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rishi Theivendran
2019/07/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Benjamin HENRION that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoobab", with commit author "Benjamin HENRION", are copyright of Benjamin HENRION . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Benjamin HENRION (zoobab)

Done in Brussels on the 2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jens Auer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jens.auer", with commit author "Jens Auer", are copyright of Jens Auer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jens Auer

2019/11/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Arsenault that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "arsenm", with commit author "Matt Arsenault <arsenm2@gmail.com>", are copyright of Matthew Arsenault.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Arsenault

2017/10/12

Permission to Relicense under MPLv2

This is a statement by Matthias Gabriel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gabm", with commit author "Matthias Gabriel <matthias.gabriel@etit.tu-chemnitz.de>", are copyright of Matthias Gabriel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Gabriel

2018/10/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division)

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license (at least as permissive as the MPLv2) chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hashstat", with commit author "Brandon Carpenter <brandon.carpenter@pnnl.gov>", are copyright of Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division).

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jereme Haack on behalf of Brandon Carpenter

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Luca Boccassi (bluca)

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <bluca@debian.org>", are copyright of Luca Boccassi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed

above.

Luca Boccassi

2019/02/16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Patrick Trantham that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tranthamp", with commit author "Patrick Trantham", are copyright of Patrick Trantham. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrick Trantham

2022/01/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Osiris Pedroso" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opedroso", with commit author "Osiris Pedroso <opedroso@gmail.com>", are copyright of "Osiris Pedroso". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Osiris Pedroso

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams (of MongoDB, Inc.) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbrearms", with commit author "Jonathan Reams jbrearms@mongodb.com" (specifically the commits merged in pull requests #1451, #1449, #1448, and #1174), are copyright of MongoDB, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed

above.

Jonathan Reams

2019/10/1

Permission to Relicense under MPLv2

This is a statement by Aleksander Melnikov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "malexxz", with commit author "Aleksander Melnikov", are copyright of Aleksander Melnikov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aleksander Melnikov

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by skicc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skicc", with commit author "skicc <skicc@fastmail.com>", are copyright of skicc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

skicc

2019/06/15

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chris Thrasher that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ChrisThrasher", with commit author "Chris Thrasher <chris.j.thrasher@gmail.com>", are copyright of Chris Thrasher. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Thrasher

2021/07/01

Permission to Relicense under MPLv2

This is a statement by Laszlo Boszormenyi (GCS) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gcsideal", with commit author "Laszlo Boszormenyi (GCS) <gcs@debian.org>", are copyright of Laszlo Boszormenyi (GCS) .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laszlo Boszormenyi (GCS)

2020/02/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Micromass UK Limited that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ricnewton", with commit author "Richard Newton" are copyright of Micromass UK Limited. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Steve Smith

Director Micromass UK Limited

2017/04/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jack Pimbert that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jackpimbert", with commit author "jackpimbert <jack.pimbert@gmail.com>", are copyright of Jack Pimbert. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jack Pimbert

2019/05/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daniel Shih
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danielhtshih", with
commit author "Daniel Shih <hotingwow@gmail.com>", are copyright of Daniel Shih.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Daniel Shih
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego R.Losada
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drodri", with
commit author "drodri <diego.rlosada@gmail.com>", are copyright of Diego Rodriguez-Losada.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Rodriguez-Losada
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tobias Schlter
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TobiSchluter", with
commit author "TobiSchluter", are copyright of Tobias Schlter .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tobias Schlter
2019/09/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bastian Lher that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bl0x", with commit author "Bastian Lher <me@l-dot.de>", are copyright of Bastian Lher. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bastian Lher
2019/08/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gennady Makovetski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gena-moscow", with commit author "Gennady Makovetski <makovetski@gmail.com>", are copyright of Gennady Makovetski. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gennady Makovetski
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Takeshi Abe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tabe", with commit author "Takeshi Abe <tabe@fixedpoint.jp>", are copyright of Takeshi Abe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Takeshi Abe
2017/03/22

Permission to Relicense under MPLv2

This is a statement by Telford Berkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tberkey", with commit author "Telford Berkey <tberkey@gmail.com>", are copyright of Telford Berkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Telford Berkey

03 Feb 2020

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wouter Overmeire that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "lodagro", with commit author "lodagro <lodagro@gmail.com>", are copyright of Wouter Overmeire. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wouter Overmeire

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Romain Moret that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "moretomain", with commit author "Romain Moret <moretomain@gmail.com>", are copyright of Romain Moret. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Romain Moret

2019/05/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Florian Ebeling that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "febeling", with

commit author "Florian Ebeling <florian.ebeling@gmail.com>", are copyright of Florian Ebeling. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Florian Ebeling

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lingqiao Zhao that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "s-zhao-3g", with commit author "s-zhao-3g <forever.3g@hotmail.com>", are copyright of Lingqiao Zhao. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lingqiao Zhao

2021/01/26

Permission to Relicense under MPLv2

This is a statement by Bruno Bodin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bbdb68", with commit author "Bruno Bodin <brunobodin@gmail.com>", are copyright of Bruno Bodin . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bruno Bodin

2017/04/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joel Lauener that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jlauenercern", with commit author "Joel Lauener <Joel.Lauener@cern.ch>", are copyright of Joel Lauener . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joel Lauener

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Weidmueller Interface GmbH & Co KG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "herbrechtsmeier", with commit author "Stefan Herbrechtsmeier", are copyright of Weidmueller Interface GmbH & Co KG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Herbrechtsmeier

2019/09/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roberto Santacroce Martins that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mileschet", with commit author "Roberto Santacroce Martins miles.chet@gmail.com", are copyright of Roberto Santacroce Martins. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roberto Santacroce Martins 2020/07/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stanisaw Macia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "stanpl", with commit author "Stanisaw Macia", are copyright of Stanisaw Macia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stanisaw Macia

2020/12/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Evgeny (Jim) Klimov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jimklimov", with commit author "Jim Klimov <jim@jimklimov.com>" or "Jim Klimov <jimklimov@gmail.com>", are copyright of Evgeny (Jim) Klimov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Evgeny (Jim) Klimov

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Buchanan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bwbuchanan", with commit author "Brian Buchanan <bwb@holo.org>" or "Brian Buchanan <brian@tiogalake.com>", are copyright of Brian Buchanan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Buchanan

2017/03/23

Permission to Relicense under MPLv2

This is a statement by Shannen Saez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "shancat", with commit author "Shannen Saez <shannenlaptop@gmail.com>", are copyright of Shannen Saez.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shannen Saez

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ghislain PUTOIS that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ghpu", with commit author "Ghislain PUTOIS", are copyright of Ghislain PUTOIS. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ghislain PUTOIS

2017/03/20

Permission to Relicense under MPLv2

This is a statement by the Netherlands eScience Center that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "egpbos", with commit author "E. G. Patrick Bos p.bos@esciencecenter.nl", are copyright of the Netherlands eScience Center. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rob van Nieuwpoort <R.vanNieuwpoort@esciencecenter.nl>

2021/06/15

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dan Riegsecker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danriegsecker", with commit author "Dan Riegsecker 1baldgeek@gmail.com", are copyright of Dan Riegsecker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dan Riegsecker

2017/03/20

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by James Wu that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "analogist", with commit author "James Wu <james@analogist.net>", are copyright of James Wu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

James Wu
2020/09/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothee Besset that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TTimo", with commit author "Timothee Besset <timo@ttimo.net>", are copyright of Timothee Besset. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Timothee Besset
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "chugga_fan"
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuggafan", with
commit author "chugga_fan chuggafans@gmail.com", are copyright of "chugga_fan" .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

"chugga_fan"
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Frank R. Dana Jr.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ferdnyc", with
commit author "FeRD (Frank Dana)", are copyright of Frank R. Dana, Jr.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Frank Richard Dana, Jr.
2020-03-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Erik Hugne
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Hugne", with
commit author "erik.hugne@gmail.com", are copyright of Erik Hugne.
Commits made by author "erik.hugne@ericsson.com" are NOT covered by this
statement.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Erik Hugne
2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Harald Achitz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "a4z", with
commit author "Harald Achitz <harald.achitz@gmail.com>" or
"Harald Achitz <harald.achitz@tritech.se>" or
"Harald Achitz <harald.achitz@getinge.com>", are copyright of Harald Achitz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Harald Achitz
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Samuel Martin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tSed", with
commit author "Samuel Martin <s.martin49@gmail.com>", are copyright of Samuel Martin.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Samuel Martin
2017/03/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mrio Kauba
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "soulik", with
commit author "Mrio Kauba mario.kasuba@it-academy.sk", are copyright of Mrio Kauba.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mrio Kauba
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boscosiu
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boscosiu", with
commit author "boscosiu", are copyright of boscosiu.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

boscosiu

2021/12/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Fabrice Fontaine
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ffontaine", with
commit author "Fabrice Fontaine <fontaine.fabrice@gmail.com>", are copyright of Fabrice Fontaine.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Fabrice Fontaine

2018-09-13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marco Casaroli that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "casaroli", with
commit author "Marco Casaroli <marco.casaroli@gmail.com>", are
copyright of Marco Casaroli. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Marco Casaroli

2023/2/2

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gavin McNiff that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gavinmcniff", with commit author "Gavin McNiff <gavin@mcniff.ie>", are copyright of Gavin McNiff . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gavin McNiff
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Ford that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fanquake", with commit author "Michael Ford <fanquake@gmail.com>", are copyright of Michael Ford. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Ford
2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Voskuil that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "evoskuil", with commit author "Eric Voskuil <eric@voskuil.org>", are copyright of Eric Voskuil. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric Voskuil
2017/03/19

Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mdionisio", with commit author "Michele Dionisio", are copyright of Michele Dionisio. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michele Dionisio

2019/07/09

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by the Github user "std-any-emplace" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "std-any-emplace", with commit author "std-any-emplace", are copyright of the Github user "std-any-emplace". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"std-any-emplace"

2020/01/19

Permission to Relicense under MPLv2

This is a statement by Wojciech Kula that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Cziken", with commit author "Cziken wojciech_kula@o2.pl", are copyright of Wojciech Kula. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wojciech Kula 2021/01/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by NFWare Corp. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ilkondr", with commit author "Ilya Kondrashkin <ikondrashkin@nfware.com>", are copyright of NFWare. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ilya Kondrashkin 2023/01/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Skallwe
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any
other Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skaller", with
commit author "skaller", are copyright of John Skaller .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

John Skaller

2019/09/01

Permission to Relicense under MPLv2

This is a statement by Hitster GTD
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hitstergtd", with
commit author "Hitster GTD <hitstergtd@gmail.com>", are copyright of Hitster GTD.

This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Hitster GTD

2022/01/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by G. Evan Burkitt
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eburkitt", with
commit author "Evan Burkitt <evanb@edulinksys.com>", are copyright of G. Evan Burkitt.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

G. Evan Burkitt

2017/04/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Hall that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hwx", with commit author "Christopher Hall <hsw@ms2.hinet.net>", are copyright of Christopher Hall. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Hall
2019/08/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bjrn Tpel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjoto", with commit author "Bjorn Topel <bjorn.topel@gmail.com>", are copyright of Bjrn Tpel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bjrn Tpel
2017/03/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Manca George that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mancasg", with commit author "Manca George <mancas.f.george@gmail.com>", are copyright of Manca George . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manca George
2019/07/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jacques Germishuys that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the

Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jacquesg", with commit author "Jacques Germishuys <jacquesg@striata.com>", are copyright of Jacques Germishuys. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jacques Germishuys

2018/12/14

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chia-liang Kao that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "clkao", with commit author "Chia-liang Kao clkao@clkao.org", are copyright of Chia-liang Kao. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chia-liang Kao

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by crocket that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "crocket", with commit author "crocket <748856+crocket@users.noreply.github.com>", are copyright of crocket. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

crocket

2018/11/10

Permission to Relicense under MPLv2

This is a statement by Fabien Ninoles that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ninoles", with commit author "Fabien Ninoles", are copyright of Fabien Ninoles.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fabien Ninoles

2020/02/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Hand that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mipaaa", with commit author "Michael Hand <mipaaa@gmail.com>", are copyright of Michael Hand. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Hand

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Niyas SAIT that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "nsait-linaro", with commit author "Niyas SAIT", are copyright of Niyas SAIT .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Niyas SAIT (nsait-linaro)

Done in Cambridge, UK on the 2021/11/15

Permission to Relicense under MPLv2

This is a statement by Brian Adamson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bebopagogo", with commit

author "bebopagogo <bebopagogo@users.noreply.github.com>" and "Brian Adamson <badamson@gmail.com>", are copyright of Brian Adamson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Adamson 2019/08/11 s

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chengye Ke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "imkcy9", with commit author "Chengye Ke <imkcy9@icloud.com>" or "Chengye Ke <imkcy9@gmail.com>", are copyright of Chengye Ke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chengye Ke

2019/05/18

Permission to Relicense under MPLv2

This is a statement by {{ name of company / name of individual }} that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "{{ github username }}", with commit author "{{ github commit author }}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Francesco Montorsi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "f18m", with commit author "Francesco Montorsi <francesco.montorsi@gmail.com>", are copyright of Francesco Montorsi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Francesco Montorsi

2018/09/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Flandrin

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "simias", with commit author "Lionel Flandrin lflandrin@ereca.fr", are copyright of Lionel Flandrin.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Flandrin

2018/05/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrey Sibiriyov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kobolog", with commit author "Andrey Sibiriyov <me@kobology.ru>", are copyright of Andrey Sibiriyov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrey Sibiriyov

2017/04/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Patrick Volante

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "patrick-volante", with commit author "patrick-volante <patrick.volante@thalesgroup.com>", are copyright of patrick volante.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrick Volante

03/12/2021

Permission to Relicense under MPLv2

This is a statement by Mark Barbisan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mbarbisan", with
commit author "Mark Barbisan <mark@barbisan.ca>", are copyright of Mark Barbisan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mark Barbisan

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Felipe Goron Farinon (psl-felipefarinon)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "psl-felipefarinon", with
commit author "Felipe Goron Farinon", are copyright of Felipe Goron Farinon.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Felipe Goron Farinon

2019/09/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey Fedorov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "barracuda156",
with commit author "Sergey Fedorov <vital.had@gmail.com>"
or commit author "barracuda156", are copyright of Sergey Fedorov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sergey Fedorov (barracuda156)

Done in Taipei on the 2023/02/01

The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Justin.Hung
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "loachfish", with
commit author "Justin.Hung fronront@qq.com", are copyright of Justin.Hung .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Justin.Hung
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alexander Straub
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "straubar", with
commit author "Alexander Straub <alexander.straub@visus.uni-stuttgart.de>", are copyright of Alexander Straub.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alexander Straub
2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marc Su Clos (msune) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "msune", with commit author "Marc Sune <marcdevel@gmail.com>" or "Marc Sune <marc@voltanet.io>", are copyright of Marc Su. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Marc Su Clos

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Serghei Novac that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "carbofos", with commit author "Serghei Novac <serghei.novac@epyd.com>", are copyright of Serghei Novac. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Serghei Novac

2019/03/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Darkdragon-001 that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "darkdragon-001", with commit author "Darkdragon-001", are copyright of Darkdragon-001. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Darkdragon-001

2022/03/15

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Grigorov

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-g", with commit author "Martin Grigorov", are copyright of Martin Grigorov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Grigorov

2021/01/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "antonrd", with commit author "Anton Dimitrov <dimitrov.anton@gmail.com>", are copyright of Anton Dimitrov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anton Dimitrov

2018/10/01

Permission to Relicense under MPLv2

This is a statement by grmt.
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "grmt", with commit author "grmt", are copyright of grmt. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

grmt (garmt.noname@gmail.com)

2020/05/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Krzysztof Rosiski
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "td-krzysiek", with commit author "Krzysztof Rosiski <krzysiek@jrdltd.co.uk>", are copyright of Krzysztof Rosiski. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Krzysztof Rosiski
2022/11/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daira Hopwood that grants permission to relicense her copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "daira", with commit author "Daira Hopwood <daira@jacaranda.org>", are copyright of Daira Hopwood. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daira Hopwood
2023/02/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sbastien Rombauts that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SRombauts", with commit author "Sbastien Rombauts", are copyright of Sbastien Rombauts. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sbastien Rombauts
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by David Jelenc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djelenc", with commit author "David Jelenc <david.jelenc@fri.uni-lj.si>", are copyright of David Jelenc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

David Jelenc

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wenbin Hou that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "WenbinHou", with commit author "Wenbin Hou <houwenbin@pku.edu.cn>", are copyright of Wenbin Hou. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wenbin Hou

2018/05/16

Permission to Relicense under MPLv2

This is a statement by Manuel Segura that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mesegura", with commit author "Manuel Segura", are copyright of Manuel Segura . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manuel Eduardo Segura

2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Philippe Leite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "philippeleite", with commit author "Philippe Leite <philippe.leite@gmail.com>", are copyright of Philippe Leite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Philippe Leite

2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Garlick (garlick) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "garlick", with commit author "Jim Garlick <garlick.jim@gmail.com>", are copyright of Jim Garlick. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Garlick

2019/08/10

Permission to Relicense under MPLv2

This is a statement by Dylan Cali that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "calid", with commit author "Dylan Cali <calid1984@gmail.com>", are copyright of Dylan Cali. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dylan Cali

2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mike Gatny (mgatny) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mgatny", with commit author "Mike Gatny <mgatny@gmail.com>" or "Mike Gatny <mgatny@connamara.com>", are copyright of Mike Gatny. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mike Gatny

2019/02/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "glemercier", with commit author "Gregory Lemerrier <greglemercier@free.fr>", are copyright of Gregory Lemerrier. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gregory Lemerrier

2018/10/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Han Gao that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Rabenda", with commit author "Han Gao <gaohan@iscas.ac.cn>" or "Han Gao <rabenda.cn@gmail.com>", are copyright of Han Gao .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Han Gao 2023/01/10

Permission to Relicense under MPLv2

This is a statement by Thomas Chiantia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tomzbench", with commit author "Thomas<Thomas@Altronix.com>", are copyright of Thomas Chiantia.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Chiantia

2019/08/10

Permission to Relicense under MPLv2

This is a statement by Robert G. Jakabosky

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Neopallium", with commit author "Robert G. Jakabosky <bobby@sharedrealm.com>", are copyright of Robert G. Jakabosky. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gabriel Jakabosky
2019/08/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivo Danihelka that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fidlej", with commit author "Ivo Danihelka <ivo@danihelka.net>", are copyright of Ivo Danihelka. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivo Danihelka
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William Swanson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "swansontec", with commit author "William Swanson <swansontec@gmail.com>", are copyright of William Swanson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William Swanson
2017/04/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tongsong CAI that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "caicaiking", with commit author "caicaiking" and "caicaiking@gmail.com", are copyright of Tongsong CAI. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tongsong CAI

2022/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gian Lorenzo Meocci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "meox", with commit author "Gian Lorenzo Meocci <glmeocci@gmail.com>", are copyright of Gian Lorenzo Meocci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gian Lorenzo Meocci

2017/04/09

Permission to Relicense under MPLv2

This is a statement by Pierre Yager that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "zedalaye", with commit author "Pierre Yager <pierre.y@gmail.com>" or "Pierre Yager <pierre.yager@crisalid.com>", are copyright of Pierre Yager. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pierre Yager

2021/01/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ilya Kulakov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kentzo", with commit author "Ilya Kulakov <kulakov.ilya@gmail.com>", are copyright of Ilya Kulakov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ilya Kulakov

2017/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yijun He that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abaelhe", with commit author "Yijun He <abaelhe@icloud.com>", are copyright of Yijun He. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yijun He

2022/07/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eelis van der Weegen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Eelis", with commit author "Eelis van der Weegen <eelis@eelis.net>", are copyright of Eelis van der Weegen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eelis van der Weegen

2019/02/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sylvain Corlay that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SylvainCorlay", with commit author "Sylvain Corlay sylvain.corlay@gmail.com", are copyright of Sylvain Corlay . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sylvain Corlay

2017/03/20

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lourens Naud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "methodmissing", with commit author "Lourens Naud <lourens@methodmissing.com>", are copyright of Lourens Naud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lourens Naud
2019/07/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nathan Toone that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "toonetown", with commit author "Nathan Toone <nathan@toonetown.com>", are copyright of Nathan Toone. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nathan Toone
2018/11/05

1.11 luajit 2.0.5

1.11.1 Available under license :

=====

LuaJIT -- a Just-In-Time Compiler for Lua. <http://luajit.org/>

Copyright (C) 2005-2017 Mike Pall. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT license: <http://www.opensource.org/licenses/mit-license.php>]

=====
[LuaJIT includes code from Lua 5.1/5.2, which has this license statement:]

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
[LuaJIT includes code from dlmalloc, which has this license statement:]

This is a version (aka dlmalloc) of malloc/free/realloc written by Doug Lea and released to the public domain, as explained at <http://creativecommons.org/licenses/publicdomain>

1.12 libssh2 1.10.0

1.12.1 Available under license :

```
/* Copyright (c) 2004-2007 Sara Golemon <sarag@libssh2.org>
* Copyright (c) 2005,2006 Mikhail Gusarov <dottedmag@dottedmag.net>
* Copyright (c) 2006-2007 The Written Word, Inc.
* Copyright (c) 2007 Eli Fant <elifantu@mail.ru>
* Copyright (c) 2009-2021 Daniel Stenberg
* Copyright (C) 2008, 2009 Simon Josefsson
* Copyright (c) 2000 Markus Friedl
* Copyright (c) 2015 Microsoft Corp.
* All rights reserved.
*
* Redistribution and use in source and binary forms,
* with or without modification, are permitted provided
* that the following conditions are met:
*
* Redistributions of source code must retain the above
* copyright notice, this list of conditions and the
* following disclaimer.
*
* Redistributions in binary form must reproduce the above
* copyright notice, this list of conditions and the following
* disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* Neither the name of the copyright holder nor the names
* of any other contributors may be used to endorse or
* promote products derived from this software without
* specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
* CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
* USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
* OF SUCH DAMAGE.
*/
```

1.13 protobuf 21.12

1.13.1 Available under license :

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

MIT License

Copyright (c) 2019 Yibo Cai

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <sanjay@google.com>

Jeff Dean <jeff@google.com>

Daniel Dulitz <daniel@google.com>

Craig Silverstein

Paul Haahr <haahr@google.com>

Corey Anderson <corin@google.com>

(and many others)

Proto2 C++ and Java primary author:

Kenton Varda <kenton@google.com>

Proto2 Python primary authors:

Will Robinson <robinson@google.com>

Petar Petrov <petar@google.com>

Java Nano primary authors:

Brian Duff <bduff@google.com>

Tom Chao <chaot@google.com>

Max Cai <maxtroy@google.com>

Ulas Kirazci <ulas@google.com>

Large code contributions:

Jason Hsueh <jasonh@google.com>

Joseph Schorr <jschorr@google.com>

Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:

Scott Bruce <sbruce@google.com>

Frank Yellin

Neal Norwitz <nnorwitz@google.com>

Jeffrey Yasskin <jyasskin@google.com>

Ambrose Feinstein <ambrose@google.com>

Documentation:

Lisa Carey <lcarey@google.com>

Maven packaging:

Gregory Kick <gak@google.com>

Patch contributors:

Kevin Ko <kevin.s.ko@gmail.com>

* Small patch to handle trailing slashes in --proto_path flag.

Johan Euphrosine <proppy@aminche.com>

* Small patch to fix Python CallMethod().

Ulrich Kunitz <kune@deine-taler.de>

* Small optimizations to Python serialization.

Leandro Lucarella <llucax@gmail.com>

* VI syntax highlighting tweaks.

* Fix compiler to not make output executable.

Dilip Joseph <dilip.antony.joseph@gmail.com>

* Heuristic detection of sub-messages when printing unknown fields in text format.

Brian Atkinson <nairb774@gmail.com>

* Added @Override annotation to generated Java code where appropriate.

Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>

* Tru64 support.

Monty Taylor <monty.taylor@gmail.com>

* Solaris 10 + Sun Studio fixes.

Alek Storm <alek.storm@gmail.com>

* Slicing support for repeated scalar fields for the Python API.

Oleg Smolsky <oleg.smolsky@gmail.com>

* MS Visual Studio error format option.

* Detect unordered_map in stl_hash.m4.

Brian Olson <brianolson@google.com>

* gzip/zlib I/O support.

Michael Poole <mdpooles@troilus.org>

* Fixed warnings about generated constructors not explicitly initializing all fields (only present with certain compiler settings).

* Added generation of field number constants.

Wink Saville <wink@google.com>

* Fixed initialization ordering problem in logging code.

Will Pierce <willp@nuclei.com>

* Small patch improving performance of in Python serialization.

Alexandre Vassalotti <alexandre@peadrop.com>

* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).

Scott Stafford <scott.stafford@gmail.com>

* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.

Alexander Melnikov <alm@sibmail.ru>

* HPUX support.

Oliver Jowett <oliver.jowett@gmail.com>

* Detect whether zlib is new enough in configure script.

* Fixes for Solaris 10 32/64-bit confusion.

Evan Jones <evanj@mit.edu>

- * Optimize Java serialization code when writing a small message to a stream.
- * Optimize Java serialization of strings so that UTF-8 encoding happens only once per string per serialization call.
- * Clean up some Java warnings.
- * Fix bug with permanent callbacks that delete themselves when run.

Michael Kucharski <m.kucharski@gmail.com>

- * Added CodedInputStream.getTotalBytesRead().

Kacper Kowalik <xarthisius.kk@gmail.com>

- * Fixed m4/acx_pthread.m4 problem for some Linux distributions.

William Orr <will@worrbase.com>

- * Fixed detection of sched_yield on Solaris.
- * Added atomicops for Solaris

Andrew Paprocki <andrew@ishiboo.com>

- * Fixed minor IBM xLC compiler build issues
- * Added atomicops for AIX (POWER)

Nipunn Koorapati <nipunn1313@gmail.com>

- * Provide a type alias field ValueType on EnumTypeWrapper
- * Match service argument names to abstract interface

1.14 openssl 3.0.8

1.14.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions

of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (a program to direct compilers to make passes
```

at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you

duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not

advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.15 pcre 10.42

1.15.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End

PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD" licence, as specified below, with one exemption for certain binary redistributions. The documentation for PCRE2, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a just-in-time compiler that can be used to optimize pattern matching. This is an optional feature that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: Philip.Hazel
Email domain: gmail.com

Retired from University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2022 University of Cambridge
All rights reserved.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg

Email local part: hzmester

Email domain: freemail.hu

Copyright(c) 2010-2022 Zoltan Herczeg

All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg

Email local part: hzmester

Email domain: freemail.hu

Copyright(c) 2009-2022 Zoltan Herczeg

All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notices, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notices, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

EXEMPTION FOR BINARY LIBRARY-LIKE PACKAGES

The second condition in the BSD licence (covering binary redistributions) does not apply all the way down a chain of software. If binary package A includes PCRE2, it must respect the condition, but if package B is software that includes package A, the condition is not imposed on package B unless it uses PCRE2 independently.

End

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.16 atf 0.21

1.16.1 Available under license :

Redistribution terms Automated Testing Framework

=====

License

Copyright (c) 2007, 2008, 2009, 2010, 2011, 2012 The NetBSD Foundation, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2011, 2012 Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Relicensed code

The following code snippets have been taken from other projects. Even though they were not originally licensed under the terms above, the original authors have agreed to relicense their work so that this project can be distributed under a single license. This section is put here just to clarify this fact.

* `configure.ac`, `Makefile.am`: The original versions were derived from the ones in the XML Catalog Manager project, version 2.2.

Author: Julio Merino <jmmv@users.sourceforge.net>

* `atf-c/ui.c`: The `format_paragraph` and `format_text` functions were derived from the ones in the Monotone project, revision 3a0982da308228d796df35f98d787c5cff2bb5b6.

Author: Julio Merino <jmmv@NetBSD.org>

* `atf-c++/detail/io.hpp`, `atf-c++/detail/io.cpp`, `atf-c++/detail/io_test.cpp`: These files were derived from the `file_handle`, `systembuf`, `pipe` and `pistream` classes and tests found in the Boost.Process library.

Author: Julio Merino <jmmv84@gmail.com>

* `admin/check-style.sh`, `admin/check-style-common.awk`, `admin/check-style-cpp.awk`, `admin/check-style-shell.awk`: These files, except the first one, were first implemented in the Buildtool project. They were later adapted to be part of Boost.Process and, during that process, the shell script was created.

Author: Julio Merino <jmmv84@gmail.com>

=====
vim: filetype=text:textwidth=75:expandtab:shiftwidth=2:softtabstop=2

1.17 npcap 1.01

1.17.1 Available under license :

NPCAP COPYRIGHT / END USER LICENSE AGREEMENT

Npcap (<https://npcap.com>) is a Windows packet sniffing driver and library and is copyright (c) 2013-2022 by Nmap Software LLC ("The Nmap Project"). All rights reserved.

Even though Npcap source code is publicly available for review, it is not open source software and may not be redistributed or used in other software without special permission from the Nmap Project. The standard (free) version is usually limited to installation on five systems. We fund the Npcap project by selling two types of commercial licenses to a special Npcap OEM edition:

1) The Npcap OEM Redistribution License allows companies distribute Npcap OEM within their products. Licensees generally use the Npcap OEM silent installer, ensuring a seamless experience for end users. Licensees may choose between a perpetual unlimited license or a quarterly term license, along with options for commercial support and updates. Prices and details: <https://npcap.com/oem/redist.html>

2) The Npcap OEM Internal-Use License is for organizations that wish to use Npcap OEM internally, without redistribution outside their organization. This allows them to bypass the 5-system usage cap of the Npcap free edition. It includes commercial support and update options, and provides the extra Npcap OEM features such as the silent installer for automated deployment. Prices and details: <https://npcap.com/oem/internal.html>

Both of these licenses include updates and support as well as a warranty. Npcap OEM also includes a silent installer for unattended installation. Further details about Npcap OEM are available from <https://npcap.com/oem/>, and you are also welcome to contact us at sales@nmap.com to ask any questions or set up a license for your organization.

Free and open source software producers are also welcome to contact us for redistribution requests. However, we normally recommend that such authors instead ask your users to download and install Npcap themselves. It will be free for them if they need 5 or fewer copies.

If the Nmap Project (directly or through one of our commercial licensing customers) has granted you additional rights to Npcap or Npcap OEM, those additional rights take precedence where they conflict with the terms of this license agreement.

Since the Npcap source code is available for download and review,

users sometimes contribute code patches to fix bugs or add new features. By sending these changes to the Nmap Project (including through direct email or our mailing lists or submitting pull requests through our source code repository), it is understood unless you specify otherwise that you are offering the Nmap Project the unlimited, non-exclusive right to reuse, modify, and relicense your code contribution so that we may (but are not obligated to) incorporate it into Npcap. If you wish to specify special license conditions or restrictions on your contributions, just say so when you send them.

This copy of Npcap (the "Software") and accompanying documentation is licensed and not sold. This Software is protected by copyright laws and treaties, as well as laws and treaties related to other forms of intellectual property. The Nmap Project owns intellectual property rights in the Software. The Licensee's ("you" or "your") license to download, use, copy, or change the Software is subject to these rights and to all the terms and conditions of this End User License Agreement ("Agreement").

ACCEPTANCE

By accepting this agreement or by downloading, installing, using, or copying the Software, or by clicking "I Agree", you agree to be bound by the terms of this EULA. If you do not agree to the terms of this EULA, do not install, use, or copy the Software.

LICENSE GRANT

This Agreement entitles you to install and use five (5) copies of the Software. In addition, you may make archival copies of the Software which may only be used for the reinstallation of the Software. This Agreement does not permit the installation or use of more than 5 copies of the Software, or the installation of the Software on more than five computer at any given time, on a system that allows shared used of applications by more than five users, or on any configuration or system of computers that allows more than five users. A user may only have one instance of this Agreement active at once. For example, downloading the software multiple times, downloading multiple versions of the software, and/or executing the software installer multiple times do not grant any additional rights such as using the software on more machines.

The terms "computer" and "machine" in this license include any computing device, including software computing instances such as virtual machines and Docker containers.

Copies of Npcap do not count toward the five copy, five computer, or

five user limitations imposed by this section if they are installed and used solely in conjunction with any of the following software:

- o The Nmap Security Scanner, as distributed from <https://nmap.org>

- o The Wireshark network protocol analyzer, as distributed from <https://www.wireshark.org/>

- o Microsoft Defender for Identity, as distributed from <https://www.microsoft.com/en-us/microsoft-365/security/identity-defender>

Users wishing to redistribute Npcap or exceed the usage limits imposed by this free license or benefit from commercial support and features such as a silent installer should contact sales@nmap.com to obtain an appropriate commercial license agreement. More details on our OEM edition is also available from <https://npcap.com/oem/>.

DISCLAIMER OF WARRANTIES AND LIMITATION OF LIABILITY

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

RESTRICTIONS ON TRANSFER

Without first obtaining the express written consent of the Nmap Project, you may not assign your rights and obligations under this Agreement, or redistribute, encumber, sell, rent, lease, sublicense, or otherwise transfer your rights to the Software Product.

RESTRICTIONS ON USE

You may not use, copy, or install the Software Product on more than five computers, or permit the use, copying, or installation of the Software Product by more than five users or on more than five computers.

RESTRICTIONS ON COPYING

You may not copy any part of the Software except to the extent that licensed use inherently demands the creation of a temporary copy stored in computer memory and not permanently affixed on storage medium. You may make archival copies as well.

DISCLAIMER OF WARRANTIES AND LIMITATION OF LIABILITY

UNLESS OTHERWISE EXPLICITLY AGREED TO IN WRITING BY THE NMAP PROJECT, THE NMAP PROJECT MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, IN

FACT OR IN LAW, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OTHER THAN AS SET FORTH IN THIS AGREEMENT OR IN THE LIMITED WARRANTY DOCUMENTS PROVIDED WITH THE SOFTWARE.

The Nmap Project makes no warranty that the Software will meet your requirements or operate under your specific conditions of use. The Nmap Project makes no warranty that operation of the Software Product will be secure, error free, or free from interruption. YOU MUST DETERMINE WHETHER THE SOFTWARE SUFFICIENTLY MEETS YOUR REQUIREMENTS FOR SECURITY AND UNINTERRUPTABILITY. YOU BEAR SOLE RESPONSIBILITY AND ALL LIABILITY FOR ANY LOSS INCURRED DUE TO FAILURE OF THE SOFTWARE TO MEET YOUR REQUIREMENTS. THE NMAP PROJECT WILL NOT, UNDER ANY CIRCUMSTANCES, BE RESPONSIBLE OR LIABLE FOR THE LOSS OF DATA ON ANY COMPUTER OR INFORMATION STORAGE DEVICE.

UNDER NO CIRCUMSTANCES SHALL THE NMAP PROJECT, ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE TO YOU OR ANY OTHER PARTY FOR INDIRECT, CONSEQUENTIAL, SPECIAL, INCIDENTAL, PUNITIVE, OR EXEMPLARY DAMAGES OF ANY KIND (INCLUDING LOST REVENUES OR PROFITS OR LOSS OF BUSINESS) RESULTING FROM THIS AGREEMENT, OR FROM THE FURNISHING, PERFORMANCE, INSTALLATION, OR USE OF THE SOFTWARE, WHETHER DUE TO A BREACH OF CONTRACT, BREACH OF WARRANTY, OR THE NEGLIGENCE OF THE NMAP PROJECT OR ANY OTHER PARTY, EVEN IF THE NMAP PROJECT IS ADVISED BEFOREHAND OF THE POSSIBILITY OF SUCH DAMAGES. TO THE EXTENT THAT THE APPLICABLE JURISDICTION LIMITS THE NMAP PROJECT'S ABILITY TO DISCLAIM ANY IMPLIED WARRANTIES, THIS DISCLAIMER SHALL BE EFFECTIVE TO THE MAXIMUM EXTENT PERMITTED.

LIMITATIONS OF REMEDIES AND DAMAGES

Your remedy for a breach of this Agreement or of any warranty included in this Agreement is the correction or replacement of the Software or a refund of the purchase price of the Software, exclusive of any costs for shipping and handling. Selection of whether to correct or replace or refund shall be solely at the discretion of the Nmap Project. The Nmap Project reserves the right to substitute a functionally equivalent copy of the Software Product as a replacement.

Any claim must be made within the applicable warranty period. All warranties cover only defects arising under normal use and do not include malfunctions or failure resulting from misuse, abuse, neglect, alteration, problems with electrical power, acts of nature, unusual temperatures or humidity, improper installation, or damage determined by the Nmap Project to have been caused by you. All limited warranties on the Software Product are granted only to you and are non-transferable.

You agree to indemnify and hold the Nmap Project harmless from all claims, judgments, liabilities, expenses, or costs arising from your breach of this Agreement and/or acts or omissions.

GOVERNING LAW, JURISDICTION AND COSTS

This Agreement is governed by the laws of the United States of America and Delaware State, without regard to Delaware's conflict or choice of law provisions.

SEVERABILITY

If any provision of this Agreement shall be held to be invalid or unenforceable, the remainder of this Agreement shall remain in full force and effect. To the extent any express or implied restrictions are not permitted by applicable laws, these express or implied restrictions shall remain in force and effect to the maximum extent permitted by such applicable laws.

THIRD PARTY SOFTWARE ATTRIBUTION

Npcap uses several 3rd party open source software libraries:

- * The libpcap portable packet capturing library from <https://tcpdump.org>
- * The Winpcap packet capturing library. It has been abandoned, but is currently still available from <https://www.winpcap.org/>.
- * The ieee80211_radiotap.h header file from David Young

All of these are open source with BSD-style licenses that allow for unlimited use and royalty-free redistribution within other software (including commercial/proprietary software). Some include a warranty disclaimer (relating to the original authors) and require a small amount of acknowledgment text be added somewhere in the documentation of any software which includes them (including indirect inclusion through Npcap).

The required acknowledgement text as well as full license text and source details for these libraries is available from:

<https://npcap.com/src/docs/Npcap-Third-Party-Open-Source.pdf> .

Since Nmap Software LLC is not the author of this 3rd party code, we can not waive or modify its software copyright or license. Npcap users and redistributors must comply with the relevant Npcap license (either the free/demo license or a commercial Npcap OEM license they may have purchased) as well as the minimal requirements of this 3rd party open source software.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.