

HCM-F-Dienste nach Appliance-Upgrade im STOPPED-Status

Inhalt

[Einführung](#)

[Voraussetzungen](#)

[Anforderungen](#)

[Verwendete Komponenten](#)

[Problem](#)

[Fehlerbehebung durchgeführt](#)

[Lösung](#)

[Überprüfung](#)

Einführung

Dieses Dokument beschreibt ein Problem, das nach dem Upgrade von Hosted Collaboration Mediation Fulfillment (HCM-F) zusammen mit dem Fehlerbehebungsprozess aufgetreten ist.

Die Ursache des Problems hängt mit einem abgelaufenen Tomcat-Zertifikat zusammen. Viele Kunden, die ein Upgrade ihrer HCM-F-Appliance planen (um von den neu eingeführten Funktionen zu profitieren), haben dieses Problem, wenn das bestehende HCM-F Tomcat-Zertifikat abgelaufen ist und nicht neu generiert wurde.

Voraussetzungen

Anforderungen

Cisco empfiehlt, über Kenntnisse in folgenden Bereichen zu verfügen:

- Cisco Hosted Collaboration Solution (HCS)
- Cisco Hosted Collaboration Mediation Fulfillment (HCM-F)

Verwendete Komponenten

Die Informationen in diesem Dokument basieren auf den folgenden Software- und Hardwareversionen:

- HCM-F 11,5,4

Die Informationen in diesem Dokument wurden von den Geräten in einer bestimmten Laborumgebung erstellt. Alle in diesem Dokument verwendeten Geräte haben mit einer leeren (Standard-)Konfiguration begonnen. Wenn Ihr Netzwerk in Betrieb ist, stellen Sie sicher, dass Sie die potenziellen Auswirkungen eines Befehls verstehen.

Problem

Nach dem Upgrade von HCM-F (11.5.1 auf 11.5.4) und Switch-Version ist die Seite Grafische Benutzeroberfläche (GUI) nicht mehr erreichbar, und die Dienste befinden sich im gestoppten Zustand.

Fehlerbehebung durchgeführt

- Beim Überprüfen des Dienststatus wird beobachtet, dass sich die Webbenutzeroberfläche (UI) und die Tomcat-bezogenen Dienste im STOPPED-Zustand befinden:

```
admin:utils service list
Requesting service status, please wait...
System SSH [STARTED]
Name Service Cache [STOPPED] Service Not Activated
Entropy Monitoring Daemon [STARTED]
Cisco SCSI Watchdog [STARTED]Service Manager [STARTED]
Service Manager is running
Getting list of all services
>>Return code = 0
Cisco AMC Service[STARTED]
Cisco Audit Event Service[STARTED]
Cisco CDM Database[STARTED]
Cisco CDP[STARTED]
Cisco CDP Agent[STARTED]
Cisco Certificate Expiry Monitor[STARTED]
Cisco Configuration Manager[STARTED]
Cisco DRF Local[STARTED]
Cisco DRF Master[STARTED]
Cisco HCS Admin UI[STOPPED] Component is not running
Cisco HCS CSF UI Service[STOPPED] Component is not running
Cisco HCS CUCDMSync Service[STARTED]
Cisco HCS ConfigMgr[STARTED]
Cisco HCS DMA-SA Service[STARTED]
Cisco HCS Data Access Manager Service[STARTED]
Cisco HCS Fulfillment Service[STARTED]
Cisco HCS IPA Service[STARTED]
Cisco HCS Intelligent Loader Service[STOPPED] Component is not running
Cisco HCS License Manager Service[STARTED]
Cisco HCS NBI REST FF Web Service[STOPPED] Component is not running
Cisco HCS NBI REST SDR Web Service[STOPPED] Component is not running
Cisco HCS NBI REST UCMon Web Service[STOPPED] Component is not running
Cisco HCS North Bound Interface Web Service[STOPPED] Component is not running
Cisco HCS Provisioning Adapter Service[STARTED]
Cisco HCS SDR Change Notification Service[STARTED]
Cisco HCS SDR UI[STOPPED] Component is not running
Cisco HCS SI UI[STOPPED] Component is not running
Cisco HCS SSO SP Service[STOPPED] Component is not running
Cisco HCS Service Inventory[STOPPED] Component is not running
Cisco HCS UCPA Service[STARTED]
Cisco HCS UCSMSync Service[STARTED]
Cisco HCS VCenterSync Service[STARTED]
Cisco JMS Broker[STARTED]
Cisco Log Partition Monitoring Tool[STARTED]
Cisco Platform Manager Service[STOPPED] Component is not running
Cisco RIS Data Collector[STARTED]
Cisco RTMT Web Service[STOPPED] Component is not running
Cisco Syslog Agent[STARTED]
Cisco Tomcat[STARTED]
Cisco Tomcat Stats Servlet[STOPPED] Component is not running
Cisco Trace Collection Service[STARTED]
```

Cisco Trace Collection Servlet[**STOPPED**] Component is not running
Host Resources Agent[STARTED]
MIB2 Agent[STARTED]
Platform Administrative Web Service[**STOPPED**] Component is not running
SNMP Master Agent[STARTED]System Application Agent[STARTED]
Cisco HCS UC Monitor Service[STOPPED] Service Not ActivatedPrimary Node =true

- In CiscoSyslog wird der Hypertext Transfer Protocol (HTTP) 404-Fehler für verschiedene webbezogene Dienste angezeigt:

admin:file view activelog /syslog/CiscoSyslog

```
Jun 17 16:14:19 hcs862-hcm-f local7 2 : 6: hcs862-hcm-f.XXXXXXXXXX.net:
Jun 17 2019 14:14:19.781 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco
RTMT Web Service][Reason=HTTP 404 Error][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-
hcm-f]: Failed to start service.
Jun 17 16:14:19 hcs862-hcm-f local7 2 : 7: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:19.781 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco RTMT Web
Service][Reason=Service stopped abruptly][AppID=Cisco Service
Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service terminated.
Jun 17 16:14:20 hcs862-hcm-f local7 2 : 8: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:20.791 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco
Trace Collection Servlet][Reason=HTTP 404 Error][AppID=Cisco Service
Manager][ClusterID=][NodeID=hcs862-hcm-f]: Failed to start service.
Jun 17 16:14:20 hcs862-hcm-f local7 2 : 9: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:20.791 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco Trace Collection
Servlet][Reason=Service stopped abruptly][AppID=Cisco Service
Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service terminated.
Jun 17 16:14:21 hcs862-hcm-f local7 2 : 10: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:21.796 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco Tomcat Stats
Servlet][Reason=HTTP 404 Error][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]:
Failed to start service.
Jun 17 16:14:21 hcs862-hcm-f local7 2 : 11: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:21.796 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco Tomcat Stats
Servlet][Reason=Service stopped abruptly][AppID=Cisco Service
Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service terminated.
Jun 17 16:14:22 hcs862-hcm-f local7 6 : 12: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:22.800 UTC : %UC_GENERIC-6-ServiceStarted: %[ServiceName=Cisco
CDP][ProcessID=8426][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service
started.
Jun 17 16:14:23 hcs862-hcm-f local7 2 : 13: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:23.804 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco HCS
Admin UI][Reason=HTTP 404 Error][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]:
Failed to start service.
Jun 17 16:14:23 hcs862-hcm-f local7 2 : 14: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:23.804 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco HCS
Admin UI][Reason=Service stopped abruptly][AppID=Cisco Service
Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service terminated.
Jun 17 16:14:24 hcs862-hcm-f local7 2 : 15: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:24.808 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco HCS
SDR UI][Reason=HTTP 404 Error][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]:
Failed to start service.
Jun 17 16:14:24 hcs862-hcm-f local7 2 : 16: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:24.808 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco HCS SDR
UI][Reason=Service stopped abruptly][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-
f]: Service terminated.
Jun 17 16:14:25 hcs862-hcm-f local7 6 : 17: hcs862-hcm-f.XXXXXXXXXXtest.net: Jun 17 2019
14:14:25.812 UTC : %UC_GENERIC-6-ServiceStarted: %[ServiceName=Cisco Certificate Expiry
Monitor][ProcessID=8774][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]: Service
started.
Jun 17 16:14:25 hcs862-hcm-f local7 2 : 18: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:25.813 UTC : %UC_SERVICEMANAGER-2-ServiceStartFailed: %[ServiceName=Cisco HCS
```

NBI REST SDR Web Service][Reason=HTTP 404 Error][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]: **Failed to start service.**
Jun 17 16:14:25 hcs862-hcm-f local7 2 : 19: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 17 2019 14:14:25.813 UTC : %UC_SERVICEMANAGER-2-ServiceFailed: %[ServiceName=Cisco HCS NBI REST SDR Web Service][Reason=Service stopped abruptly][AppID=Cisco Service Manager][ClusterID=][NodeID=hcs862-hcm-f]: **Service terminated.**

- Tomcat in Catalina.out berichtet über das CCMTrustCerts-Kontextereignis:

SEVERE: Context [/CCMTrustCerts] startup failed due to previous errors
Jun 18, 2019 2:59:49 PM org.apache.catalina.startup.HostConfig deployDirectoryINFO: Deployment of web application directory /common/log/taos-log-a/tomcat/webapps/CCMTrustCerts has finished in 8,042 ms end of the file reachedoptions: q=quit, n=next, p=prev, b=begin, e=end (lines 1221 - 1223 of 1223) :INFO: Deploying web application directory /common/log/taos-log-a/tomcat/webapps/manager
Jun 18, 2019 2:59:33 PM org.apache.catalina.startup.SetContextPropertiesRule beginWARNING: [SetContextPropertiesRule]{Context} Setting property 'debug' to '0' did not find a matching property.
Jun 18, 2019 2:59:33 PM org.apache.tomcat.util.digester.SetPropertiesRule beginWARNING: [SetPropertiesRule]{Context/Realm} Setting property 'resourceName' to 'TomcatUsersDatabase' did not find a matching property.
Jun 18, 2019 2:59:41 PM org.apache.catalina.startup.TldConfig executeINFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.
Jun 18, 2019 2:59:41 PM org.apache.catalina.core.StandardContext startInternalSEVERE: One or more Filters failed to start. Full details will be found in the appropriate container log file
Jun 18, 2019 2:59:41 PM org.apache.catalina.core.StandardContext startInternalSEVERE: Context [/manager] startup failed due to previous errors
Jun 18, 2019 2:59:41 PM org.apache.catalina.startup.HostConfig deployDirectoryINFO: Deployment of web application directory /common/log/taos-log-a/tomcat/webapps/manager has finished in 7,483 ms
Jun 18, 2019 2:59:41 PM org.apache.catalina.startup.HostConfig deployDirectoryINFO: Deploying web application directory /common/log/taos-log-a/tomcat/webapps/CCMTrustCerts
Jun 18, 2019 2:59:49 PM org.apache.catalina.startup.TldConfig executeINFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.
Jun 18, 2019 2:59:49 PM org.apache.catalina.core.StandardContext startInternalSEVERE: **One or more Filters failed to start. Full details will be found in the appropriate container log file**
Jun 18, 2019 2:59:49 PM org.apache.catalina.core.StandardContext startInternal options: **SEVERE: Context [/CCMTrustCerts] startup failed due to previous errors**
Jun 18, 2019 2:59:49 PM org.apache.catalina.startup.HostConfig deployDirectoryINFO: Deployment of web application directory /common/log/taos-log-a/tomcat/webapps/CCMTrustCerts has finished in 8,042 ms

- Wenn "utils diagnose test" von der Kommandozeilenschnittstelle (CLI) ausgeführt wird, wird ein Fehler im Modul tomcat_connections angezeigt, der anzeigt, dass die internen Verbindungen zu Tomcat nicht funktionieren:

test - tomcat_connectors : **Failed - The HTTP and HTTPS ports are not responding to local requests.**

Please collect all of the Tomcat logs for root cause analysis: file get activelog tomcat/logs/*

- Das Zertifikat von Tomcat ist am 26. März abgelaufen. Dennoch wurden während (oder vor) der Aktualisierung von HCM-F keine Probleme beobachtet:

Jun 19 12:00:00 hcs862-hcm-f local99 0 : 42: hcs862-hcm-f.XXXXXXXXXXtest.net:
Jun 19 2019 10:00:00.19 UTC : %UC_CERT-0-CertExpired: %[Message=Certificate expiration Notification. Certificate name:tomcat.der Unit:tomcat Type:own-cert Expiration:Sun Mar 26

12:30:59:000 CES][AppID=Cisco Certificate Monitor][ClusterID=][NodeID=hcs862-hcm-f]: **Certificate has Expired and needs to be changed at the earliest**

Jun 19 12:00:00 hcs862-hcm-f local199 0 : 43: hcs862-hcm-f.XXXXXXXXXtest.net:

Jun 19 2019 10:00:00.21 UTC : %UC_CERT-0-CertExpired: %[Message=Certificate expiration Notification. Certificate name:ipsec.der Unit:ipsec Type:own-cert Expiration:Sun Mar 26

12:30:57:000 CEST][AppID=Cisco Certificate Monitor][ClusterID=][NodeID=hcs862-hcm-f]:

Certificate has Expired and needs to be changed at the earliest

Lösung

1. Zertifikat "Regenerate Tomcat":

```
admin:set cert regen tomcat
```

WARNING: This operation will overwrite any CA signed certificate previously imported for tomcat
Proceed with regeneration (yes|no)? **yes**

Successfully Regenerated Certificate for tomcat.

You must restart services related to tomcat for the regenerated certificates to become active.

2. HCM-F-Server neu starten:

```
admin:utils system restart
```

Do you really want to restart ?Enter (yes/no)? **yes**

Überprüfung

- **Service-Status überprüfen:**

```
admin:utils service list
```

Requesting service status, please wait...

System SSH [STARTED]

Name Service Cache [STOPPED] Service Not Activated

Entropy Monitoring Daemon [STARTED]

Cisco SCSI Watchdog [STARTED]

Service Manager [STARTED]Service Manager is running

Getting list of all services

>>Return code = 0

Cisco AMC Service[STARTED]

Cisco Audit Event Service[STARTED]

Cisco CDM Database[STARTED]

Cisco CDP[STARTED]

Cisco CDP Agent[STARTED]

Cisco Certificate Expiry Monitor[STARTED]

Cisco Configuration Manager[STARTED]

Cisco DRF Local[STARTED]

Cisco DRF Master[STARTED]

Cisco HCS Admin UI[STARTED]

Cisco HCS CSF UI Service[STARTED]

Cisco HCS CUCDMSync Service[STARTED]

Cisco HCS ConfigMgr[STARTED]

Cisco HCS DMA-SA Service[STARTED]

Cisco HCS Data Access Manager Service[STARTED]

Cisco HCS Fulfillment Service[STARTED]

Cisco HCS IPA Service[STARTED]

Cisco HCS Intelligent Loader Service[STARTED]

Cisco HCS License Manager Service[STARTED]

Cisco HCS NBI REST FF Web Service[STARTED]

Cisco HCS NBI REST SDR Web Service[STARTED]

Cisco HCS NBI REST UCMon Web Service[STARTED]

Cisco HCS North Bound Interface Web Service[STARTED]
Cisco HCS Provisioning Adapter Service[STARTED]
Cisco HCS SDR Change Notification Service[STARTED]
Cisco HCS SDR UI[STARTED]
Cisco HCS SI UI[STARTED]
Cisco HCS SSO SP Service[STARTED]
Cisco HCS Service Inventory[STARTED]
Cisco HCS UCPA Service[STARTED]
Cisco HCS UCSMSync Service[STARTED]
Cisco HCS VCenterSync Service[STARTED]
Cisco JMS Broker[STARTED]
Cisco Log Partition Monitoring Tool[STARTED]
Cisco Platform Manager Service[STARTED]
Cisco RIS Data Collector[STARTED]
Cisco RTMT Web Service[STARTED]
Cisco Syslog Agent[STARTED]
Cisco Tomcat[STARTED]
Cisco Tomcat Stats Servlet[STARTED]
Cisco Trace Collection Service[STARTED]
Cisco Trace Collection Servlet[STARTED]
Host Resources Agent[STARTED]MIB2 Agent[STARTED]
Platform Administrative Web Service[STARTED]
SNMP Master Agent[STARTED]
System Application Agent[STARTED]
Cisco HCS UC Monitor Service[STOPPED]
Service Not ActivatedPrimary Node =true