

Annnonce d'arrêt de commercialisation et de fin de vie de Cisco 16-Socket Server SAP Resale

EOL12959

Cisco annonce la date d'arrêt de commercialisation et de fin de vie de Cisco 16-Socket Server SAP Resale. Les clients ont jusqu'au 31 mai 2019 pour commander les produits concernés. Le centre d'assistance technique de Cisco (TAC) continuera de prendre en charge les clients dont les contrats de service sont en cours, comme illustré dans le tableau 1 du bulletin de fin de vie des produits. Le tableau 1 décrit les étapes et donne les définitions et les dates relatives aux produits concernés. Le tableau 2 répertorie les numéros de référence des pièces du produit qui est l'objet du présent avis. Pour les clients dont les contrats de service et d'assistance sont en cours et qui ont été payés, la prise en charge se fera selon les modalités desdits contrats.

Tableau 1. Étapes et dates relatives à la fin de vie de Cisco 16-Socket Server SAP Resale

Étape	Définition	Date
Date d'annonce de fin de vie	Date à laquelle le document annonçant la fin de commercialisation et la fin de vie d'un produit est diffusé au grand public.	1 mars 2019
Date de fin de commercialisation: HW	Date limite de commande du produit auprès des points de vente Cisco. Passée cette date, le produit ne sera plus en vente.	31 mai 2019
Dernière date de livraison: HW	Date limite jusqu'à laquelle une livraison pourra être demandée à Cisco et/ou ses sous-traitants. La date de livraison réelle dépend du délai d'exécution.	29 août 2019
Date d'arrêt de l'analyse régulière des défaillances: HW	Dernière date à laquelle une analyse de défaillance de routine peut être effectuée afin de déterminer la cause d'une défaillance ou d'un défaut du matériel.	30 mai 2020
Date de dernière modification des contrats de service: HW	Pour les équipements et les logiciels non couverts par un contrat de service et d'assistance, dernière date à laquelle il est possible de commander un nouveau contrat de service et d'assistance, ou d'ajouter un équipement et/ou un logiciel à un contrat de service et d'assistance existant.	30 mai 2020
Date de l'arrêt des renouvellements de contrats de service: HW	Date limite pour prolonger ou reconduire un contrat de service pour le produit.	26 août 2023
Date de fin d'assistance: HW	La date jusqu'à laquelle le client peut bénéficier d'une assistance et de réparations du produit selon les modalités du contrat de service ou les conditions générales de la garantie. Après cette date, le produit ne fait plus l'objet de services d'assistance et est considéré comme obsolète.	31 mai 2024

HW = Matériel OS SW = Système d'exploitation App. SW = Logiciel d'application

Tableau 2. Numéros de référence des pièces du produit affecté par le présent avis

Numéro de référence de la pièce du produit en fin de commercialisation	Description du produit
C16-2PDU	AddOn-Bullion 2PDU
C16-CB16	AddOn-Bullion 8 Module Connecting Box CB16
C16S10-32G-YR-BRNZ	Bullion 10 socket-32GB-Per Year Support -Bronze
C16S10-32G-YR-GD	Bullion 10 socket-32GB-Per Year Support -Gold
C16S10-32G-YR-GDA	Bullion Appliance 10 socket-32GB-Per Year Support -Gold
C16S10-32G-YR-SV	Bullion 10 socket-32GB-Per Year Support -Silver
C16S10-32G-YR-SVA	Bullion Appliance 10 socket-32GB-Per Year Support -Silver
C16S10-64G-YR-BRNZ	Bullion 10 socket-64GB-Per Year Support -Bronze
C16S10-64G-YR-GD	Bullion 10 socket-64GB-Per Year Support -Gold
C16S10-64G-YR-GDA	Bullion Appliance 10 socket-64GB-Per Year Support -Gold
C16S10-64G-YR-SV	Bullion 10 socket-64GB-Per Year Support -Silver
C16S10-64G-YR-SVA	Bullion Appliance 10 socket-64GB-Per Year Support -Silver
C16S10-7.5T32G-C	Bullion 10 socket-7.5TB 32GB DIMM 8880V4 -Copper
C16S10-7.5T32G-C-R	Appl RedHat-Bullion 10 skt-7.5TB 32GB DIMM 8880V4 -Copper
C16S10-7.5T32G-C-S	Appl SUSE -Bullion 10 socket-7.5TB 32GB DIMM 8880V4 -Copper
C16S10-7.5T32G-O	Bullion 10 skt-7.5TB 32GB DIMM 8880V4 -Optical
C16S10-7.5T32G-O-R	Appl RedHat-Bullion 10 skt-7.5TB 32GB DIMM 8880V4 -Optical
C16S10-7.5T32G-O-S	Appl SUSE -Bullion 10 skt-7.5TB 32GB DIMM 8880V4 -Optical
C16S10-L10T64G-C	Bullion 10 socket-10TB 64GB DIMM 8890V4 -Copper
C16S10-L10T64G-C-R	Appl RedHat-Bullion 10 socket-10TB 64GB DIMM 8890V4 -Copper
C16S10-L10T64G-C-S	Appl SUSE -Bullion 10 socket-10TB 64GB DIMM 8890V4 -Copper
C16S10-L10T64G-O	Bullion 10 socket-10TB 64GB DIMM 8890V4 -Optical
C16S10-L10T64G-O-R	Appl RedHat-Bullion 10 socket-10TB 64GB DIMM 8890V4 -Optical
C16S10-L10T64G-O-S	Appl SUSE -Bullion 10 socket-10TB 64GB DIMM 8890V4 -Optical
C16S12-32G-YR-BRNZ	Bullion 12 socket-32GB-Per Year Support -Bronze
C16S12-32G-YR-GD	Bullion 12 socket-32GB-Per Year Support -Gold
C16S12-32G-YR-GDA	Bullion Appliance 12 socket-32GB-Per Year Support -Gold
C16S12-32G-YR-SV	Bullion 12 socket-32GB-Per Year Support -Silver
C16S12-32G-YR-SVA	Bullion Appliance 12 socket-32GB-Per Year Support -Silver
C16S12-64G-YR-BRNZ	Bullion 12 socket-64GB-Per Year Support -Bronze
C16S12-64G-YR-GD	Bullion 12 socket-64GB-Per Year Support -Gold
C16S12-64G-YR-GDA	Bullion Appliance 12 socket-64GB-Per Year Support -Gold
C16S12-64G-YR-SV	Bullion 12 socket-64GB-Per Year Support -Silver
C16S12-64G-YR-SVA	Bullion Appliance 12 socket-64GB-Per Year Support -Silver
C16S12-9T-32G-C	Bullion 12 socket-9TB 32GB DIMM 8880V4 -Copper
C16S12-9T-32G-C-R	Appl RedHat-Bullion 12 socket-9TB 32GB DIMM 8880V4 -Copper
C16S12-9T-32G-C-S	Appl SUSE -Bullion 12 socket-9TB 32GB DIMM 8880V4 -Copper
C16S12-9T-32G-O	Bullion 12 socket-9TB 32GB DIMM 8880V4 -Optical
C16S12-9T-32G-O-R	Appl RedHat-Bullion 12 socket-9TB 32GB DIMM 8880V4 -Optical
C16S12-9T-32G-O-S	Appl SUSE -Bullion 12 socket-9TB 32GB DIMM 8880V4 -Optical
C16S12-L12T64G-C	Bullion 12 socket-12TB 64GB DIMM 8890V4 -Copper

Numéro de référence de la pièce du produit en fin de commercialisation	Description du produit
C16S12-L12T64G-C-R	Appl RedHat-Bullion 12 socket-12TB 64GB DIMM 8890V4 -Copper
C16S12-L12T64G-C-S	Appl SUSE -Bullion 12 socket-12TB 64GB DIMM 8890V4 -Copper
C16S12-L12T64G-O	Bullion 12 socket-12TB 64GB DIMM 8890V4 -Optical
C16S12-L12T64G-O-R	Appl RedHat-Bullion 12 socket-12TB 64GB DIMM 8890V4 -Optical
C16S12-L12T64G-O-S	Appl SUSE -Bullion 12 socket-12TB 64GB DIMM 8890V4 -Optical
C16S14-105T32G-C	Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Copper
C16S14-105T32G-C-R	Appl RedHat-Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Copper
C16S14-105T32G-C-S	Appl SUSE -Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Copper
C16S14-105T32G-O	Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Optical
C16S14-105T32G-O-R	Appl RedHat-Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Optical
C16S14-105T32G-O-S	Appl SUSE -Bullion 14 skt-10.5TB 32GB DIMM 8880V4 -Optical
C16S14-32G-YR-BRNZ	Bullion 14 socket-32GB-Per Year Support -Bronze
C16S14-32G-YR-GD	Bullion 14 socket-32GB-Per Year Support -Gold
C16S14-32G-YR-GDA	Bullion Appliance 14 socket-32GB-Per Year Support -Gold
C16S14-32G-YR-SV	Bullion 14 socket-32GB-Per Year Support -Silver
C16S14-32G-YR-SVA	Bullion Appliance 14 socket-32GB-Per Year Support -Silver
C16S14-64G-YR-BRNZ	Bullion 14 socket-64GB-Per Year Support -Bronze
C16S14-64G-YR-GD	Bullion 14 socket-64GB-Per Year Support -Gold
C16S14-64G-YR-GDA	Bullion Appliance 14 socket-64GB-Per Year Support -Gold
C16S14-64G-YR-SV	Bullion 14 socket-64GB-Per Year Support -Silver
C16S14-64G-YR-SVA	Bullion Appliance 14 socket-64GB-Per Year Support -Silver
C16S14-L14T64G-C	Bullion 14 socket-14TB 64GB DIMM 8890V4 -Copper
C16S14-L14T64G-C-R	Appl RedHat-Bullion 14 socket-14TB 64GB DIMM 8890V4 -Copper
C16S14-L14T64G-C-S	Appl SUSE -Bullion 14 socket-14TB 64GB DIMM 8890V4 -Copper
C16S14-L14T64G-O	Bullion 14 socket-14TB 64GB DIMM 8890V4 -Optical
C16S14-L14T64G-O-R	Appl RedHat-Bullion 14 socket-14TB 64GB DIMM 8890V4 -Optical
C16S14-L14T64G-O-S	Appl SUSE -Bullion 14 socket-14TB 64GB DIMM 8890V4 -Optical
C16S16-12T-32G-C	Bullion 16 socket-12TB 32GB DIMM 8880V4 -Copper
C16S16-12T-32G-C-R	Appl RedHat-Bullion 16 socket-12TB 32GB DIMM 8880V4 -Copper
C16S16-12T-32G-C-S	Appl SUSE -Bullion 16 socket-12TB 32GB DIMM 8880V4 -Copper
C16S16-12T-32G-O	Bullion 16 socket-12TB 32GB DIMM 8880V4 -Optical
C16S16-12T-32G-O-R	Appl RedHat-Bullion 16 socket-12TB 32GB DIMM 8880V4 -Optical
C16S16-12T-32G-O-S	Appl SUSE -Bullion 16 socket-12TB 32GB DIMM 8880V4 -Optical
C16S16-32G-YR-BRNZ	Bullion 16 socket-32GB-Per Year Support -Bronze
C16S16-32G-YR-GD	Bullion 16 socket-32GB-Per Year Support -Gold
C16S16-32G-YR-GDA	Bullion Appliance 16 socket-32GB-Per Year Support -Gold
C16S16-32G-YR-SV	Bullion 16 socket-32GB-Per Year Support -Silver
C16S16-32G-YR-SVA	Bullion Appliance 16 socket-32GB-Per Year Support -Silver
C16S16-64G-YR-BRNZ	Bullion 16 socket-64GB-Per Year Support -Bronze
C16S16-64G-YR-GD	Bullion 16 socket-64GB-Per Year Support -Gold
C16S16-64G-YR-GDA	Bullion Appliance 16 socket-64GB-Per Year Support -Gold
C16S16-64G-YR-SV	Bullion 16 socket-64GB-Per Year Support -Silver
C16S16-64G-YR-SVA	Bullion Appliance 16 socket-64GB-Per Year Support -Silver

Numéro de référence de la pièce du produit en fin de commercialisation	Description du produit
C16S16-L12T32G-C	Bullion 16 socket-12TB 32GB DIMM 8890V4 -Copper
C16S16-L12T32G-C-R	Appl RedHat-Bullion 16 socket-12TB 32GB DIMM 8890V4 -Copper
C16S16-L12T32G-C-S	Appl SUSE -Bullion 16 socket-12TB 32GB DIMM 8890V4 -Copper
C16S16-L12T32G-O	Bullion 16 socket-12TB 32GB DIMM 8890V4 -Optical
C16S16-L12T32G-O-R	Appl RedHat-Bullion 16 socket-12TB 32GB DIMM 8890V4 -Optical
C16S16-L12T32G-O-S	Appl SUSE -Bullion 16 socket-12TB 32GB DIMM 8890V4 -Optical
C16S16-L12T64G-C	Bullion 16 socket-12TB 64GB DIMM 8890V4 -Copper
C16S16-L12T64G-C-R	Appl RedHat-Bullion 16 socket-12TB 64GB DIMM 8890V4 -Copper
C16S16-L12T64G-C-S	Appl SUSE -Bullion 16 socket-12TB 64GB DIMM 8890V4 -Copper
C16S16-L12T64G-O	Bullion 16 socket-12TB 64GB DIMM 8890V4 -Optical
C16S16-L12T64G-O-R	Appl RedHat-Bullion 16 socket-12TB 64GB DIMM 8890V4 -Optical
C16S16-L12T64G-O-S	Appl SUSE -Bullion 16 socket-12TB 64GB DIMM 8890V4 -Optical
C16S16-L16T64G-C	Bullion 16 socket-16TB 64GB DIMM 8890V4 -Copper
C16S16-L16T64G-C-R	Appl RedHat-Bullion 16 socket-16TB 64GB DIMM 8890V4 -Copper
C16S16-L16T64G-C-S	Appl SUSE -Bullion 16 socket-16TB 64GB DIMM 8890V4 -Copper
C16S16-L16T64G-O	Bullion 16 socket-16TB 64GB DIMM 8890V4 -Optical
C16S16-L16T64G-O-R	Appl RedHat-Bullion 16 socket-16TB 64GB DIMM 8890V4 -Optical
C16S16-L16T64G-O-S	Appl SUSE -Bullion 16 socket-16TB 64GB DIMM 8890V4 -Optical
C16S16-L64G-Y-BRNZ	Bullion 16 socket-L 64GB-Per Year Support -Bronze
C16S16-L64G-YR-GD	Bullion 16 socket-L 64GB-Per Year Support -Gold
C16S16-L64G-YR-GDA	Bullion Appliance 16 socket-L 64GB-Per Year Support -Gold
C16S16-L64G-YR-SV	Bullion 16 socket-L 64GB-Per Year Support -Silver
C16S16-L64G-YR-SVA	Bullion Appliance 16 socket-L 64GB-Per Year Support -Silver
C16S2-80-1.5-32G	AddOn-Bullion S2 1,5TB 32GB DIMM 8880V4
C16S2-90-1.5-32G	AddOn-Bullion S2 1,5TB 32GB DIMM 8890V4
C16S2-90-2T-64G	AddOn-Bullion S2 2TB 64GB DIMM 8890V4
C16S8-32G-YR-BRNZ	Bullion 8 socket-32G-Per Year Support -Bronze
C16S8-32G-YR-GD	Bullion 8 socket-32G-Per Year Support -Gold
C16S8-32G-YR-GDA	Bullion Appliance 8 socket-32G-Per Year Support -Gold
C16S8-32G-YR-SV	Bullion 8 socket-32G-Per Year Support -Silver
C16S8-32G-YR-SVA	Bullion Appliance 8 socket-32G-Per Year Support -Silver
C16S8-64G-YR-BRNZ	Bullion 8 socket-64GB-Per Year Support -Bronze
C16S8-64G-YR-GD	Bullion 8 socket-64GB-Per Year Support -Gold
C16S8-64G-YR-GDA	Bullion Appliance 8 socket-64GB-Per Year Support -Gold
C16S8-64G-YR-SV	Bullion 8 socket-64GB-Per Year Support -Silver
C16S8-64G-YR-SVA	Bullion Appliance 8 socket-64GB-Per Year Support -Silver
C16S8-6T-32G-C	Bullion 8 socket-6TB 32GB DIMM 8880V4 -Copper
C16S8-6T-32G-C-R	Appl RedHat-Bullion 8 socket-6TB 32GB DIMM 8880V4 -Copper
C16S8-6T-32G-C-S	Appl SUSE -Bullion 8 socket-6TB 32GB DIMM 8880V4 -Copper
C16S8-6T-32G-O	Bullion 8 socket-6TB 32GB DIMM 8880V4 -Optical
C16S8-6T-32G-O-R	Appl RedHat-Bullion 8 socket-6TB 32GB DIMM 8880V4 -Optical
C16S8-6T-32G-O-S	Appl SUSE -Bullion 8 socket-6TB 32GB DIMM 8880V4 -Optical
C16S8-L-6T-32G-C	Bullion 8 socket-6TB 32GB DIMM 8890V4 -Copper

Numéro de référence de la pièce du produit en fin de commercialisation	Description du produit
C16S8-L-6T-32G-C-R	Appl RedHat-Bullion 8 socket-6TB 32GB DIMM 8890V4 -Copper
C16S8-L-6T-32G-C-S	Appl SUSE -Bullion 8 socket-6TB 32GB DIMM 8890V4 -Copper
C16S8-L-6T-32G-O	Bullion 8 socket-6TB 32GB DIMM 8890V4 -Optical
C16S8-L-6T-32G-O-R	Appl RedHat-Bullion 8 socket-6TB 32GB DIMM 8890V4 -Optical
C16S8-L-6T-32G-O-S	Appl SUSE -Bullion 8 socket-6TB 32GB DIMM 8890V4 -Optical
C16S8-L-8T-64G-C	Bullion 8 socket-8TB 64GB DIMM 8890V4 -Copper
C16S8-L-8T-64G-C-R	Appl RedHat-Bullion 8 socket-8TB 64GB DIMM 8890V4 -Copper
C16S8-L-8T-64G-C-S	Appl SUSE -Bullion 8 socket-8TB 64GB DIMM 8890V4 -Copper
C16S8-L-8T-64G-O	Bullion 8 socket-8TB 64GB DIMM 8890V4 -Optical
C16S8-L-8T-64G-O-R	Appl RedHat-Bullion 8 socket-8TB 64GB DIMM 8890V4 -Optical
C16S8-L-8T-64G-O-S	Appl SUSE -Bullion 8 socket-8TB 64GB DIMM 8890V4 -Optical

Options de migration du produit

Il n'existe pas de produit de remplacement de Cisco 16-Socket Server SAP Resale pour l'instant.

Nous encourageons nos clients à adopter [nom du produit de migration]. Pour obtenir plus d'informations sur ce produit, rendez-vous sur la page: [URL de la page du produit de migration/remplacement sur cisco.com].

Le programme Reprise et recyclage de Cisco permet aux entreprises de se débarrasser proprement des produits en surplus ayant atteint leur fin de vie utile. Ce programme est accessible à tous les utilisateurs professionnels des produits de marque Cisco et des sociétés affiliées. Pour en savoir plus, consultez:

https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

Pour en savoir plus

Pour en savoir plus sur la politique de Cisco en matière de produits en fin de vie, rendez-vous sur la page: https://www.cisco.com/web/CA/products/products_end_of_life_policy_fr.html.

Pour en savoir plus sur les garanties des produits Cisco, rendez-vous sur la page: https://www.cisco.com/web/CA/products/prod_warranties_listing_fr.html.

Pour vous abonner et recevoir des informations sur l'arrêt de la commercialisation et la fin de vie des produits, rendez-vous sur la page: <https://www.cisco.com/cisco/support/notifications.html>.

Toute traduction autorisée de ce bulletin publiée par Cisco et ses sociétés affiliées a pour but d'aider les clients à comprendre le contenu décrit dans la version anglaise. Cette traduction est le fruit d'un effort économique raisonnable. Cependant, en cas de différences entre la version anglaise et le document traduit, consultez la version anglaise, considérée comme la version officielle.




Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)