

End-of-Sale and End-of-Life Announcement for the Cisco Select Unified Computing Systems Accessories

Contents

Overview	3
End-of-life milestones	3
Product part numbers	3
Product migration options	7
For more information	8

Overview

EOL13709

Cisco announces the end-of-sale and end-of-life dates for the Cisco Select Unified Computing Systems Accessories. The last day to order the affected product(s) is March 10, 2021. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Select Unified Computing Systems Accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	December 9, 2020
End-of-Sale Date Accessory	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	March 10, 2021
Last Ship Date Accessory	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	March 10, 2021

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description
UCS-CPU-3104	1.7 GHz 3104/85W 6C/8.25MB Cache/DDR4 2133MHz
UCS-CPU-3106	1.7 GHz 3106/85W 8C/11MB Cache/DDR4 2133MHz
UCS-CPU-4108	1.8 GHz 4108/85W 8C/11MB Cache/DDR4 2400MHz
UCS-CPU-4110	2.1 GHz 4110/85W 8C/11MB Cache/DDR4 2400MHz
UCS-CPU-4112	2.6 GHz 4112/85W 4C/8.25MB Cache/DDR4 2400MHz
UCS-CPU-4114	2.2 GHz 4114/85W 10C/13.75MB Cache/DDR4 2400MHz
UCS-CPU-4116	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz
UCS-CPU-5115	2.4 GHz 5115/85W 10C/13.75MB Cache/DDR4 2400MHz
UCS-CPU-5117	2.0 GHz 5117/105W 14C/19.25MB Cache/DDR4 2400MHz
UCS-CPU-5118	2.3 GHz 5118/105W 12C/16.50MB Cache/DDR4 2400MHz
UCS-CPU-5120	2.2 GHz 5120/105W 14C/19.25MB Cache/DDR4 2400MHz
UCS-CPU-5122	3.6 GHz 5122/105W 4C/16.50MB Cache/DDR4 2666MHz

End-of-Sale Product Part Number	Product Description
UCS-CPU-6126	2.6 GHz 6126/125W 12C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6128	3.4 GHz 6128/115W 6C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6130	2.1 GHz 6130/125W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6132	2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6134	3.2 GHz 6134/130W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6136	3.0 GHz 6136/150W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6138	2.0 GHz 6138/125W 20C/27.50MB Cache/DDR4 2666MHz
UCS-CPU-6138T	2.0 GHz 6138T/125W 20C/27.5MB Cache/DDR4 2666MHz
UCS-CPU-6140	2.3 GHz 6140/140W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6140M	2.3 GHz 6140M/140W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6142	2.6 GHz 6142/150W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6142M	2.6 GHz 6142M/150W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6144	3.5 GHz 6144/150W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6146	3.2 GHz 6146/165W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6148	2.4 GHz 6148/150W 20C/27.50MB Cache/DDR4 2666MHz
UCS-CPU-6150	2.7 GHz 6150/165W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6152	2.1 GHz 6152/140W 22C/30.25MB Cache/DDR4 2666MHz
UCS-CPU-6154	3.0 GHz 6154/200W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-8153	2.0 GHz 8153/125W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-8156	3.6 GHz 8156/105W 4C/16.50MB Cache/DDR4 2666MHz
UCS-CPU-8158	3.0 GHz 8158/150W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-8160	2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8160M	2.1 GHz 8160M/150W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8160T	2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8164	2.0 GHz 8164/150W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8168	2.7 GHz 8168/205W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8170	2.1 GHz 8170/165W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8170M	2.1 GHz 8170M/165W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8176M	2.1 GHz 8176M/165W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8180	2.5 GHz 8180/205W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8180M	2.5 GHz 8180M/205W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-3104C=	DISTI: 1.7 GHz 3104/85W 6C/8.25MB Cache/DDR4 2133MHz
UCS-CPU-3106C=	DISTI: 1.7 GHz 3106/85W 8C/11MB Cache/DDR4 2133MHz

End-of-Sale Product Part Number	Product Description
UCS-CPU-4108C=	DISTI: 1.8 GHz 4108/85W 8C/11MB Cache/DDR4 2400MHz
UCS-CPU-4110C=	DISTI: 2.1 GHz 4110/85W 8C/11MB Cache/DDR4 2400MHz
UCS-CPU-4112C=	DISTI: 2.6 GHz 4112/85W 4C/8.25MB Cache/DDR4 2400MHz
UCS-CPU-4114C=	DISTI: 2.2 GHz 4114/85W 10C/13.75MB Cache/DDR4 2400MHz
UCS-CPU-4116C=	DISTI: 2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz
UCS-CPU-5115C=	DISTI: 2.4 GHz 5115/85W 10C/13.75MB Cache/DDR4 2400MHz
UCS-CPU-5117C=	Disit; 2.0 GHz 5117/105W 14C/19.25MB Cache/DDR4 2400MHz
UCS-CPU-5118C=	DISTI: 2.3 GHz 5118/105W 12C/16.50MB Cache/DDR4 2400MHz
UCS-CPU-5120C=	DISTI: 2.2 GHz 5120/105W 14C/19.25MB Cache/DDR4 2400MHz
UCS-CPU-5122C=	DISTI: 3.6 GHz 5122/105W 4C/16.50MB Cache/DDR4 2666MHz
UCS-CPU-6126C=	DISTI: 2.6 GHz 6126/125W 12C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6128C=	DISTI: 3.4 GHz 6128/115W 6C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6130C=	DISTI: 2.1 GHz 6130/125W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6132C=	DISTI: 2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz
UCS-CPU-6134C=	DISTI: 3.2 GHz 6134/130W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6134MC=	DISTI: 3.2 GHz 6134M/130W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6136C=	DISTI: 3.0 GHz 6136/150W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6138C=	DISTI: 2.0 GHz 6138/125W 20C/27.50MB Cache/DDR4 2666MHz
UCS-CPU-6138TC=	Disti: 2.0 GHz 6138T/125W 20C/27.5MB Cache/DDR4 2666MHz
UCS-CPU-6140C=	DISTI: 2.3 GHz 6140/140W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6140MC=	DISTI: 2.3 GHz 6140M/140W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6142C=	DISTI: 2.6 GHz 6142/150W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6142MC=	DISTI: 2.6 GHz 6142M/150W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-6144C=	DISTI: 3.5 GHz 6144/150W 8C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6146C=	DISTI: 3.2 GHz 6146/165W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6148C=	DISTI: 2.4 GHz 6148/150W 20C/27.50MB Cache/DDR4 2666MHz
UCS-CPU-6150C=	DISTI: 2.7 GHz 6150/165W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-6152C=	DISTI: 2.1 GHz 6152/140W 22C/30.25MB Cache/DDR4 2666MHz
UCS-CPU-6154C=	DISTI: 3.0 GHz 6154/200W 18C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-8153C=	DISTI: 2.0 GHz 8153/125W 16C/22MB Cache/DDR4 2666MHz
UCS-CPU-8156C=	DISTI: 3.6 GHz 8156/105W 4C/16.50MB Cache/DDR4 2666MHz
UCS-CPU-8158C=	DISTI: 3.0 GHz 8158/150W 12C/24.75MB Cache/DDR4 2666MHz
UCS-CPU-8160C=	DISTI: 2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8160MC=	DISTI: 2.1 GHz 8160M/150W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8160TC=	DISTI: 2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz

End-of-Sale Product Part Number	Product Description
UCS-CPU-8164C=	DISTI: 2.0 GHz 8164/150W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8168C=	DISTI: 2.7 GHz 8168/205W 24C/33MB Cache/DDR4 2666MHz
UCS-CPU-8170C=	DISTI: 2.1 GHz 8170/165W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8170MC=	DISTI: 2.1 GHz 8170M/165W 26C/35.75MB Cache/DDR4 2666MHz
UCS-CPU-8176C=	DISTI: 2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8176MC=	DISTI: 2.1 GHz 8176M/165W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8180C=	DISTI: 2.5 GHz 8180/205W 28C/38.50MB Cache/DDR4 2666MHz
UCS-CPU-8180MC=	DISTI: 2.5 GHz 8180M/205W 28C/38.50MB Cache/DDR4 2666MHz
HX-CPU-3104	1.7 GHz 3104/85W 6C/8.25MB Cache/DDR4 2133MHz
HX-CPU-3106	1.7 GHz 3106/85W 8C/11MB Cache/DDR4 2133MHz
HX-CPU-4108	1.8 GHz 4108/85W 8C/11MB Cache/DDR4 2400MHz
HX-CPU-4110	2.1 GHz 4110/85W 8C/11MB Cache/DDR4 2400MHz
HX-CPU-4112	2.6 GHz 4112/85W 4C/8.25MB Cache/DDR4 2400MHz
HX-CPU-4114	2.2 GHz 4114/85W 10C/13.75MB Cache/DDR4 2400MHz
HX-CPU-4116	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz
HX-CPU-5115	2.4 GHz 5115/85W 10C/13.75MB Cache/DDR4 2400MHz
HX-CPU-5117	2.0 GHz 5117/105W 14C/19.25MB Cache/DDR4 2400MHz
HX-CPU-5118	2.3 GHz 5118/105W 12C/16.50MB Cache/DDR4 2400MHz
HX-CPU-5120	2.2 GHz 5120/105W 14C/19.25MB Cache/DDR4 2400MHz
HX-CPU-5122	3.6 GHz 5122/105W 4C/16.50MB Cache/DDR4 2666MHz
HX-CPU-6126	2.6 GHz 6126/125W 12C/19.25MB Cache/DDR4 2666MHz
HX-CPU-6128	3.4 GHz 6128/115W 6C/19.25MB Cache/DDR4 2666MHz
HX-CPU-6130	2.1 GHz 6130/125W 16C/22MB Cache/DDR4 2666MHz
HX-CPU-6132	2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz
HX-CPU-6134	3.2 GHz 6134/130W 8C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6136	3.0 GHz 6136/150W 12C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6138	2.0 GHz 6138/125W 20C/27.50MB Cache/DDR4 2666MHz
HX-CPU-6138T	2.0 GHz 6138T/125W 20C/27.5MB Cache/DDR4 2666MHz
HX-CPU-6140	2.3 GHz 6140/140W 18C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6140M	2.3 GHz 6140M/140W 18C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6142	2.6 GHz 6142/150W 16C/22MB Cache/DDR4 2666MHz
HX-CPU-6142M	2.6 GHz 6142M/150W 16C/22MB Cache/DDR4 2666MHz
HX-CPU-6144	3.5 GHz 6144/150W 8C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6146	3.2 GHz 6146/165W 12C/24.75MB Cache/DDR4 2666MHz

End-of-Sale Product Part Number	Product Description
HX-CPU-6148	2.4 GHz 6148/150W 20C/27.50MB Cache/DDR4 2666MHz
HX-CPU-6150	2.7 GHz 6150/165W 18C/24.75MB Cache/DDR4 2666MHz
HX-CPU-6152	2.1 GHz 6152/140W 22C/30.25MB Cache/DDR4 2666MHz
HX-CPU-6154	3.0 GHz 6154/200W 18C/24.75MB Cache/DDR4 2666MHz
HX-CPU-8153	2.0 GHz 8153/125W 16C/22MB Cache/DDR4 2666MHz
HX-CPU-8156	3.6 GHz 8156/105W 4C/16.50MB Cache/DDR4 2666MHz
HX-CPU-8158	3.0 GHz 8158/150W 12C/24.75MB Cache/DDR4 2666MHz
HX-CPU-8160	2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz
HX-CPU-8160M	2.1 GHz 8160M/150W 24C/33MB Cache/DDR4 2666MHz
HX-CPU-8160T	2.1 GHz 8160/150W 24C/33MB Cache/DDR4 2666MHz
HX-CPU-8164	2.0 GHz 8164/150W 26C/35.75MB Cache/DDR4 2666MHz
HX-CPU-8168	2.7 GHz 8168/205W 24C/33MB Cache/DDR4 2666MHz
HX-CPU-8170	2.1 GHz 8170/165W 26C/35.75MB Cache/DDR4 2666MHz
HX-CPU-8170M	2.1 GHz 8170M/165W 26C/35.75MB Cache/DDR4 2666MHz
HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz
HX-CPU-8176M	2.1 GHz 8176M/165W 28C/38.50MB Cache/DDR4 2666MHz
HX-CPU-8180	2.5 GHz 8180/205W 28C/38.50MB Cache/DDR4 2666MHz
HX-CPU-8180M	2.5 GHz 8180M/205W 28C/38.50MB Cache/DDR4 2666MHz
UCSC-PSU-BLKP240	Power Supply Blanking Panel for C240 M4 servers
UCSC-PSU-BLKP240=	Power Supply Blanking Panel for C240 M4 servers

Product migration options

There is no replacement available for the Cisco Select Unified Computing Systems Accessories at this time.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For more information

For more information about the Cisco End-of-Life Policy, go to:

https://www.cisco.com/en/US/products/products_end-of-life_policy.html

For more information about the Cisco Product Warranties, go to:

https://www.cisco.com/en/US/products/prod_warranties_listing.html

To subscribe to receive end-of-life/end-of-sale information, go to:

<https://www.cisco.com/cisco/support/notifications.html>

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)