

# Disable SSH Server CBC Mode Ciphers on ASA

## Contents

---

[Introduction](#)

[Prerequisites](#)

[Requirements](#)

[Components Used](#)

[Background Information](#)

[Problem](#)

[Solution](#)

---

## Introduction

This document describes how to disable SSH server CBC mode Ciphers on ASA.

## Prerequisites

### Requirements

Cisco recommends that you have knowledge of these topics:

- Adaptive Security Appliance (ASA) platform architecture
- Cipher Block Chaining (CBC)

### Components Used

The information in this document is based on a Cisco ASA 5506 with OS 9.6.1.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. If your network is live, ensure that you understand the potential impact of any command.

## Background Information

On scan vulnerability [CVE-2008-5161](#) it is documented that the use of a block cipher algorithm in Cipher Block Chaining (CBC) mode, makes it easier for remote attackers to recover certain plain text data from an arbitrary block of cipher text in an SSH session via unknown vectors.

Cipher Block Chaining is a mode of operation for cipher block. This algorithm uses a block cipher to provide an informational service such as confidentiality or authenticity.

## Problem

By default, the ASA CBC mode is enabled on the ASA which could be a vulnerability for the customers information.

## Solution

After enhancement Cisco bug ID [CSCum63371](#), the ability to modify the ASA ssh ciphers was introduced on version 9.1(7), but the release that officially has the commands **ssh cipher encryption** and **ssh cipher integrity** is 9.6.1.

In order to disable CBC mode Ciphers on SSH, use this procedure:

Run **sh run all ssh** on the ASA:

```
ASA(config)# show run all ssh
ssh stricthostkeycheck
ssh 0.0.0.0 0.0.0.0 outside
ssh timeout 60
ssh version 2
ssh cipher encryption medium
ssh cipher integrity medium
ssh key-exchange group dh-group1-sha1
```

If you see the command **ssh cipher encryption medium**, this means that the ASA uses medium and high strength ciphers which is setup by default on the ASA.

In order to see the available ssh encryption algorithms in the ASA, run the command **show ssh ciphers**:

```
ASA(config)# show ssh ciphers
Available SSH Encryption and Integrity Algorithms Encryption Algorithms:
  all:      3des-cbc      aes128-cbc  aes192-cbc  aes256-cbc  aes128-ctr  aes192-ctr  aes256-ctr
  low:      3des-cbc      aes128-cbc  aes192-cbc  aes256-cbc  aes128-ctr  aes192-ctr  aes256-ctr
  medium:   3des-cbc      aes128-cbc  aes192-cbc  aes256-cbc  aes128-ctr  aes192-ctr  aes256-ctr
  fips:     aes128-cbc    aes256-cbc
  high:     aes256-cbc    aes256-ctr
Integrity Algorithms:
  all:      hmac-sha1      hmac-sha1-96  hmac-md5      hmac-md5-96
  low:      hmac-sha1      hmac-sha1-96  hmac-md5      hmac-md5-96
  medium:   hmac-sha1      hmac-sha1-96
  fips:     hmac-sha1
  high:     hmac-sha1
```

The output shows all the available encryption algorithms: 3des-cbc aes128-cbc aes192-cbc aes256-cbc aes128-ctr aes192-ctr aes256-ctr.

In order to disable CBC mode so it can be used on the ssh configuration, customize the encryption algorithms to be used, with this command:

```
ssh cipher encryption custom aes128-ctr:aes192-ctr:aes256-ctr
```

After this is done, run the command **show run all ssh**. Now, in the ssh cipher encryption configuration, all

the algorithms use only CTR mode:

```
ASA(config)# show run all ssh
ssh stricthostkeycheck
ssh 0.0.0.0 0.0.0.0 outside
ssh timeout 60
ssh version 2
ssh cipher encryption custom "aes128-ctr:aes192-ctr:aes256-ctr"
ssh cipher integrity medium
ssh key-exchange group dh-group1-sha1
```

Likewise, the SSH Integrity Algorithms can be modified with the command **ssh cipher integrity**.