Contents

Introduction Prerequisites Installation Requirements Installation of Sourcefire User Agent Uninstallation of the Sourcefire User Agent Troubleshoot Uninstallation Issues Symptom Solution

Introduction

This document describes how to install and uninstall a User Agent on the Microsoft Windows operating system. Sourcefire User Agent monitors Microsoft Active Directory servers and reports logins and logoffs authenticated via Lightweight Directory Access Protocol (

Prerequisites

Cisco recommends that you have knowledge of FireSIGHT Management Center, Sourcefire User Agent, and Active Directory.

Installation Requirements

- TCP/IP access to the Active Directory servers
- Microsoft .NET Framework Version 4.0 (includes all dependencies of .NET Framework)

Installation of Sourcefire User Agent

- 1. Download the installer file from the Support site.
- 2. Copy the **setup.exe** file to the Windows system where you want to install the User Agent.
- 3. Double-click the Sourcefire User Agent Installer file. The setup wizard appears.

Note: If you do not have permissions to install new applications on the Windows host, you can escalate to an administrative user with the appropriate permissions in order to start the installation. In order to access the escalation option, right-click the Sourcefire User Agent 2.0 setup file and choose **Run As**. Choose an administrative user and provide the appropriate password. If the installation requirements are not met, you will receive this message before the Setup Wizard to download and install Microsoft .NET Framework Version 4.0. Click **Yes** in order to go to the download Page. Follow the instructions to install Microsoft .NET Framework Version 4.0.

- 4. Once the installation of Microsoft .NET Framework Version 4.0 is complete, double-click the Sourcefire User Agent Installer file once again. The setup wizard appears.

If you run a version of Microsoft Windows with User Account Control (UAC) enabled, you will be presented with this dialog box after you double-click the Sourcefire User Agent Installer file. Click **Yes** to allow the Sourcefire User Agent installer to make changes to the system. Click **No** to cancel and exit the Sourcefire User Agent installer to make changes to the system.

	User Ag	jent		ĸ
I	nstalli	ing User Ag	gent Course fra	
	🌍 Use	r Account Contr		2
ι	\bigcirc	Do you want to publisher to m	o allow the following program from an unknown take changes to this computer?	
		Program name: Publisher: File origin:	C:\Users\ \De\Sourcefire_User_Agent_2.0.0-34_Setup.msi Unknown Hard drive on this computer	
	•	Show details	Yes No Change when these notifications appear	
			Cancel < Back Next >	

5. Click **Next** to continue with the Sourcefire User Agent Setup Wizard. Click **Cancel** to exit the Sourcefire User Agent Setup Wizard.



6. Click **Browse** to select the folder where you want to install the Sourcefire User Agent and then click **Next**. Click **Cancel** to exit the Sourcefire User Agent Setup Wizard.

健 User Agent	
Select Installation Folder	source fire
The installer will install User Agent to the following folder.	
To install in this folder, click "Next". To install to a different folder, enter it be	elow or click "Browse".
<u>F</u> older:	
C:\Program Files (x86)\Sourcefire\User Agent\	Browse
	Disk Cost
Cancel < Back	Next >

7. Click **Next** to start the installation. Click **Cancel** to exit the Sourcefire User Agent Setup Wizard.

🖶 User Agent			
Confirm Installation		SOL	JRCE fire
The installer is ready to install User Agent	on your computer.		
Click "Next" to start the installation.			
	Cancel	< Back	Next >

8. Click **Close** after the Sourcefire User Agent Setup Wizard completes. The Sourcefire User Agent is now installed. The Sourcefire User Agent starts as a service on the Windows system.



9. The Sourcefire User Agent adds a quick launch icon to the desktop of the Windows system.



Uninstallation of the Sourcefire User Agent

In order to uninstall the Sourcefire User Agent 2.x, use one of these steps:

 Navigate to Control Panel > Programs > Programs and Features, choose Sourcefire User Agent from the list, and click Uninstall. • Navigate to the location where the Sourcefire User Agent setup file is located, right-click, and

1		
Sourcefire_U er_Agent_2.0 0-34 Setup	Install Repair	
	Uninstall	
	Troubleshoot compatibility	
	Open with	
	Share with	·
	Sourcefire	•
	Restore previous versions	
	Send to	,
	Cut	
	Сору	
	Create shortcut	
	Delete	
	Rename	
	Properties	

select Uninstall.

 In order to uninstall via the CLI, open a command prompt (you might need to it run as Administrator), change directories to the location where the .msi file is located, and enter this command: Note: In the previous example, the build number is 34. This build number changes when the Sourcefire User Agent is updated. Verify the build number before you enter the command.

Troubleshoot Uninstallation Issues

Symptom

- User Agent uninstallation fails.
- Services are still shown as running after you uninstalled it.

Solution

If the User Agent is not shown under Programs and Features in the Control Panel, you can simply delete the User Agent service. In order to remove the service, open a command prompt as Administrator and enter this command:

Caution: Use a space after the '='

You can also complete these steps in the services management console. In order to open the console:

- 1. Go to the **Start** menu.
- 2. Run services.msc.
- 3. View the properties of the Sourcefire User Agent.

Once the service names are displayed, enter these commands in order to delete the service:



Note: Any files related to the FireSIGHT System might still be present on the machine and need to be removed.