

# Contents

[Introduction](#)

[Background Information](#)

[Procedure to Enable HA-Proxy Logs](#)

[Related Cisco Support Community Discussions](#)

## Introduction

This article describes the procedure to enable High Available-Proxy (HA-Proxy) logging in Cisco Policy Suite (CPS). HA-Proxy is used for high available load balancing. By default, for performance reasons, HA-Proxy does not log the messages.

**Note:** You must enable the HA-Proxy logs only when you see a problem related to HA-Proxy.

## Background Information

HA-Proxy logging needs to be enabled only when a potential problem related to HA-proxy, which cannot be identified by any other debug logs in the CPS system, is seen.

## Procedure to Enable HA-Proxy Logs

All the steps need to be performed on the active load balancer Virtual Machine (VM) and must be repeated again in passive load balancer, so that whenever load balancer failover happens, HA-Proxy logging is taken care of.

1. Navigate to the **haproxy.cfg** file (/etc/haproxy/haproxy.cfg) and ensure that you have the same entry as shown in this image. By default, in most cases the log level is set to **debug**. Please change it to **err**, otherwise unnecessary logs are recorded.

```
stats auth      admin:broadhop # force HTTP Auth to view stats
stats refresh   60s          # refresh rate of stats page
log             127.0.0.1    local1 err
```

2. Select the proxy for which you want to perform logging, there are many proxy configurations in HA-Proxy configuration file such as svn\_proxy, pb\_proxy, Portal\_admin\_proxy. Enabling HA-Proxy logging for svn\_proxy is shown in this image.

```
listen svn_proxy lbvip02:80
    mode http
    log global
    balance roundrobin
    option httpchk
    option httpclose
    option abortonclose
    server pcrfclient01 pcrfclient01:80 check inter 30s
    server pcrfclient02 pcrfclient02:80 check inter 30s backup
```

3. Edit the **/etc/syslog.conf** file and add the entry as shown in this image. Ensure that **local1** has same name as in Step 1.

```
# SNMP Trap Logs
local2.*                               /var/log/snmp/trap
# HA Proxy Logging
local1.*                               /var/log/haproxy.log
~
```

4. Edit the **/etc/sysconfig/syslog** file and change as shown in this image. You just add **r**. This ensures logging in remote machines.

```
# See syslogd(8) for more details
SYSLOGD_OPTIONS="-rm 0"
# Options to klogd
```

5. Edit the **/etc/logrotate.d/syslog** file and ensure you add an entry for **/var/log/haproxy.log** as shown in this image.

```
/var/log/messages /var/log/secure /var/log/maillog /var/log/spooler /var/log/boot.log /var/log/cron /var/log/snmp/trap /var/log/haproxy.log |
sharedscripts
postrotate
    /bin/kill -HUP `cat /var/run/syslogd.pid 2> /dev/null` 2> /dev/null || true
    /bin/kill -HUP `cat /var/run/rsyslogd.pid 2> /dev/null` 2> /dev/null || true
endscript
|
```

7. Restart the syslogd and HA-Proxy process using the **service syslog restart** and **service haproxy restart** commands.