

## **HSRP - ISSU**

- Finding Feature Information, page 1
- Information About HSRP ISSU, page 1
- Additional References, page 2
- Feature Information for HSRP ISSU, page 3

## **Finding Feature Information**

Your software release may not support all the features documented in this module. For the latest caveats and feature information, see Bug Search Tool and the release notes for your platform and software release. To find information about the features documented in this module, and to see a list of the releases in which each feature is supported, see the feature information table.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to <a href="https://www.cisco.com/go/cfn">www.cisco.com/go/cfn</a>. An account on Cisco.com is not required.

## **Information About HSRP - ISSU**

### **HSRP—ISSU**

The In Service Software Upgrade (ISSU) process allows Cisco software to be updated or otherwise modified while packet forwarding continues. In most networks, planned software upgrades are a significant cause of downtime. ISSU allows Cisco software to be modified while packet forwarding continues, which increases network availability and reduces downtime caused by planned software upgrades.

For detailed information about ISSU, see the *Cisco IOS In Service Software Upgrade Process* document in the *High Availability Configuration Guide*.

# **Additional References**

#### **Related Documents**

Related Topic	Document Title	
Cisco IOS commands	Cisco IOS Master Commands List, All Releases	
HSRP commands: complete command syntax, command mode, command history, defaults, usage guidelines, and examples	Cisco IOS First Hop redundancy Protocols Command Reference	
HSRP for IPv6	"HSRP for IPv6" module	
Troubleshooting HSRP	Hot Standby Router Protocol: Frequently Asked Questions	

### **Standards**

Standards	Title
No new or modified standards are supported by this feature, and support for existing standards has not been modified by this feature.	

### **MIBs**

MIBs	MIBs Link
CISCO-HSRP-MIB CISCO-HSRP-EXT-MIB	To locate and download MIBs for selected platforms, Cisco software releases, and feature sets, use Cisco MIB Locator found at the following URL: http://www.cisco.com/go/mibs

### **RFCs**

RFCs	Title	
RFC 792	Internet Control Message Protocol	
RFC 1828	IP Authentication Using Keyed MD5	
RFC 2281	Cisco Hot Standby Router Protocol	

#### **Technical Assistance**

Description	Link
The Cisco Support and Documentation website provides online resources to download documentation, software, and tools. Use these resources to install and configure the software and to troubleshoot and resolve technical issues with Cisco products and technologies. Access to most tools on the Cisco Support and Documentation website requires a Cisco.com user ID and password.	http://www.cisco.com/cisco/web/support/index.html

# **Feature Information for HSRP - ISSU**

The following table provides release information about the feature or features described in this module. This table lists only the software release that introduced support for a given feature in a given software release train. Unless noted otherwise, subsequent releases of that software release train also support that feature.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to <a href="https://www.cisco.com/go/cfn">www.cisco.com/go/cfn</a>. An account on Cisco.com is not required.

Table 1: Feature Information for HSRP—ISSU

Feature Name	Releases	Feature Information
HSRP—ISSU	12.2(31)SGA	The HSRP—ISSU feature enables support for ISSU in HSRP.
	12.2(33)SRB1 15.0(1)S Cisco IOS XE Release 2.1 Cisco IOS XE 3.1.0SG	The In Service Software Upgrade (ISSU) process allows Cisco software to be updated or otherwise modified while packet forwarding continues. In most networks, planned software upgrades are a significant cause of downtime. ISSU allows Cisco software to be modified while packet forwarding continues, which increases network availability and reduces downtime caused by planned software upgrades. This document provides information about ISSU concepts and describes the steps taken to perform ISSU in a system.  For more information about this feature, see the Cisco IOS In Service Software Upgrade Process module in the Cisco IOS High Availability Configuration Guide. There are no new or modified commands for this feature.