

Caveats

This chapter describes open and resolved severity 1 and 2 caveats and select severity 3 caveats:

- The "Open Caveats" sections list open caveats that apply to the current release and may apply to previous releases. A caveat that is open for a prior release and is still unresolved applies to all future releases until it is resolved.
- The "Resolved Caveats" sections list caveats resolved in a specific release, but open in previous releases.

The bug IDs are sorted alphanumerically.



Note

The Caveats section includes the bug ID and a short description of the bug. For details on the symptoms, conditions, and workaround for a specific caveat you must use the Bug Search Tool.

- Resolved Caveats Cisco IOS XE Bengaluru 17.5.1, on page 1
- Open Caveats Cisco IOS XE Bengaluru 17.5.1, on page 2
- Cisco Bug Search Tool, on page 3

Resolved Caveats – Cisco IOS XE Bengaluru 17.5.1

Caveat ID Number	Description
CSCvh63374	TCAM related commands do not return values on RSP3
CSCvv06958	CPE SIT: IP Sec tunnel is not reachable after RSP3 SSO
CSCvv23077	Config failure is seeen on standby RPS3 from 16_9_4 to 17_3_1 images upgrade
CSCvv33300	Alarm-profile : APS configured for Au-4 mode t3 , e3 after SSO alarms are removed
CSCvv51145	Crash seen on "show plat hard pp active feature multicast database ipv4 table label <> eos <> "
CSCvv72192	IMA2Z IM, xfp and sfp+ are present then XFP is removed LED still shows as green
CSCvv76949	[SVSP-497]-Op state and Ad state showing NA for all slot with Bandwidth command

Caveat ID Number	Description
CSCvv83093	OBFL updation with valid time after NTP Sync in RTC failure case (Rework of CSCvq07399)
CSCvv94214	"no Loopback remote iboc csu/fac1/fac2" does not bring remote end out of loop
CSCvv95745	Crash of standby supervisor because of QoS Overhead Accounting
CSCvv99456	ACL entries with FRAGMENT keywords are not working
CSCvw00749	sensor_state_change TDL message create validation missing
CSCvw04366	UEA: Display GNSS Chassis SN instead of PCB SN in show CLI
CSCvw09881	LOTR IM: RX-S1S0 bytes are not updated in "show controller sonet"
CSCvw46012	Traffic not passing via BDI after physical interface flaps
CSCvw56612	LOTR: ASR914 show lic CLI does not show port details
CSCvw57114	[RSP3 / PoCh-Mcast]: igmp queries are dropped entering a Poch
CSCvw64784	RSP2 CEM ACR: Not able to reuse same clock id on another controller After deleted clock id.
CSCvw81102	RSP3: copy recent standby logs & corefiles to Active
CSCvx07262	[RSP3-DHCP-Relay]: DHCP relay unicast is dropped in transparent case with HSRP/VRRP/GLBP on EVC-BD
CSCvw59531	Auto negotiation failing when CU SFP connected to 100m port
CSCvw30819	RSP3-400S: OTN-Alarms behavior change using Alarm-Profile

Open Caveats – Cisco IOS XE Bengaluru 17.5.1

Caveat ID Number	Description
CSCvw38827	Observing RSP2A-64 and RSP2A-128 logs in RSP2 HA router with CEM
CSCvx34215	APS 1+1 Uni - Traffic hit due to sonet controllers down after inactive IMOIR then SSO
CSCvx42526	RSP2: A900-IMA2Z IM is impacted during SSO
CSCvx45132	ASR90x-RSP3: Latency for priority traffic is high during congestion in egress over 1G link.
CSCvx46454	FMFP-3-OBJ_DWNLD_TO_DP_FAILED Log Message on ASR-903 RSP3 (A900-RSP3C-400-S)
CSCvx52992	More than 50 msec traffic loss on core ECMP link failure

Caveat ID Number	Description
CSCvx25394	Increase in memory usage by pubd and confd over time with Telemerty

Cisco Bug Search Tool

Cisco Bug Search Tool (BST), the online successor to Bug Toolkit, is designed to improve effectiveness in network risk management and device troubleshooting. You can search for bugs based on product, release, and keyword, and aggregates key data such as bug details, product, and version. For more details on the tool, see the help page located at http://www.cisco.com/web/applicat/cbsshelp/help.html

Cisco Bug Search Tool