cisco.



Cisco IoT FND Postgres and Influx DB Deployment with Integrated Application Management on OVA, Release 4.3.1 and Later

First Published: 2018-08-31

Last Modified: 2024-05-15

Americas Headquarters

Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA http://www.cisco.com Tel: 408 526-4000 800 553-NETS (6387) Fax: 408 527-0883 © 2024 Cisco Systems, Inc. All rights reserved.



CONTENTS

I

CHAPTER 1	Overview 1
CHAPTER 2	OVA Images and Upgrade Scripts Verification 3
	Introduction 3
	Verifying the OVA Signature 4
	Verifying the Upgrade-Scripts RPM Signature 5
	Verifying the CGMS Tools RPM for Postgres Signature 6
CHAPTER 3	Installing the OVA 9
CHAPTER 4	Installing Custom CA Certificates and Importing SUDI Certificate 17
	Changing Password 20
	Managing Custom Web Certificates 21
CHAPTER 5	Configuring IoT FND for IPv6 Tunnel Provisioning and Registration 23
CHAPTER 6	Starting and Stopping FND 25
CHAPTER 7	Starting and Stopping Fog Director 27
CHAPTER 8	Upgrading IoT FND OVA 29
	Pre-Upgrade Checklist 29
	Upgrading the Database and Docker Server Image 33
	Upgrading IoT FND and FD Container Images 45
	Post-Upgrade Checklist 48
	Upgrading IoT FND from 4.5.1 to later releases and Updating RHEL OS

49

CHAPTER 9 Obtaining Status of All Services Running on the Host 53

CHAPTER 10 Backup and Restore 55

CHAPTER 11 Setting the Time and Timezone Using NTP Service 57

I



Overview

This document provides the steps required to install the Cisco IoT Field Network Director (Cisco IoT FND) Release 4.3.1 and Later application with Integrated Application Management (Fog Director) on an Open Virtual Appliance (OVA), VMware ESXi 5.5 or 6.0. You use the same instructions to install both VMware versions.



- **Note** For information about installing Cisco IoT FND and Oracle on an OVA for Release 4.3 and Later, refer to the following guides:
 - Cisco IoT FND Deployment on an Open Virtual Appliance, VMware ESXi 5.5/6.0
 - Cisco IoT Field Network Director Installation Guide-Oracle Deployment, Release 4.3.x and Later

For an overview of the features and functionality of the IoT FND application and details on how to configure features and manage Cisco IoT FND after its installation, refer to the Cisco IoT Field Network Director User Guide.



Note The documentation set for this product strives to use bias-free language. For purposes of this documentation set, bias-free is defined as language that does not imply discrimination based on age, disability, gender, racial identity, ethnic identity, sexual orientation, socioeconomic status, and intersectionality. Exceptions may be present in the documentation due to language that is hardcoded in the user interfaces of the product software, language used based on standards documentation, or language that is used by a referenced third-party product.

Overview

l



OVA Images and Upgrade Scripts Verification

- Introduction, on page 3
- Verifying the OVA Signature, on page 4
- Verifying the Upgrade-Scripts RPM Signature, on page 5
- Verifying the CGMS Tools RPM for Postgres Signature, on page 6

Introduction

Starting from Cisco IoT FND 4.9.0, you can verify the integrity of the OVA images and upgrade scripts before the installation or upgrade of IoT FND.

For more information, refer to:

- Verifying the OVA Signature, on page 4
- Verifying the Upgrade-Scripts RPM Signature, on page 5
- Verifying the CGMS Tools RPM for Postgres Signature, on page 6



Note From FND release 4.12 onwards, the Secure Hash Algorithm is SHA256 and the earlier FND releases use SHA1.

Table 1: OVA Images and Upgrade Scripts Zip File Contents

Zip File Contents	Description
CISCO-IOTFND-V-K9- <release>-<build number="">.zip</build></release>	Includes Oracle for Mesh management (CGR, IR5xx) use case.
1. iot-fnd-oracle- <release>-<build number="">_SHA1_signed</build></release>	l.ova
CISCO-IOTFND-VPI-K9- <release>-<build number="">.zip</build></release>	Includes Postgres / Influx for gateway management (IR8xx, IR1101, IC3K) use case.

I

Zip	File Contents	Description
1.	iot-fnd- <release>-<build number="">_SHA256_signed.ova</build></release>	
2.	iot-tps- <release>-<build number="">_SHA256_signed.ova</build></release>	
CIS nur	SCO-IOTFND-VPI-K9-CGMS-TOOLS- <release>-<build nber="">.zip</build></release>	Includes cgms tools rpm for Postgres deployments.
Atte	ention The CGMS tools file is bundled with CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS number>.zip.	- <release>-<build< td=""></build<></release>
1.	cgms-tools- <release>-<build number="">.x86_64.rpm</build></release>	
2.	FND_RPM_SIGN-CCO_RELEASE.pem — Cisco signe key that is used to verify the signature. This certificate is on https://www.cisco.com/security/pki/.	d x.509 end-entity certificate containing public s chained to Cisco root CA and sub CA posted
3.	cisco_openpgp_verify_release.py — Signature verification Public Key against x.509 end-entity certificate.	program for verifying the Open-pgp Complaint
4.	cisco_openpgp_verify_release.py.signature — Signature cisco_openpgp_verify_release.py.	generated for the script
5.	FND-rel-binary.gpg — Open-pgp public key is used for	verification of signed RPM.
6.	FND-rel-ascii.gpg — Open-pgp public key is used for ve	erification of signed RPM.
CIS nur	SCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS- <release>-<build nber="">.zip</build></release>	Includes upgrade scripts for upgrading FND-Postgres / Influx OVA.
1.	upgrade-ova- <release>-<build number="">.rpm — Signatu</build></release>	re embedded RPM image.
2.	FND_RPM_SIGN-CCO_RELEASE.pem — Cisco signe key that is used to verify the signature. This certificate is on https://www.cisco.com/security/pki/.	d x.509 end-entity certificate containing public chained to Cisco root CA and sub CA posted
3.	cisco_openpgp_verify_release.py — Signature verification Public Key against x.509 end-entity certificate.	program for verifying the Open-pgp Complaint
4.	cisco_openpgp_verify_release.py.signature — Signature cisco_openpgp_verify_release.py.	generated for the script
5.	FND-rel-binary.gpg — Open-pgp public key is used for	verification of signed RPM.
6.	FND-rel-ascii.gpg — Open-pgp public key is used for ve	erification of signed RPM.

Verifying the OVA Signature

To verify the OVA signature:

Procedure

Step 1	Install the ovftool.
Step 2	Run the command to verify the signed ova file.
	ovftool iot-fnd- <release>-<build number="">_SHA256_signed.ova</build></release>

Verifying the Upgrade-Scripts RPM Signature

Prerequisites:

- Python 2.7.x
- OpenSSL
- Verification scripts running on customer-premises need internet connection to reach Cisco to download root and sub-CA certs

To verify the upgrade-scripts RPM signature:

Procedure

Unzip the file CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS- <release>-<build number="">.zip.</build></release>
Change directory (cd) to CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS- <release>-<build number="">folder.</build></release>
Extract the public key from the public cert:
openssl x509 -pubkey -noout -in FND_RPM_SIGN-CCO_RELEASE.pem > FND-EE-cert.pubkey
Expected Result:
FND-EE-cert.pubkey is created under the same folder
Verify the verification script using the public key and the signature files. openssl dgst -sha512 -verify FND-EE-cert.pubkey -signature cisco_openpgp_verify_release.py.signature cisco_openpgp_verify_release.py
Expected Result:
Verified OK
 Verify if the delivered binary and ASCII keys have matching fingerprints. a) gpg FND-rel-binary.gpg Expected Result:
pub 2048R/F7D5ED29 2017-01-01 identity-name (FND.rel) identity-name@cisco.com
<pre>b) gpg FND-rel-ascii.gpg</pre>
Expected Result:

Step 6 Verify the binary GPG key against EE cert. ./cisco openpgp verify release.py -e FND RPM SIGN-CCO RELEASE.pem -G FND-rel-binary.gpg **Expected Result:** Downloading CA certificate from http://www.cisco.com/security/pki/certs/crcam2.cer ... Successfully downloaded crcam2.cer. Downloading SubCA certificate from http://www.cisco.com/security/pki/certs/innerspace.cer ... Successfully downloaded innerspace.cer. Successfully verified Cisco root, subca and end-entity certificate chain. Successfully fetched a public key from FND RPM SIGN-CCO RELEASE.pem. Successfully authenticated FND-rel-binary.gpg key using Cisco X.509 certificate trust chain. Step 7 Verify the RPM Signature using the GPG ASCII key. sudo rpm --import FND-rel-ascii.gpg rpm -K upgrade-ova-<release>-<build number>.rpm **Expected Result:** upgrade-ova-<release>-<build number>.rpm: rsa sha1 (md5) pgp md5 OK

pub 2048R/F7D5ED29 2017-01-01 identity-name (FND.rel) identity-name@cisco.com

Step 8 Once the RPM is verified, you can upgrade OVA using the RPM.

Verifying the CGMS Tools RPM for Postgres Signature

Prerequisites:

- Python 2.7.x
- OpenSSL
- Verification scripts running on customer-premises need an internet connection to reach Cisco to download root and sub-CA certs

To verify the cgms tools rpm for Postgres signature:

Procedure

Step 1	Unzip the file CISCO-IOTFND-VPI-K9-CGMS-TOOLS- <release>-<build number="">.zip .</build></release>
Step 2	Change directory (cd) to CISCO-IOTFND-VPI-K9-CGMS-TOOLS- <release>-<build number="">.zip folder.</build></release>
Step 3	Extract the public key from the public cert:
	openssl x509 -pubkey -noout -in FND_RPM_SIGN-CCO_RELEASE.pem > FND-EE-cert.pubkey

Expected Result:

FND-EE-cert.pubkey is created under the same folder Step 4 Verify the verification script using the public key and the signature files. openssl dgst -sha512 -verify FND-EE-cert.pubkey -signature cisco openpgp verify release.py.signature cisco openpgp verify release.py **Expected Result:** Verified OK Step 5 Verify if the delivered binary and ASCII keys have matching fingerprints. a) gpg FND-rel-binary.gpg **Expected Result:** pub 2048R/F7D5ED29 2017-01-01 identity-name (FND.rel) identity-name@cisco.com b) gpg FND-rel-ascii.gpg **Expected Result:** pub 2048R/F7D5ED29 2017-01-01 identity-name (FND.rel) identity-name@cisco.com Step 6 Verify the binary GPG key against EE cert. ./cisco openpgp verify release.py -e FND RPM SIGN-CCO RELEASE.pem -G FND-rel-binary.gpg **Expected Result:** Downloading CA certificate from http://www.cisco.com/security/pki/certs/crcam2.cer ... Successfully downloaded crcam2.cer. Downloading SubCA certificate from http://www.cisco.com/security/pki/certs/innerspace.cer ... Successfully downloaded innerspace.cer. Successfully verified Cisco root, subca and end-entity certificate chain. Successfully fetched a public key from FND RPM SIGN-CCO RELEASE.pem. Successfully authenticated FND-rel-binary.gpg key using Cisco X.509 certificate trust chain. Step 7 Verify the RPM Signature using the GPG ASCII key. sudo rpm --import FND-rel-ascii.gpg rpm -K cgms-tools-<release>-<build number>.x86 64.rpm **Expected Result:** upgrade-cgms-tools-<release>-<build number>.x86 64.rpm: rsa sha1 (md5) pgp md5 OK Step 8 Once the RPM is verified, you can upgrade cgms-tools using the RPM.

I



Installing the OVA

Prerequisites

- Log in to the IP address of a VMware ESXi server running 6.5 and above via a web browser with your user credentials (username and password).
- Ensure that you meet the VMware server machine (VM CPU and memory) requirements as listed below.
 - 24 GB memory
 - 4 vCPUs
 - Hard disk: 450 GB

To install the OVA:



Attention

From IoT FND 4.12 onwards, use the following credentials for SSH access after installing OVA. The existing credentials username/password (root/cisco123) is disabled for 4.12 and later releases:

- Username: fnduser
- Password: C!sco123

See Step 10 for guidelines to reset the default password.

Procedure

Step 1 Log in to the IP address of a VMware ESXi server running 6.5 and above via a web browser with your user credentials (username and password).

- a) Enter the ESXi IP address in the URL.
- b) Provide the ESXi root login credentials and click Log In.



Step 2 In the Host page, select Create/ Register VM.

mware ESXI								earch	
Ta Navipator	🗍 localhost.localdomain								
Host Manage Manage	CatvCenter Benrer 1 10 Coalhost.lo Versen: Stere Uptime	Death Register VM Do Shut Steen Do Resort C caldomain 20 pictors 3 Remain part cannected to any vCalter Server) 10 dea	🖥 Refresh 🛛 🔕 Actions			63 GAU 197 192 45 GB 408 234 FB	CAR CAR CAR	PREE: 223.3 GH 31 ACITY 223.3 GH IREE: 319.21 GI 344 ACITY: 511.65 GI PREE: 21.36 TI 61 PREE: 21.36 TI 61 PREE: 21.36 TI 61 PREE: 21.86 TI	
Storage	You are currently using E	SXI in evaluation mode. This license will expire in 48 da	15 .					×	
	* Hardware Manufacturer	Cisco Systems Inc		image profile	FSX-7 0U3o 20128353-stan	tant (//Wware, Inc.)			
	Model	UCSC-C480-M5		vSphere HA state	Not configured				
	· D OFU	95 CPUs x Intel(R) Xeon(R) Platnum 8210 CPU	@ 2.40GHz	+ vMoton	Bupported				
	Memory	511.65 GB		- European Information					
	+ 🏭 Virtual Rash	7.74 GB used, 119.75 GB capacity		System information	Tuesday May 30 2023 04:03	26.070			
	- 🧟 Networking			instal data	Wednesday May 17 2023 07	MOTUTO			
	Hostname	loca/host.localdomain		Assettag	Unitown				
	IP addresses	1 vmk0: 10.78.81.184 2. vmk0: fe80: e662.c485e16.a7ef		Serial number	FCH27011000				1
	ONS servers			EPO0 version	C400M5.4.2.36.0.101622232	0			
	Default gateway	10.78.81.1		BIOS release date	Sunday, October 16, 2022, 05	30:00 +0530			
	IPvd enabled	Yes		* Performance summary last h	x04/F				
	Hoat adapters	30				Consumed hose	1CPU		
	Networks	Name	vMa	535		 Consumed host 	t memory		
		Q VII hadwork	21					500	
	👔 Recent tasks								
	Task	~ Tarpet	~ Initiator ~ Queue	f v Started	 Result a 		~ Completer	(* .	v

Step 3 In the New virtual machine window, select **Deploy a virtual machine from an OVF or OVA file** in Select creation type tab and click **Next**.

Select creation type Select OVF and VMDK files Select clorace	Select creation type How would you like to create a Virtual Machine?	
4 License agreements 5 Deployment options 6 Additional settings 7 Ready to complete	Create a new virtual machine Deptoy a virtual machine from an OVF or OVA file Register an existing virtual machine	This option guides you through the process of creating a virtual machine from an OVF and VMDK files.
vm ware [,]		

Step 4 In the Select OVF and VMDK files tab, provide a name for the virtual machine and browse to an OVF package from the internet or a file accessible from your computer (for example, iot-fnd-4.10.0-40.ova). Click **Next**.

2 Select OVF and VMDK files 3 Select storage	Select the OVF and VMDK files or OVA for the VM you would like to deploy
4 License agreements	Enter a name for the virtual machine.
5 Deployment options 6 Additional settings	FND-pgOVA-4.10.0-40
7 Ready to complete	Virtual machine names can contain up to 80 characters and they must be unique within each ESXI instance.
	× 🗃 lot-fnd-4.10.0-40.ova
vinware	

Step 5 Select a storage location for the virtual machines from the listed options (example - Datastore-2).

1 Select creation type 2 Select OVF and VMDK files 3 Select storage	Select storage Select the storage type and data	store									
4 License agreements 5 Deployment options 6 Additional settings 7 Ready to complete	Standard Persistent Illemo	ory Il machine's c	configuratio	n file	es and all o	fits	virtual disk	S .			
	Name	~	Capacity	~	Free	~	Type	~	Thin pro v	Access	~
	datastore1 (4)		1.69 TB		1.58 TB		VMFS6		Supported	Single	
	Dattastore-2		28.2 TB		25.78 TB		VMFS6		Supported	Single	
										21	tems

- **Step 6** After selecting the data store, select the provisioning type and enable the **Power on automatically** option. This ensures to power on the virtual machine once the deployment process is complete. Click **Next**.
 - Note
- Thick Provisioning Absolute reservation on the disk space. For the IoT FND OVA deployment, the disk space required is 600 GB on the ESXi server.
 - Thin Provisioning The disk space grows on demand. For the IoT FND OVA deployment, the disk space is approximately 50 GB initially and the disk space occupied by VM will grow as per the scale of deployment.
- **Note** If the selected storage location does not have sufficient storage for the largest file installation option, a message displays noting insufficient storage. If the warning message appears, select another storage resource with greater capacity and click **Next**.

 1 Select creation type 2 Select OVF and VMDK files 3 Select storage 	Deployment options Select deployment options	
4 Deployment options 5 Ready to complete	Network mappings	VM Network VM Network ~
	Disk provisioning	Thin () Thick
	Power on automatically	•
vm ware [.]		
vmware		

Step 7 Do a final review of the Ready to Complete window. If you do not want to change any settings, click Finish.

Note If you see the following warning message while deployment, then cancel the upload, disconnect the Esxi from vCenter Server (Actions > Disconnect from vCenter Server) and then re-upload OVA. The upload will be successful.

"Failed: Access to resource settings on the host is restricted to the server that is managing it 'vCenter Server IP''

elect creation type	A required disk image	e was missing.	
elect OVF and VMDK files	Review your settings selection to	before finishing the wizard	
eployment options teady to complete	Product	iol-Ind	
	VM Name Files	FND-pg0VA-4.10.0-40 iotfnd-4.10.0-40-disk1.vmdk	
	Datastore	Datastore-2	
	Provisioning type	Thin	
	Network mappings	VM Network: VM Network	
	Guest OS Name	Unknown	
	1 () () () () () () () () () (
vm ware	Do not refresh y	our browser while this VM is being deployed.	

I

The virtual machine deployment is initiated. After completion of the install, the "Completed successfully" message appears in the Recent tasks pane at the bottom of the install window.

eonnain - Virtual Machines Agoter VIII ⊕7 Console b / Astron PgDIX 4 150-46 	Your or Priver of Chadred Base O Serr	Refresh	l Q Actions Nepton v GB	Guest OS Red Hat Enterprise Linus f	Histi n (\$6+8) is648)	ame 🔹 k	Heat CPU 109 MHz	(Q	pgOVA. Host memory 1.33 GB	×) × 1 Roms ,
адалат ЧИК ∰ ⁷⁷ Сонозна № 1 актики рудОж 4 13.0-48 ∨	Town of Power of Chargeson Court of Chargeson	Refresh B Used nal 35.06	€ Adans Iseace v G8	Guest 05 Red Hat Enterprise Linux 6	 Heat to (64-bit) 	ana 🖉 k	Hest CPU 109 MHz	(Q	pgOVA Host memory 1.33 GB	x) v
achore 95004-418-940 v	 Status Store 	e User mail 35.04	space v GB	Guest 03 Red Hat Enturprise Linux 6	Host n (64-ait) iot-Ind	ame 📦 k	Host CPU 109 MHz	~	Host memory 1.33 GB	v 1 itoms "
. v	 Norr 	mai 35.04	GB	Red Hat Enterprise Linus 6	(64-ait) iot-find		109 MHz		1.33 G8	1 itoms "
										1 items "
e 12 belladet onde († af f)	Tappt	 Initiator neat 	 Outpated 65:00:223.00 95:00:223.00 95:00:223.00 95:00:223.00 	 Stanted 45 10 45 40 50 45 407 46 400 50 45 407 46 500 50 	23 00 e0 16 23 00 e337 23 00 e337 23 00 e437	Retolf Compress assessibly Compress assessibly Compress assessibly Compress assessibly Compress assessibly			mpleted + 30 2023 39 51 48 30 2023 39 49 13 30 2023 39 49 13 30 2023 39 49 15	
	e 12.8-19 datet onde († de 19	 Tappi 10.244 data matri or tij 	 Tappi Tappi No goto + 13 km 	 ✓ Target ✓ Britlet ✓ Despelse 10.4 ✓ Desp	۲۰۰۰ Target • Nitebur • Ourseld • Stafed 4 12 3-44 data resk (1 of 1) - - Nitebur - - Stafed - Stafed - - Stafed - - Stafed - - - Stafed -	 ✓ Target ✓ Instator ✓ Output ✓ Instator ✓ Output ✓ Statute ✓ Statute	 ✓ Target ✓ Billator ✓ Dorboti ✓ Dorboti ✓ Billator ✓ Dorboti ✓ Billator ✓ Bilator ✓ Billator <l< td=""><td> ✓ Tappit ✓ Instatur ✓ Output ✓ Output ✓ Statut ✓ Stat</td><td> ✓ Target ✓ Britelar ✓ Dopped ✓ Britela ✓ Copped set 104 - 4 </td><td> ✓ Target ✓ Inflator ✓ Ounset ✓ Standet ✓ Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Monopolicy – × × × × × × × × × × × × × × × × × ×</td></l<>	 ✓ Tappit ✓ Instatur ✓ Output ✓ Output ✓ Statut ✓ Stat	 ✓ Target ✓ Britelar ✓ Dopped ✓ Britela ✓ Copped set 104 - 4 	 ✓ Target ✓ Inflator ✓ Ounset ✓ Standet ✓ Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Result – ✓ Complete + 4 12.84 data ranks in eff Monopolicy – × × × × × × × × × × × × × × × × × ×

Step 8 Click Virtual Machines in the left pane and select the newly deployed VM.

mware esxi											Q Search	
T Navigator 0	😥 localhost.localdomain - Virtual Machines											
+ 🖸 Host	August and a second second second											
Manage	Create / Register VM P Consola	Fower on Power off Buse	end C	Refresh O Actor	14					Q	pgOVA.	х
Monitor	Virtual machine	👋 St	stus	· Used space	~	Guest 05	e Host	Iname	Host CPU	~ H	lost memory	
- 🖨 Virtual Machines 🛛 🛛 🕹	FND-pp0///4.10.0-40	0	Normal	35.06 GB		Red Hat Enterprise Linux	5 (64-bit) ict-tr	ad	109 MHz	1	33 68	
+ 🙋 meshsantt	Outra Mara											1 items
► 🔂 ak_FD-4.10.0-35_81.158	and and a											-
More Vits												
Storage 2												
If withdown												
			_							_	_	_
	Recent tasks											
	Task	~ Tarpet	~ 10	fator v	Oueued	~ Started		~ Result a		~ Cor	mpleted •	
	Upinad dis - lot-frid-4.12.0-40-disk1 vmdk (1 of 1)	PitD-pgOVA-4 10.0-40	194		05:30/2025 09.4	40 18 05/30/20	123 09:40:18	Completing autorsalut	w.	05/3	0 2023 09 51 48	1
	Impart Wep.	Resources	100	4	05-30-2123 09.4	43.97 85.90-28	123 09 43:37	Compressed Automative	le .	06.9	0 2023 88 49 13	k
	Create VM	D PHD-99(DVA-4 10-8-40			05-00-2523 09.4	45.97 85.90.29	23 09 43 97	Completed accossisted	w .	05/3	0 2023 09 49 37	1
	Power On VM	FND-sector-4 10.8-40	100	4	05/00/2023 09 4	4913 05/30/35	23 09 49 13	Completed accessful	tr.	05.0		

Step 9 The deployed VM gets listed in the left pane. Select the IoT FND machine name.

vare ESXi										Q Dearch
igator: D	(b FND-pgCVM-4.10.0-40									
uel	😴 Console 📷 Monitor) Power on 🔳 Shut down 🔢 Suspend 🧐 R	kestart 🥜 Edit 🥑 Refresh	Actions						
Bontor 24 • Orstaal Machines 24 • Di Nobogona, 4500.400 Bontor • Orstaal Machines 24 • Orstaal Machines 24	-	PND-pgOVA-4.10.8-40 Own CS Caregology Visant Tools Ohs Bitropy Nact same	Red Hat Drangste Linux 6 (64.bit) ESU 5.5 untarimachine 1999 4 24:00 alb.fml							386 MHz 386 MHz 8.65 G8 8104A8 35.06 G8
etworking	The configured guest Of optimizations. O Action	i (Red Hat Enterprise Linux 6 (64-bit)) for this virtual es	I machine does not match the gues	d that is current	ty natiting (Red Ha	at Enterprise Linux & (f	64-bittl. You st	ould specify the correct guest OS is	allow for gaest-sp	pecific ×
	a futural information				+ Hastarro C	configuration				
	* G Networking				+ D CPU	comperation	4 yCPUs			
	Hostname	ishind			Memory		24 08			
	ET addresses				+ I Hard disk	k 1	450 GB			
	P 20241541	2 fe90 42 21#fe93 856a			+ INI Network :	adapter 1	VM Networ	k (Connected)		
	+ CMware Tools	Wilware Tools is not managed by vSphere			+ 🖬 Floppy dr	tive 1	Remote FI	0 1001		
	> El Storage	1 disk			+ 💓 Video car	rd	8 MB			
	C Notes		1	Edit notes		01ve 1	Rémote Al	API CD/D/D drive 0		
					A RECEIPT		Additional	Underse		
	+ Performance summary las	at hour			· M ones			- aronare		
		Consume	ed host CPU Ready		* Resource Co	Consumption				
	100,	Consume	ed host memory.		Gonsum	ed host CPU	306 MHC			
	8		2	8	Consum	sed host memory	6.00 00			
	12 80			, ite	Active gue	Appl memory	18 68			
	Recent tasks									
	Task		 Initiator 	v Queued		 Started 		Result .	÷ 1	Completed +
	Upload disk - lot-frel-4.10.0-40-disk1.vmd	8 (1 of 1) (1) PND-pg014-4 10.0-40	reet	05/30/2023 09	40.10	05/30/2223 09:48:18		Completed excessibility		05/30/2023 09:51:48
	Import Wap	Resturtes	reat	05/30/2023 09	40.07	05/30/2023 09:43:37		Completed excessivity	-	06/30 2023 09 49 13
	Contraction of the International Contractional Contractionan Contractional Contract							Contraction of the second seco		10.00.00.00.00.00.00
	Create VM	BD MID-890WA 10 8-40		05/30/2023 09	43.37	10.00.00.00.00.00.00		Conference Incontinuity		

Step 10 Click **Console** and login with root/cisco123 once the OS is up. Once you enter the default password, you are prompted to reset your password.

Important From IoT FND release 4.12 onwards:

- The default root user password is C!sco123.
- The following conditions are applicable to reset the default password.
 - The password must be at least 8 characters in length
 - The password must have at least 1 uppercase character
 - The password must have at least 1 lowercase character
 - The password must have at least 1 special character
 - The password must have at least 1 digit
 - The password cannot be the same as any of the previous 5 passwords used
- **Step 11** Reset the default root password. After you complete the password reset, IoT FND is fully deployed. From FND 4.12 release, the conditions mentioned in Step 10 are applicable to reset the default password.
- **Step 12** Once logged in, navigate to **Applications > System Tools > Settings > Network**.
- **Step 13** Click the cog icon under Wired, navigate to IPv4 tab to assign a static IP address or set up a DHCP server in the network.
 - Under IPv4 tab, select the method as Manual and provide the IPv4 address as below and click Apply.
 - Set up a valid, reachable working DNS server on the Host VM. (mandatory) Use this IP address to access the FND GUI.

Applications Places Se	ettings	May 30 00:41 🐠 🖒
🔏 Q Settings	Network	_ = ×
Notifications	Cancel Wired A	pply +
Q Search	Details Identity IPv6 Security	o
📾 Region & Language	IPv4 Method OAutomatic (DHCP) Uink-Local Only	-
O Universal Access	Addresses	+
⊕s Online Accounts	Address Netmask Gateway	
i Privacy		0 0
< Sharing	DNS Automatic ON	
€ Sound	72.163.128.140	
C Power	Separate IP addresses with commas	-
⊈i2 Network	Routes Automatic ON	
Po Devices	> Address Netmask Gateway Metric	0
Details	>	
🗗 🄏 Settings		

- Important Follow the same steps for TPS OVA installation as well. In order to upgrade the TPS OVA, delete the existing TPS and reinstall the TPS OVA iot-tps-version_number.ova with the updated version number.
- **Step 14** Open a terminal window, and set up Health Monitoring for the Fog Director Container from FND.

```
[root@iot-fnd ~]# cd /opt/monitor/
```

```
[[root@iot-fnd monitor]# ./setup.sh
Setup health metrics monitor for App Management Servers
[Enter FND Username: root
[Enter FND Password:
Successfully configured health metrics monitor for App Management Servers
```

After completing these steps, IoT FND starts monitoring the Fog Director container on the **ADMIN > SERVERS** page.



CHAPTER 4

Installing Custom CA Certificates and Importing SUDI Certificate

By default, the IoT FND OVA comes bundled with keys and certificates which is stored in a keystore. The default values are:

• On IoT FND OVA Linux Host:

Keystore Location: /opt/fnd/data/

Keystore Name: cgms_keystore.selfsigned

• On IoT FND container:

Keystore Location: /opt/cgms/server/cgms/conf/

Keystore Name: cgms_keystore

• Default Password: Public123!

۵

- ImportantThis is the default password for both the files mentioned above.Both these files have the same content.
 - When IoT FND container is restarted, the values of /opt/cgms/server/cgms/conf/cgms_keystore file in IoT FND container is overwritten by /opt/fnd/data/cgms_keystore file. If /opt/fnd/data/cgms_keystore file is not present in host, then /opt/fnd/data/cgms_keystore.selfsigned file is used.

When IoT FND OVA is a new installation, each certificate/key entry is referenced by an alias name in the keystore. The default alias are:

- cisco_sudi (cisco root CA certificate with 2029 expiry)
- jmarconi (cisco certificate)
- cgms (self signed certificate that is used by IoT FND when communicating with devices it has to manage)

Note

This keystore is specific for certificates used for IoT FND communication with its managed devices. There is a different keystore for web certificate.

Custom cgms_keystore

The cgms certificate in /opt/cgms/server/cgms/conf/cgms_keystore file in IoT FND container and /opt/fnd/data/cgms_keystore.selfsigned file of the linux host has by default self signed certificate of IoT FND. There are two options to build a custom cgms_keystore in /opt/fnd/data location on linux host, where the IoT FND certificate of the customer organisation can be imported and stored.

We can either copy the existing /opt/fnd/data/cgms_keystore.selfsigned file on the Linux host or build it from scratch. After the cgms_keystore file is present on the linux host, if both /opt/fnd/data/cgms_keystore.selfsigned and /opt/fnd/data/cgms_keystore files are present, then /opt/fnd/data/cgms_keystore takes precedence.



Note NTP is a mandatory requirement for Public Key Infrastructure. Hence NTP should be in sync between the issuing Certificate Authority (CA) server, IoT FND, TPS, and FAR/HER. If hostname or IP address has to be changed for the IoT FND host, it has to be done before certificate for IoT FND is issued and hence it should be done before starting to build cgms_keystore.

The SAN field in IoT FND certificate is a mandatory requirement and contains the hostname of the IoT FND server. Any change in hostname or IP address is listed in SAN field (if IP address is also present in the SAN field), then the certificate should be reissued. Depending on the PnP type used, the SAN field contains the hostname of the IoT FND or the IP address or both.

The cgms_keystore should contain the below mandatory certificates/keys:

- Issuing CA certificate of the organisation This is the certificate of the issuing CA server of the
 organisation. The issuing CA server can be a root CA server or intermediate CA server. If it is an
 intermediate CA, it is recommended to import root CA and also intermediate CA certificates into the
 keystore.
- IoT FND device certificate is issued for IoT FND by issuing CA server.
- Cisco SUDI with 2029 expiry date This is the cisco manufacturer certificate for IoT FND issued by Cisco with expiry date 2029.
- Cisco SUDI with 2099 expiry date This is the cisco manufacturer certificate for IoT FND issued by Cisco with expiry date 2099.

The below option shows how to build cgms_keystore file from scratch that contains the required certificates and keys.

Procedure

Step 1 Change directory to /opt/fnd/data on linux host.

cd /opt/fnd/data

Importing Root/Issuing CA Certificate

Step 2 Importing any certificate using keytool command creates the keystore file, if keystore file does not exist. Note that the name of the file has to be cgms_keystore as IoT FND refers the file with this name. Copy the issuing CA certificate of your organisation to any location (using scp or any other file transfer method). In this illustration, it is copied to /root/rootca.pem. The certificate can be of the format .cer or .crt or .pem. In this illustration, the issuing CA is the root CA and hence the alias name root is used.

```
# keytool -import -trustcacerts -keystore /opt/fnd/data/cgms_keystore -alias
root -file /root/rootca.pem
```

Convert the keystore from jks to pkcs12.

keytool -importkeystore -srckeystore /opt/fnd/data/cgms_keystore -destkeystore /opt/fnd/data/cgms keystore -deststoretype pkcs12

Verify that the file has been created by listing the contents of the keystore.

keytool -list -keystore /opt/fnd/data/cgms keystore

Importing IoT FND Certificate

Step 3 Import the IoT FND certificate.

Note

Note IoT FND certificate has to be imported ONLY with alias name of cgms.

The below steps tells how to generate a key pair .csr file that can be presented to the issuing CA server for a certificate to be granted for IoT FND server. The .csr file is required by few issuing CA servers of few PKI vendors. If the .csr certificate is given to the issuing CA server, then a certificate is generated based on the contents of the .csr file. If a certificate of IoT FND has already been issued, use the following steps, if the IoT FND certificate issued has .pem or .cer or .crt extension. If the IoT FND certificate has .pfx extension, follow step 4.

a) Generate a key pair and .csr file .

```
# keytool -genkeypair -keyalg RSA -keysize 2048 -alias cgms
-ext "SAN=dns.labfnd.cisco.com, ip:1.0.0.1" -keystore /opt/fnd/data/cgms_keystore
-dname CN=labfnd, OU=iotescblr, O=cisco, L=Bengaluru, ST=Karnataka, C=IN"
```

The key size in this example is 2048, but 4096 can also be used.

```
# keytool -certreq -file labfnd.csr -keystore
/opt/fnd/data/cgms keystore -alias cgms -ext "SAN=dns:labfnd.cisco.com,ip:1.0.0.1"
```

Note This .csr file is then presented to the issuing CA server and a certificate is obtained for IoT FND server.

b) Copy the issued certificate to FND server in any location. In this sample, it is copied to /opt/fnd/data as labfnd.pem file. Import the certificate using below command.

keytool -import -trustcacerts -keystore /opt/fnd/data/cgms_keystore -alias cgms -file /root/labfnd.pem

- **Step 4** If the FND issued certificate issued has .pfx format, then we will have a .pfx file instead of the .pem file. If it is a .pfx file, check the alias name of the .pfx file and then import it using the alias cgms in the cgms_keystore.
 - Find the alias name of the pfx file. In this case, the nms.pfx is copied to the current location.

keytool -list -v -keystore /opt/fnd/data/nms.pfx -srcstoretype
pkcs12 | grep Alias

• Import the pfx into the cgms_keystore with alias cgms. In this sample, "le-IoT FND-8f0908aa-dc8d-4101-a526-93b4eaad9481" is the alias present in the .pfx file.

keytool -importkeystore -v -srckeystore /opt/fnd/data/nms.pfx -destkeystore /opt/fnd/data/cgms_keystore -srcalias le-IoT FND-8f0908aa-dc8d-4101-a526-93b4eaad9481 -destalias cgms

Importing SUDI with 2029 Expiry

Step 5 The SUDI certificate with 2029 expiry is present in /opt/fnd/data directory as cisco-sudi-ca.pem. Import this file to cgms_keystore.

```
# keytool -import -trustcacerts -alias cisco_sudi -file
/opt/fnd/data/cisco-sudi-ca.pem -keystore /opt/fnd/data/cgms keystore
```

Importing SUDI with 2099 Expiry

Step 6 The updated SUDI certificate with 2099 expiry is present in IoT FND container as cisco-ca.pem file, copy this to /opt/fnd/data in linux host.

docker cp fnd-container:/opt/cgms/server/cgms/conf/ciscosudi/cisco-ca.pem
/opt/fnd/data/

Import the SUDI with 2099 expiry, that is, cisco-ca.pem to cgms_keystore.

keytool -import -trustcacerts -keystore /opt/fnd/data/cgms_keystore -alias sudil -file /opt/fnd/data/cisco-ca.pem

Step 7 Restart the container.

docker stop fnd-container docker start fnd-container

- Important It is not advised to use the restart command. It is best practice to stop the container and then start the container so the services can stop gracefully. Sometimes restart will not be graceful and can lead to operational issues.
- **Step 8** After restart, verify that the contents of the cgms_keystore in the IoT FND container has same contents as that of the cgms_keystore in /opt/fnd/data of linux host using the below command.

keytool -list -v -keystore -/opt/fnd/data/cgms_keystore

docker exec -it fnd-container keytool -list -v -keystore /opt/cgms/server/cgms/conf/cgms keystore

- **Step 9** To configure or change the cgms_keystore password, see Changing Password for more information.
 - Changing Password, on page 20
 - Managing Custom Web Certificates, on page 21

Changing Password

The cgms.properties file should contain the password for cgms_keystore, so that IoT FND application can access the cgms_keystore. Hence the first time cgms_keystore is created, encrypt the password of cgms_keystore and provide this encrypted password in cgms.properties file.

If at any time the password for cgms_keystore is changed, then the changed password has to be encrypted again and updated in the cgms.properties file.

Procedure

```
Step 1 Run the following command to encrypt the password for the new cgms_keystore. The sample is provided below.
```

```
# docker exec -it fnd-container /opt/cgms/bin/encryption_util.sh
encrypt <keystore password>
# docker exec -it fnd-container /opt/cgms/bin/encryption_util.sh
encrypt cisco123
#2bVvZsq+vsq94YxuAKdaag--
```

Step 2 Modify the **cgms.properties** file in the /opt/fnd/data folder, and edit the following line to set the new encrypted **cgms_keystore** password:

cgms-keystore-password-hidden=<encrypted new cgms keystore password>

Note: With OVA 4.3.x and above, you can leave the cgms_keystore.selfsigned default bundled keystore untouched.

If both the files (**cgms_keystore** and **cgms_keystore.selfsigned**) are present, the **cgms_keystore** will be used by the container.

Managing Custom Web Certificates

Procedure

Step 1 The web certificate details are not retained after a reboot of Cisco IoT FND. You should perform a back up of the following files before you attempt to reboot Cisco IoT FND.

In the /opt/cgms/server/cgms/conf/ directory:

- jbossas.keystore.password
- jbossas.keystore
- VAULT.dat
- vault.keystore
- standalone.xml
- cgms.conf
- **Step 2** Copy the above files to their respective folders, and restart the Cisco IoT FND.

I



CHAPTER J

Configuring IoT FND for IPv6 Tunnel Provisioning and Registration

IoT FND OVA supports only IPv4 tunnels and Registration out of the box.

To setup an IPv6 network for tunnel provisioning and registration, follow these steps:

Procedure

Ensure you have one interface with a valid IPv6 network which has a IPv6 prefix length less than125.
See the following example of the ens224 interface:
[root@iot-fnd ~]# ifconfig ens224
ens224: flags=4163[UP,BROADCAST,RUNNING,MULTICAST] mtu 1500
inet 2.2.56.117 netmask 255.255.0.0 broadcast 2.2.255.255
inet6 fe80::54f0:5d24:d320:8e38 prefixlen 64 scopeid 0x20[ink]
<pre>inet6 2001:420:7bf:5f::1522 prefixlen 64 scopeid 0x0[global]</pre>
ether 00:0c:29:18:1b:3a txqueuelen 1000 (Ethernet)
RX packets 97618 bytes 12391774 (11.8 MiB)
RX errors 1001 dropped 1011 overruns 0 frame 0
TX packets 3004 bytes 568097 (554.7 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
[root@iot-fnd ~]#

Step 2 Run the ./setup-IPv6-network.sh script in the /opt/fnd/scripts directory to obtain the FND IPv6 address on the router for tunnel provisioning and registration.

Note: While specifying the IPv6 address for the network-mgmt-bridge, provide an Interface Name and a valid IPv6 address (and IP address prefix length) that is in the subnet of the provided host interface. If IPv6 address is in a different subnet, the IPv6 tunnel provisioning and registration will not be successful.





Starting and Stopping FND

Use the **fnd-container.sh** {**start**|**stop**|**status**|**restart**} script in the following directory to start, stop, obtain status, and restart FND:

cd /opt/fnd/scripts/



l



Starting and Stopping Fog Director

Use the **fogd-container.sh {start|stop|status|restart}** script in the following directory to start, stop, obtain status, and restart Fog Director:

cd /opt/fogd/scripts

<pre>[rootBiot-fnd scripts]# ./fogd-container.sh stop Stopping Fog Director container fogd-container [rootBiot-fnd scripts]# ./fogd-container.sh start [rootBiot-fnd scripts]# Starting Fog Director container fogd-container</pre>	
<pre>[rootBiot-fnd scripts]# ./fogd-container.sh status fogd-container is running, pid=10759 CPU % MEM USAGE / L Zhor55477c2 fogd-container 2.00% 764.6MiB / 23 [rootBiot-fnd scripts]# ./fogd-container.sh restart Stopping Fog Director container fogd-container [rootBiot-fnd scripts]# Starting Fog Director container fogd-container [rootBiot-fnd scripts]#</pre>	DMIT MEM % NET I/O BLOCK I/O PI 38G1B 3.19% 849kB / 1.5MB 0B / 41kB 11

l



Upgrading IoT FND OVA

Note Ensure to upgrade the DB and the docker server image first before upgrading the IoT FND and FD container images.

To upgrade the IoT FND OVA, follow the upgrade sequence given below:

1. Upgrade the DB and the docker server image using rpm scripts.

For more information, refer to Upgrading the Database and Docker Server Image, on page 33.

2. Upgrade the IoT FND and FD container images.

For more information, refer to Upgrading IoT FND and FD Container Images, on page 45.

3. Restart Postgres service if the current IoT FND release is prior to 4.9.1 and the target IoT FND release is 4.9.1 or above.



Note

- Postgres service restart is not required if the target IoT FND release is greater than 4.9.1. In this case, we assume that during the upgrade to IoT FND 4.9.1, the postgres service is already restarted.
 - Postgres service restart is a must if you are directly upgrading to 4.10 from a release prior to 4.9.1.
- Pre-Upgrade Checklist, on page 29
- Upgrading the Database and Docker Server Image, on page 33
- Upgrading IoT FND and FD Container Images, on page 45
- Post-Upgrade Checklist, on page 48
- Upgrading IoT FND from 4.5.1 to later releases and Updating RHEL OS, on page 49

Pre-Upgrade Checklist

The section identifies the tasks that you must perform before you begin the upgrade to ensure successful upgrade and limited downtime.

Procedure

 Step 1
 Take a snapshot of the existing VM before you upgrade. This helps in restoring if there is an upgrade failure.

 Step 2
 Take a backup of the PostgreSQL DB. Note

 For any clarification on backup procedure, contact your DB administrator.

 Step 3
 Take a backup of cgms.properties file and cgms_keystore file in the location, /opt/fnd/data/. You can either SCP these files to another server for backup or you can copy in the same or different folder.

```
root@iot-fnd:~[root@iot-fnd ~]#
root@iot-fnd:~[root@iot-fnd ~] # cd /opt/fnd/data
root@iot-fnd:/opt/fnd/data[root@iot-fnd data]#
root@iot-fnd:/opt/fnd/data[root@iot-fnd data]#ls
cgms keystore cgms.properties cisco-sudi-ca.pem userPropertyTypes.xml
root@iot-fnd:/opt/fnd/data[root@iot-fnd data]#
root@iot-fnd:/opt/fnd/data[root@iot-fnd data]# cp cgms.properties cgms.properties backup 09May2022
[root@iot-fnd data]# keytool -importkeystore -srckeystore cgms keystore -destkeystore
cgms_keystore_backup_9May2022 -deststoretype PKCS12
Importing keystore cgms keystore to cgms keystore backup 9May2022...
Enter destination keystore password:
Re-enter new password:
Enter source keystore password:
Entry for alias cgms successfully imported.
Entry for alias cisco sudi successfully imported.
Entry for alias jmarconi successfully imported.
Import command completed: 3 entries successfully imported, 0 entries failed or cancelled
[root@iot-fnd data]#
[root@iot-fnd data]# ls
cgms keystore
                               cgms keystore.selfsigned cgms.properties backup 09May2022
fnd psk.keystore
cgms keystore backup 9May2022 cgms.properties
                                                         cisco-sudi-ca.pem
userPropertyTypes.xml
[root@iot-fnd data]#
```

- a) During the IoT FND container upgrade, the following files get overwritten in the directories mentioned below:
 - Directory /opt/cgms/server/cgms/conf/:
 - jbossas.keystore.password
 - jbossas.keystore
 - VAULT.dat
 - vault.keystore
 - Directory /opt/cgms/server/cgms/deploy/:
 - security-service.xml file

Backup can be done in the same directory using different name or backup in a different directory or backup and store the files in the SCP server.

For example, taking backup in the same directory:

```
Login to the FND container
[root@iot-fnd ~]# docker exec -it fnd-container /bin/bash
[root@fnd-server /]#
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/jbossas.keystore.password
/opt/cgms/server/cgms/conf/jbossas.keystore.password.bkp1
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/jbossas.keystore
/opt/cgms/server/cgms/conf/jbossas.keystore.bkp1
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/vault.keystore
/opt/cgms/server/cgms/conf/vault.keystore.bkp1
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/VAULT.dat
/opt/cgms/server/cgms/conf/VAULT.dat.bkp1
[root@fnd-server /]# cp /opt/cgms/server/cgms/deploy/security-service.xml
/opt/cgms/server/cgms/deploy/security-service.xml.bkp1
[root@fnd-server /]#
```

- b) If you are using *userpropertyTypes.xml* to define custom properties for backup, then follow the steps that are mentioned in the workaround of the bug ID: CSCwc12435. This will be fixed in IoT FND release 4.9 or later.
- **Step 4** Run the following commands and check the output before you start the upgrade process.

```
    /opt/scripts/status.sh

 [root@iot-fnd ~]# /opt/scripts/status.sh
 _____
 • postgresgl-12.service - PostgreSQL 12 database server
   Loaded: loaded (/usr/lib/systemd/system/postgresql-12.service; enabled; vendor preset: disabled)
   Active: active (running) since Mon 2022-05-09 02:01:29 PDT; 2h 6min ago
     Docs: https://www.postgresql.org/docs/12/static/
 Main PID: 27638 (postmaster)
    Tasks: 26
   Memory: 250.5M
   CGroup: /system.slice/postgresql-12.service
 • influxdb.service - InfluxDB is an open-source, distributed, time series database
   Loaded: loaded (/usr/lib/systemd/system/influxdb.service; enabled; vendor preset: disabled)
   Active: active (running) since Mon 2022-05-09 02:02:39 PDT; 2h 5min ago
     Docs: https://docs.influxdata.com/influxdb/
 Main PID: 27892 (influxd)
    Tasks: 21
   Memory: 219.0M
 • kapacitor.service - Time series data processing engine.
   Loaded: loaded (/usr/lib/systemd/system/kapacitor.service; enabled; vendor preset: disabled)
   Active: active (running) since Mon 2022-05-09 02:02:06 PDT; 2h 5min ago
     Docs: https://github.com/influxdb/kapacitor
 Main PID: 27805 (kapacitord)
    Tasks: 14
   Memory: 21.0M
   _____
 fnd-container is running, pid=61255
                                                         MEM USAGE / LIMIT MEM %
 CONTAINER ID NAME
                                      CPU %
      NET I/O
                          BLOCK I/O
                                             PIDS
 a02e6388607d fnd-container
                                     6.44%
                                                          2.612GiB / 23.38GiB 11.17%
       17MB / 13.7MB 20.3MB / 2.64MB
                                            580
 _____
 fogd-container is running, pid=63469
               NAME
                                      CPU %
                                                         MEM USAGE / LIMIT
                                                                              MEM %
 CONTAINER ID
 NET I/O BLOCK I/O
a40aa29e2392 fogd-container
                                      PIDS
                                    6.38%
                                                         2.18GiB / 23.38GiB 9.32%
      434kB / 135kB
                       8.19kB / 145kB 99
 _____
 [root@iot-fnd ~]#
```

```
    docker version

 [root@iot-fnd ~] # docker version
 Client: Docker Engine - Community
  Version:
                    19.03.15
  APT version:
                    1.40
                   go1.13.15
  Go version:
  Git commit:
                    99e3ed8919
  Built:
                    Sat Jan 30 03:17:57 2021
  OS/Arch:
                    linux/amd64
                   false
  Experimental:
 Server: Docker Engine - Community
  Engine:
                    19.03.15
   Version:
   API version:
                    1.40 (minimum version 1.12)
                    qo1.13.15
   Go version:
   Git commit:
                    99e3ed8919
                    Sat Jan 30 03:16:33 2021
   Built:
   OS/Arch:
                    linux/amd64
                    false
   Experimental:
  containerd:
   Version:
                    1.4.4
   GitCommit:
                    05f951a3781f4f2c1911b05e61c160e9c30eaa8e
  runc:
   Version:
                     1.0.0-rc93
   GitCommit:
                    12644e614e25b05da6fd08a38ffa0cfe1903fdec
  docker-init:
                    0.18.0
   Version:
   GitCommit:
                    fec3683
 You have new mail in /var/spool/mail/root
 [root@iot-fnd ~]#

    /opt/fnd/scripts/fnd-container.sh status

 [root@iot-fnd ~]# /opt/fnd/scripts/fnd-container.sh status
 fnd-container is running, pid=61255
                                         CPU %
                                                            MEM USAGE / LIMIT
 CONTAINER ID
                   NAME
                                                                                  MEM %
        NET I/O
                           BLOCK I/O
                                                PIDS
                   fnd-container
                                                            2.613GiB / 23.38GiB 11.18%
 a02e6388607d
                                        6.47%
       17MB / 13.8MB
                         20.3MB / 2.64MB
                                               592
 [root@iot-fnd ~]#
 You have new mail in /var/spool/mail/root
 [root@iot-fnd ~]#
• docker exec -it fnd-container /etc/init.d/cgms status
 [root@iot-fnd ~] # docker exec -it fnd-container /etc/init.d/cqms status
 IoT-FND Version 4.7.2-8
 05-09-2022 04:09:46 PDT: INFO: IoT-FND database server: 192.68.5.1
 05-09-2022 04:09:47 PDT: INFO: IOT-FND database connection verified.
 05-09-2022 04:09:47 PDT: INFO: IOT FND timeseries database server: 192.68.5.1
 05-09-2022 04:09:47 PDT: INFO: IoT FND kapacitor server: 192.68.5.1
 05-09-2022 04:09:48 PDT: INFO: IoT-FND timeseries database/kapacitor connection verified.
 05-09-2022 04:09:49 PDT: INFO: IOT-FND application server is up and running.
 05-09-2022 04:09:50 PDT: INFO: IoT-FND is up and running.
 [root@iot-fnd ~]#
• rpm -qa | grep -i postgres
 root@iot-fnd:/opt/fnd/data[root@iot-fnd data]# rpm -qa | grep -i postgres
 postgresql96-devel-9.6.15-1PGDG.rhel7.x86 64
 postgresql96-libs-9.6.15-1PGDG.rhel7.x86 64
 postgresq196-server-9.6.15-1PGDG.rhel7.x86 64
 postgresq196-9.6.15-1PGDG.rhel7.x86 64
 cgms-postgres-4.5.1-11.x86 64
```

postgresql96-contrib-9.6.15-1PGDG.rhel7.x86_64
root@iot-fnd:/opt/fnd/data[root@iot-fnd data]#

Upgrading the Database and Docker Server Image

This section provides steps for upgrading the database and the docker server image by running the rpm upgrade scripts for releases 4.7.0 to later versions and 4.5.1 to later versions. By running the rpm scripts, you automatically integrate the DB with IoT FND scripts, upgrade the DB, and upgrade the docker server (Community Edition) image.



Note IoT FND version 4.5.1 provides the option to manually upgrade the DB and docker server image instead of running the Cisco rpm scripts. For more information, refer to Manual Upgrade Option in FND 4.5.1.

Note IoT FND OVA upgrade will NOT upgrade the RHEL OS version. The RHEL version differs for different versions of IoT FND as in the table below. After upgrading the OVA, it is recommended to upgrade the OS sooner than later. Although IoT FND is a secure application, OS security and patches must be regularly updated with Cisco's guidance.

	Table 2:	List of Io1	FND and	the bundled	Postares.	Docker.	and RHEL	OS versions:
--	----------	-------------	---------	-------------	-----------	---------	----------	--------------

IoT FND Version	Postgres Version	Docker Server Version	RHEL OS Version
4.11.0	12.12	19.03.15	8.8
4.10.0	12.12	19.03.15	8.7
4.9.1	12.12	19.03.15	8.6
4.9.0	12.9	19.03.15	8.6
4.8.1	12.9	19.03.15	8.5
4.8.0	12.5	19.03.15	7.7
4.7.2	12.5	19.03.15	7.7
4.7.1	12.5	19.03.15	7.7
4.7.0	12.4	18.09.6	7.7
4.5.1	9.6	18.09.6	7.5

Note Starting from FND 4.8.1 release, all python scripts are compatible only for Python 3 which comes as default python interpreter in RHEL 8.x. It is recommended to install Python 3.6 manually if IoT FND OVA is upgraded to 4.8.1 or higher without base OS upgrade.

Procedure

```
Step 1
          Obtain the IoT FND upgrade scripts from Cisco.
Step 2
          Check the RHEL OS version before upgrading IoT FND OVA to 4.7.1 or higher.
          [root@fnd451testupgrade ~]# hostnamectl
             Static hostname: fnd451testupgrade
                   Icon name: computer-vm
                     Chassis: vm
                  Machine ID: 58eb8d728d834d28ad426eca3c9b9c4e
                     Boot ID: 40511dab9f4b4beaa8de82fb105423c9
              Virtualization: vmware
            Operating System: Red Hat Enterprise Linux
                 CPE OS Name: cpe:/o:redhat:enterprise linux:7.5:GA:server
                      Kernel: Linux 3.10.0-862.el7.x86 64
                Architecture: x86-64
          [root@fnd451testupgrade ~] #r
```

- If the RHEL version on the Linux server is lesser than 7.7, then use the following steps to upgrade. You can either do an automatic or manual upgrade.
- If the RHEL version on the Linux server is 7.7 or above, then you can skip the steps below.
- a) Method 1 Automatic Upgrade: For this method, you require subscription to RHEL subscription-manager and active internet connection.

Run the following command to upgrade the container-selinux package.

```
subscription-manager repos --enable=rhel-7-server-extras-rpms
yum update container-selinux
```

Example

```
[root@fnd451testupgrade ~] # subscription-manager repos --enable=rhel-7-server-extras-rpms
Repository 'rhel-7-server-extras-rpms' is enabled for this system.
[root@fnd451testupgrade ~]# yum update container-selinux
Loaded plugins: langpacks, product-id, search-disabled-repos, subscription-manager
https://download.postgresql.org/pub/repos/yum/9.4/redhat/rhel-7Server-x86 64/repodata/repomd.xml:
 [Errno 14] HTTPS Error 404 - Not Found
Trying other mirror.
To address this issue please refer to the below knowledge base article
https://access.redhat.com/articles/1320623
If above article doesn't help to resolve this issue please open a ticket with Red Hat Support.
Resolving Dependencies
--> Running transaction check
---> Package container-selinux.noarch 2:2.42-1.gitad8f0f7.el7 will be updated
---> Package container-selinux.noarch 2:2.119.2-1.911c772.el7 8 will be an update
--> Processing Dependency: selinux-policy >= 3.13.1-216.el7 for package:
2:container-selinux-2.119.2-1.911c772.el7 8.noarch
--> Processing Dependency: selinux-policy-base >= 3.13.1-216.el7 for package:
```

```
2:container-selinux-2.119.2-1.911c772.el7 8.noarch
--> Processing Dependency: selinux-policy-targeted >= 3.13.1-216.el7 for package:
2:container-selinux-2.119.2-1.911c772.el7 8.noarch
--> Running transaction check
---> Package selinux-policy.noarch 0:3.13.1-192.el7 will be updated
---> Package selinux-policy.noarch 0:3.13.1-268.el7 9.2 will be an update
--> Processing Dependency: libsemanage >= 2.5-13 for package:
selinux-policy-3.13.1-268.el7 9.2.noarch
--> Processing Dependency: policycoreutils >= 2.5-24 for package:
selinux-policy-3.13.1-268.el7_9.2.noarch
---> Package selinux-policy-targeted.noarch 0:3.13.1-192.el7 will be updated
---> Package selinux-policy-targeted.noarch 0:3.13.1-268.el7 9.2 will be an update
--> Running transaction check
---> Package libsemanage.x86 64 0:2.5-11.el7 will be updated
--> Processing Dependency: libsemanage = 2.5-11.el7 for package:
libsemanage-python-2.5-11.el7.x86 64
---> Package libsemanage.x86 64 0:2.5-14.el7 will be an update
--> Processing Dependency: libselinux >= 2.5-14 for package: libsemanage-2.5-14.el7.x86 64
--> Processing Dependency: libsepol >= 2.5-10 for package: libsemanage-2.5-14.el7.x86 64
---> Package policycoreutils.x86 64 0:2.5-22.el7 will be updated
--> Processing Dependency: policycoreutils = 2.5-22.el7 for package:
policycoreutils-python-2.5-22.el7.x86 64
---> Package policycoreutils.x86 64 0:2.5-34.el7 will be an update
--> Processing Dependency: libselinux-utils >= 2.5-14 for package: policycoreutils-2.5-34.el7.x86_64
--> Running transaction check
---> Package libselinux.x86 64 0:2.5-12.el7 will be updated
--> Processing Dependency: libselinux(x86-64) = 2.5-12.el7 for package:
libselinux-python-2.5-12.el7.x86 64
---> Package libselinux.x86 64 0:2.5-15.el7 will be an update
---> Package libselinux-utils.x86 64 0:2.5-12.el7 will be updated
---> Package libselinux-utils.x86 64 0:2.5-15.el7 will be an update
---> Package libsemanage-python.x86 64 0:2.5-11.el7 will be updated
---> Package libsemanage-python.x86_64 0:2.5-14.el7 will be an update
---> Package libsepol.x86 64 0:2.5-8.1.el7 will be updated
---> Package libsepol.x86 64 0:2.5-10.el7 will be an update
---> Package policycoreutils-python.x86 64 0:2.5-22.el7 will be updated
---> Package policycoreutils-python.x86_64 0:2.5-34.el7 will be an update
--> Processing Dependency: setools-libs >= 3.3.8-4 for package:
policycoreutils-python-2.5-34.el7.x86 64
--> Running transaction check
---> Package libselinux-python.x86 64 0:2.5-12.el7 will be updated
---> Package libselinux-python.x86 64 0:2.5-15.el7 will be an update
---> Package setools-libs.x86_64 0:3.3.8-2.el7 will be updated
---> Package setools-libs.x86 64 0:3.3.8-4.el7 will be an update
--> Finished Dependency Resolution
```

Dependencies Resolved

Package	Arch	Version
-	Repository	Size
Updating:		
container-selinux	noarch	
2:2.119.2-1.911c772.el7_8 40 k	rhel-7-server-ex	tras-rpms
Updating for dependencies:		
libselinux	x86 64	2.5-15.el7
	rhel-7-server-rpms	162 k
libselinux-python	x86 64	2.5-15.el7
	rhel-7-server-rpms	236 k
libselinux-utils	x86 64	2.5-15.el7
	rhel-7-server-rpms	151 k
libsemanage	x86_64	2.5-14.el7

	rhel-7-server-rpms	151 k
libsemanage-python	x86 64	2.5-14.el7
	rhel-7-server-rpms	113 k
libsepol	x86 64	2.5-10.el7
	rhel-7-server-rpms	297 k
policycoreutils	x86 64	2.5-34.el7
	rhel-7-server-rpms	917 k
policycoreutils-python	x86 64	2.5-34.el7
	rhel-7-server-rpms	457 k
selinux-policy	noarch	3.13.1-268.el7 9.2
	rhel-7-server-rpms	498 k
selinux-policy-targeted	noarch	3.13.1-268.el7 9.2
	rhel-7-server-rpms	7.0 M
setools-libs	x86 64	3.3.8-4.el7
	rhel-7-server-rpms	620 k

```
Transaction Summary
```

Upgrade 1 Package (+11 Dependent packages)		
Total download size: 11 M Is this ok [y/d/N]: y Downloading packages: No Presto metadata available for rhel-7-server-rpms No Presto metadata available for rhel-7-server-extras-rpms (1/12): container-celinux-2 119 2-1 9110772 el7 8 poarch rpm		
(2/12): libselinux-2.5-15.el7.x86 64.rpm	40 kB	00:00:01
(3/12): libselinux-python-2.5-15.el7.x86 64.rpm	162 kB	00:00:01
(4/12): libselinux-utils-2.5-15.el7.x86 64.rpm	236 kB	00:00:01
(5/12): libsemanage-2.5-14.el7.x86_64.rpm	151 kB	00:00:01
(6/12): libsemanage-python-2.5-14.el7.x86_64.rpm	151 kB	00:00:01
(7/12): libsepol-2.5-10.el7.x86_64.rpm	113 kB	00:00:01
(8/12): policycoreutils-python-2.5-34.el7.x86_64.rpm	297 kB	00:00:01
(9/12): policycoreutils-2.5-34.el7.x86_64.rpm	457 KB	00:00:01
(10/12): selinux-policy-3.13.1-268.el7_9.2.noarch.rpm	917 KB	00:00:02
(11/12): setools-libs-3.3.8-4.el7.x86_64.rpm	400 kB	00:00:02
(12/12): selinux-policy-targeted-3.13.1-268.el7_9.2.noarch.rpm	7.0 MB	00:00:08

Total

679 kB/s | 11 MB 00:00:15

		0/9 KD/3 11 HD 00.00.19	
Running trar	nsaction check		
Running trar	nsaction test		
Transaction	test succeeded		
Running trar	isaction		
Updating	: libsepol-2.5-10.el7.x86 64		
	_	1/	/24
Updating	: libselinux-2.5-15.el7.x86_64		
		27	/24
Updating	: libsemanage-2.5-14.el7.x86_64		
		37	/24
Updating	: libselinux-utils-2.5-15.el7.x86_64		
		4 /	/24

I

Updating	: policycoreutils-2.5-34.el7.x86 64	
Updating	: selinux-policy-3.13.1-268.el7 9.2.noarch	5/24
Updating	: selinux-policy-targeted-3.13.1-268.el7 9.2.noarch	6/24
Updating	: libsemanage-python-2.5-14.el7.x86 64	7/24
Undating	· libselinux-nuthon-2 5-15 el7 x86 64	8/24
Undating	• setools-libs-3 3 8-4 el7 x86 64	9/24
Undating	<pre>. betools iibs 5.5.0 4.617.x00_04 . policycoreutils=puthop=2 5-34 el7 x86 64</pre>	10/24
Undating	· 2:container-colinux-2 110 2-1 0110772 al7 0 poarch	11/24
Cleanur	2.container-seinux-2.119.2-1.9110//2.el/_0.noarch	12/24
Cleanup	: 2:container-seiinux-2.42-1.gitadsiui/.ei/.noarch	13/24
Cleanup	: selinux-policy-targeted-3.13.1-192.el/.noarch	14/24
Cleanup	: policycoreutils-python-2.5-22.el/.x86_64	15/24
Cleanup	: selinux-policy-3.13.1-192.el7.noarch	16/24
Cleanup	: policycoreutils-2.5-22.el7.x86_64	17/24
Cleanup	: libselinux-utils-2.5-12.el7.x86_64	18/24
Cleanup	: setools-libs-3.3.8-2.el7.x86_64	19/24
Cleanup	: libselinux-python-2.5-12.el7.x86_64	20/24
Cleanup	: libsemanage-python-2.5-11.el7.x86_64	21/24
Cleanup	: libsemanage-2.5-11.el7.x86_64	22/24
Cleanup	: libselinux-2.5-12.el7.x86_64	23/24
Cleanup	: libsepol-2.5-8.1.el7.x86_64	24/24
rhel-7-serve	r-rpms/7Server/x86_64/productid	L 2.1 kb 00:00:00
Verifying	: libselinux-2.5-15.el7.x86_64	1/24
Verifying	: 2:container-selinux-2.119.2-1.911c772.el7_8.noarch	2/24
Verifying	: selinux-policy-3.13.1-268.el7_9.2.noarch	3/24
Verifying	: selinux-policy-targeted-3.13.1-268.el7_9.2.noarch	4/24
Verifying	: policycoreutils-2.5-34.el7.x86_64	5/24
Verifying	: libselinux-utils-2.5-15.el7.x86_64	6/24
Verifying	: policycoreutils-python-2.5-34.el7.x86_64	7/24
Verifying	: libsemanage-python-2.5-14.el7.x86_64	7/24
Verifying	: libsemanage-2.5-14.el7.x86_64	8/24
Verifying	: libselinux-python-2.5-15.el7.x86_64	9/24
Verifying	: libsepol-2.5-10.el7.x86_64	10/24
		11/24

Verifying : setools-libs-3.3.8-4.el7.x86 64					
	12/24				
verifying : libsemanage-python-2.5-11.el/.x86_64	13/24				
<pre>Verifying : libsemanage-2.5-11.el7.x86_64</pre>	14/24				
Verifying : libselinux-python-2.5-12.el7.x86_64	15/24				
Verifying : setools-libs-3.3.8-2.el7.x86_64	15/24				
Verifying : policycoreutils-2.5-22.el7.x86_64	16/24				
Verifying : 2:container-selinux-2.42-1.gitad8f0f7.el7.	noarch 17/24				
Varifying , policycorowile_puthon_2 5-22 ol7 v06 64	18/24				
verifying . policycoreactis-pychon-2.5-22.et/.xo0_04	19/24				
Verifying : selinux-policy-targeted-3.13.1-192.el7.noa	rch 20/24				
<pre>Verifying : libsepol-2.5-8.1.el7.x86_64</pre>	21/24				
Verifying : selinux-policy-3.13.1-192.el7.noarch	22/24				
Verifying : libselinux-2.5-12.el7.x86_64	22/24				
Verifying : libselinux-utils-2.5-12.el7.x86_64	23/24				
	24/24				
Updated: container-selinux.noarch 2:2.119.2-1.911c772.el7_8					
Dependency Updated:					
libselinux-utils.x86_64 0:2.5-15.el7 libsemanag	e.x86_64 0:2.5-14.el7				
Iibsemanage-python.x86_64 0:2.5-14.el/ Iibsepol.x86_64 0:2.5-10.el/ policycoreutils.x86 64 0:2.5-34.el7 policycoreutils-python.x86 64 0:2.5-34.el7					
<pre>selinux-policy.noarch 0:3.13.1-268.el7_9.2 selinux-pol setools-libs.x86_64 0:3.3.8-4.el7</pre>	<pre>icy-targeted.noarch 0:3.13.1-268.el7_9.2</pre>				

Complete!
[root@fnd451testupgrade ~]#

Enabling Selinux with Enforce Mode:

From IoT FND 5.0 release onwards, the Mandatory Access Controls (MAC) system such as selinux should be pre-installed, if an operating system is capable of using a MAC.

- 1. Check the selinux status by using the command sestatus.
- 2. Install selinux using the necessary packages, if selinux is not installed already.

For CentOS/RHEL OS version:

sudo yum install selinux-policy selinux-policy-targeted

3. Edit to set the selinux configuration file to enforcing mode.

```
sed -i 's/^SELINUX=.*$/SELINUX=enforcing/' /etc/selinux/config
```

4. Reboot the virtual machine to apply the changes.

sudo reboot

5. Ensure the selinux is enabled and in enforcing mode after rebooting the virtual machine by using the command sestatus.

b) Method 2 — Manual Upgrade: If the IoT FND server is offline, that has no internet connection because of security reasons, then you have to upgrade the container-selinux and the dependent packages manually by downloading them from the CentOS Mirror website. Download the 11 dependent packages and install them.

Run the following command to install the dependent packages in the same sequence listed in the Table 3: The dependent packages below apply only for container-selinux-2.107-3.el7.noarch.rpm..

rpm -Uvh package-name

Note Minimum required version of the container-selinux package is container-selinux-2.107-3.el7.noarch.rpm.

Note If the version of the container-selinux is higher, then the dependent rpm packages that are required is also higher. Refer to the CentOS Mirror website on the version requirements of the dependent packages.

Table 3: The dependent packages below apply only for container-selinux-2.107-3.el7.noarch.rpm.

Container-Selinux — Dependent Packages
libsepol-2.5-10.el7.x86_64.rpm
libselinux-2.5-15.el7.x86_64.rpm
libsemanage-2.5-14.el7.x86_64.rpm
libselinux-utils-2.5-15.el7.x86_64.rpm
policycoreutils-2.5-34.el7.x86_64.rpm
selinux-policy-3.13.1-268.el7_9.2.noarch.rpm
selinux-policy-targeted-3.13.1-268.el7_9.2.noarch.rpm
libsemanage-python-2.5-14.el7.x86_64.rpm
libselinux-python-2.5-15.el7.x86_64.rpm
setools-libs-3.3.8-4.el7.x86_64.rpm
policycoreutils-python-2.5-34.el7.x86_64.rpm

Step 3 Extract the cgms rpms files to the IoT FND server.

Based on the OS that you are using, you can extract the scripts (in ZIP format) as follows:

- For Windows-Extract the upgrade scripts on PC and then transfer to the IoT FND server.
- For extracting the upgrade scripts directly on IoT FND server or Linux—Run the following commands:

```
[root@iot-fnd opt]# ls
cgms-influx cgms-postgres CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zip containerd
fnd fogd monitor rh scripts
[root@iot-fnd opt]#
[root@iot-fnd opt]# rpm -qa | grep unzip
unzip-6.0-20.el7.x86_64
[root@iot-fnd opt]#
[root@iot-fnd opt]# unzip CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zip
```

• [root@iot-fnd opt]# unzip CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zi Archive: CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zip

```
inflating: upgrade-ova-4.7.0-101.rpm
[root@iot-fnd opt]#
[root@iot-fnd opt]# ls
cgms-influx cgms-postgres CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zip containerd
fnd fogd monitor rh scripts upgrade-ova-4.7.0-101.rpm
[root@iot-fnd opt]#
```

For example, if you are upgrading the DB and the docker server image for IoT FND release 4.7.0.

a) Download the following upgrade script from Cisco.

CISCO-IOTFND-VPI-K9-UPGRADE-SCRIPTS-4.7.0-101.zip

b) Extract the file to get the rpm:

upgrade-ova-4.7.0-101.rpm

c) Transfer the extracted rpm file to the IoT FND server.

You can copy the rpm file to any directory. In this example, the file is copied to /opt.

Step 4 Go to the directory where you have copied the rpm file.

For example, cd /opt or any directory where the upgrade-ova-4.7.0-101.rpm file is copied.

Step 5 Run the following upgrade script.

Note

```
rpm -Uvh upgrade-ova-<release>-<build number>.rpm
```

For example, rpm -Uvh upgrade-ova-4.7.2-8.rpm.

The upgrade script automatically integrates the DB with IoT FND scripts (Postgres with Influx DB) and upgrades the docker server image.

You can find the install log information in /root/rpm.log.

Sample log information for the rpm upgrade script:

```
root@iot-fnd:/opt[root@iot-fnd opt]# rpm -Uvh upgrade-ova-4.7.2-8.rpm
Preparing...
(1%) ############# (100%)
Updating / installing...
  1:upgrade-ova-4.7.2-8
  (1%) ############## (100%)
Started installer in background. Please check ~/rpm.log in few minutes for details.
root@iot-fnd:/optYou have new mail in /var/spool/mail/root
[root@iot-fnd opt]#
Mon May 9 01:59:29 PDT 2022 Background installer started
Mon May 9 01:59:29 PDT 2022 Please wait until the 'RPM installation completed' message is logged
Mon May 9 01:59:29 PDT 2022 Upgrading cgms-postgres-4.7.2-8.x86 64.rpm
                               ****
Preparing...
Updating / installing...
cgms-postgres-4.7.2-8
                               Cleaning up / removing...
cgms-postgres-4.7.0-101
                               ******
Mon May 9 01:59:47 PDT 2022 Upgrading cgms-influx-4.7.2-8.x86 64.rpm
Preparing...
                               *****
Updating / installing...
cgms-influx-4.7.2-8
                               ****
```

```
Cleaning up / removing...
                           *****
cgms-influx-4.7.0-101
Mon May 9 02:00:04 PDT 2022 Upgrading monit-5.25.3-1.el7.x86 64.rpm
warning: monit-5.25.3-1.el7.x86_64.rpm: Header V4 RSA/SHA1 Signature, key ID 222b0e83: NOKEY
                           ****
Preparing...
package monit-5.25.3-1.el7.x86 64 is already installed
Mon May 9 02:00:18 PDT 2022 Stopping services
Mon May 9 02:00:58 PDT 2022 Upgrading Postgresql to 12.5
Preparing...
                           ****
Updating / installing ...
                           *****
postgresql12-libs-12.5-1PGDG.rhel7
postgresql12-12.5-1PGDG.rhel7
                           ******
Cleaning up / removing...
postgresgl12-12.4-1PGDG.rhel7
                           ****
postgresql12-libs-12.4-1PGDG.rhel7
                           ******
Mon May 9 02:01:27 PDT 2022 Restarting Postgresgl
Mon May 9 02:01:40 PDT 2022 Stopping InfluxDB and Kapacitor
Mon May 9 02:01:50 PDT 2022 Upgrading influxdb-1.8.3.x86 64.rpm
Preparing...
                           Updating / installing...
influxdb-1.8.3-1
                           warning: /etc/influxdb/influxdb.conf created as
/etc/influxdb/influxdb.conf.rpmnew
*****
Cleaning up / removing...
influxdb-1.5.3-1
                           Mon May 9 02:02:02 PDT 2022 Upgrading kapacitor-1.5.7-1.x86 64.rpm
                           ****
Preparing...
Updating / installing...
kapacitor-1.5.7-1
                           warning: /etc/kapacitor/kapacitor.conf created as
/etc/kapacitor/kapacitor.conf.rpmnew
*****
Cleaning up / removing...
kapacitor-1.5.0-1
                           Mon May 9 02:02:06 PDT 2022 Restarting InfluxDB and Kapacitor
Mon May 9 02:02:20 PDT 2022 Stopping Docker
Mon May 9 02:02:26 PDT 2022 Upgrading Docker to 19.03.15
warning: container-selinux-2.119.2-1.911c772.el7 8.noarch.rpm: Header V3 RSA/SHA256 Signature, key
TD f4a80eb5: NOKEY
Preparing...
(1%) ############## (100%)
Updating / installing...
  1:container-selinux-2:2.119.2-1.911
  (1\%) ##################(100\%)
Cleaning up / removing...
  2:container-selinux-2:2.42-1.gitad8
  (1%) ############## (100%)
Preparing...
(1%)##############(100%)
Updating / installing...
  1:docker-ce-cli-1:19.03.15-3.el7
  (1%) ############## (100%)
  2:containerd.io-1.4.4-3.1.el7
  (1%) ############## (100%)
  3:docker-ce-3:19.03.15-3.el7
  (1%) ############# (100%)
```

```
/usr/bin/dockerd has not been configured as an alternative for dockerd
Cleaning up / removing...
4:docker-ce-3:18.09.6-3.el7
(1%)################(100%)
5:containerd.io-1.2.5-3.1.el7
(1%)##################(100%)
6:docker-ce-cli-1:18.09.6-3.el7
(1%)#####################(100%)
Mon May 9 02:04:11 PDT 2022 Restarting Docker
Mon May 9 02:04:29 PDT 2022 Restarting services
Mon May 9 02:04:59 PDT 2022 RPM installation completed
```

Example

Manual Upgrade of IoT FND 4.5.1 to Later Versions—Use this upgrade procedure ONLY if you want to upgrade on your own without using Cisco rpm (*upgrade-ova-4.7.0-101.rpm*) that is provided to you:

1. Extract the rpm scripts by running the following command:

```
rpm2cpio upgrade-ova-4.7.0-101.rpm | cpio -idmv
[root@iot-fnd opt]# rpm2cpio upgrade-ova-4.7.0-101.rpm | cpio -idmv
./upgrade-ova-4.7.0-101
./upgrade-ova-4.7.0-101/Application-Watchdog
./upgrade-ova-4.7.0-101/Application-Watchdog/README.md
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor-args.ini
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor.sh
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor_app_health.py
./upgrade-ova-4.7.0-101/Application-Watchdog/plugin categories.py
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container registration.py
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container registration.yapsy-plugin
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container_stats_collection.py
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container stats collection.yapsy-plugin
./upgrade-ova-4.7.0-101/Application-Watchdog/postgres-vacuum.sh
./upgrade-ova-4.7.0-101/Application-Watchdog/setup.sh
./upgrade-ova-4.7.0-101/Continuous-Integration
./upgrade-ova-4.7.0-101/Continuous-Integration/README.md
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/conf
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/conf/fnd-env.list
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/data
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/data/cgms keystore.selfsigned
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/data/cisco-sudi-ca.pem
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/data/userPropertyTypes.xml
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/logs
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/scripts
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/scripts/fnd-container.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/scripts/fnd-task
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/scripts/setup-IPv6-network.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fnd/scripts/upgrade.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/conf
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/conf/fogd-env.list
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/scripts
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/scripts/fogd-container.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/scripts/fogd-info.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/scripts/fogd-stats.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/fogd/scripts/fogd-task
./upgrade-ova-4.7.0-101/Continuous-Integration/scripts
```

```
./upgrade-ova-4.7.0-101/Continuous-Integration/scripts/status.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/upgrade-ova.spec
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/field-network-director.conf
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/field-network-director.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/fog-director.conf
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/fog-director.sh
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/influxdb.conf
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/kapacitor.conf
./upgrade-ova-4.7.0-101/Continuous-Integration/watchdog/postgresql.conf
./upgrade-ova-4.7.0-101/rpms
./upgrade-ova-4.7.0-101/rpms/cgms-influx-4.7.0-101.x86 64.rpm
./upgrade-ova-4.7.0-101/rpms/cgms-postgres-4.7.0-101.x86 64.rpm
./upgrade-ova-4.7.0-101/rpms/delay-installer.sh
./upgrade-ova-4.7.0-101/rpms/migrate-postgres.sh
./upgrade-ova-4.7.0-101/rpms/monit-5.25.3-1.el7.x86_64.rpm
./upgrade-ova-4.7.0-101/rpms/postgresql12-12.4-1PGDG.rhel7.x86 64.rpm
./upgrade-ova-4.7.0-101/rpms/postgresql12-contrib-12.4-1PGDG.rhel7.x86 64.rpm
./upgrade-ova-4.7.0-101/rpms/postgresql12-libs-12.4-1PGDG.rhel7.x86 64.rpm
./upgrade-ova-4.7.0-101/rpms/postgresgl12-server-12.4-1PGDG.rhel7.x86 64.rpm
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor app health.pyc
cpio: ./upgrade-ova-4.7.0-101/Application-Watchdog/monitor_app_health.pyo linked to
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor app health.pyc
./upgrade-ova-4.7.0-101/Application-Watchdog/monitor app health.pyo
./upgrade-ova-4.7.0-101/Application-Watchdog/plugin_categories.pyc
cpio: ./upgrade-ova-4.7.0-101/Application-Watchdog/plugin categories.pyo linked to
./upgrade-ova-4.7.0-101/Application-Watchdog/plugin categories.pyc
./upgrade-ova-4.7.0-101/Application-Watchdog/plugin_categories.pyo
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container registration.pyc
cpio: ./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container_registration.pyo
linked to ./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container registration.pyc
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container registration.pyo
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container stats collection.pyc
cpio: ./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container stats collection.pyo
 linked to
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container stats collection.pyc
./upgrade-ova-4.7.0-101/Application-Watchdog/plugins/container stats collection.pyo
189297 blocks
[root@iot-fnd opt]#
[root@iot-fnd opt] #
[root@iot-fnd opt]# ls
cgms-influx cgms-postgres containerd fnd fogd monitor rh scripts
upgrade-ova-4.7.0-101 upgrade-ova-4.7.0-101.rpm
[root@iot-fnd opt]#
[root@iot-fnd opt]#
[root@iot-fnd opt]# cd upgrade-ova-4.7.0-101
[root@iot-fnd upgrade-ova-4.7.0-101]# ls
Application-Watchdog Continuous-Integration rpms
[root@iot-fnd upgrade-ova-4.7.0-101]#
[root@iot-fnd upgrade-ova-4.7.0-101]#
[root@iot-fnd upgrade-ova-4.7.0-101]# cd rpms
[root@iot-fnd rpms]#
[root@iot-fnd rpms]# ls
cgms-influx-4.7.0-101.x86 64.rpm
                                    migrate-postgres.sh
postgresql12-contrib-12.4-1PGDG.rhel7.x86_64.rpm
cgms-postgres-4.7.0-101.x86 64.rpm monit-5.25.3-1.el7.x86 64.rpm
postgresql12-libs-12.4-1PGDG.rhel7.x86 64.rpm
                                    postgresql12-12.4-1PGDG.rhel7.x86 64.rpm
delay-installer.sh
postgresql12-server-12.4-1PGDG.rhel7.x86 64.rpm
[root@iot-fnd rpms]#
```

2. Run the following script.

/opt/fnd/scripts/upgrade.sh

3. Select options 3 and 4 in a sequence to integrate the DB with IoT FND scripts (Postgres and Influx) as shown in the log information:

```
[root@iot-fnd rpms]# /opt/fnd/scripts/upgrade.sh
This script must be run with root privileges.
Usage: Load container images: No resource required
      For container reload: No resource required
      For FND Postgres RPM upgrade: Requires <path to cgms-postgres.rpm>
      FND Influx RPM upgrade: Requires <path to cgms-influx.rpm>
                         4) FND Influx RPM upgrade
1) Load container images
2) Container reload
                         5) Ouit
3) FND Postgres RPM upgrade
Enter your choice: 3
Enter cgms-postgres rpm file path: cgms-postgres-4.7.0-101.x86_64.rpm
Stopping FND container...
fnd-container
Preparing...
                                 Updating / installing...
                                  1:cgms-postgres-4.7.0-101
Cleaning up / removing...
  2:cgms-postgres-4.5.1-11
                                  Starting FND container...
Enter your choice: fnd-container
^C
[root@iot-fnd rpms]# pwd
/opt/upgrade-ova-4.7.0-101/rpms
[root@iot-fnd rpms]# /opt/fnd/scripts/fnd-container.sh status
fnd-container is running, pid=37806
                                   CPU %
CONTAINER ID
                NAME
                                                    MEM USAGE / LIMIT
                                                                        MEM %
                              BLOCK I/O
                                                PIDS
             NET I/O
61921642276c
                fnd-container 2.41%
                                                    2.764GiB / 23.38GiB
                                                                      11.82%
            11.3MB / 9.84MB 0B / 2.33MB
                                               315
[root@iot-fnd rpms]#
[root@iot-fnd rpms]# /opt/fnd/scripts/upgrade.sh
This script must be run with root privileges.
Usage: Load container images: No resource required
      For container reload: No resource required
      For FND Postgres RPM upgrade: Requires <path to cgms-postgres.rpm>
      FND Influx RPM upgrade: Requires <path to cgms-influx.rpm>
                         4) FND Influx RPM upgrade
1) Load container images
2) Container reload
                         5) Quit
3) FND Postgres RPM upgrade
Enter your choice: 4
Enter cgms-influx rpm file path: cgms-influx-4.7.0-101.x86 64.rpm
Stopping FND container...
fnd-container
                                  Preparing...
Updating / installing...
                                 1:cgms-influx-4.7.0-101
Cleaning up / removing...
 2:cgms-influx-4.5.1-11
                                  Starting FND container...
Enter your choice: fnd-container
^C
[root@iot-fnd rpms]#
[root@iot-fnd rpms]# /opt/fnd/scripts/fnd-container.sh status
fnd-container is running, pid=45404
                                  CPU %
                                                     MEM USAGE / LIMIT
CONTAINER ID
                NAME
                                                                        MEM %
             NET I/O
                              BLOCK I/O
                                                PIDS
61921642276c
                 fnd-container 2.44%
                                                     2.095GiB / 23.38GiB
                                                                        8.96%
             11.3MB / 9.84MB
                              0B / 2.45MB
                                                315
[root@iot-fnd rpms]#
```



- To upgrade the entire DB, contact your DB Administrator or visit https://www.postgresql.org/ docs/current/upgrading.html to upgrade the Postgres.
- 5. Install the docker server image from https://docs.docker.com/engine/install/rhel/.

What to do next

Upgrading IoT FND and FD Container Images, on page 45

Upgrading IoT FND and FD Container Images

Before you begin

- Pre-Upgrade Checklist, on page 29
- Upgrading the Database and Docker Server Image, on page 33

Procedure

Step 1 Run the following script:

/opt/fnd/scripts/upgrade.sh

[root@iot-fnd ~]# /opt/fnd/scripts/upgrade.sh

```
This script must be run with root privileges.
Usage: Load container images: No resource required
       For container reload: No resource required
1) Load container images
2) Container reload
3) Ouit
Enter your choice: 1
Do you want to download docker image from registry (y/n)?y
Enter docker registry [devhub-docker.cisco.com]: dockerhub.cisco.com
Enter docker image tag: 4.7.2-8
Downloading FND docker image ...
4.7.2-8: Pulling from field-network-director-dev-docker/fnd-image
42ae914c6f41: Pull complete
ea3c714182eb: Pull complete
177abefb5b93: Pull complete
e696bdc28724: Pull complete
89dd87262f50: Pull complete
ff6164c0609f: Pull complete
89a0b2205b62: Pull complete
4dbd23bb6e45: Pull complete
Digest: sha256:2ae8a3cba38ea28156a2c3db55cd8cea0448888a7704479cac33b665d8b2a132
Status: Downloaded newer image for
```

dockerhub.cisco.com/field-network-director-dev-docker/fnd-image:4.7.2-8 dockerhub.cisco.com/field-network-director-dev-docker/fnd-image:4.7.2-8 Downloading Fog Director docker image... 4.7.2-8: Pulling from fog-director-dev-docker/fogd-image 5e9a6732a7a3: Pull complete 55a104320bff: Pull complete 506e5a93cf62: Pull complete 9b2523a38071: Pull complete 8e8389537d47: Pull complete e6fcef979884: Pull complete e2e278b80221: Pull complete 63bc79650477: Pull complete Digest: sha256:16f3227fbac74804f1e2a77aa57ebeeb5b9f05eb4efb0ddccf242865fe673634 Status: Downloaded newer image for dockerhub.cisco.com/fog-director-dev-docker/fogd-image:4.7.2-8 dockerhub.cisco.com/fog-director-dev-docker/fogd-image:4.7.2-8 1) Load container images 2) Container reload 3) Ouit Enter your choice: 2 Stopping FND container... fnd-container Remove FND container ... fnd-container Prune Docker container... Starting FND container... a02e6388607d79504f082dccf179514e5dc2d6bcd34021beac21baf1a555c266 Stopping Fog Director container... fogd-container Remove Fog Director container... fogd-container Prune Docker container... Starting Fog Director container... a40aa29e2392e1e99a5f024d3d5838712d66ef638f0c6b0bf209b1932076611c 1) Load container images 2) Container reload 3) Ouit

Enter your choice: 3 You have new mail in /var/spool/mail/root [root@iot-fnd ~]#

Step 2 Enter **1** to load container images.



Step 3 Download the container image for IoT FND from devhub-docker.cisco.com.

Note You need valid CCO credentials to log into Cisco external docker registry.

Step 4 After the images are downloaded successfully, enter **2** to reload container.

IoT FND upgrade is complete.

1) Load container images 2) Container reload 3) Quit Enter your choice: 2 Stopping FND container ... fnd-container Remove FND container ... fnd-container Prune Docker container ... Starting FND container ... 3da4837b448548c06e0ee2eac75696231462a2bba480bfa6a75358812095da60 Stopping Fog Director container ... fogd-container Remove Fog Director container ... fogd-container Remove FND container ... fnd-container Prune Docker container ... Starting FND container ... 3da4837b448548c06e0ee2eac75696231462a2bba480bfa6a75358812095da60 Stopping Fog Director container... fogd-container Remove Fog Director container ... fogd-container Prune Docker container ... Starting Fog Director container ... 6b6fdbb4810bb8cb471e16717a9a3adbc4b3a9f666e5a423e62c7d57014c8c5c 1) Load container images 2) Container reload 3) Quit Enter your choice: 3 You have new mail in /var/spool/mail/root

Enter **3** to Quit the menu.

What to do next

Post-Upgrade Checklist, on page 48

Post-Upgrade Checklist

Â

Attention From IoT FND 4.12 onwards, use the following credentials for SSH access after upgrading OVA. The existing credentials username/password (root/cisco123) is disabled for 4.12 and later releases:

- Username: fnduser
- Password: C!sco123

See List item. for resetting password.

Procedure

Step 1 Restart Postgres service if the current IoT FND release is prior to 4.9.1 and the target IoT FND release is 4.9.1 or above.Step 2 Check the DB and IoT FND status by running the following commands:

- /opt/scripts/status.sh
- docker version
- /opt/fnd/scripts/fnd-container.sh status
- docker exec -it fnd-container /etc/init.d/cgms status
- **Note** On completion of the upgrade process, restart the IoT FND container after replacing the files from backup to their original location.

```
Login to the FND container
[root@iot-fnd ~]# docker exec -it fnd-container /bin/bash
[root@fnd-server /]#
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/jbossas.keystore.password.bkp1
/opt/cgms/server/cgms/conf/jbossas.keystore.password
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/jbossas.keystore.bkp1
/opt/cgms/server/cgms/conf/jbossas.keystore
[root@fnd-server /] # cp /opt/cgms/server/cgms/conf/vault.keystore.bkp1
/opt/cgms/server/cgms/conf/vault.keystore
[root@fnd-server /]# cp /opt/cgms/server/cgms/conf/VAULT.dat.bkp1
/opt/cgms/server/cgms/conf/VAULT.dat
[root@fnd-server /]# cp /opt/cgms/server/cgms/deploy/security-service.xml.bkp1
/opt/cgms/server/cgms/deploy/security-service.xml
[root@fnd-server /]#exit
[root@fnd ~]# /opt/fnd/scripts/fnd-container.sh stop
[root@fnd ~] # /opt/fnd/scripts/fnd-container.sh start
```

Step 3 Log into IoT FND to check if the services are working fine.

For example, you can refresh the metrics for a couple of devices or add/delete devices using CSV.

Upgrading IoT FND from 4.5.1 to later releases and Updating RHEL OS

V

Note This procedure is applicable only when you want to upgrade IOT FND version from FND 4.5.1 to FND 4.9.x along with RHEL base OS upgrade.

Procedure

Step 1	Download the latest 4.5.1-11 upgrade zip from Cisco Download page.								
	CISCO-IO	TFND-VPI-K9-UPGRADE-SCRIPTS-4.5.1-11.zip							
Step 2 Step 3	Extract the Install the	Extract the file to get the rpm. Install the upgrade rpm using the following command.							
	rpm -ivh	upgrade-ova-4.5.1-11.rpm							
Step 4	Run the ./	Run the ./upgrade.sh script in /opt/fnd/scripts directory.							
	Note	You can skip the FND postgres rpm and FND influx upgrade rpm.							
Step 5	To upgrade IoT FND from 4.5.1-11 to 4.7.2-8, download the latest 4.7.2-8 upgrade rpm from the Cisco Download page.								
Step 6	Upgrade the upgrade-ova-4.7.2- 8.rpm using the following command.								
	rpm -Uvh	upgrade-ova-4.7.2-8.rpm							
Step 7	Run the ./	Run the ./upgrade.sh script in /opt/fnd/scripts directory.							
	Note	IoT FND OVA upgrade will NOT upgrade the RHEL OS version. After upgrading the OVA, it is recommended to upgrade the OS as well.							
Step 8	Upgrade ba	ase OS from RHEL 7.5 to 7.9.							
Step 9 Step 10	To upgrade from IoT FND 4.7.2-8 to 4.9.x, download the latest 4.9.x upgrade rpm from Cisco Download page. Upgrade the upgrade-ova-4.9. x.rpm using the following command.								
	rpm -Uvh	upgrade-ova-4.9.x.rpm							
Step 11 Step 12 Step 13	Run the ./ Upgrade ba	upgrade.sh script in /opt/fnd/scripts directory. ase OS from RHEL 7.9 to 8.6.							
Sich 12	rhel8 manually:								
	Note	Starting from IoT FND 4.9.1 release, the postgres rpm upgrade is automated.							
	a) Run th	e following commands to uninstall the old Postgres (rhel7) rpms.							

```
rpm -qa | grep postgres
rpm -e <postgresql12.9xxxx.rhel7.x86_64.rpm>
```

Note Keep the cgms-postgres rpm.

b) Download all the four Postgres dependent packages from the YUM link and place the packages in /opt/ directory.

postgresql12-libs-12.9-1PGDG.rhel8.x86_64.rpm postgresql12-12.9-1PGDG.rhel8.x86_64.rpm postgresql12-server-12.9-1PGDG.rhel8.x86_64.rpm postgresql12-contrib-12.9-1PGDG.rhel8.x86_64.rpm

c) Install all the above rpms in the same sequential order with the following command.

rpm -ivh <12.9.1PGDG.rhel8.rpm>

d) Make symlink with below command.

chkconfig postgresql-12 on

e) Start the postgres service:

service postgresql-12.service start

f) Check if the postgres status is Active (running):

service postgresql-12.service status

- g) Reload all the required container with FND upgrade script by using 'Option 2) Container Reload'.
 - Run the ./upgrade.sh script in /opt/fnd/scripts/ directory.
 - Enter 2 to reload container.



- Enter 3 to quit menu.
- h) Run ./status.sh script in /opt/scripts/ directory to get the running status of all the required services.

[root@bgl1: [root@bgl1:	2-iot-fnd ∼] 2-iot-fnd sc	# cd /op ripts]#	t/scripts, ./status.	/ sh					
 postgress Loaded: Active: Docs: Process: Main PID: Tasks: Memory: 	ql-12.servic loaded (/us active (run https://www 271967 Exec 271973 (pos 27 (limit: 1.26	e - Post r/lib/sy ning) si .postgre StartPre tmaster) 152444)	greSQL 12 stemd/sys nce Mon 20 sql.org/do =/usr/pgs0	database servi tem/postgresql 22-10-31 13:2 ocs/12/static/ gl-12/bin/postg	er -12.servi 7:20 IST; gresql-12	ce; enabl 4 days a -check-db	ed; vendor preset go -dir \${PGDATA} (c	: disabled) ode≖exited, statu	s=0/SUCCESS)
 influxdb Loaded: Active: Docs: Main PID: Tasks: Memory: 	.service - I loaded (/us active (run https://doc 1520 (influ 21 (limit: 611.5M	nfluxDB r/lib/sy ning) si s.influx xd) 152444)	is an oper stemd/sys nce Thu 20 data.com/:	n-source, dist: tem/influxdb.s 322-10-27 12:50 influxdb/	ributed, ervice; e 9:32 IST;	time seri nabled; v 1 weeks :	es database endor preset: dis 1 days ago	abled)	
 kapacito: Loaded: Active: Docs: Main PID: Tasks: Memory: 	r.service - loaded (/us active (run https://git 1519 (kapac 14 (limit: 59.7M	Time ser r/lib/sy ning) si hub.com/ itord) 152444)	ies data ; stemd/sys nce Thu 20 influxdb/l	processing eng tem/kapacitor. 322-10-27 12:5 kapacitor	ine. service; 9:32 IST;	enabled; 1 weeks :	vendor preset: di 1 days ago	sabled)	
fnd-contain *** WARNIN Using -ite CONTAINER 9b27aeac63	ner is runni G : deprecat r or -pbkdf2 ID NAME fe fnd-con	ng, pid= ed key d would b tainer	272372 erivation e better. CPU % 1.81%	used. MEM USAGE / 1 1.738GiB / 2	LIMIT 3.32Gib	NEM % 7.45%	NET I/O 963MB / 943MB	BLOCK I/O 8.19kB / 3.2MB	PIDS 628
Vsing -ite: CONTAINER b3d97b2791	G : deprecat r or -pbkdf2 ID NAME 3e fogd-co	ing, pid ed key d would b ntainer	erivation e better. CPU % 0.51%	used. MEM USAGE / 804.6MiB / 2	LIMIT 23.32Gib	MEM % 3.37%	NET I/O 665MB / 1.23GB	BLOCK I/O 713kB / 8.19kB	PIDS 91

i) Log into IoT FND UI to check if the services are working fine. For example, you can refresh the metrics for a couple of devices or add/delete devices using CSV.

l



Obtaining Status of All Services Running on the Host

Use the status.sh script in the following directory to show the status of all services running on the host.

cd /opt/scripts

[rootBiot-fpd ~1# (d (opt/scripts/						
IrootRiot-fnd scrip	tal# /status sh						
 postgresql-9.6.se Loaded: loaded Active: active Docs: https:// Process: 1016 Exx Main PID: 1070 (pc Tasks: 24 Memory: 166.2M 	rvice - PostgreSQ (/usr/lib/systemd/ (running) since Fr /www.postgresql.org acStartPre=/usr/pg ostmaster)	L 9.6 database s system/postgresg i 2018-06-15 17: g/docs/9.6/static sql-9.6/bin/post	arver 1-9.6.service; enabled; vend 2207 PDT; lämin ago :/ presql96-check-db-dir \${PGDX	or preset: dis TA) (code=exit	abled) ed, status=0/SUCCESS)		
 influxdb.service Loaded: Loaded Active: active Docs: https:// Main PID: 1024 (ir Tasks: 11 Memory: 47.4M 	- InfluxDB is an ((/usr/lib/systemd/s (running) since Fr: /docs.influxdata.co influxd)	open-source, dis system/influxdb.: i 2018-06-15 17:0 om/influxdb/	ributed, time series databa. service; enabled; vendor pre 12:03 FDT; 13min ago	se set: disabled)			
fnd-container is ru	unning, pid=2064						
CONTAINER ID	NAME	CPU &	MEM USAGE / LIMIT	MEM &	NET I/O	BLOCK I/O	PIDS
a67827470562	fnd-container	1.04%	1.064GiB / 23.38GiB	4.55%	6.69MB / 8.19MB	581MB / 2.22MB	275
fogd-container is a	running, pid=5192						
CONTAINER ID	NAME	CPU %	MEM USAGE / LIMIT	MEM &	NET I/O	BLOCK I/O	PIDS
f6c0c5c313cb	fogd-container	1.64%	762.3MiB / 23.38GiB	3.18%	1.84MB / 3.45MB	106kB / 184kB	117
[rootBiot-fnd scrip	tal#						

I



Backup and Restore

You can export the entire OVA image file as backup, port it to different deployment or restore from an older image file.

Procedure

Step 1	Power down the OVA in vSphere Client.
Step 2	Select the OVA , and then select File > Export > Export OVF Template .

I



Setting the Time and Timezone Using NTP Service

Use the **timedatectl** command on the Host VM to perform following operations to sync the time between the host and the docker:

- Displaying the Current Date and Time: timedatectl
- Changing the Current Time: timedatectl set-time HH:MM:SS
- Changing the Current Date: timedatectl set-time YYYY-MM-DD
- Listing the Time Zone: timedatectl list-timezones
- Changing the Time Zone: timedatectl set-timezone time zone
- Enabling NTP Service: timedatectl set-ntp yes

[root@iot-fnd ~]#	timedatectl
Local time:	Tue 2018-08-28 07:18:37 PDT
Universal time:	Tue 2018-08-28 14:18:37 UTC
RTC time:	Tue 2018-08-28 14:18:37
Time zone:	America/Los_Angeles (PDT, -0700)
NTP enabled:	yes
NTP synchronized:	yes
RTC in local TZ:	no
DST active:	yes
Last DST change:	DST began at
	Sun 2018-03-11 01:59:59 PST
	Sun 2018-03-11 03:00:00 PDT
Next DST change:	DST ends (the clock jumps one hour backwards) at
	Sun 2018-11-04 01:59:59 PDT
	Sun 2018-11-04 01:00:00 PST
<pre>[root@iot-fnd ~]#</pre>	

I