



## FSM Faults

---

This chapter provides information about the faults that may be raised during one or more stages of an FSM task.



### Note

Unless an FSM fault appears on the Overview page, you do not need to take any action to resolve the fault. FSM stages fail and retry for many reasons. These faults do not always indicate an issue with a component or the FSM.

---

### fsmStFailComputeServerDiscPolicyResolveScrubPolicy:Resolve

**Fault Code:** F16476

#### Message

[FSM:STAGE:FAILEDIRETRY]: Resolving scrub  
policy(FSM-STAGE:sam:dme:ComputeServerDiscPolicyResolveScrubPolicy:Resolve)

#### Explanation

None set.

#### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

#### Fault Details

```
Severity: warning
Cause: resolve-failed
mibFaultCode: 16476
mibFaultName: fsmStFailComputeServerDiscPolicyResolveScrubPolicyResolve
moClass: compute:ServerDiscPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/server-discovery
```

## fsmStFailGmetaHolderInventory:CheckInventoryStatus

**Fault Code:** F16477

### Message

[FSM:STAGE:FAILED|RETRY]: Throttle  
inventory(FSM-STAGE:sam:dme:GmetaHolderInventory:CheckInventoryStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** check-inventory-status-failed  
**mibFaultCode:** 16477  
**mibFaultName:** fsmStFailGmetaHolderInventoryCheckInventoryStatus  
**moClass:** gmeta:Holder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** gmeta/category-[category]-provider-[provider]

## fsmStFailGmetaHolderInventory:ReportFullInventory

**Fault Code:** F16477

### Message

[FSM:STAGE:FAILED|RETRY]: Report  
inventory(FSM-STAGE:sam:dme:GmetaHolderInventory:ReportFullInventory)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** report-full-inventory-failed  
**mibFaultCode:** 16477  
**mibFaultName:** fsmStFailGmetaHolderInventoryReportFullInventory  
**moClass:** gmeta:Holder  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: gmeta/category- [category] -provider- [provider]

```

## fsmStFailFirmwareDownloaderDownload:CheckPendingNetworkConfig

**Fault Code: F16517**

### Message

[FSM:STAGE:FAILED|RETRY]: checking pending management network config(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:CheckPendingNetworkConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: check-pending-network-config-failed
mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadCheckPendingNetworkConfig
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

```

## fsmStFailFirmwareDownloaderDownload:CopyRemote

**Fault Code: F16517**

### Message

[FSM:STAGE:FAILED|RETRY]: sync images to subordinate(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-remote-failed

```

```

mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadCopyRemote
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

```

## fsmStFailFirmwareDownloaderDownload:DeleteExtraImages

**Fault Code: F16517**

### Message

[FSM:STAGE:FAILED|RETRY]: deleting extra distributable images(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteExtraImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: delete-extra-images-failed
mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadDeleteExtraImages
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

```

## fsmStFailFirmwareDownloaderDownload:DeleteLocal

**Fault Code: F16517**

### Message

[FSM:STAGE:FAILED|RETRY]: deleting downloadable [fileName] on local(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

**fsmStFailFirmwareDownloaderDownload:Local****Fault Code: F16517****Message**

```
[FSM:STAGE:FAILED|RETRY]: downloading image [fileName] from
[server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

## fsmStFailFirmwareDownloaderDownload:UnpackLocal

**Fault Code:** F16517

### Message

[FSM:STAGE:FAILED|RETRY]: unpacking image [fileName] on primary(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 16517
mibFaultName: fsmStFailFirmwareDownloaderDownloadUnpackLocal
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

## fsmStFailFirmwareImageDelete:Local

**Fault Code:** F16518

### Message

[FSM:STAGE:FAILED|RETRY]: deleting image file [name] ([invTag]) from primary(FSM-STAGE:sam:dme:FirmwareImageDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 16518
mibFaultName: fsmStFailFirmwareImageDeleteLocal
moClass: firmware:Image
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/image-[name]

```

## fsmStFailFirmwareImageDelete:Remote

**Fault Code: F16518**

### Message

[FSM:STAGE:FAILED|RETRY]: deleting image file [name] ([invTag]) from secondary(FSM-STAGE:sam:dme:FirmwareImageDelete:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: remote-failed
mibFaultCode: 16518
mibFaultName: fsmStFailFirmwareImageDeleteRemote
moClass: firmware:Image
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/image-[name]

```

## fsmStFailFirmwareDistributableDelete:Local

**Fault Code: F16519**

### Message

[FSM:STAGE:FAILED|RETRY]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed

```

```

mibFaultCode: 16519
mibFaultName: fsmStFailFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]

```

## fsmStFailFirmwareDistributableDelete:Remote

**Fault Code:** F16519

### Message

[FSM:STAGE:FAILED|RETRY]: deleting package [name] from secondary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: remote-failed
mibFaultCode: 16519
mibFaultName: fsmStFailFirmwareDistributableDeleteRemote
moClass: firmware:Distributable
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]

```

## fsmStFailMgmtControllerUpdateUCSManager:copyExtToLocal

**Fault Code:** F16520

### Message

[FSM:STAGE:FAILED|RETRY]: copying image from external repository to local repository(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:copyExtToLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

```

Severity: warning
Cause: copy-ext-to-local-failed
mibFaultCode: 16520
mibFaultName: fsmStFailMgmtControllerUpdateUCSManagerCopyExtToLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmStFailMgmtControllerUpdateUCSManager:copyExtToPeer****Fault Code: F16520****Message**

[FSM:STAGE:FAILEDIRETRY]: copying image from external repository to local repository of peer(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:copyExtToPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: copy-ext-to-peer-failed
mibFaultCode: 16520
mibFaultName: fsmStFailMgmtControllerUpdateUCSManagerCopyExtToPeer
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt

```

```

Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateUCSManager:execute

**Fault Code:** F16520

### Message

[FSM:STAGE:FAILED|RETRY]: Updating firmware  
image(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 16520
mibFaultName: fsmStFailMgmtControllerUpdateUCSManagerExecute
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateUCSManager:start

**Fault Code:** F16520

### Message

[FSM:STAGE:FAILED|RETRY]: Scheduling firmware image update(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:start)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: start-failed
mibFaultCode: 16520
mibFaultName: fsmStFailMgmtControllerUpdateUCSManagerStart
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateSwitch:copyToLocal

**Fault Code:** F16521

### Message

[FSM:STAGE:FAILED|RETRY]: copying image from external repository to local repository(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:copyToLocal)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: copy-to-local-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchCopyToLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmStFailMgmtControllerUpdateSwitch:copyToPeer**

**Fault Code: F16521**

**Message**

[FSM:STAGE:FAILED|RETRY]: copying image from external repository to local repository of peer(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:copyToPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: copy-to-peer-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchCopyToPeer
moClass: mgmt:Controller
Type: fsm
Callhome: none

```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateSwitch:resetLocal

**Fault Code: F16521**

### Message

[FSM:STAGE:FAILED|RETRY]: rebooting local fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:resetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: reset-local-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchResetLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt

```

**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailMgmtControllerUpdateSwitch:resetRemote

**Fault Code:** F16521

### Message

[FSM:STAGE:FAILED|RETRY]: rebooting remote fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:resetRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** reset-remote-failed  
**mibFaultCode:** 16521  
**mibFaultName:** fsmStFailMgmtControllerUpdateSwitchResetRemote  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailMgmtControllerUpdateSwitch:updateLocal

**Fault Code:** F16521

### Message

[FSM:STAGE:FAILED|RETRY]: updating local fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:updateLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: update-local-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchUpdateLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmStFailMgmtControllerUpdateSwitch:updateRemote**

**Fault Code: F16521**

**Message**

[FSM:STAGE:FAILED|RETRY]: updating peer fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:updateRemote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: update-remote-failed
mibFaultCode: 16521

```

```

mibFaultName: fsmStFailMgmtControllerUpdateSwitchUpdateRemote
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateSwitch:verifyLocal

**Fault Code:** F16521

### Message

[FSM:STAGE:FAILED|RETRY]: verifying boot variables for local fabric interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:verifyLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: verify-local-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchVerifyLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt

```



```

Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateSwitch:verifyRemote

**Fault Code:** F16521

### Message

[FSM:STAGE:FAILED|RETRY]: verifying boot variables for remote fabric interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:verifyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: verify-remote-failed
mibFaultCode: 16521
mibFaultName: fsmStFailMgmtControllerUpdateSwitchVerifyRemote
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerUpdateIOM:CopyIOMImgToSub

**Fault Code:** F16522

### Message

[FSM:STAGE:FAILED|RETRY]: Copying IOM Image to subordinate  
FI(FSM-STAGE:sam:dme:MgmtControllerUpdateIOM:CopyIOMImgToSub)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copyiomimg-to-sub-failed  
**mibFaultCode:** 16522  
**mibFaultName:** fsmStFailMgmtControllerUpdateIOMCopyIOMImgToSub  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailMgmtControllerUpdateIOM:CopyImgFromRep

**Fault Code:** F16522

### Message

[FSM:STAGE:FAILED|RETRY]: Copying IOM Image from repository to  
FI(FSM-STAGE:sam:dme:MgmtControllerUpdateIOM:CopyImgFromRep)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-img-from-rep-failed
mibFaultCode: 16522
mibFaultName: fsmStFailMgmtControllerUpdateIOMCopyImgFromRep
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt
```

**fsmStFailFirmwarePlatformPackPlatformVersion:Restore****Fault Code: F16523****Message**

[FSM:STAGE:FAILED|RETRY]: Check and Restore the Platform Version(FSM-STAGE:sam:dme:FirmwarePlatformPackPlatformVersion:Restore)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restore-failed
mibFaultCode: 16523
mibFaultName: fsmStFailFirmwarePlatformPackPlatformVersionRestore
moClass: firmware:PlatformPack
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /fw-platform-pack- [name]

```

## fsmStFailFirmwarePlatformPackPlatformVersion:WaitForReady

**Fault Code:** F16523

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for system to be ready(FSM-STAGE:sam:dme:FirmwarePlatformPackPlatformVersion:WaitForReady)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-ready-failed
mibFaultCode: 16523
mibFaultName: fsmStFailFirmwarePlatformPackPlatformVersionWaitForReady
moClass: firmware:PlatformPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /fw-platform-pack- [name]

```

## fsmStFailFirmwareSystemDeploy:ActivateApplicationImage

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Activating Application(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateApplicationImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: activate-application-image-failed
mibFaultCode: 16524

```

```

mibFaultName: fsmStFailFirmwareSystemDeployActivateApplicationImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmStFailFirmwareSystemDeploy:ActivateFirmwareImage

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Activating System  
Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateFirmwareImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: activate-firmware-image-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployActivateFirmwareImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmStFailFirmwareSystemDeploy:ActivateManagerImage

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Activating Service  
Manager(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateManagerImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** activate-manager-image-failed  
**mibFaultCode:** 16524  
**mibFaultName:** fsmStFailFirmwareSystemDeployActivateManagerImage  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmStFailFirmwareSystemDeploy:ActivateNpuImage**

**Fault Code:** F16524

**Message**

[FSM:STAGE:FAILED|RETRY]: Activating NPU Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateNpuImage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** activate-npu-image-failed  
**mibFaultCode:** 16524  
**mibFaultName:** fsmStFailFirmwareSystemDeployActivateNpuImage  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmStFailFirmwareSystemDeploy:ActivateSystemImage**

**Fault Code:** F16524

**Message**

[FSM:STAGE:FAILED|RETRY]: Activating System Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateSystemImage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: activate-system-image-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployActivateSystemImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy:CheckFirmwareUpgradeStatus**

**Fault Code: F16524**

**Message**

[FSM:STAGE:FAILED|RETRY]: Check Firmware Upgrade  
Status(FSM-STAGE:sam:dme:FirmwareSystemDeploy:CheckFirmwareUpgradeStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-firmware-upgrade-status-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployCheckFirmwareUpgradeStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy:CompleteFirmwareUpgrade**

**Fault Code: F16524**

**Message**

[FSM:STAGE:FAILED|RETRY]: Complete Firmware Pack  
Upgrade(FSM-STAGE:sam:dme:FirmwareSystemDeploy:CompleteFirmwareUpgrade)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: complete-firmware-upgrade-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployCompleteFirmwareUpgrade
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy>DeleteCurrentApplication**

**Fault Code: F16524**

**Message**

[FSM:STAGE:FAILED|RETRY]: Delete Current Application(FSM-STAGE:sam:dme:FirmwareSystemDeploy>DeleteCurrentApplication)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-current-application-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployDeleteCurrentApplication
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```



## fsmStFailFirmwareSystemDeploy:PollApplicationActivationStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Application Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollApplicationActivationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: poll-application-activation-status-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployPollApplicationActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmStFailFirmwareSystemDeploy:PollDeleteCurrentApplicationStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for Current Application Deletion to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollDeleteCurrentApplicationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: poll-delete-current-application-status-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployPollDeleteCurrentApplicationStatus
moClass: firmware:System
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmStFailFirmwareSystemDeploy:PollManagerActivationStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Service Manager Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollManagerActivationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** poll-manager-activation-status-failed  
**mibFaultCode:** 16524  
**mibFaultName:** fsmStFailFirmwareSystemDeployPollManagerActivationStatus  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmStFailFirmwareSystemDeploy:PollNpuActivationStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for NPU Image Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollNpuActivationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** poll-npu-activation-status-failed  
**mibFaultCode:** 16524

```

mibFaultName: fsmStFailFirmwareSystemDeployPollNpuActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmStFailFirmwareSystemDeploy:PollStartupServiceManagerStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Setting Service Manager Startup Version to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollStartupServiceManagerStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: poll-startup-service-manager-status-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployPollStartupServiceManagerStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmStFailFirmwareSystemDeploy:PollSystemActivationStatus

**Fault Code:** F16524

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for System Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollSystemActivationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** poll-system-activation-status-failed  
**mibFaultCode:** 16524  
**mibFaultName:** fsmStFailFirmwareSystemDeployPollSystemActivationStatus  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmStFailFirmwareSystemDeploy:RebootSystemForImageUpgrade**

**Fault Code:** F16524

**Message**

[FSM:STAGE:FAILED|RETRY]: Activating System  
Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:RebootSystemForImageUpgrade)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** reboot-system-for-image-upgrade-failed  
**mibFaultCode:** 16524  
**mibFaultName:** fsmStFailFirmwareSystemDeployRebootSystemForImageUpgrade  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmStFailFirmwareSystemDeploy:SetStartupServiceManagerVersion**

**Fault Code:** F16524

**Message**

[FSM:STAGE:FAILED|RETRY]: Setting Service Manager Startup  
Version(FSM-STAGE:sam:dme:FirmwareSystemDeploy:SetStartupServiceManagerVersion)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-startup-service-manager-version-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeploySetStartupServiceManagerVersion
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy:ValidateApplicationPack****Fault Code: F16524****Message**

```
[FSM:STAGE:FAILED|RETRY]: Validating the application
pack(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ValidateApplicationPack)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: validate-application-pack-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployValidateApplicationPack
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy:WaitForDeploy****Fault Code: F16524****Message**

```
[FSM:STAGE:FAILED|RETRY]: Waiting for Deploy to
begin(FSM-STAGE:sam:dme:FirmwareSystemDeploy:WaitForDeploy)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-deploy-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployWaitForDeploy
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmStFailFirmwareSystemDeploy:WaitForSystemReady**

**Fault Code:** F16524

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Waiting for System
Ready(FSM-STAGE:sam:dme:FirmwareSystemDeploy:WaitForSystemReady)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-system-ready-failed
mibFaultCode: 16524
mibFaultName: fsmStFailFirmwareSystemDeployWaitForSystemReady
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmStFailFirmwareSupFirmwareDeploy:ActivateFirmwarePack

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Activating SUP  
Firmware(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:ActivateFirmwarePack)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** activate-firmware-pack-failed  
**mibFaultCode:** 16525  
**mibFaultName:** fsmStFailFirmwareSupFirmwareDeployActivateFirmwarePack  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

## fsmStFailFirmwareSupFirmwareDeploy:CompleteFirmwareUpgrade

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Complete Firmware Pack  
Upgrade(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:CompleteFirmwareUpgrade)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** complete-firmware-upgrade-failed  
**mibFaultCode:** 16525  
**mibFaultName:** fsmStFailFirmwareSupFirmwareDeployCompleteFirmwareUpgrade  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

## fsmStFailFirmwareSupFirmwareDeploy:DebundlePort

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Debundle the ports(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:DebundlePort)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** debundle-port-failed  
**mibFaultCode:** 16525  
**mibFaultName:** fsmStFailFirmwareSupFirmwareDeployDebundlePort  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

## fsmStFailFirmwareSupFirmwareDeploy:PollActivateOfFirmwarePack

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Firmware Activation to complete(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:PollActivateOfFirmwarePack)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** poll-activate-of-firmware-pack-failed  
**mibFaultCode:** 16525



```

mibFaultName: fsmStFailFirmwareSupFirmwareDeployPollActivateOfFirmwarePack
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware

```

## fsmStFailFirmwareSupFirmwareDeploy:PollDebundlePort

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Ports debundle complete(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:PollDebundlePort)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: poll-debundle-port-failed
mibFaultCode: 16525
mibFaultName: fsmStFailFirmwareSupFirmwareDeployPollDebundlePort
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware

```

## fsmStFailFirmwareSupFirmwareDeploy:UpdateImageVersion

**Fault Code:** F16525

### Message

[FSM:STAGE:FAILED|RETRY]: Updating Image Version(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:UpdateImageVersion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-image-version-failed  
**mibFaultCode:** 16525  
**mibFaultName:** fsmStFailFirmwareSupFirmwareDeployUpdateImageVersion  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

**fsmStFailFirmwareSupFirmwareDeploy:UpdatePackageVersion****Fault Code:** F16525**Message**

[FSM:STAGE:FAILED|RETRY]: Updating Package  
Version(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:UpdatePackageVersion)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-package-version-failed  
**mibFaultCode:** 16525  
**mibFaultName:** fsmStFailFirmwareSupFirmwareDeployUpdatePackageVersion  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

**fsmStFailFirmwareSupFirmwareDeploy:ValidateFirmwarePack****Fault Code:** F16525**Message**

[FSM:STAGE:FAILED|RETRY]: Validate the firmware  
pack(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:ValidateFirmwarePack)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: validate-firmware-pack-failed
mibFaultCode: 16525
mibFaultName: fsmStFailFirmwareSupFirmwareDeployValidateFirmwarePack
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmStFailFirmwareSupFirmwareDeploy:WaitForDeploy**

**Fault Code: F16525**

**Message**

[FSM:STAGE:FAILED|RETRY]: Waiting for Deploy to begin(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:WaitForDeploy)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-deploy-failed
mibFaultCode: 16525
mibFaultName: fsmStFailFirmwareSupFirmwareDeployWaitForDeploy
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmStFailFirmwareSupFirmwareDeploy:WaitForFirmwareVersionUpdate**

**Fault Code: F16525**

**Message**

[FSM:STAGE:FAILED|RETRY]: Waiting for Firmware Version to update(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:WaitForFirmwareVersionUpdate)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-firmware-version-update-failed
mibFaultCode: 16525
mibFaultName: fsmStFailFirmwareSupFirmwareDeployWaitForFirmwareVersionUpdate
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmStFailFirmwareSystemApplyCatalogPack:ActivateCatalog**

**Fault Code: F16526**

**Message**

[FSM:STAGE:FAILED|RETRY]: Activating  
Catalog(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ActivateCatalog)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: activate-catalog-failed
mibFaultCode: 16526
mibFaultName: fsmStFailFirmwareSystemApplyCatalogPackActivateCatalog
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmStFailFirmwareSystemApplyCatalogPack:ResolveDistributable

**Fault Code:** F16526

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve distributable from operations manager(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveDistributable)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-distributable-failed
mibFaultCode: 16526
mibFaultName: fsmStFailFirmwareSystemApplyCatalogPackResolveDistributable
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmStFailFirmwareSystemApplyCatalogPack:ResolveDistributableNames

**Fault Code:** F16526

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving distributable name(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveDistributableNames)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-distributable-names-failed
mibFaultCode: 16526
mibFaultName: fsmStFailFirmwareSystemApplyCatalogPackResolveDistributableNames
moClass: firmware:System
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmStFailFirmwareSystemApplyCatalogPack:ResolveImages

**Fault Code:** F16526

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve images from operations manager(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-images-failed  
**mibFaultCode:** 16526  
**mibFaultName:** fsmStFailFirmwareSystemApplyCatalogPackResolveImages  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmStFailIdentIdentRequestUpdateIdent:Execute

**Fault Code:** F16528

### Message

[FSM:STAGE:FAILED|RETRY]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 16528

```

mibFaultName: fsmStFailIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: metaverse/metasys/IdentQ-[id]

```

## fsmStFailIdentMetaSystemSync:Execute

**Fault Code:** F16529

### Message

[FSM:STAGE:FAILED|RETRY]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 16529
mibFaultName: fsmStFailIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: metaverse/metasys

```

## fsmStFailIdentMetaSystemSync:Ping

**Fault Code:** F16529

### Message

[FSM:STAGE:FAILED|RETRY]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** ping-failed  
**mibFaultCode:** 16529  
**mibFaultName:** fsmStFailIdentMetaSystemSyncPing  
**moClass:** ident:MetaSystem  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys

**fsmStFailIdentMetaSystemUcscUnivSync:Execute**

**Fault Code:** F16530

**Message**

[FSM:STAGE:FAILED|RETRY]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemUcscUnivSync:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 16530  
**mibFaultName:** fsmStFailIdentMetaSystemUcscUnivSyncExecute  
**moClass:** ident:MetaSystem  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys

**fsmStFailSmAppDelete:Local**

**Fault Code:** F16585

**Message**

[FSM:STAGE:FAILED|RETRY]: deleting the Application [name]-[version](FSM-STAGE:sam:dme:SmAppDelete:Local)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 16585
mibFaultName: fsmStFailSmAppDeleteLocal
moClass: sm:App
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/app- [name] - [version]
Affected MO: sys-secsvc/slot- [slotId] /app-inst - [appInstId] /app- [name] - [version]
```

**fsmStFailSmSecSvcRestoreApplication:Restore**

**Fault Code: F16586**

**Message**

[FSM:STAGE:FAILED|RETRY]: Restoring Apps in progress(FSM-STAGE:sam:dme:SmSecSvcRestoreApplication:Restore)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restore-failed
mibFaultCode: 16586
mibFaultName: fsmStFailSmSecSvcRestoreApplicationRestore
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc
```

**fsmStFailSmAppUpdateApplication:Update**

**Fault Code: F16587**

**Message**

[FSM:STAGE:FAILED|RETRY]: Updating Apps in progress(FSM-STAGE:sam:dme:SmAppUpdateApplication:Update)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-failed
mibFaultCode: 16587
mibFaultName: fsmStFailSmAppUpdateApplicationUpdate
moClass: sm:App
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/app- [name] - [version]
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /app- [name] - [version]
```

**fsmStFailSmAppInstanceResetApplication:StartApps**

**Fault Code: F16588**

**Message**

[FSM:STAGE:FAILED|RETRY]: Start main and decorator applications(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StartApps)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: start-apps-failed
mibFaultCode: 16588
mibFaultName: fsmStFailSmAppInstanceResetApplicationStartApps
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot- [slotId] /app-inst- [appName]
```

## fsmStFailSmAppInstanceResetApplication:StopDecoratorApps

**Fault Code:** F16588

### Message

[FSM:STAGE:FAILED|RETRY]: Stop decorator applications(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StopDecoratorApps)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: stop-decorator-apps-failed
mibFaultCode: 16588
mibFaultName: fsmStFailSmAppInstanceResetApplicationStopDecoratorApps
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

## fsmStFailSmAppInstanceResetApplication:StopMainApp

**Fault Code:** F16588

### Message

[FSM:STAGE:FAILED|RETRY]: Stop main application(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StopMainApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: stop-main-app-failed
mibFaultCode: 16588
mibFaultName: fsmStFailSmAppInstanceResetApplicationStopMainApp
moClass: sm:AppInstance
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot- [slotId]/app-inst- [appName]

```

## fsmStFailSmAppInstanceResetApplication:WairForStopDecorators

**Fault Code:** F16588

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for stopping decorator applications to complete(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WairForStopDecorators)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wair-for-stop-decorators-failed
mibFaultCode: 16588
mibFaultName: fsmStFailSmAppInstanceResetApplicationWairForStopDecorators
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot- [slotId]/app-inst- [appName]

```

## fsmStFailSmAppInstanceResetApplication:WaitForBladeReboot

**Fault Code:** F16588

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for blade reboot(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WaitForBladeReboot)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-blade-reboot-failed
mibFaultCode: 16588

```

```

mibFaultName: fsmStFailSmAppInstanceResetApplicationWaitForBladeReboot
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]

```

## fsmStFailSmAppInstanceResetApplication:WaitForStopMainApp

**Fault Code:** F16588

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for stopping main application to complete.(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WaitForStopMainApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-stop-main-app-failed
mibFaultCode: 16588
mibFaultName: fsmStFailSmAppInstanceResetApplicationWaitForStopMainApp
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]

```

## fsmStFailSmSecSvcAutoDeployCSP:CreateLogicalDevice

**Fault Code:** F16589

### Message

[FSM:STAGE:FAILED|RETRY]: Creating a default logical device(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:CreateLogicalDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** create-logical-device-failed  
**mibFaultCode:** 16589  
**mibFaultName:** fsmStFailSmSecSvcAutoDeployCSPCreateLogicalDevice  
**moClass:** sm:SecSvc  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc

**fsmStFailSmSecSvcAutoDeployCSP:WaitForChassisMoReady**

**Fault Code:** F16589

**Message**

[FSM:STAGE:FAILED|RETRY]: Waiting for chassis object ready(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:WaitForChassisMoReady)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-chassis-mo-ready-failed  
**mibFaultCode:** 16589  
**mibFaultName:** fsmStFailSmSecSvcAutoDeployCSPWaitForChassisMoReady  
**moClass:** sm:SecSvc  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc

**fsmStFailSmSecSvcAutoDeployCSP:WaitForPortReady**

**Fault Code:** F16589

**Message**

[FSM:STAGE:FAILED|RETRY]: Waiting for physical interfaces ready(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:WaitForPortReady)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-port-ready-failed
mibFaultCode: 16589
mibFaultName: fsmStFailSmSecSvcAutoDeployCSPWaitForPortReady
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc
```

**fsmStFailSwAccessDomainDeploy:UpdateConnectivity**

**Fault Code: F16667**

**Message**

[FSM:STAGE:FAILED|RETRY]: internal network configuration on [switchId](FSM-STAGE:sam:dme:SwAccessDomainDeploy:UpdateConnectivity)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 16667
mibFaultName: fsmStFailSwAccessDomainDeployUpdateConnectivity
moClass: sw:AccessDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/access-eth
```

**fsmStFailSwEthLanBorderDeploy:UpdateConnectivity**

**Fault Code: F16668**

**Message**

[FSM:STAGE:FAILED|RETRY]: Uplink eth port configuration on [switchId](FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateConnectivity)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 16668
mibFaultName: fsmStFailSwEthLanBorderDeployUpdateConnectivity
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```

**fsmStFailSwEthLanBorderDeploy:UpdateSwitchConfigToAppAG**

**Fault Code: F16668**

**Message**

[FSM:STAGE:FAILED|RETRY]: Update switch config info to appAG(FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateSwitchConfigToAppAG)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-switch-config-to-appag-failed
mibFaultCode: 16668
mibFaultName: fsmStFailSwEthLanBorderDeployUpdateSwitchConfigToAppAG
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```



## fsmStFailSwEthLanBorderDeploy:UpdateSwitchPortConfigToAppAG

**Fault Code:** F16668

### Message

[FSM:STAGE:FAILED|RETRY]: Update switch port config to appAG(FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateSwitchPortConfigToAppAG)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: update-switch-port-config-to-appag-failed
mibFaultCode: 16668
mibFaultName: fsmStFailSwEthLanBorderDeployUpdateSwitchPortConfigToAppAG
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```

## fsmStFailSwEthLanBorderDeploy:UpdateVlanGroups

**Fault Code:** F16668

### Message

[FSM:STAGE:FAILED|RETRY]: VLAN group configuration on [switchId](FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateVlanGroups)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: update-vlan-groups-failed
mibFaultCode: 16668
mibFaultName: fsmStFailSwEthLanBorderDeployUpdateVlanGroups
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth

```

## fsmStFailSwFcSanBorderDeploy:UpdateConnectivity

**Fault Code:** F16669

### Message

[FSM:STAGE:FAILED|RETRY]: Uplink fc port configuration on [switchId](FSM-STAGE:sam:dme:SwFcSanBorderDeploy:UpdateConnectivity)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 16669
mibFaultName: fsmStFailSwFcSanBorderDeployUpdateConnectivity
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc

```

## fsmStFailSwUtilityDomainDeploy:UpdateConnectivity

**Fault Code:** F16670

### Message

[FSM:STAGE:FAILED|RETRY]: Utility network configuration on [switchId](FSM-STAGE:sam:dme:SwUtilityDomainDeploy:UpdateConnectivity)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 16670

```

```

mibFaultName: fsmStFailSwUtilityDomainDeployUpdateConnectivity
moClass: sw:UtilityDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/utility-eth

```

## fsmStFailSwPhysConfPhysical:ConfigSwA

**Fault Code:** F16676

### Message

[FSM:STAGE:FAILED|RETRY]: Configure physical port mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:ConfigSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: config-sw-afailed
mibFaultCode: 16676
mibFaultName: fsmStFailSwPhysConfPhysicalConfigSwA
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys

```

## fsmStFailSwPhysConfPhysical:ConfigSwB

**Fault Code:** F16676

### Message

[FSM:STAGE:FAILED|RETRY]: Configure physical port mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:ConfigSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** config-sw-bfailed  
**mibFaultCode:** 16676  
**mibFaultName:** fsmStFailSwPhysConfPhysicalConfigSwB  
**moClass:** sw:Phys  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/phys

**fsmStFailSwPhysConfPhysical:PortInventorySwA****Fault Code:** F16676**Message**

[FSM:STAGE:FAILED|RETRY]: Performing local port inventory of switch [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:PortInventorySwA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** port-inventory-sw-afailed  
**mibFaultCode:** 16676  
**mibFaultName:** fsmStFailSwPhysConfPhysicalPortInventorySwA  
**moClass:** sw:Phys  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/phys

**fsmStFailSwPhysConfPhysical:PortInventorySwB****Fault Code:** F16676**Message**

[FSM:STAGE:FAILED|RETRY]: Performing peer port inventory of switch [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:PortInventorySwB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: port-inventory-sw-bfailed
mibFaultCode: 16676
mibFaultName: fsmStFailSwPhysConfPhysicalPortInventorySwB
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys
```

**fsmStFailSwPhysConfPhysical:VerifyPhysConfig****Fault Code: F16676****Message**

[FSM:STAGE:FAILED|RETRY]: Verifying physical transition on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:VerifyPhysConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-phys-config-failed
mibFaultCode: 16676
mibFaultName: fsmStFailSwPhysConfPhysicalVerifyPhysConfig
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys
```

**fsmStFailSwExtUtilityConfPortBreakout:ConfigSwA****Fault Code: F16681****Message**

[FSM:STAGE:FAILED|RETRY]: Configure port breakout mode mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:ConfigSwA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-sw-afailed
mibFaultCode: 16681
mibFaultName: fsmStFailSwExtUtilityConfPortBreakoutConfigSwA
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

**fsmStFailSwExtUtilityConfPortBreakout:ConfigSwB**

**Fault Code: F16681**

**Message**

[FSM:STAGE:FAILED|RETRY]: Configure port breakout mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:ConfigSwB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-sw-bfailed
mibFaultCode: 16681
mibFaultName: fsmStFailSwExtUtilityConfPortBreakoutConfigSwB
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

## fsmStFailSwExtUtilityConfPortBreakout:PortInventorySwA

**Fault Code:** F16681

### Message

[FSM:STAGE:FAILED|RETRY]: Performing local port inventory of switch [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:PortInventorySwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: port-inventory-sw-afailed
mibFaultCode: 16681
mibFaultName: fsmStFailSwExtUtilityConfPortBreakoutPortInventorySwA
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

## fsmStFailSwExtUtilityConfPortBreakout:PortInventorySwB

**Fault Code:** F16681

### Message

[FSM:STAGE:FAILED|RETRY]: Performing peer port inventory of switch [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:PortInventorySwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: port-inventory-sw-bfailed
mibFaultCode: 16681
mibFaultName: fsmStFailSwExtUtilityConfPortBreakoutPortInventorySwB
moClass: sw:ExtUtility
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/ext

## fsmStFailSwExtUtilityConfPortBreakout:VerifyBreakoutConfig

**Fault Code:** F16681

### Message

[FSM:STAGE:FAILED|RETRY]: Verifying physical port breakout config on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:VerifyBreakoutConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-breakout-config-failed  
**mibFaultCode:** 16681  
**mibFaultName:** fsmStFailSwExtUtilityConfPortBreakoutVerifyBreakoutConfig  
**moClass:** sw:ExtUtility  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/ext

## fsmStFailSwFcSanBorderActivateZoneSet:UpdateZones

**Fault Code:** F16682

### Message

[FSM:STAGE:FAILED|RETRY]: fc zone configuration on [switchId](FSM-STAGE:sam:dme:SwFcSanBorderActivateZoneSet:UpdateZones)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** update-zones-failed  
**mibFaultCode:** 16682



```

mibFaultName: fsmStFailSwFcSanBorderActivateZoneSetUpdateZones
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc

```

## fsmStFailCallhomeEpConfigCallhome:SetLocal

**Fault Code:** F16718

### Message

[FSM:STAGE:FAILED|RETRY]: call-home configuration on primary(FSM-STAGE:sam:dme:CallhomeEpConfigCallhome:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-local-failed
mibFaultCode: 16718
mibFaultName: fsmStFailCallhomeEpConfigCallhomeSetLocal
moClass: callhome:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: call-home

```

## fsmStFailCallhomeEpConfigCallhome:SetPeer

**Fault Code:** F16718

### Message

[FSM:STAGE:FAILED|RETRY]: call-home configuration on secondary(FSM-STAGE:sam:dme:CallhomeEpConfigCallhome:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** set-peer-failed  
**mibFaultCode:** 16718  
**mibFaultName:** fsmStFailCallhomeEpConfigCallhomeSetPeer  
**moClass:** callhome:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** call-home

**fsmStFailAdaptorExtEthIfPathReset:Disable****Fault Code:** F16727**Message**

[FSM:STAGE:FAILED|RETRY]: Disable path [side]([switchId]) on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorExtEthIfPathReset:Disable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** disable-failed  
**mibFaultCode:** 16727  
**mibFaultName:** fsmStFailAdaptorExtEthIfPathResetDisable  
**moClass:** adaptor:ExtEthIf  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/ext-eth- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/ext-eth- [id]

**fsmStFailAdaptorExtEthIfPathReset:Enable****Fault Code:** F16727**Message**

[FSM:STAGE:FAILED|RETRY]: Enabe path [side]([switchId]) on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorExtEthIfPathReset:Enable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: enable-failed
mibFaultCode: 16727
mibFaultName: fsmStFailAdaptorExtEthIfPathResetEnable
moClass: adaptor:ExtEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/ext-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/ext-eth-[id]
```

**fsmStFailAdaptorHostEthIfCircuitReset:DisableA****Fault Code: F16730****Message**

[FSM:STAGE:FAILED|RETRY]: Disable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:DisableA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-afailed
mibFaultCode: 16730
mibFaultName: fsmStFailAdaptorHostEthIfCircuitResetDisableA
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]
```

## fsmStFailAdaptorHostEthIfCircuitReset:DisableB

**Fault Code:** F16730

### Message

[FSM:STAGE:FAILED|RETRY]: Disable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:DisableB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: disable-bfailed
mibFaultCode: 16730
mibFaultName: fsmStFailAdaptorHostEthIfCircuitResetDisableB
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]
```

## fsmStFailAdaptorHostEthIfCircuitReset:EnableA

**Fault Code:** F16730

### Message

[FSM:STAGE:FAILED|RETRY]: Enable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:EnableA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: enable-afailed
mibFaultCode: 16730
mibFaultName: fsmStFailAdaptorHostEthIfCircuitResetEnableA
moClass: adaptor:HostEthIf
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]

```

## fsmStFailAdaptorHostEthIfCircuitReset:EnableB

**Fault Code: F16730**

### Message

[FSM:STAGE:FAILED|RETRY]: Enable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:EnableB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: enable-bfailed
mibFaultCode: 16730
mibFaultName: fsmStFailAdaptorHostEthIfCircuitResetEnableB
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]

```

## fsmStFailAdaptorHostFcIfCircuitReset:DisableA

**Fault Code: F16731**

### Message

[FSM:STAGE:FAILED|RETRY]: Disable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:DisableA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** disable-afailed  
**mibFaultCode:** 16731  
**mibFaultName:** fsmStFailAdaptorHostFcIfCircuitResetDisableA  
**moClass:** adaptor:HostFcIf  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-fc- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/host-fc- [id]

**fsmStFailAdaptorHostFcIfCircuitReset:DisableB****Fault Code:** F16731**Message**

[FSM:STAGE:FAILED|RETRY]: Disable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:DisableB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** disable-bfailed  
**mibFaultCode:** 16731  
**mibFaultName:** fsmStFailAdaptorHostFcIfCircuitResetDisableB  
**moClass:** adaptor:HostFcIf  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-fc- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/host-fc- [id]

**fsmStFailAdaptorHostFcIfCircuitReset:EnableA****Fault Code:** F16731**Message**

[FSM:STAGE:FAILED|RETRY]: Enable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:EnableA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: enable-afailed
mibFaultCode: 16731
mibFaultName: fsmStFailAdaptorHostFcIfCircuitResetEnableA
moClass: adaptor:HostFcIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-fc-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-fc-[id]
```

**fsmStFailAdaptorHostFcIfCircuitReset:EnableB****Fault Code: F16731****Message**

[FSM:STAGE:FAILED|RETRY]: Enable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:EnableB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: enable-bfailed
mibFaultCode: 16731
mibFaultName: fsmStFailAdaptorHostFcIfCircuitResetEnableB
moClass: adaptor:HostFcIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-fc-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-fc-[id]
```

## fsmStFailLicenseDownloaderDownload:CopyRemote

**Fault Code:** F16748

### Message

[FSM:STAGE:FAILED|RETRY]: Copy the license file to subordinate for inventory(FSM-STAGE:sam:dme:LicenseDownloaderDownload:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: copy-remote-failed
mibFaultCode: 16748
mibFaultName: fsmStFailLicenseDownloaderDownloadCopyRemote
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]
```

## fsmStFailLicenseDownloaderDownload>DeleteLocal

**Fault Code:** F16748

### Message

[FSM:STAGE:FAILED|RETRY]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload>DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 16748
mibFaultName: fsmStFailLicenseDownloaderDownloadDeleteLocal
moClass: license:Downloader
Type: fsm
Callhome: none
```



```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]

```

## fsmStFailLicenseDownloaderDownload>DeleteRemote

**Fault Code: F16748**

### Message

[FSM:STAGE:FAILED|RETRY]: deleting temporary files for [fileName] on subordinate(FSM-STAGE:sam:dme:LicenseDownloaderDownload>DeleteRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: delete-remote-failed
mibFaultCode: 16748
mibFaultName: fsmStFailLicenseDownloaderDownload>DeleteRemote
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]

```

## fsmStFailLicenseDownloaderDownload:Local

**Fault Code: F16748**

### Message

[FSM:STAGE:FAILED|RETRY]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 16748

```

```

mibFaultName: fsmStFailLicenseDownloaderDownloadLocal
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]

```

## fsmStFailLicenseDownloaderDownload:ValidateLocal

**Fault Code:** F16748

### Message

[FSM:STAGE:FAILED|RETRY]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: validate-local-failed
mibFaultCode: 16748
mibFaultName: fsmStFailLicenseDownloaderDownloadValidateLocal
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]

```

## fsmStFailLicenseDownloaderDownload:ValidateRemote

**Fault Code:** F16748

### Message

[FSM:STAGE:FAILED|RETRY]: validation for license file [fileName] on subordinate(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** validate-remote-failed  
**mibFaultCode:** 16748  
**mibFaultName:** fsmStFailLicenseDownloaderDownloadValidateRemote  
**moClass:** license:Downloader  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/license/dnld- [fileName]

**fsmStFailLicenseFileInstall:Local****Fault Code: F16749****Message**

[FSM:STAGE:FAILED|RETRY]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 16749  
**mibFaultName:** fsmStFailLicenseFileInstallLocal  
**moClass:** license:File  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/license/file- [scope] : [id]

**fsmStFailLicenseFileInstall:Remote****Fault Code: F16749****Message**

[FSM:STAGE:FAILED|RETRY]: Installing license on subordinate(FSM-STAGE:sam:dme:LicenseFileInstall:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remote-failed
mibFaultCode: 16749
mibFaultName: fsmStFailLicenseFileInstallRemote
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]
```

**fsmStFailLicenseFileClear:Local****Fault Code: F16750****Message**

[FSM:STAGE:FAILED|RETRY]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 16750
mibFaultName: fsmStFailLicenseFileClearLocal
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]
```

**fsmStFailLicenseFileClear:Remote****Fault Code: F16750****Message**

[FSM:STAGE:FAILED|RETRY]: Clearing license on subordinate(FSM-STAGE:sam:dme:LicenseFileClear:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remote-failed
mibFaultCode: 16750
mibFaultName: fsmStFailLicenseFileClearRemote
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file- [scope]: [id]
```

**fsmStFailLicenseInstanceUpdateFlexlm:Local****Fault Code: F16751****Message**

[FSM:STAGE:FAILED|RETRY]: Updating on  
primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 16751
mibFaultName: fsmStFailLicenseInstanceUpdateFlexlmLocal
moClass: license:Instance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/feature- [name] - [vendor] - [version]/inst- [scope]
```

## fsmStFailLicenseInstanceUpdateFlexlm:Remote

**Fault Code:** F16751

### Message

[FSM:STAGE:FAILED|RETRY]: Updating on subordinate(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: remote-failed
mibFaultCode: 16751
mibFaultName: fsmStFailLicenseInstanceUpdateFlexlmRemote
moClass: license:Instance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fsmStFailLicenseSmartConfigSetConfig:Local

**Fault Code:** F16752

### Message

[FSM:STAGE:FAILED|RETRY]: Smart config change(FSM-STAGE:sam:dme:LicenseSmartConfigSetConfig:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 16752
mibFaultName: fsmStFailLicenseSmartConfigSetConfigLocal
moClass: license:SmartConfig
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/license-config-[operation]

```

## fsmStFailLsServerConfigure:AnalyzeImpact

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Analyzing changes  
 impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: analyze-impact-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureAnalyzeImpact
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/ls-[name]
Affected MO: org-[name]/tier-[name]/ls-[name]

```

## fsmStFailLsServerConfigure:ApplyConfig

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Applying config to server  
 [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-config-failed

```

```

mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureApplyConfig
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmStFailLsServerConfigure:ApplyDefaultIdentifiers

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving and applying default identifiers locally(FSM-STAGE:sam:dme:LsServerConfigure:ApplyDefaultIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-default-identifiers-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureApplyDefaultIdentifiers
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmStFailLsServerConfigure:ApplyIdentifiers

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving and applying identifiers locally(FSM-STAGE:sam:dme:LsServerConfigure:ApplyIdentifiers)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-identifiers-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureApplyIdentifiers
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

**fsmStFailLsServerConfigure:ApplyPolicies****Fault Code: F16770****Message**

[FSM:STAGE:FAILED|RETRY]: Resolving and applying policies(FSM-STAGE:sam:dme:LsServerConfigure:ApplyPolicies)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-policies-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureApplyPolicies
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmStFailLsServerConfigure:ApplyTemplate

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Applying configuration template  
[srcTemplName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-template-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureApplyTemplate  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

## fsmStFailLsServerConfigure:CommitStorage

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: committing storage for service  
profile(FSM-STAGE:sam:dme:LsServerConfigure:CommitStorage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** commit-storage-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureCommitStorage  
**moClass:** ls:Server  
**Type:** fsm

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmStFailLsServerConfigure:EvaluateAssociation

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Evaluate association with server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: evaluate-association-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureEvaluateAssociation
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmStFailLsServerConfigure:ProvisionStorage

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving storage  
policy(FSM-STAGE:sam:dme:LsServerConfigure:ProvisionStorage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** provision-storage-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureProvisionStorage  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:ResolveBootConfig****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: Computing binding changes(FSM-STAGE:sam:dme:LsServerConfigure:ResolveBootConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-boot-config-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureResolveBootConfig  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:ResolveDefaultIdentifiers****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving default identifiers(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDefaultIdentifiers)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-default-identifiers-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveDefaultIdentifiers
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

**fsmStFailLsServerConfigure:ResolveDistributable****Fault Code: F16770****Message**

[FSM:STAGE:FAILED|RETRY]: Resolve distributable from operations manager(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDistributable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-distributable-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveDistributable
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmStFailLsServerConfigure:ResolveDistributableNames

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving distributable names from host pack(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDistributableNames)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-distributable-names-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveDistributableNames
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmStFailLsServerConfigure:ResolveIdentifiers

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-identifiers-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveIdentifiers
moClass: ls:Server
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:ResolveImages

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve images from operations manager(FSM-STAGE:sam:dme:LsServerConfigure:ResolveImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-images-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveImages
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:ResolveNetworkPolicies

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving various dependent policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkPolicies)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-network-policies-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureResolveNetworkPolicies  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:ResolveNetworkTemplates****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving various template policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-network-templates-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureResolveNetworkTemplates  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:ResolvePolicies****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving various policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-policies-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolvePolicies
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

**fsmStFailLsServerConfigure:ResolveSchedule****Fault Code: F16770****Message**

[FSM:STAGE:FAILED|RETRY]: Resolving schedule policy(FSM-STAGE:sam:dme:LsServerConfigure:ResolveSchedule)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-schedule-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureResolveSchedule
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmStFailLsServerConfigure:ValidatePolicyOwnership

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Validating policy integrity from ownership perspective(FSM-STAGE:sam:dme:LsServerConfigure:ValidatePolicyOwnership)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: validate-policy-ownership-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureValidatePolicyOwnership
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmStFailLsServerConfigure:WaitForAssocCompletion

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Association completion on server [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-assoc-completion-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureWaitForAssocCompletion
moClass: ls:Server
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:WaitForCommitStorage

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for storage commit to complete(FSM-STAGE:sam:dme:LsServerConfigure:WaitForCommitStorage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-commit-storage-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureWaitForCommitStorage
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:WaitForMaintPermission

**Fault Code: F16770**

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for ack or maint window(FSM-STAGE:sam:dme:LsServerConfigure:WaitForMaintPermission)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-maint-permission-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureWaitForMaintPermission  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:WaitForMaintWindow****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: Waiting for maintenance window(FSM-STAGE:sam:dme:LsServerConfigure:WaitForMaintWindow)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-maint-window-failed  
**mibFaultCode:** 16770  
**mibFaultName:** fsmStFailLsServerConfigureWaitForMaintWindow  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmStFailLsServerConfigure:WaitForStorageProvision****Fault Code:** F16770**Message**

[FSM:STAGE:FAILED|RETRY]: waiting for storage provisioning to complete(FSM-STAGE:sam:dme:LsServerConfigure:WaitForStorageProvision)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-storage-provision-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureWaitForStorageProvision
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

**fsmStFailLsServerConfigure:checkAssignedDefaultIdentifiersForDup****Fault Code: F16770****Message**

[FSM:STAGE:FAILED|RETRY]: checking assigned identifiers(from default pool) for dup(FSM-STAGE:sam:dme:LsServerConfigure:checkAssignedDefaultIdentifiersForDup)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-assigned-default-identifiers-for-dup-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureCheckAssignedDefaultIdentifiersForDup
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmStFailLsServerConfigure:checkAssignedIdentifiersForDup

**Fault Code:** F16770

### Message

[FSM:STAGE:FAILED|RETRY]: checking assigned identifiers for dup(FSM-STAGE:sam:dme:LsServerConfigure:checkAssignedIdentifiersForDup)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: check-assigned-identifiers-for-dup-failed
mibFaultCode: 16770
mibFaultName: fsmStFailLsServerConfigureCheckAssignedIdentifiersForDup
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmStFailComputeBladeDiag:CleanupServerConnSwA

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Cleaning up server [chassisId]/[slotId] interface on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:CleanupServerConnSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: cleanup-server-conn-sw-afailed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagCleanupServerConnSwA
moClass: compute:Blade
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:CleanupServerConnSwB

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Cleaning up server [chassisId]/[slotId] interface on fabric B(FSM-STAGE:sam:dme:ComputeBladeDiag:CleanupServerConnSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: cleanup-server-conn-sw-bfailed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagCleanupServerConnSwB
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:ConfigFeLocal

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Configuring primary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:ConfigFeLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: config-fe-local-failed

```

```

mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagConfigFeLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:ConfigFePeer

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Configuring secondary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:ConfigFePeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: config-fe-peer-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagConfigFePeer
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:DisableServerConnSwA

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Disable server [chassisId]/[slotId] interface on fabric A after completion of network traffic tests on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:DisableServerConnSwA)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-server-conn-sw-afailed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagDisableServerConnSwA
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmStFailComputeBladeDiag:DisableServerConnSwB****Fault Code: F16780****Message**

```
[FSM:STAGE:FAILEDIRETRY]: Disable server [chassisId]/[slotId] connectivity on fabric B in
preparation for network traffic tests on fabric
A(FSM-STAGE:sam:dme:ComputeBladeDiag:DisableServerConnSwB)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-server-conn-sw-bfailed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagDisableServerConnSwB
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

## fsmStFailComputeBladeDiag:EnableServerConnSwA

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Enable server [chassisId]/[slotId] connectivity on fabric A in preparation for network traffic tests on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:EnableServerConnSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** enable-server-conn-sw-afailed  
**mibFaultCode:** 16780  
**mibFaultName:** fsmStFailComputeBladeDiagEnableServerConnSwA  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

## fsmStFailComputeBladeDiag:EnableServerConnSwB

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Enable server [chassisId]/[slotId] connectivity on fabric B in preparation for network traffic tests on fabric B(FSM-STAGE:sam:dme:ComputeBladeDiag:EnableServerConnSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** enable-server-conn-sw-bfailed  
**mibFaultCode:** 16780  
**mibFaultName:** fsmStFailComputeBladeDiagEnableServerConnSwB  
**moClass:** compute:Blade

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:EvaluateStatus

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Evaluating status; diagnostics completed(FSM-STAGE:sam:dme:ComputeBladeDiag:EvaluateStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: evaluate-status-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagEvaluateStatus
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:RemoveConfig

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Derive diag config for server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RemoveConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: remove-config-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagRemoveConfig
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:RestoreConfigFeLocal

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Reconfiguring primary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RestoreConfigFeLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: restore-config-fe-local-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagRestoreConfigFeLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmStFailComputeBladeDiag:RestoreConfigFePeer

**Fault Code: F16780**

### Message

[FSM:STAGE:FAILED|RETRY]: Reconfiguring secondary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RestoreConfigFePeer)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restore-config-fe-peer-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagRestoreConfigFePeer
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmStFailComputeBladeDiag:SwConfigLocal****Fault Code: F16780****Message**

[FSM:STAGE:FAILED|RETRY]: Configure primary fabric interconnect in server [chassisId]/[slotId] for diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwConfigLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagSwConfigLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmStFailComputeBladeDiag:SwConfigPeer****Fault Code: F16780****Message**

[FSM:STAGE:FAILED|RETRY]: Configure secondary fabric interconnect in server [chassisId]/[slotId] for diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagSwConfigPeer
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
```

**fsmStFailComputeBladeDiag:SwUnconfigLocal****Fault Code: F16780****Message**

[FSM:STAGE:FAILED|RETRY]: Unconfigure primary fabric interconnect for server [chassisId]/[slotId] in diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwUnconfigLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-unconfig-local-failed
mibFaultCode: 16780
mibFaultName: fsmStFailComputeBladeDiagSwUnconfigLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
```

## fsmStFailComputeBladeDiag:SwUnconfigPeer

**Fault Code:** F16780

### Message

[FSM:STAGE:FAILED|RETRY]: Unconfigure secondary fabric interconnect for server [chassisId]/[slotId] in diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwUnconfigPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sw-unconfig-peer-failed  
**mibFaultCode:** 16780  
**mibFaultName:** fsmStFailComputeBladeDiagSwUnconfigPeer  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

## fsmStFailMgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgLocal

**Fault Code:** F16803

### Message

[FSM:STAGE:FAILED|RETRY]: in-band vlan configuration on Local CIMC(FSM-STAGE:sam:dme:MgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** cimcvlan-cfg-local-failed  
**mibFaultCode:** 16803  
**mibFaultName:** fsmStFailMgmtControllerExtMgmtInterfaceConfigCIMCVlanCfgLocal  
**moClass:** mgmt:Controller  
**Type:** fsm

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmStFailMgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgPeer

**Fault Code:** F16803

### Message

[FSM:STAGE:FAILED|RETRY]: in-band vlan configuration on Peer  
 CIMC(FSM-STAGE:sam:dme:MgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: cimcvlan-cfg-peer-failed
mibFaultCode: 16803
mibFaultName: fsmStFailMgmtControllerExtMgmtInterfaceConfigCIMCVlanCfgPeer
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt

```



**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailComputePhysicalSwConnUpd:A

**Fault Code:** F16804

### Message

[FSM:STAGE:FAILED|RETRY]: Updating fabric A for server [dn](FSM-STAGE:sam:dme:ComputePhysicalSwConnUpd:A)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** a-failed  
**mibFaultCode:** 16804  
**mibFaultName:** fsmStFailComputePhysicalSwConnUpdA  
**moClass:** compute:Physical  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]  
**Affected MO:** sys/rack-unit-[id]

## fsmStFailComputePhysicalSwConnUpd:B

**Fault Code:** F16804

### Message

[FSM:STAGE:FAILED|RETRY]: Updating fabric B for server [dn](FSM-STAGE:sam:dme:ComputePhysicalSwConnUpd:B)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

```

Cause: b-failed
mibFaultCode: 16804
mibFaultName: fsmStFailComputePhysicalSwConnUpdB
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]

```

## fsmStFailEquipmentIOCardResetIom:Execute

**Fault Code:** F16805

### Message

```
[FSM:STAGE:FAILED|RETRY]: Reset IOM [id] on Fex
[chassisId](FSM-STAGE:sam:dme:EquipmentIOCardResetIom:Execute)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 16805
mibFaultName: fsmStFailEquipmentIOCardResetIomExecute
moClass: equipment:IOCard
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/fex-[id]/slot-[id]

```

## fsmStFailComputePhysicalServiceInfraDeploy:SwConfigLocal

**Fault Code:** F16806

### Message

```
[FSM:STAGE:FAILED|RETRY]: Configure service infrastructure on primary fabric
Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraDeploy:SwConfigLocal)
```

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 16806
mibFaultName: fsmStFailComputePhysicalServiceInfraDeploySwConfigLocal
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]
```

**fsmStFailComputePhysicalServiceInfraDeploy:SwConfigPeer**

**Fault Code: F16806**

**Message**

[FSM:STAGE:FAILED|RETRY]: Configure service infrastructure on secondary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraDeploy:SwConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 16806
mibFaultName: fsmStFailComputePhysicalServiceInfraDeploySwConfigPeer
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]
```

## fsmStFailComputePhysicalServiceInfraWithdraw:SwUnConfigLocal

**Fault Code:** F16807

### Message

[FSM:STAGE:FAILED|RETRY]: Unconfigure service infrastructure on primary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraWithdraw:SwUnConfigLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: sw-un-config-local-failed
mibFaultCode: 16807
mibFaultName: fsmStFailComputePhysicalServiceInfraWithdrawSwUnConfigLocal
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
Affected MO: sys/rack-unit- [id]
```

## fsmStFailComputePhysicalServiceInfraWithdraw:SwUnConfigPeer

**Fault Code:** F16807

### Message

[FSM:STAGE:FAILED|RETRY]: Unconfigure service infrastructure on secondary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraWithdraw:SwUnConfigPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: sw-un-config-peer-failed
mibFaultCode: 16807
mibFaultName: fsmStFailComputePhysicalServiceInfraWithdrawSwUnConfigPeer
moClass: compute:Physical
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]

```

## fsmStFailEquipmentIOCardBaseFePresence:CheckLicense

**Fault Code:** F16815

### Message

[FSM:STAGE:FAILED|RETRY]: Checking license for chassis [chassisId] (iom [id])(FSM-STAGE:sam:dme:EquipmentIOCardBaseFePresence:CheckLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: check-license-failed
mibFaultCode: 16815
mibFaultName: fsmStFailEquipmentIOCardBaseFePresenceCheckLicense
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]
Affected MO: sys/fex-[id]/slot-[id]

```

## fsmStFailEquipmentIOCardBaseFePresence:Identify

**Fault Code:** F16815

### Message

[FSM:STAGE:FAILED|RETRY]: identifying IOM [chassisId]/[id](FSM-STAGE:sam:dme:EquipmentIOCardBaseFePresence:Identify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** identify-failed  
**mibFaultCode:** 16815  
**mibFaultName:** fsmStFailEquipmentIOCardBaseFePresenceIdentify  
**moClass:** equipment:IOCardBase  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

**fsmStFailEquipmentIOCardBaseFeConn:ConfigureSwMgmtEndPoint****Fault Code: F16816****Message**

[FSM:STAGE:FAILED|RETRY]: configuring fabric interconnect [switchId] mgmt connectivity to IOM [chassisId]/[id]([side])(FSM-STAGE:sam:dme:EquipmentIOCardBaseFeConn:ConfigureSwMgmtEndPoint)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** configure-sw-mgmt-end-point-failed  
**mibFaultCode:** 16816  
**mibFaultName:** fsmStFailEquipmentIOCardBaseFeConnConfigureSwMgmtEndPoint  
**moClass:** equipment:IOCardBase  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

**fsmStFailEquipmentIOCardBaseFeConn:ConfigureVifNs****Fault Code: F16816****Message**

[FSM:STAGE:FAILED|RETRY]: configuring IOM [chassisId]/[id]([side]) virtual name space(FSM-STAGE:sam:dme:EquipmentIOCardBaseFeConn:ConfigureVifNs)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: configure-vif-ns-failed
mibFaultCode: 16816
mibFaultName: fsmStFailEquipmentIOCardBaseFeConnConfigureVifNs
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]
Affected MO: sys/fex-[id]/slot-[id]

```

**fsmStFailEquipmentChassisRemoveChassis:DisableEndPoint****Fault Code: F16817****Message**

```
[FSM:STAGE:FAILED|RETRY]: unconfiguring access to chassis
[id](FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:DisableEndPoint)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: disable-end-point-failed
mibFaultCode: 16817
mibFaultName: fsmStFailEquipmentChassisRemoveChassisDisableEndPoint
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailEquipmentChassisRemoveChassis:UnIdentifyLocal

**Fault Code:** F16817

### Message

[FSM:STAGE:FAILED|RETRY]: erasing chassis identity [id] from primary(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:UnIdentifyLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: un-identify-local-failed
mibFaultCode: 16817
mibFaultName: fsmStFailEquipmentChassisRemoveChassisUnIdentifyLocal
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

## fsmStFailEquipmentChassisRemoveChassis:UnIdentifyPeer

**Fault Code:** F16817

### Message

[FSM:STAGE:FAILED|RETRY]: erasing chassis identity [id] from secondary(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:UnIdentifyPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: un-identify-peer-failed
mibFaultCode: 16817
mibFaultName: fsmStFailEquipmentChassisRemoveChassisUnIdentifyPeer
moClass: equipment:Chassis
Type: fsm
Callhome: none
```



```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailEquipmentChassisRemoveChassis:Wait

**Fault Code: F16817**

### Message

[FSM:STAGE:FAILED|RETRY]: waiting for clean up of resources for chassis [id] (approx. 2 min)(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:Wait)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-failed
mibFaultCode: 16817
mibFaultName: fsmStFailEquipmentChassisRemoveChassisWait
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailEquipmentChassisRemoveChassis:decomission

**Fault Code: F16817**

### Message

[FSM:STAGE:FAILED|RETRY]: decomissioning chassis [id](FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:decomission)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: decomission-failed
mibFaultCode: 16817

```

```

mibFaultName: fsmStFailEquipmentChassisRemoveChassisDecomission
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailEquipmentLocatorLedSetFeLocatorLed:Execute

**Fault Code:** F16818

### Message

```

[FSM:STAGE:FAILED|RETRY]: setting locator led to
[adminState](FSM-STAGE:sam:dme:EquipmentLocatorLedSetFeLocatorLed:Execute)

```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 16818
mibFaultName: fsmStFailEquipmentLocatorLedSetFeLocatorLedExecute
moClass: equipment:LocatorLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led
Affected MO: sys/chassis-[id]/blade-[slotId]/locator-led
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/chassis-[id]/locator-led
Affected MO: sys/chassis-[id]/psu-[id]/locator-led
Affected MO: sys/chassis-[id]/slot-[id]/locator-led
Affected MO: sys/fex-[id]/locator-led
Affected MO: sys/fex-[id]/psu-[id]/locator-led
Affected MO: sys/fex-[id]/slot-[id]/locator-led
Affected MO: sys/rack-unit-[id]/ext-board-[id]/locator-led
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/rack-unit-[id]/locator-led
Affected MO: sys/rack-unit-[id]/psu-[id]/locator-led
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/switch-[id]/locator-led
Affected MO: sys/switch-[id]/psu-[id]/locator-led

```

## fsmStFailEquipmentLocatorLedSetFiLocatorLed:Execute

**Fault Code:** F16819

### Message

[FSM:STAGE:FAILED|RETRY]: setting FI locator led to  
[adminState](FSM-STAGE:sam:dme:EquipmentLocatorLedSetFiLocatorLed:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 16819
mibFaultName: fsmStFailEquipmentLocatorLedSetFiLocatorLedExecute
moClass: equipment:LocatorLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led
Affected MO: sys/chassis-[id]/blade-[slotId]/locator-led
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/chassis-[id]/locator-led
Affected MO: sys/chassis-[id]/psu-[id]/locator-led
Affected MO: sys/chassis-[id]/slot-[id]/locator-led
Affected MO: sys/fex-[id]/locator-led
Affected MO: sys/fex-[id]/psu-[id]/locator-led
Affected MO: sys/fex-[id]/slot-[id]/locator-led
Affected MO: sys/rack-unit-[id]/ext-board-[id]/locator-led
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/rack-unit-[id]/locator-led
Affected MO: sys/rack-unit-[id]/psu-[id]/locator-led
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/switch-[id]/locator-led
Affected MO: sys/switch-[id]/psu-[id]/locator-led
```

## fsmStFailPortPloInCompatSfpPresence:Shutdown

**Fault Code:** F16822

### Message

[FSM:STAGE:FAILED|RETRY]: Shutting down  
port(FSM-STAGE:sam:dme:PortPloInCompatSfpPresence:Shutdown)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: shutdown-failed
mibFaultCode: 16822
mibFaultName: fsmStFailPortPioInCompatSfpPresenceShutdown
moClass: port:PIO
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/port-[portId]

```

**fsmStFailPortPioInCompatSfpReplaced:EnablePort****Fault Code: F16823****Message**

```
[FSM:STAGE:FAILED|RETRY]: Enabling
port(FSM-STAGE:sam:dme:PortPioInCompatSfpReplaced:EnablePort)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: enable-port-failed
mibFaultCode: 16823
mibFaultName: fsmStFailPortPioInCompatSfpReplacedEnablePort
moClass: port:PIO
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]

```

**Affected MO:** sys/switch- [id]/slot- [id]/ [type]/aggr-port- [aggrPortId]/port- [portId]  
**Affected MO:** sys/switch- [id]/slot- [id]/ [type]/port- [portId]

## fsmStFailObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F17063

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM  
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 17063  
**mibFaultName:** fsmStFailObserveObservedResolvePolicyFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol/reg/clients/client- [id]/observed- [dataSrcSysId] - [id]  
**Affected MO:** extpol/reg/controllers/contro- [id]/observed- [dataSrcSysId] - [id]  
**Affected MO:** extpol/reg/observed- [dataSrcSysId] - [id]  
**Affected MO:** extpol/reg/providers/prov- [type]/observed- [dataSrcSysId] - [id]  
**Affected MO:** observe/observed- [dataSrcSysId] - [id]

## fsmStFailObserveObservedResolveResourceFsm:Execute

**Fault Code:** F17064

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM  
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 17064
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

**fsmStFailObserveObservedResolveVMFsm:Execute****Fault Code:** F17065**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 17065
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F17066

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 17066
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/controllers/contro- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/providers/prov- [type] /observed- [dataSrcSysId] - [id]
Affected MO: observe/observed- [dataSrcSysId] - [id]
```

## fsmStFailEquipmentBeaconLedIlluminate:ExecuteA

**Fault Code:** F17149

### Message

[FSM:STAGE:FAILED|RETRY]: Turn beacon lights on/off for [dn] on fabric interconnect  
[id](FSM-STAGE:sam:dme:EquipmentBeaconLedIlluminate:ExecuteA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-afailed
mibFaultCode: 17149
```

```

mibFaultName: fsmStFailEquipmentBeaconLedIlluminateExecuteA
moClass: equipment:BeaconLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/beacon
Affected MO: sys/chassis-[id]/blade-[slotId]/beacon
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/chassis-[id]/psu-[id]/beacon
Affected MO: sys/chassis-[id]/slot-[id]/beacon
Affected MO: sys/fex-[id]/beacon
Affected MO: sys/fex-[id]/psu-[id]/beacon
Affected MO: sys/fex-[id]/slot-[id]/beacon
Affected MO: sys/rack-unit-[id]/beacon
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/rack-unit-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/switch-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/slot-[id]/beacon

```

## fsmStFailEquipmentBeaconLedIlluminate:ExecuteB

**Fault Code:** F17149

### Message

[FSM:STAGE:FAILED|RETRY]: Turn beacon lights on/off for [dn] on fabric interconnect [id](FSM-STAGE:sam:dme:EquipmentBeaconLedIlluminate:ExecuteB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-bfailed
mibFaultCode: 17149
mibFaultName: fsmStFailEquipmentBeaconLedIlluminateExecuteB
moClass: equipment:BeaconLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/beacon
Affected MO: sys/chassis-[id]/blade-[slotId]/beacon
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/chassis-[id]/psu-[id]/beacon
Affected MO: sys/chassis-[id]/slot-[id]/beacon
Affected MO: sys/fex-[id]/beacon
Affected MO: sys/fex-[id]/psu-[id]/beacon
Affected MO: sys/fex-[id]/slot-[id]/beacon
Affected MO: sys/rack-unit-[id]/beacon
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/rack-unit-[id]/psu-[id]/beacon

```



**Affected MO:** sys/switch-[id]/fan-module-[tray]-[id]/beacon  
**Affected MO:** sys/switch-[id]/psu-[id]/beacon  
**Affected MO:** sys/switch-[id]/slot-[id]/beacon

## fsmStFailSdAppInstanceInstallApplication:SendCommand

**Fault Code:** F17151

### Message

[FSM:STAGE:FAILED|RETRY]: Send command to install application(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 17151  
**mibFaultName:** fsmStFailSdAppInstanceInstallApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]

## fsmStFailSdAppInstanceInstallApplication:UpdateAppInstance

**Fault Code:** F17151

### Message

[FSM:STAGE:FAILED|RETRY]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:UpdateAppInstance)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** update-app-instance-failed  
**mibFaultCode:** 17151

```

mibFaultName: fsmStFailSdAppInstanceInstallApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceInstallApplication:WaitStage

**Fault Code:** F17151

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for confirmation from SMA that the application is installed(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:WaitStage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-stage-failed
mibFaultCode: 17151
mibFaultName: fsmStFailSdAppInstanceInstallApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceStartApplication:SendCommand

**Fault Code:** F17152

### Message

[FSM:STAGE:FAILED|RETRY]: Send command to start application(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 17152  
**mibFaultName:** fsmStFailSdAppInstanceStartApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmStFailSdAppInstanceStartApplication:UpdateAppInstance****Fault Code: F17152****Message**

[FSM:STAGE:FAILED|RETRY]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:UpdateAppInstance)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-app-instance-failed  
**mibFaultCode:** 17152  
**mibFaultName:** fsmStFailSdAppInstanceStartApplicationUpdateAppInstance  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmStFailSdAppInstanceStartApplication:WaitStage****Fault Code: F17152****Message**

[FSM:STAGE:FAILED|RETRY]: Wait for confirmation from SMA that the application has started(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 17152
mibFaultName: fsmStFailSdAppInstanceStartApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmStFailSdLduProvisionLDU:CheckBladeReadiness****Fault Code: F17153****Message**

[FSM:STAGE:FAILED|RETRY]: Check if the blade is available to provision logical device.(FSM-STAGE:sam:dme:SdLduProvisionLDU:CheckBladeReadiness)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-blade-readiness-failed
mibFaultCode: 17153
mibFaultName: fsmStFailSdLduProvisionLDUCheckBladeReadiness
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]
```

**fsmStFailSdLduProvisionLDU:StartApps****Fault Code: F17153****Message**

[FSM:STAGE:FAILED|RETRY]: Start the Apps(FSM-STAGE:sam:dme:SdLduProvisionLDU:StartApps)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: start-apps-failed
mibFaultCode: 17153
mibFaultName: fsmStFailSdLduProvisionLDUStartApps
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name] /ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /ldu- [slotId]
```

**fsmStFailSdLduProvisionLDU:WaitForAppsInstallation****Fault Code: F17153****Message**

[FSM:STAGE:FAILED|RETRY]: Wait for all the apps in the LDU to get installed.(FSM-STAGE:sam:dme:SdLduProvisionLDU:WaitForAppsInstallation)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-apps-installation-failed
mibFaultCode: 17153
mibFaultName: fsmStFailSdLduProvisionLDUWaitForAppsInstallation
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name] /ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /ldu- [slotId]
```

## fsmStFailSdLduProvisionLDU:WaitForLinkConfiguration

**Fault Code:** F17153

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for CCL and MGMT Links configuration(FSM-STAGE:sam:dme:SdLduProvisionLDU:WaitForLinkConfiguration)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-link-configuration-failed
mibFaultCode: 17153
mibFaultName: fsmStFailSdLduProvisionLDUWaitForLinkConfiguration
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]
```

## fsmStFailSdAppInstanceUpgradeApplication:SendCommand

**Fault Code:** F17154

### Message

[FSM:STAGE:FAILED|RETRY]: Send command to upgrade application(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: send-command-failed
mibFaultCode: 17154
mibFaultName: fsmStFailSdAppInstanceUpgradeApplicationSendCommand
moClass: sd:AppInstance
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]

```

## fsmStFailSdAppInstanceUpgradeApplication:UpdateAppInstance

**Fault Code:** F17154

### Message

[FSM:STAGE:FAILED|RETRY]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:UpdateAppInstance)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-app-instance-failed
mibFaultCode: 17154
mibFaultName: fsmStFailSdAppInstanceUpgradeApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]

```

## fsmStFailSdAppInstanceUpgradeApplication:WaitStage

**Fault Code:** F17154

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for confirmation from SMA that the application is upgraded(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:WaitStage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-stage-failed

```

```

mibFaultCode: 17154
mibFaultName: fsmStFailSdAppInstanceUpgradeApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceStopApplication:ReleaseAppLicense

**Fault Code:** F17155

### Message

[FSM:STAGE:FAILED|RETRY]: Release license of application instance(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:ReleaseAppLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-app-license-failed
mibFaultCode: 17155
mibFaultName: fsmStFailSdAppInstanceStopApplicationReleaseAppLicense
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceStopApplication:SendCommand

**Fault Code:** F17155

### Message

[FSM:STAGE:FAILED|RETRY]: Send command to stop application(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 17155  
**mibFaultName:** fsmStFailSdAppInstanceStopApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmStFailSdAppInstanceStopApplication:UpdateAppInstance****Fault Code: F17155****Message**

[FSM:STAGE:FAILED|RETRY]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:UpdateAppInstance)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-app-instance-failed  
**mibFaultCode:** 17155  
**mibFaultName:** fsmStFailSdAppInstanceStopApplicationUpdateAppInstance  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmStFailSdAppInstanceStopApplication:WaitStage****Fault Code: F17155****Message**

[FSM:STAGE:FAILED|RETRY]: Wait for confirmation from SMA that the application has stopped(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 17155
mibFaultName: fsmStFailSdAppInstanceStopApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

**fsmStFailSdAppInstanceUninstallApplication:ReleaseAppLicense**

**Fault Code: F17156**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Release license of application
instance(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:ReleaseAppLicense)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-app-license-failed
mibFaultCode: 17156
mibFaultName: fsmStFailSdAppInstanceUninstallApplicationReleaseAppLicense
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

**fsmStFailSdAppInstanceUninstallApplication:SendCommand**

**Fault Code: F17156**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Send command to uninstall
application(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:SendCommand)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-command-failed
mibFaultCode: 17156
mibFaultName: fsmStFailSdAppInstanceUninstallApplicationSendCommand
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmStFailSdAppInstanceUninstallApplication:WaitStage**

**Fault Code:** F17156

**Message**

[FSM:STAGE:FAILED|RETRY]: Wait for confirmation from SMA that the application has been uninstalled.(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 17156
mibFaultName: fsmStFailSdAppInstanceUninstallApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

## fsmStFailSdSlotChangePlatformLogLevel:SendCommand

**Fault Code:** F17157

### Message

[FSM:STAGE:FAILED|RETRY]: Send command to change the log level(FSM-STAGE:sam:dme:SdSlotChangePlatformLogLevel:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 17157  
**mibFaultName:** fsmStFailSdSlotChangePlatformLogLevelSendCommand  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]

## fsmStFailSdAppInstanceBundleDataPorts:ConfigureLinks

**Fault Code:** F17158

### Message

[FSM:STAGE:FAILED|RETRY]: Trigger ConfigureLinks  
 FSM(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:ConfigureLinks)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** configure-links-failed  
**mibFaultCode:** 17158  
**mibFaultName:** fsmStFailSdAppInstanceBundleDataPortsConfigureLinks  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceBundleDataPorts:SendBundleStatus

**Fault Code: F17158**

### Message

[FSM:STAGE:FAILED|RETRY]: Notify Application about Port Bundle Status(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:SendBundleStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-bundle-status-failed
mibFaultCode: 17158
mibFaultName: fsmStFailSdAppInstanceBundleDataPortsSendBundleStatus
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceBundleDataPorts:UpdateBundleStatus

**Fault Code: F17158**

### Message

[FSM:STAGE:FAILED|RETRY]: Update the bundle status(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:UpdateBundleStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-bundle-status-failed
mibFaultCode: 17158

```

```

mibFaultName: fsmStFailSdAppInstanceBundleDataPortsUpdateBundleStatus
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdAppInstanceBundleDataPorts:WaitForConfigCompletion

**Fault Code:** F17158

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for links configuration completion(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:WaitForConfigCompletion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-config-completion-failed
mibFaultCode: 17158
mibFaultName: fsmStFailSdAppInstanceBundleDataPortsWaitForConfigCompletion
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmStFailSdLogicalDeviceConfigureLinks:ConfigureSwitch

**Fault Code:** F17159

### Message

[FSM:STAGE:FAILED|RETRY]: Invoke Port API to configure the switch(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:ConfigureSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** configure-switch-failed  
**mibFaultCode:** 17159  
**mibFaultName:** fsmStFailSdLogicalDeviceConfigureLinksConfigureSwitch  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

**fsmStFailSdLogicalDeviceConfigureLinks:SendInterfaces****Fault Code: F17159****Message**

[FSM:STAGE:FAILED|RETRY]: Send Updated Interface Mapping(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:SendInterfaces)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-interfaces-failed  
**mibFaultCode:** 17159  
**mibFaultName:** fsmStFailSdLogicalDeviceConfigureLinksSendInterfaces  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

**fsmStFailSdLogicalDeviceConfigureLinks:UnconfigureLinks****Fault Code: F17159****Message**

[FSM:STAGE:FAILED|RETRY]: Unconfigure Links in the LogicalDevice(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:UnconfigureLinks)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unconfigure-links-failed
mibFaultCode: 17159
mibFaultName: fsmStFailSdLogicalDeviceConfigureLinksUnconfigureLinks
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]
```

**fsmStFailSdLogicalDeviceConfigureLinks:UnconfigureLogicalDevice**

**Fault Code: F17159**

**Message**

[FSM:STAGE:FAILED|RETRY]: Unconfigure logical device(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:UnconfigureLogicalDevice)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unconfigure-logical-device-failed
mibFaultCode: 17159
mibFaultName: fsmStFailSdLogicalDeviceConfigureLinksUnconfigureLogicalDevice
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]
```

**fsmStFailSdLogicalDeviceConfigureLinks:WaitForSwitchConfig**

**Fault Code: F17159**

**Message**

[FSM:STAGE:FAILED|RETRY]: Wait for Switch configuration to complete(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:WaitForSwitchConfig)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-switch-config-failed
mibFaultCode: 17159
mibFaultName: fsmStFailSdLogicalDeviceConfigureLinksWaitForSwitchConfig
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]
```

**fsmStFailSdLinkUpdateInterfaceStatus:SendStatus****Fault Code: F17160****Message**

[FSM:STAGE:FAILED|RETRY]: Send Interface Operational  
State(FSM-STAGE:sam:dme:SdLinkUpdateInterfaceStatus:SendStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-status-failed
mibFaultCode: 17160
mibFaultName: fsmStFailSdLinkUpdateInterfaceStatusSendStatus
moClass: sd:Link
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys-secsvc/ld- [name]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]/ext-ldulink- [name] - [appInstId]
Affected MO:
sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]
```

**Affected MO:**

```
sys-secsvc/slot- [slotId] /app-inst- [appInstId] /ldu- [slotId] /ext-ldulink- [name] - [appInstId]
```

## fsmStFailSdClusterBootstrapUpdateClusterConfiguration:SendConfig

**Fault Code: F17161****Message**

```
[FSM:STAGE:FAILED|RETRY]: Send Updated Cluster Configuration(FSM-STAGE:sam:dme:SdClusterBootstrapUpdateClusterConfiguration:SendConfig)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-config-failed
mibFaultCode: 17161
mibFaultName: fsmStFailSdClusterBootstrapUpdateClusterConfigurationSendConfig
moClass: sd:ClusterBootstrap
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name] /cluster-bootstrap
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /cluster-bootstrap
```

## fsmStFailSdSlotFormatDisk:CheckBladeReadiness

**Fault Code: F17162****Message**

```
[FSM:STAGE:FAILED|RETRY]: Check blade readiness(FSM-STAGE:sam:dme:SdSlotFormatDisk:CheckBladeReadiness)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-blade-readiness-failed
```

```

mibFaultCode: 17162
mibFaultName: fsmStFailSdSlotFormatDiskCheckBladeReadiness
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]

```

## fsmStFailSdSlotFormatDisk:ResetBladePower

**Fault Code: F17162**

### Message

[FSM:STAGE:FAILED|RETRY]: Blade power  
reset(FSM-STAGE:sam:dme:SdSlotFormatDisk:ResetBladePower)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: reset-blade-power-failed
mibFaultCode: 17162
mibFaultName: fsmStFailSdSlotFormatDiskResetBladePower
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]

```

## fsmStFailSdSlotFormatDisk:StartDiskFormat

**Fault Code: F17162**

### Message

[FSM:STAGE:FAILED|RETRY]: Start formatting  
disk(FSM-STAGE:sam:dme:SdSlotFormatDisk:StartDiskFormat)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** start-disk-format-failed  
**mibFaultCode:** 17162  
**mibFaultName:** fsmStFailSdSlotFormatDiskStartDiskFormat  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]

**fsmStFailSdSlotFormatDisk:WaitForDiskFormatComplete****Fault Code:** F17162**Message**

[FSM:STAGE:FAILED|RETRY]: Wait for disk format complete(FSM-STAGE:sam:dme:SdSlotFormatDisk:WaitForDiskFormatComplete)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-disk-format-complete-failed  
**mibFaultCode:** 17162  
**mibFaultName:** fsmStFailSdSlotFormatDiskWaitForDiskFormatComplete  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]

**fsmStFailSdSlotSynchTimeZone:UpdateTimeZone****Fault Code:** F17163**Message**

[FSM:STAGE:FAILED|RETRY]: Update time zone(FSM-STAGE:sam:dme:SdSlotSynchTimeZone:UpdateTimeZone)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-time-zone-failed
mibFaultCode: 17163
mibFaultName: fsmStFailSdSlotSynchTimeZoneUpdateTimeZone
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]
```

**fsmStFailSdAppAttributeCtrlGetAppAttributes:GetAttributes****Fault Code: F17164****Message**

[FSM:STAGE:FAILED|RETRY]: Retrive application attributes(FSM-STAGE:sam:dme:SdAppAttributeCtrlGetAppAttributes:GetAttributes)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: get-attributes-failed
mibFaultCode: 17164
mibFaultName: fsmStFailSdAppAttributeCtrlGetAppAttributesGetAttributes
moClass: sd:AppAttributeCtrl
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /app-attribute-ctrl
```

**fsmStFailSdMgmtInfoUpdateMgmtInfo:SendUpdate****Fault Code: F17165****Message**

[FSM:STAGE:FAILED|RETRY]: Update management information(FSM-STAGE:sam:dme:SdMgmtInfoUpdateMgmtInfo:SendUpdate)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-update-failed
mibFaultCode: 17165
mibFaultName: fsmStFailSdMgmtInfoUpdateMgmtInfoSendUpdate
moClass: sd:MgmtInfo
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/mgmt-info
```

**fsmStFailSdNetMgmtBootstrapUpdateNetMgmtBootstrap:SendUpdate**

**Fault Code:** F17166

**Message**

[FSM:STAGE:FAILED|RETRY]: Send message to  
AppAgent(FSM-STAGE:sam:dme:SdNetMgmtBootstrapUpdateNetMgmtBootstrap:SendUpdate)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-update-failed
mibFaultCode: 17166
mibFaultName: fsmStFailSdNetMgmtBootstrapUpdateNetMgmtBootstrapSendUpdate
moClass: sd:NetMgmtBootstrap
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/net-mgmt-bootstrap
```

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:StartApp

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Trigger FSM to start application(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:StartApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: start-app-failed
mibFaultCode: 17167
mibFaultName: fsmStFailSdUpgradeTaskStopUpgradeStartAppStartApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/upgrade-task
```

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:StopApp

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Stop application before upgrade(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:StopApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: stop-app-failed
mibFaultCode: 17167
mibFaultName: fsmStFailSdUpgradeTaskStopUpgradeStartAppStopApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]/upgrade-task

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:UpgradeApp

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Trigger FSM to upgrade application(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:UpgradeApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** upgrade-app-failed  
**mibFaultCode:** 17167  
**mibFaultName:** fsmStFailSdUpgradeTaskStopUpgradeStartAppUpgradeApp  
**moClass:** sd:UpgradeTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]/upgrade-task

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:WaitForBladeReboot

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for blade reboot(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForBladeReboot)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-blade-reboot-failed  
**mibFaultCode:** 17167



```

mibFaultName: fsmStFailSdUpgradeTaskStopUpgradeStartAppWaitForBladeReboot
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task

```

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:WaitForStopApp

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for application stop to complete.(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForStopApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-stop-app-failed
mibFaultCode: 17167
mibFaultName: fsmStFailSdUpgradeTaskStopUpgradeStartAppWaitForStopApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task

```

## fsmStFailSdUpgradeTaskStopUpgradeStartApp:WaitForUpgradeApp

**Fault Code:** F17167

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for application upgrade to complete.(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForUpgradeApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-upgrade-app-failed  
**mibFaultCode:** 17167  
**mibFaultName:** fsmStFailSdUpgradeTaskStopUpgradeStartAppWaitForUpgradeApp  
**moClass:** sd:UpgradeTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]/upgrade-task

**fsmStFailEtherServerIntFioConfigSpeed:Configure****Fault Code: F17169****Message**

[FSM:STAGE:FAILED|RETRY]: Configure admin speed for [dn](FSM-STAGE:sam:dme:EtherServerIntFioConfigSpeed:Configure)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** configure-failed  
**mibFaultCode:** 17169  
**mibFaultName:** fsmStFailEtherServerIntFioConfigSpeedConfigure  
**moClass:** ether:ServerIntFio  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/diag/port- [portId]  
**Affected MO:** sys/chassis- [id]/slot- [id]/[type]/port- [portId]  
**Affected MO:** sys/chassis- [id]/sw-slot- [id]/[type]/port- [portId]  
**Affected MO:** sys/fex- [id]/slot- [id]/[type]/port- [portId]  
**Affected MO:** sys/rack-unit- [id]/diag/port- [portId]  
**Affected MO:** sys/switch- [id]/slot- [id]/[type]/port- [portId]

**fsmStFailEtherFtwPortPairConfigFtw:Configure****Fault Code: F17170****Message**

[FSM:STAGE:FAILED|RETRY]: Configure fail-to-wire for [dn](FSM-STAGE:sam:dme:EtherFtwPortPairConfigFtw:Configure)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: configure-failed
mibFaultCode: 17170
mibFaultName: fsmStFailEtherFtwPortPairConfigFtwConfigure
moClass: ether:FtwPortPair
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/switch-[id]/fail-to-wire/ftw-port-[slotId]-[aggrPortId]-[portId]-port-[peerSlotId]
-[peerAggrPortId]-[peerPortId]
```

**fsmStFailExtpolEpRegisterFsm:Execute****Fault Code: F17185****Message**

```
[FSM:STAGE:FAILED|RETRY]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 17185
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol
```

## fsmStFailExtpolRegistryCrossDomainConfig:SetLocal

**Fault Code:** F17186

### Message

[FSM:STAGE:FAILED|RETRY]: Configure cross-domain XML for FLEX client on local fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainConfig:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-local-failed
mibFaultCode: 17186
mibFaultName: fsmStFailExtpolRegistryCrossDomainConfigSetLocal
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg
```

## fsmStFailExtpolRegistryCrossDomainConfig:SetPeer

**Fault Code:** F17186

### Message

[FSM:STAGE:FAILED|RETRY]: Configure cross-domain XML for FLEX client on peer fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainConfig:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-peer-failed
mibFaultCode: 17186
mibFaultName: fsmStFailExtpolRegistryCrossDomainConfigSetPeer
moClass: extpol:Registry
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmStFailExtpolRegistryCrossDomainDelete:SetLocal

**Fault Code:** F17187

### Message

[FSM:STAGE:FAILED|RETRY]: Remove cross-domain XML for FLEX client on local fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainDelete:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-local-failed
mibFaultCode: 17187
mibFaultName: fsmStFailExtpolRegistryCrossDomainDeleteSetLocal
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmStFailExtpolRegistryCrossDomainDelete:SetPeer

**Fault Code:** F17187

### Message

[FSM:STAGE:FAILED|RETRY]: Remove cross-domain XML for FLEX client on peer fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainDelete:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-peer-failed
mibFaultCode: 17187

```

```

mibFaultName: fsmStFailExtpolRegistryCrossDomainDeleteSetPeer
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmStFailStorageSystemSync:Execute

**Fault Code:** F17224

### Message

[FSM:STAGE:FAILED|RETRY]: Synchronise requestors with storage broker(FSM-STAGE:sam:dme:StorageSystemSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 17224
mibFaultName: fsmStFailStorageSystemSyncExecute
moClass: storage:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: storage-ep/system

```

## fsmStFailSysfileMutationSingle:Execute

**Fault Code:** F17226

### Message

[FSM:STAGE:FAILED|RETRY]: [action] file [name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 17226
mibFaultName: fsmStFailSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation

```

**fsmStFailSysfileMutationGlobal:Local****Fault Code: F17227****Message**

[FSM:STAGE:FAILED|RETRY]: remove files from local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: local-failed
mibFaultCode: 17227
mibFaultName: fsmStFailSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation

```

**fsmStFailSysfileMutationGlobal:Peer****Fault Code: F17227****Message**

[FSM:STAGE:FAILED|RETRY]: remove files from peer(FSM-STAGE:sam:dme:SysfileMutationGlobal:Peer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: peer-failed
mibFaultCode: 17227
mibFaultName: fsmStFailSysfileMutationGlobalPeer
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmStFailApplicationDownloaderDownload:Local**

**Fault Code: F17231**

**Message**

[FSM:STAGE:FAILED|RETRY]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:ApplicationDownloaderDownload:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 17231
mibFaultName: fsmStFailApplicationDownloaderDownloadLocal
moClass: application:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/app-catalogue/dnld- [fileName]
```

**fsmStFailApplicationDownloaderDownload:UnpackLocal**

**Fault Code: F17231**

**Message**

[FSM:STAGE:FAILED|RETRY]: unpacking image [fileName] on primary(FSM-STAGE:sam:dme:ApplicationDownloaderDownload:UnpackLocal)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 17231
mibFaultName: fsmStFailApplicationDownloaderDownloadUnpackLocal
moClass: application:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/app-catalogue/dnld- [fileName]
```

**fsmStFailCommSvcEpUpdateSvcEp:PropogateEpSettings****Fault Code: F17232****Message**

[FSM:STAGE:FAILED|RETRY]: propogate updated settings (eg. timezone)(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpSettings)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: propogate-ep-settings-failed
mibFaultCode: 17232
mibFaultName: fsmStFailCommSvcEpUpdateSvcEpPropogateEpSettings
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

## fsmStFailCommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomLocal

**Fault Code:** F17232

### Message

[FSM:STAGE:FAILED|RETRY]: propogate updated timezone settings to FEXs and IOMs.(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** propogate-ep-time-zone-settings-to-fex-iom-local-failed  
**mibFaultCode:** 17232  
**mibFaultName:** fsmStFailCommSvcEpUpdateSvcEpPropogateEpTimeZoneSettingsToFexIomLocal  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/svc-ext

## fsmStFailCommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomPeer

**Fault Code:** F17232

### Message

[FSM:STAGE:FAILED|RETRY]: propogate updated timezone settings to FEXs and IOMs.(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** propogate-ep-time-zone-settings-to-fex-iom-peer-failed  
**mibFaultCode:** 17232  
**mibFaultName:** fsmStFailCommSvcEpUpdateSvcEpPropogateEpTimeZoneSettingsToFexIomPeer  
**moClass:** comm:SvcEp

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmStFailCommSvcEpUpdateSvcEp:SetEpLocal

**Fault Code:** F17232

### Message

[FSM:STAGE:FAILED|RETRY]: communication service [name] configuration to primary(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:SetEpLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-ep-local-failed
mibFaultCode: 17232
mibFaultName: fsmStFailCommSvcEpUpdateSvcEpSetEpLocal
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmStFailCommSvcEpUpdateSvcEp:SetEpPeer

**Fault Code:** F17232

### Message

[FSM:STAGE:FAILED|RETRY]: communication service [name] configuration to secondary(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:SetEpPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: set-ep-peer-failed
mibFaultCode: 17232
mibFaultName: fsmStFailCommSvcEpUpdateSvcEpSetEpPeer
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmStFailCommSvcEpRestartWebSvc:local

**Fault Code:** F17233

### Message

[FSM:STAGE:FAILED|RETRY]: restart web services in primary(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 17233
mibFaultName: fsmStFailCommSvcEpRestartWebSvcLocal
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmStFailCommSvcEpRestartWebSvc:peer

**Fault Code:** F17233

### Message

[FSM:STAGE:FAILED|RETRY]: restart web services in secondary(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:peer)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: peer-failed
mibFaultCode: 17233
mibFaultName: fsmStFailCommSvcEpRestartWebSvcPeer
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

**fsmStFailPkiEpUpdateEp:PostSetKeyRingLocal****Fault Code: F17251****Message**

[FSM:STAGE:FAILED|RETRY]: post processing after keyring configuration on primary(FSM-STAGE:sam:dme:PkiEpUpdateEp:PostSetKeyRingLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: post-set-key-ring-local-failed
mibFaultCode: 17251
mibFaultName: fsmStFailPkiEpUpdateEpPostSetKeyRingLocal
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

**fsmStFailPkiEpUpdateEp:PostSetKeyRingPeer****Fault Code: F17251****Message**

[FSM:STAGE:FAILED|RETRY]: post processing after keyring configuration on secondary(FSM-STAGE:sam:dme:PkiEpUpdateEp:PostSetKeyRingPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: post-set-key-ring-peer-failed
mibFaultCode: 17251
mibFaultName: fsmStFailPkiEpUpdateEpPostSetKeyRingPeer
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

**fsmStFailPkiEpUpdateEp:SetKeyRingLocal****Fault Code: F17251****Message**

[FSM:STAGE:FAILED|RETRY]: keyring configuration on primary(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetKeyRingLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-key-ring-local-failed
mibFaultCode: 17251
mibFaultName: fsmStFailPkiEpUpdateEpSetKeyRingLocal
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

## fsmStFailPkiEpUpdateEp:SetKeyRingPeer

**Fault Code:** F17251

### Message

[FSM:STAGE:FAILED|RETRY]: keyring configuration on secondary(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetKeyRingPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** set-key-ring-peer-failed  
**mibFaultCode:** 17251  
**mibFaultName:** fsmStFailPkiEpUpdateEpSetKeyRingPeer  
**moClass:** pki:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/pki-ext

## fsmStFailPkiEpUpdateEp:ValidateKeyRingAndTP

**Fault Code:** F17251

### Message

[FSM:STAGE:FAILED|RETRY]: validate keyring and trust point(FSM-STAGE:sam:dme:PkiEpUpdateEp:ValidateKeyRingAndTP)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** validate-key-ring-andtp-failed  
**mibFaultCode:** 17251  
**mibFaultName:** fsmStFailPkiEpUpdateEpValidateKeyRingAndTP  
**moClass:** pki:Ep  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/pki-ext

## fsmStFailAaaEpUpdateEp:SetEpLocal

**Fault Code:** F17252

### Message

[FSM:STAGE:FAILED|RETRY]: external aaa server configuration to primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

### Explanation

Cisco FPR Manager could not set the configurations in the primary Fabric Interconnect for AAA servers while re-ordering/deleting providers.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** 1. Identify the auth-domain(s) that are using the auth-realm modification causing this fault.
  - Step 2** 2. Modify the auth-domain(s) realm identified in step 1, to local realm and commit the changes.
  - Step 3** 3. Re-order/Delete the AAA providers user wish to modify and commit the changes.
  - Step 4** 4. Change the auth-domain(s) realm back to previous realm modified in step2 and commit the changes.

### Fault Details

**Severity:** warning  
**Cause:** set-ep-local-failed  
**mibFaultCode:** 17252  
**mibFaultName:** fsmStFailAaaEpUpdateEpSetEpLocal  
**moClass:** aaa:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/ldap-ext  
**Affected MO:** sys/radius-ext  
**Affected MO:** sys/tacacs-ext

## fsmStFailAaaEpUpdateEp:SetEpPeer

**Fault Code:** F17252

### Message

[FSM:STAGE:FAILED|RETRY]: external aaa server configuration to secondary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpPeer)

### Explanation

Cisco FPR Manager could not set the configurations in the secondary Fabric Interconnect for AAA servers while re-ordering/deleting providers.



**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** 0. Make sure secondary FI is up and running.
- Step 2** 1. Identify the auth-domain(s) that are using the auth-realm modification causing this fault.
- Step 3** 2. Modify the auth-domain(s) realm identified in step 1, to local realm and commit the changes.
- Step 4** 3. Re-order/Delete the AAA providers user wish to modify and commit the changes.
- Step 5** 4. Change the auth-domain(s) realm back to previous realm modified in step2 and commit the changes.

**Fault Details**

```

Severity: warning
Cause: set-ep-peer-failed
mibFaultCode: 17252
mibFaultName: fsmStFailAaaEpUpdateEpSetEpPeer
moClass: aaa:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ldap-ext
Affected MO: sys/radius-ext
Affected MO: sys/tacacs-ext

```

**fsmStFailAaaRealmUpdateRealm:SetRealmLocal**

**Fault Code: F17253**

**Message**

[FSM:STAGE:FAILED|RETRY]: realm configuration to primary(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealmLocal)

**Explanation**

Cisco FPR Manager could not set the configurations in the primary Fabric Interconnect for Authentication realms.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** 1. Make sure the auth-server-group used in the auth-domain is exist and is deployed on to switch.
- Step 2** 2. If auth-server-group doesn't exist, either create auth-server-group in appropriate realm (RADIUS/TACACS+/LDAP) or unset the auth-server-group in auth-domain.

**Fault Details**

```

Severity: warning
Cause: set-realm-local-failed
mibFaultCode: 17253
mibFaultName: fsmStFailAaaRealmUpdateRealmSetRealmLocal
moClass: aaa:Realm
Type: fsm
Callhome: none
Auto Cleared: true

```

**Is Implemented:** true  
**Affected MO:** sys/auth-realm

## fsmStFailAaaRealmUpdateRealm:SetRealmPeer

**Fault Code:** F17253

### Message

[FSM:STAGE:FAILED|RETRY]: realm configuration to secondary(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealmPeer)

### Explanation

Cisco FPR Manager could not set the configurations in the secondary Fabric Interconnect for Authentication realms.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** 0. Make sure secondary FI is up and running.
- Step 2** 1. Make sure the auth-server-group used in the auth-domain is exist and is deployed on to switch.
- Step 3** 2. If auth-server-group doesn't exist, either create auth-server-group in appropriate realm (RADIUS/TACACS+/LDAP) or unset the auth-server-group in auth-domain.

### Fault Details

**Severity:** warning  
**Cause:** set-realm-peer-failed  
**mibFaultCode:** 17253  
**mibFaultName:** fsmStFailAaaRealmUpdateRealmSetRealmPeer  
**moClass:** aaa:Realm  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/auth-realm

## fsmStFailAaaUserEpUpdateUserEp:SetUserLocal

**Fault Code:** F17254

### Message

[FSM:STAGE:FAILED|RETRY]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** set-user-local-failed  
**mibFaultCode:** 17254  
**mibFaultName:** fsmStFailAaaUserEpUpdateUserEpSetUserLocal  
**moClass:** aaa:UserEp  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/user-ext

**fsmStFailAaaUserEpUpdateUserEp:SetUserPeer****Fault Code:** F17254**Message**

[FSM:STAGE:FAILED|RETRY]: user configuration to secondary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** set-user-peer-failed  
**mibFaultCode:** 17254  
**mibFaultName:** fsmStFailAaaUserEpUpdateUserEpSetUserPeer  
**moClass:** aaa:UserEp  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/user-ext

**fsmStFailSysdebugManualCoreFileExportTargetExport:Execute****Fault Code:** F17265**Message**

[FSM:STAGE:FAILED|RETRY]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 17265
mibFaultName: fsmStFailSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/export-to- [hostname]
```

**fsmStFailSysdebugLogExportPolicyConfigure:Local**

**Fault Code:** F17266

**Message**

[FSM:STAGE:FAILED|RETRY]: configuring log file export service on local(FSM-STAGE:sam:dme:SysdebugLogExportPolicyConfigure:Local)

**Explanation**

Cisco Firepower Manager could not set the configurations in the primary Fabric Interconnect for log file transfer to remote server.

**Recommended Action**

If you see this fault, take the following actions:

---

**Step 1** Execute the show tech-support command and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 17266
mibFaultName: fsmStFailSysdebugLogExportPolicyConfigureLocal
moClass: sysdebug:LogExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/log-export-policy
```

## fsmStFailSysdebugLogExportPolicyConfigure:Peer

**Fault Code: F17266**

### Message

[FSM:STAGE:FAILEDIRETRY]: configuring log file export service on peer(FSM-STAGE:sam:dme:SysdebugLogExportPolicyConfigure:Peer)

### Explanation

Cisco Firepower Manager could not set the configurations in the subordinate Fabric Interconnect (FI) for log file transfer to remote server. This fault typically appears for one of the following reasons:

- The subordinate FI is not reachable.
- The subordinate FI is experiencing an internal system error on applying the configuration.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the FI cluster state to ensure that the subordinate FI is reachable and functioning correctly. If the subordinate FI is down, take appropriate corrective actions so that the Firepower cluster goes into HA ready state.
- Step 2** If the HA state of the primary and subordinate FIs are good, execute the show tech-support command and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: peer-failed
mibFaultCode: 17266
mibFaultName: fsmStFailSysdebugLogExportPolicyConfigurePeer
moClass: sysdebug:LogExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/log-export-policy
```

## fsmStFailSysdebugAutoCoreFileExportTargetConfigure:Local

**Fault Code: F17267**

### Message

[FSM:STAGE:FAILEDIRETRY]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

### Explanation

Cisco Firepower Manager could not set the configurations in the primary Fabric Interconnect for auto core transfer to remote TFTP server.

### Recommended Action

If you see this fault, take the following actions:

---

**Step 1** Execute the show tech-support command and contact Cisco Technical Support.

#### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 17267
mibFaultName: fsmStFailSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/file-export
```

## fsmStFailSysdebugAutoCoreFileExportTargetConfigure:Peer

**Fault Code: F17267**

#### Message

[FSM:STAGE:FAILED|RETRY]: configuring automatic core file export service on peer(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Peer)

#### Explanation

Cisco Firepower Manager could not set the configurations in the subordinate Fabric Interconnect (FI) for auto core transfer to remote TFTP server. This fault typically appears for one of the following reasons:

- The subordinate FI is not reachable.
- The subordinate FI is experiencing an internal system error on applying the configuration.

#### Recommended Action

If you see this fault, take the following actions:

---

**Step 1** Check the FI cluster state to ensure that the subordinate FI is reachable and functioning correctly. If the subordinate FI is down, take appropriate corrective actions so that the Firepower cluster goes into HA ready state.

**Step 2** If the HA state of the primary and subordinate FIs are good, execute the show tech-support command and contact Cisco Technical Support.

#### Fault Details

```
Severity: warning
Cause: peer-failed
mibFaultCode: 17267
mibFaultName: fsmStFailSysdebugAutoCoreFileExportTargetConfigurePeer
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/file-export
```

## fsmStFailSysdebugTechSupportInitiate:Local

**Fault Code:** F17268

### Message

[FSM:STAGE:FAILED|RETRY]: create tech-support file from GUI on local(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 17268
mibFaultName: fsmStFailSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

## fsmStFailSysdebugTechSupportDeleteTechSupFile:Local

**Fault Code:** F17269

### Message

[FSM:STAGE:FAILED|RETRY]: delete tech-support file from GUI on local(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 17269
mibFaultName: fsmStFailSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmStFailSysdebugTechSupportDeleteTechSupFile:peer

**Fault Code:** F17269

### Message

[FSM:STAGE:FAILED|RETRY]: delete tech-support file from GUI on peer(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: peer-failed
mibFaultCode: 17269
mibFaultName: fsmStFailSysdebugTechSupportDeleteTechSupFilePeer
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmStFailSysdebugTechSupportDownload:CopyPrimary

**Fault Code:** F17270

### Message

[FSM:STAGE:FAILED|RETRY]: Copy the tech-support file to primary for download(FSM-STAGE:sam:dme:SysdebugTechSupportDownload:CopyPrimary)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-primary-failed
mibFaultCode: 17270

```



```

mibFaultName: fsmStFailSysdebugTechSupportDownloadCopyPrimary
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmStFailSysdebugTechSupportDownload:CopySub

**Fault Code:** F17270

### Message

[FSM:STAGE:FAILED|RETRY]: copy tech-support file on subordinate switch to tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload:CopySub)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-sub-failed
mibFaultCode: 17270
mibFaultName: fsmStFailSysdebugTechSupportDownloadCopySub
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmStFailSysdebugTechSupportDownload>DeletePrimary

**Fault Code:** F17270

### Message

[FSM:STAGE:FAILED|RETRY]: Delete the tech-support file from primary switch under tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload>DeletePrimary)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-primary-failed  
**mibFaultCode:** 17270  
**mibFaultName:** fsmStFailSysdebugTechSupportDownloadDeletePrimary  
**moClass:** sysdebug:TechSupport  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/tech-support-files/tech-support-[creationTS]

**fsmStFailSysdebugTechSupportDownload:DeleteSub****Fault Code:** F17270**Message**

[FSM:STAGE:FAILED|RETRY]: Delete the tech-support file from subordinate under tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload:DeleteSub)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-sub-failed  
**mibFaultCode:** 17270  
**mibFaultName:** fsmStFailSysdebugTechSupportDownloadDeleteSub  
**moClass:** sysdebug:TechSupport  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/tech-support-files/tech-support-[creationTS]

**fsmStFailSysdebugCoreDownload:CopyPrimary****Fault Code:** F17271**Message**

[FSM:STAGE:FAILED|RETRY]: Copy the Core file to primary for download(FSM-STAGE:sam:dme:SysdebugCoreDownload:CopyPrimary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-primary-failed
mibFaultCode: 17271
mibFaultName: fsmStFailSysdebugCoreDownloadCopyPrimary
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file-[name] |[switchId]
```

**fsmStFailSysdebugCoreDownload:CopySub****Fault Code: F17271****Message**

[FSM:STAGE:FAILED|RETRY]: copy Core file on subordinate switch to tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload:CopySub)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-sub-failed
mibFaultCode: 17271
mibFaultName: fsmStFailSysdebugCoreDownloadCopySub
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file-[name] |[switchId]
```

**fsmStFailSysdebugCoreDownload>DeletePrimary****Fault Code: F17271****Message**

[FSM:STAGE:FAILED|RETRY]: Delete the Core file from primary switch under tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload>DeletePrimary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-primary-failed
mibFaultCode: 17271
mibFaultName: fsmStFailSysdebugCoreDownloadDeletePrimary
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

**fsmStFailSysdebugCoreDownload:DeleteSub****Fault Code: F17271****Message**

[FSM:STAGE:FAILED|RETRY]: Delete the Core file from subordinate under tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload:DeleteSub)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-sub-failed
mibFaultCode: 17271
mibFaultName: fsmStFailSysdebugCoreDownloadDeleteSub
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

## fsmStFailSysdebugLogControlEpLogControlPersist:Local

**Fault Code:** F17272

### Message

[FSM:STAGE:FAILED|RETRY]: persisting LogControl on local(FSM-STAGE:sam:dme:SysdebugLogControlEpLogControlPersist:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 17272
mibFaultName: fsmStFailSysdebugLogControlEpLogControlPersistLocal
moClass: sysdebug:LogControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/logcontrol
```

## fsmStFailSysdebugLogControlEpLogControlPersist:Peer

**Fault Code:** F17272

### Message

[FSM:STAGE:FAILED|RETRY]: persisting LogControl on peer(FSM-STAGE:sam:dme:SysdebugLogControlEpLogControlPersist:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: peer-failed
mibFaultCode: 17272
mibFaultName: fsmStFailSysdebugLogControlEpLogControlPersistPeer
moClass: sysdebug:LogControlEp
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/sysdebug/logcontrol

## fsmStFailEpqosDefinitionDeploy:Local

**Fault Code:** F17336

### Message

[FSM:STAGE:FAILED|RETRY]: vnic qos policy [name] configuration to primary(FSM-STAGE:sam:dme:EpqosDefinitionDeploy:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 17336  
**mibFaultName:** fsmStFailEpqosDefinitionDeployLocal  
**moClass:** epqos:Definition  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org-[name]/ep-qos-[name]

## fsmStFailEpqosDefinitionDeploy:Peer

**Fault Code:** F17336

### Message

[FSM:STAGE:FAILED|RETRY]: vnic qos policy [name] configuration to secondary(FSM-STAGE:sam:dme:EpqosDefinitionDeploy:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** peer-failed  
**mibFaultCode:** 17336

```

mibFaultName: fsmStFailEpgosDefinitionDeployPeer
moClass: epqos:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos- [name]

```

## fsmStFailEpgosDefinitionDelTaskRemove:Local

**Fault Code:** F17337

### Message

[FSM:STAGE:FAILED|RETRY]: vnic qos policy [name] removal from primary(FSM-STAGE:sam:dme:EpgosDefinitionDelTaskRemove:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 17337
mibFaultName: fsmStFailEpgosDefinitionDelTaskRemoveLocal
moClass: epqos:DefinitionDelTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos-deletion- [defIntId]

```

## fsmStFailEpgosDefinitionDelTaskRemove:Peer

**Fault Code:** F17337

### Message

[FSM:STAGE:FAILED|RETRY]: vnic qos policy [name] removal from secondary(FSM-STAGE:sam:dme:EpgosDefinitionDelTaskRemove:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** peer-failed  
**mibFaultCode:** 17337  
**mibFaultName:** fsmStFailEpqosDefinitionDelTaskRemovePeer  
**moClass:** epqos:DefinitionDelTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org-[name]/ep-qos-deletion-[defIntId]

**fsmStFailQosclassDefinitionConfigGlobalQoS:SetLocal****Fault Code:** F17340**Message**

[FSM:STAGE:FAILED|RETRY]: QoS Classification Definition [name] configuration on primary(FSM-STAGE:sam:dme:QosclassDefinitionConfigGlobalQoS:SetLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** set-local-failed  
**mibFaultCode:** 17340  
**mibFaultName:** fsmStFailQosclassDefinitionConfigGlobalQoSSetLocal  
**moClass:** qosclass:Definition  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/lan/classes

**fsmStFailQosclassDefinitionConfigGlobalQoS:SetPeer****Fault Code:** F17340**Message**

[FSM:STAGE:FAILED|RETRY]: QoS Classification Definition [name] configuration on secondary(FSM-STAGE:sam:dme:QosclassDefinitionConfigGlobalQoS:SetPeer)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-peer-failed
mibFaultCode: 17340
mibFaultName: fsmStFailQosclassDefinitionConfigGlobalQoSSetPeer
moClass: qosclass:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan/classes
```

**fsmStFailMgmtControllerRegistryConfig:Remove****Fault Code: F17347****Message**

[FSM:STAGE:FAILED|RETRY]: Deleting registry information from config file(FSM-STAGE:sam:dme:MgmtControllerRegistryConfig:Remove)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remove-failed
mibFaultCode: 17347
mibFaultName: fsmStFailMgmtControllerRegistryConfigRemove
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
```

**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailMgmtIfSwMgmtOobIfConfig:Switch

**Fault Code:** F17358

### Message

[FSM:STAGE:FAILED|RETRY]: configuring the out-of-band interface(FSM-STAGE:sam:dme:MgmtIfSwMgmtOobIfConfig:Switch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** switch-failed  
**mibFaultCode:** 17358  
**mibFaultName:** fsmStFailMgmtIfSwMgmtOobIfConfigSwitch  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmStFailMgmtIfSwMgmtInbandIfConfig:Switch

**Fault Code:** F17359

### Message

[FSM:STAGE:FAILED|RETRY]: configuring the inband interface(FSM-STAGE:sam:dme:MgmtIfSwMgmtInbandIfConfig:Switch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: switch-failed
mibFaultCode: 17359
mibFaultName: fsmStFailMgmtIfSwMgmtInbandIfConfigSwitch
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmStFailMgmtIPv6IfAddrSwMgmtOobIpv6IfConfig:Switch

**Fault Code:** F17360

### Message

[FSM:STAGE:FAILED|RETRY]: configuring the out-of-band IPv6 interface(FSM-STAGE:sam:dme:MgmtIPv6IfAddrSwMgmtOobIpv6IfConfig:Switch)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: switch-failed
mibFaultCode: 17360
mibFaultName: fsmStFailMgmtIPv6IfAddrSwMgmtOobIPv6IfConfigSwitch
moClass: mgmt:IPv6IfAddr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/fex-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/fex-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/switch-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/switch-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6

```

**fsmStFailNhTableHolderConfigureLinks:ApplyConfig**

**Fault Code:** F17373

**Message**

[FSM:STAGE:FAILED|RETRY]: Apply  
Configuration(FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:ApplyConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 17373
mibFaultName: fsmStFailNhTableHolderConfigureLinksApplyConfig
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmStFailNhTableHolderConfigureLinks:ConfigInterface**

**Fault Code: F17373**

**Message**

[FSM:STAGE:FAILED|RETRY]: Configure Interface(FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:ConfigInterface)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-interface-failed
mibFaultCode: 17373
mibFaultName: fsmStFailNhTableHolderConfigureLinksConfigInterface
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmStFailNhTableHolderConfigureLinks:VerifyLinkConfig**

**Fault Code: F17373**

**Message**

[FSM:STAGE:FAILED|RETRY]: (FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:VerifyLinkConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-link-config-failed
mibFaultCode: 17373
mibFaultName: fsmStFailNhTableHolderConfigureLinksVerifyLinkConfig
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmStFailNhTableHolderBootstrapLinks:ApplyConfig****Fault Code: F17374****Message**

```
[FSM:STAGE:FAILED|RETRY]: Apply
Configuration(FSM-STAGE:sam:dme:NhTableHolderBootstrapLinks:ApplyConfig)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 17374
mibFaultName: fsmStFailNhTableHolderBootstrapLinksApplyConfig
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

## fsmStFailStatsCollectionPolicyUpdateEp:SetEpA

**Fault Code:** F17378

### Message

[FSM:STAGE:FAILED|RETRY]: Update endpoint on fabric interconnect  
A(FSM-STAGE:sam:dme:StatsCollectionPolicyUpdateEp:SetEpA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-ep-afailed
mibFaultCode: 17378
mibFaultName: fsmStFailStatsCollectionPolicyUpdateEpSetEpA
moClass: stats:CollectionPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: stats/coll-policy-[name]
```

## fsmStFailStatsCollectionPolicyUpdateEp:SetEpB

**Fault Code:** F17378

### Message

[FSM:STAGE:FAILED|RETRY]: Update endpoint on fabric interconnect  
B(FSM-STAGE:sam:dme:StatsCollectionPolicyUpdateEp:SetEpB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-ep-bfailed
mibFaultCode: 17378
mibFaultName: fsmStFailStatsCollectionPolicyUpdateEpSetEpB
moClass: stats:CollectionPolicy
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: stats/coll-policy- [name]

```

## fsmStFailSyntheticFsObjCreate:createLocal

**Fault Code:** F17403

### Message

[FSM:STAGE:FAILED|RETRY]: create on  
primary(FSM-STAGE:sam:dme:SyntheticFsObjCreate:createLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: create-local-failed
mibFaultCode: 17403
mibFaultName: fsmStFailSyntheticFsObjCreateCreateLocal
moClass: synthetic:FsObj
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/file- [name]

```

## fsmStFailSyntheticFsObjCreate:createRemote

**Fault Code:** F17403

### Message

[FSM:STAGE:FAILED|RETRY]: create on  
secondary(FSM-STAGE:sam:dme:SyntheticFsObjCreate:createRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: create-remote-failed
mibFaultCode: 17403

```



```

mibFaultName: fsmStFailSyntheticFsObjCreateCreateRemote
moClass: synthetic:FsObj
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/file-[name]

```

## fsmStFailCapabilityUpdaterUpdater:Apply

**Fault Code:** F17408

### Message

[FSM:STAGE:FAILED|RETRY]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:Apply)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-failed
mibFaultCode: 17408
mibFaultName: fsmStFailCapabilityUpdaterUpdaterApply
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]

```

## fsmStFailCapabilityUpdaterUpdater:CopyRemote

**Fault Code:** F17408

### Message

[FSM:STAGE:FAILED|RETRY]: syncing catalog files to subordinate(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** copy-remote-failed  
**mibFaultCode:** 17408  
**mibFaultName:** fsmStFailCapabilityUpdaterUpdaterCopyRemote  
**moClass:** capability:Updater  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities/ep/updater- [fileName]

**fsmStFailCapabilityUpdaterUpdater>DeleteLocal****Fault Code:** F17408**Message**

[FSM:STAGE:FAILED|RETRY]: deleting temp image [fileName] on local(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater>DeleteLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-local-failed  
**mibFaultCode:** 17408  
**mibFaultName:** fsmStFailCapabilityUpdaterUpdater>DeleteLocal  
**moClass:** capability:Updater  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities/ep/updater- [fileName]

**fsmStFailCapabilityUpdaterUpdater>EvaluateStatus****Fault Code:** F17408**Message**

[FSM:STAGE:FAILED|RETRY]: evaluating status of update(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater>EvaluateStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: evaluate-status-failed
mibFaultCode: 17408
mibFaultName: fsmStFailCapabilityUpdaterUpdaterEvaluateStatus
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmStFailCapabilityUpdaterUpdater:Local**

**Fault Code: F17408**

**Message**

[FSM:STAGE:FAILED|RETRY]: downloading catalog file [fileName] from [server](FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 17408
mibFaultName: fsmStFailCapabilityUpdaterUpdaterLocal
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmStFailCapabilityUpdaterUpdater:RescanImages**

**Fault Code: F17408**

**Message**

[FSM:STAGE:FAILED|RETRY]: rescanning image files(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:RescanImages)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: rescan-images-failed
mibFaultCode: 17408
mibFaultName: fsmStFailCapabilityUpdaterUpdaterRescanImages
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmStFailCapabilityUpdaterUpdater:UnpackLocal****Fault Code: F17408****Message**

[FSM:STAGE:FAILED|RETRY]: unpacking catalog file [fileName] on primary(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:UnpackLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 17408
mibFaultName: fsmStFailCapabilityUpdaterUpdaterUnpackLocal
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

## fsmStFailCapabilityCatalogueActivateCatalog:ApplyCatalog

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:ApplyCatalog)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-catalog-failed
mibFaultCode: 17409
mibFaultName: fsmStFailCapabilityCatalogueActivateCatalogApplyCatalog
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities
```

## fsmStFailCapabilityCatalogueActivateCatalog:CopyCatFromRep

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: Copying Catalogue from repository to FI(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyCatFromRep)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: copy-cat-from-rep-failed
mibFaultCode: 17409
mibFaultName: fsmStFailCapabilityCatalogueActivateCatalogCopyCatFromRep
moClass: capability:Catalogue
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmStFailCapabilityCatalogueActivateCatalog:CopyExternalRepToRemote

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: syncing external repository to subordinate(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyExternalRepToRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copy-external-rep-to-remote-failed  
**mibFaultCode:** 17409  
**mibFaultName:** fsmStFailCapabilityCatalogueActivateCatalogCopyExternalRepToRemote  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmStFailCapabilityCatalogueActivateCatalog:CopyRemote

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: syncing catalog changes to subordinate(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copy-remote-failed  
**mibFaultCode:** 17409

```

mibFaultName: fsmStFailCapabilityCatalogueActivateCatalogCopyRemote
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities

```

## fsmStFailCapabilityCatalogueActivateCatalog:EvaluateStatus

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: evaluating status of activation(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:EvaluateStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: evaluate-status-failed
mibFaultCode: 17409
mibFaultName: fsmStFailCapabilityCatalogueActivateCatalogEvaluateStatus
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities

```

## fsmStFailCapabilityCatalogueActivateCatalog:RescanImages

**Fault Code:** F17409

### Message

[FSM:STAGE:FAILED|RETRY]: rescanning image files(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:RescanImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** rescan-images-failed  
**mibFaultCode:** 17409  
**mibFaultName:** fsmStFailCapabilityCatalogueActivateCatalogRescanImages  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

**fsmStFailCapabilityCatalogueActivateCatalog:UnpackLocal**

**Fault Code:** F17409

**Message**

[FSM:STAGE:FAILED|RETRY]: activating catalog changes(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:UnpackLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** unpack-local-failed  
**mibFaultCode:** 17409  
**mibFaultName:** fsmStFailCapabilityCatalogueActivateCatalogUnpackLocal  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

**fsmStFailCapabilityMgmtExtensionActivateMgmtExt:ApplyCatalog**

**Fault Code:** F17410

**Message**

[FSM:STAGE:FAILED|RETRY]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:ApplyCatalog)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-catalog-failed
mibFaultCode: 17410
mibFaultName: fsmStFailCapabilityMgmtExtensionActivateMgmtExtApplyCatalog
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmStFailCapabilityMgmtExtensionActivateMgmtExt:CopyRemote**

**Fault Code: F17410**

**Message**

[FSM:STAGE:FAILED|RETRY]: syncing management extension changes to subordinate(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:CopyRemote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-remote-failed
mibFaultCode: 17410
mibFaultName: fsmStFailCapabilityMgmtExtensionActivateMgmtExtCopyRemote
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmStFailCapabilityMgmtExtensionActivateMgmtExt:EvaluateStatus**

**Fault Code: F17410**

**Message**

[FSM:STAGE:FAILED|RETRY]: evaluating status of activation(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:EvaluateStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: evaluate-status-failed
mibFaultCode: 17410
mibFaultName: fsmStFailCapabilityMgmtExtensionActivateMgmtExtEvaluateStatus
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmStFailCapabilityMgmtExtensionActivateMgmtExt:RescanImages****Fault Code: F17410****Message**

```
[FSM:STAGE:FAILED|RETRY]: rescanning image
files(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:RescanImages)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: rescan-images-failed
mibFaultCode: 17410
mibFaultName: fsmStFailCapabilityMgmtExtensionActivateMgmtExtRescanImages
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

## fsmStFailCapabilityMgmtExtensionActivateMgmtExt:UnpackLocal

**Fault Code:** F17410

### Message

[FSM:STAGE:FAILED|RETRY]: activating management extension changes(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 17410
mibFaultName: fsmStFailCapabilityMgmtExtensionActivateMgmtExtUnpackLocal
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

## fsmStFailCapabilityCatalogueDeployCatalogue:SyncPortAGLocal

**Fault Code:** F17411

### Message

[FSM:STAGE:FAILED|RETRY]: Sending capability catalogue [version] to local portAG(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:SyncPortAGLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: sync-portaglocal-failed
mibFaultCode: 17411
mibFaultName: fsmStFailCapabilityCatalogueDeployCatalogueSyncPortAGLocal
moClass: capability:Catalogue
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmStFailCapabilityCatalogueDeployCatalogue:SyncPortAGRemote

**Fault Code:** F17411

### Message

[FSM:STAGE:FAILED|RETRY]: Sending capability catalogue [version] to remote portAG(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:SyncPortAGRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sync-portagremote-failed  
**mibFaultCode:** 17411  
**mibFaultName:** fsmStFailCapabilityCatalogueDeployCatalogueSyncPortAGRemote  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmStFailCapabilityCatalogueDeployCatalogue:finalize

**Fault Code:** F17411

### Message

[FSM:STAGE:FAILED|RETRY]: Finalizing capability catalogue [version] deployment(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:finalize)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** finalize-failed  
**mibFaultCode:** 17411

```

mibFaultName: fsmStFailCapabilityCatalogueDeployCatalogueFinalize
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities

```

## fsmStFailSwEthMonDeploy:UpdateEthMon

**Fault Code:** F17420

### Message

[FSM:STAGE:FAILED|RETRY]: Ethernet traffic monitor (SPAN)configuration on [switchId](FSM-STAGE:sam:dme:SwEthMonDeploy:UpdateEthMon)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-eth-mon-failed
mibFaultCode: 17420
mibFaultName: fsmStFailSwEthMonDeployUpdateEthMon
moClass: sw:EthMon
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch- [id]/lanmon-eth/mon- [name]

```

## fsmStFailSwSspEthMonDeploy:UpdateSspEthMon

**Fault Code:** F17469

### Message

[FSM:STAGE:FAILED|RETRY]: SSP Packet Capture configuration on [switchId](FSM-STAGE:sam:dme:SwSspEthMonDeploy:UpdateSspEthMon)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-ssp-eth-mon-failed  
**mibFaultCode:** 17469  
**mibFaultName:** fsmStFailSwSspEthMonDeployUpdateSspEthMon  
**moClass:** sw:SspEthMon  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch- [id] /ssp-lanmon-eth/ssp-mon-session[name]

**fsmStFailSwSspEthMonSrcPhyEpDelete>DeletePcapFile****Fault Code: F17470****Message**

[FSM:STAGE:FAILED|RETRY]: Delete Pcap file whenever there is a delete interface trigger(FSM-STAGE:sam:dme:SwSspEthMonSrcPhyEpDelete>DeletePcapFile)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-pcap-file-failed  
**mibFaultCode:** 17470  
**mibFaultName:** fsmStFailSwSspEthMonSrcPhyEpDelete>DeletePcapFile  
**moClass:** sw:SspEthMonSrcPhyEp  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch- [id] /ssp-lanmon-eth/ssp-mon-session[name] /ssp-mon-src-phy- [chassisId] -slot- [slotId] -port- [portId] -aggr- [aggrPortId]

**fsmStFailFabricVnetEpSyncEpPushVnetEpDeletion:Sync****Fault Code: F17476****Message**

[FSM:STAGE:FAILED|RETRY]: Update resource-mgr with VnetEp deletion(FSM-STAGE:sam:dme:FabricVnetEpSyncEpPushVnetEpDeletion:Sync)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sync-failed
mibFaultCode: 17476
mibFaultName: fsmStFailFabricVnetEpSyncEpPushVnetEpDeletionSync
moClass: fabric:VnetEpSyncEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/providers/prov-[type]/syncEp
```

**fsmStFailFabricLanCloudSwitchMode:SwConfigLocal**

**Fault Code: F17477**

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:FabricLanCloudSwitchMode:SwConfigLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 17477
mibFaultName: fsmStFailFabricLanCloudSwitchModeSwConfigLocal
moClass: fabric:LanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan
```

**fsmStFailFabricLanCloudSwitchMode:SwConfigPeer**

**Fault Code: F17477**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Fabric interconnect mode configuration to
primary(FSM-STAGE:sam:dme:FabricLanCloudSwitchMode:SwConfigPeer)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 17477
mibFaultName: fsmStFailFabricLanCloudSwitchModeSwConfigPeer
moClass: fabric:LanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan
```

**fsmStFailFabricSanCloudSwitchMode:SwConfigLocal****Fault Code: F17478****Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:FabricSanCloudSwitchMode:SwConfigLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 17478
mibFaultName: fsmStFailFabricSanCloudSwitchModeSwConfigLocal
moClass: fabric:SanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/san
```



## fsmStFailFabricSanCloudSwitchMode:SwConfigPeer

**Fault Code:** F17478

### Message

[FSM:STAGE:FAILED|RETRY]: Fabric interconnect FC mode configuration to primary(FSM-STAGE:sam:dme:FabricSanCloudSwitchMode:SwConfigPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sw-config-peer-failed  
**mibFaultCode:** 17478  
**mibFaultName:** fsmStFailFabricSanCloudSwitchModeSwConfigPeer  
**moClass:** fabric:SanCloud  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/san

## fsmStFailFabricEpMgrConfigure:ApplyConfig

**Fault Code:** F17484

### Message

[FSM:STAGE:FAILED|RETRY]: Apply switch configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-config-failed  
**mibFaultCode:** 17484  
**mibFaultName:** fsmStFailFabricEpMgrConfigureApplyConfig  
**moClass:** fabric:EpMgr  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/[id]

## fsmStFailFabricEpMgrConfigure:ApplyPhysical

**Fault Code:** F17484

### Message

[FSM:STAGE:FAILED|RETRY]: Applying physical configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ApplyPhysical)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-physical-failed  
**mibFaultCode:** 17484  
**mibFaultName:** fsmStFailFabricEpMgrConfigureApplyPhysical  
**moClass:** fabric:EpMgr  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/[id]

## fsmStFailFabricEpMgrConfigure:ValidateConfiguration

**Fault Code:** F17484

### Message

[FSM:STAGE:FAILED|RETRY]: Validating logical configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ValidateConfiguration)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** validate-configuration-failed  
**mibFaultCode:** 17484

```

mibFaultName: fsmStFailFabricEpMgrConfigureValidateConfiguration
moClass: fabric:EpMgr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/[id]

```

## fsmStFailFabricEpMgrConfigure:WaitOnPhys

**Fault Code:** F17484

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting on physical change application(FSM-STAGE:sam:dme:FabricEpMgrConfigure:WaitOnPhys)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-on-phys-failed
mibFaultCode: 17484
mibFaultName: fsmStFailFabricEpMgrConfigureWaitOnPhys
moClass: fabric:EpMgr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/[id]

```

## fsmStFailMgmtExportPolicyReportConfigCopy:Report

**Fault Code:** F17490

### Message

[FSM:STAGE:FAILED|RETRY]: Report config copy to Ops Mgr(FSM-STAGE:sam:dme:MgmtExportPolicyReportConfigCopy:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** report-failed  
**mibFaultCode:** 17490  
**mibFaultName:** fsmStFailMgmtExportPolicyReportConfigCopyReport  
**moClass:** mgmt:ExportPolicy  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /cfg-exp-policy- [name]  
**Affected MO:** org- [name] /db-backup-policy- [name]

**fsmStFailExtpolProviderReportConfigImport:Report**

**Fault Code:** F17491

**Message**

[FSM:STAGE:FAILED|RETRY]: Report config import to Ops  
Mgr(FSM-STAGE:sam:dme:ExtpolProviderReportConfigImport:Report)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** report-failed  
**mibFaultCode:** 17491  
**mibFaultName:** fsmStFailExtpolProviderReportConfigImportReport  
**moClass:** extpol:Provider  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol/reg/providers/prov- [type]

**fsmStFailMgmtIfVirtualIfConfig:Local**

**Fault Code:** F17492

**Message**

[FSM:STAGE:FAILED|RETRY]: Updating virtual interface on local fabric  
interconnect(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: local-failed
mibFaultCode: 17492
mibFaultName: fsmStFailMgmtIfVirtualIfConfigLocal
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

**fsmStFailMgmtIfVirtualIfConfig:Remote**

**Fault Code: F17492**

**Message**

[FSM:STAGE:FAILED|RETRY]: Updating virtual interface on peer fabric interconnect(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: remote-failed
mibFaultCode: 17492
mibFaultName: fsmStFailMgmtIfVirtualIfConfigRemote

```

```

moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmStFailMgmtIfEnableVip:Local

**Fault Code:** F17493

### Message

[FSM:STAGE:FAILED|RETRY]: Enable virtual interface on local fabric interconnect(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 17493
mibFaultName: fsmStFailMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]

```

```

Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmStFailMgmtIfDisableVip:Peer

**Fault Code:** F17494

### Message

[FSM:STAGE:FAILEDIRETRY]: Disable virtual interface on peer fabric interconnect(FSM-STAGE:sam:dme:MgmtIfDisableVip:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: peer-failed
mibFaultCode: 17494
mibFaultName: fsmStFailMgmtIfDisableVipPeer
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmStFailMgmtIfEnableHA:Local

**Fault Code:** F17495

### Message

[FSM:STAGE:FAILED|RETRY]: Transition from single to cluster mode(FSM-STAGE:sam:dme:MgmtIfEnableHA:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 17495
mibFaultName: fsmStFailMgmtIfEnableHALocal
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]/if- [id]
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/mgmt/if- [id]
Affected MO: sys/chassis- [id]/blade- [slotId]/boardController/mgmt/if- [id]
Affected MO: sys/chassis- [id]/blade- [slotId]/ext-board- [id]/boardController/mgmt/if- [id]
Affected MO: sys/chassis- [id]/blade- [slotId]/ext-board- [id]/mgmt/if- [id]
Affected MO: sys/chassis- [id]/blade- [slotId]/mgmt/if- [id]
Affected MO: sys/chassis- [id]/slot- [id]/mgmt/if- [id]
Affected MO: sys/chassis- [id]/sw-slot- [id]/mgmt/if- [id]
Affected MO: sys/fex- [id]/mgmt/if- [id]
Affected MO: sys/fex- [id]/slot- [id]/mgmt/if- [id]
Affected MO: sys/mgmt/if- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]/if- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/mgmt/if- [id]
Affected MO: sys/rack-unit- [id]/boardController/mgmt/if- [id]
Affected MO: sys/rack-unit- [id]/ext-board- [id]/boardController/mgmt/if- [id]
Affected MO: sys/rack-unit- [id]/ext-board- [id]/mgmt/if- [id]
Affected MO: sys/rack-unit- [id]/mgmt/if- [id]
Affected MO: sys/switch- [id]/mgmt/if- [id]

```

## fsmStFailMgmtBackupBackup:backupLocal

**Fault Code:** F17496

### Message

[FSM:STAGE:FAILED|RETRY]: internal database backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: backup-local-failed
mibFaultCode: 17496
mibFaultName: fsmStFailMgmtBackupBackupBackupLocal
moClass: mgmt:Backup
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/backup- [hostname]
```

**fsmStFailMgmtBackupBackup:upload****Fault Code: F17496****Message**

[FSM:STAGE:FAILED|RETRY]: internal system  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: upload-failed
mibFaultCode: 17496
mibFaultName: fsmStFailMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/backup- [hostname]
```

## fsmStFailMgmtImporterImport:cleanUp

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: cleaning up old Security Service configuration(FSM-STAGE:sam:dme:MgmtImporterImport:cleanUp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** clean-up-failed  
**mibFaultCode:** 17497  
**mibFaultName:** fsmStFailMgmtImporterImportCleanUp  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/import-config- [hostname]

## fsmStFailMgmtImporterImport:config

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: importing the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 17497  
**mibFaultName:** fsmStFailMgmtImporterImportConfig  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmStFailMgmtImporterImport:configBreakout

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: updating breakout port configuration(FSM-STAGE:sam:dme:MgmtImporterImport:configBreakout)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: config-breakout-failed
mibFaultCode: 17497
mibFaultName: fsmStFailMgmtImporterImportConfigBreakout
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmStFailMgmtImporterImport:downloadLocal

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: downloading the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: download-local-failed
mibFaultCode: 17497

```

```

mibFaultName: fsmStFailMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmStFailMgmtImporterImport:reportResults

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: Reporting results of import configuration(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: report-results-failed
mibFaultCode: 17497
mibFaultName: fsmStFailMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmStFailMgmtImporterImport:waitForSwitch

**Fault Code:** F17497

### Message

[FSM:STAGE:FAILED|RETRY]: waiting for completion of switch configuration(FSM-STAGE:sam:dme:MgmtImporterImport:waitForSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-switch-failed  
**mibFaultCode:** 17497  
**mibFaultName:** fsmStFailMgmtImporterImportWaitForSwitch  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/import-config- [hostname]

**fsmStFailMgmtControllerSysConfig:Primary****Fault Code: F17498****Message**

[FSM:STAGE:FAILEDIRETRY]: system configuration on primary(FSM-STAGE:sam:dme:MgmtControllerSysConfig:Primary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** primary-failed  
**mibFaultCode:** 17498  
**mibFaultName:** fsmStFailMgmtControllerSysConfigPrimary  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/mgmt  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/boardController/mgmt  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/boardController/mgmt  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/mgmt  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/mgmt  
**Affected MO:** sys/chassis- [id]/slot- [id]/mgmt  
**Affected MO:** sys/chassis- [id]/sw-slot- [id]/mgmt  
**Affected MO:** sys/fex- [id]/mgmt  
**Affected MO:** sys/fex- [id]/slot- [id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/mgmt  
**Affected MO:** sys/rack-unit- [id]/boardController/mgmt  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/boardController/mgmt  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/mgmt  
**Affected MO:** sys/rack-unit- [id]/mgmt  
**Affected MO:** sys/switch- [id]/mgmt

## fsmStFailMgmtControllerSysConfig:Secondary

**Fault Code:** F17498

### Message

[FSM:STAGE:FAILED|RETRY]: system configuration on secondary(FSM-STAGE:sam:dme:MgmtControllerSysConfig:Secondary)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** secondary-failed  
**mibFaultCode:** 17498  
**mibFaultName:** fsmStFailMgmtControllerSysConfigSecondary  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmStFailNfsMountInstMount:MountLocal

**Fault Code:** F17531

### Message

[FSM:STAGE:FAILED|RETRY]: Mount nfs [remoteDir] from server [server] on local switch(FSM-STAGE:sam:dme:NfsMountInstMount:MountLocal)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: mount-local-failed
mibFaultCode: 17531
mibFaultName: fsmStFailNfsMountInstMountMountLocal
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmStFailNfsMountInstMount:MountPeer****Fault Code: F17531****Message**

[FSM:STAGE:FAILED|RETRY]: Mount nfs [remoteDir] from NFS server [server] on peer switch(FSM-STAGE:sam:dme:NfsMountInstMount:MountPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: mount-peer-failed
mibFaultCode: 17531
mibFaultName: fsmStFailNfsMountInstMountMountPeer
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmStFailNfsMountInstMount:RegisterClient****Fault Code: F17531****Message**

[FSM:STAGE:FAILED|RETRY]: Register client with Ops Mgr(FSM-STAGE:sam:dme:NfsMountInstMount:RegisterClient)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: register-client-failed
mibFaultCode: 17531
mibFaultName: fsmStFailNfsMountInstMountRegisterClient
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmStFailNfsMountInstMount:VerifyRegistration****Fault Code: F17531****Message**

[FSM:STAGE:FAILED|RETRY]: Verify client registration with Ops Mgr(FSM-STAGE:sam:dme:NfsMountInstMount:VerifyRegistration)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-registration-failed
mibFaultCode: 17531
mibFaultName: fsmStFailNfsMountInstMountVerifyRegistration
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```



## fsmStFailNfsMountInstUnmount:UnmountLocal

**Fault Code:** F17532

### Message

[FSM:STAGE:FAILED|RETRY]: Unmount nfs [remoteDir] from server [server](FSM-STAGE:sam:dme:NfsMountInstUnmount:UnmountLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unmount-local-failed  
**mibFaultCode:** 17532  
**mibFaultName:** fsmStFailNfsMountInstUnmountUnmountLocal  
**moClass:** nfs:MountInst  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/nfs-mount-inst-[name]

## fsmStFailNfsMountInstUnmount:UnmountPeer

**Fault Code:** F17532

### Message

[FSM:STAGE:FAILED|RETRY]: Unmount nfs [remoteDir] from server [server](FSM-STAGE:sam:dme:NfsMountInstUnmount:UnmountPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unmount-peer-failed  
**mibFaultCode:** 17532  
**mibFaultName:** fsmStFailNfsMountInstUnmountUnmountPeer  
**moClass:** nfs:MountInst  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/nfs-mount-inst-[name]

## fsmStFailNfsMountDefReportNfsMountSuspend:Report

**Fault Code:** F17533

### Message

[FSM:STAGE:FAILED|RETRY]: Report mount suspend success to operations manager(FSM-STAGE:sam:dme:NfsMountDefReportNfsMountSuspend:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** report-failed  
**mibFaultCode:** 17533  
**mibFaultName:** fsmStFailNfsMountDefReportNfsMountSuspendReport  
**moClass:** nfs:MountDef  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** nfs-ep/nfs-mount-def-[name]

## fsmStFailExtpolEpRepairCert:cleanOldData

**Fault Code:** F17554

### Message

[FSM:STAGE:FAILED|RETRY]: Cleaning certificates, channels and policy meta data(FSM-STAGE:sam:dme:ExtpolEpRepairCert:cleanOldData)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** clean-old-data-failed  
**mibFaultCode:** 17554

```

mibFaultName: fsmStFailExtpolEpRepairCertCleanOldData
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmStFailExtpolEpRepairCert:request

**Fault Code:** F17554

### Message

[FSM:STAGE:FAILED|RETRY]: Provisioning latest certificates(FSM-STAGE:sam:dme:ExtpolEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: request-failed
mibFaultCode: 17554
mibFaultName: fsmStFailExtpolEpRepairCertRequest
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmStFailExtpolEpRepairCert:unregister

**Fault Code:** F17554

### Message

[FSM:STAGE:FAILED|RETRY]: unregister from old FPR Central, if needed(FSM-STAGE:sam:dme:ExtpolEpRepairCert:unregister)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** unregister-failed  
**mibFaultCode:** 17554  
**mibFaultName:** fsmStFailExtpolEpRepairCertUnregister  
**moClass:** extpol:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol

**fsmStFailExtpolEpRepairCert:verify**

**Fault Code:** F17554

**Message**

[FSM:STAGE:FAILED|RETRY]: checking that cert was provisioned(FSM-STAGE:sam:dme:ExtpolEpRepairCert:verify)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 17554  
**mibFaultName:** fsmStFailExtpolEpRepairCertVerify  
**moClass:** extpol:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol

**fsmStFailExtpolEpRepairCert:verifyGuid**

**Fault Code:** F17554

**Message**

[FSM:STAGE:FAILED|RETRY]: verifying GUID of FPR Central(FSM-STAGE:sam:dme:ExtpolEpRepairCert:verifyGuid)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-guid-failed
mibFaultCode: 17554
mibFaultName: fsmStFailExtpolEpRepairCertVerifyGuid
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol
```

**fsmStFailPolicyControlEpOperate:Resolve****Fault Code: F17555****Message**

[FSM:STAGE:FAILED|RETRY]: (FSM-STAGE:sam:dme:PolicyControlEpOperate:Resolve)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-failed
mibFaultCode: 17555
mibFaultName: fsmStFailPolicyControlEpOperateResolve
moClass: policy:ControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep- [type]
```

**fsmStFailPolicyControlledTypeOperate:ResolveAll****Fault Code: F17556****Message**

[FSM:STAGE:FAILED|RETRY]: Resolving controlled type global policies(FSM-STAGE:sam:dme:PolicyControlledTypeOperate:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 17556
mibFaultName: fsmStFailPolicyControlledTypeOperateResolveAll
moClass: policy:ControlledType
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep-[type]/cfg-backup-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/comm-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/datetime-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/discovery-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/dns-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/fabric-fw-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/fault-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/mep-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/monitoring-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/powermgmt-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/psu-ctrl/ctrlled-type-[type]
Affected MO: sys/control-ep-[type]/security-ctrl/ctrlled-type-[type]
```

**fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code:** F17559

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-failed
mibFaultCode: 17559
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F17560

### Message

```
[FSM:STAGE:FAILEDIRETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 17560
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

**Affected MO:**

policy-ep/scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policy Name]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code: F17561****Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 17561

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Callhome:** none

**Auto Cleared:** true

**Is Implemented:** true

**Affected MO:**

extpol/reg/clients/client- [id] /scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/controllers/contro- [id] /scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/providers/prov- [type] /scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policyName]

**Affected MO:**

policy-ep/scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policy Name]

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code: F17562****Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 17562
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany**

**Fault Code:** F17563

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 17563
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany

```

```

moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client- [id] /scope-cont- [appType] /context- [name] /scope- [policyType] -
  [resolveType] - [policyName]
Affected MO:
  extpol/reg/controllers/contro- [id] /scope-cont- [appType] /context- [name] /scope- [policyTy
  pe] - [resolveType] - [policyName]
Affected MO:
  extpol/reg/providers/prov- [type] /scope-cont- [appType] /context- [name] /scope- [policyType
  ] - [resolveType] - [policyName]
Affected MO:
  extpol/reg/scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [polic
  yName]
Affected MO:
  policy-ep/scope-cont- [appType] /context- [name] /scope- [policyType] - [resolveType] - [policy
  Name]

```

## fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F17564

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 17564
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client- [id] /scope-cont- [appType] /context- [name] /scope- [policyType] -
  [resolveType] - [policyName]
Affected MO:
  extpol/reg/controllers/contro- [id] /scope-cont- [appType] /context- [name] /scope- [policyTy
  pe] - [resolveType] - [policyName]
Affected MO:
  extpol/reg/providers/prov- [type] /scope-cont- [appType] /context- [name] /scope- [policyType
  ] - [resolveType] - [policyName]

```

**Affected MO:**

extpol/reg/scope-cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

**Affected MO:**

policy-ep/scope-cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code: F17565**

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 17565

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Callhome:** none

**Auto Cleared:** true

**Is Implemented:** true

**Affected MO:**

extpol/reg/clients/client - [id] / scope - cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/controllers/contro - [id] / scope - cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/providers/prov - [type] / scope - cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

**Affected MO:**

extpol/reg/scope-cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

**Affected MO:**

policy-ep/scope-cont - [appType] / context - [name] / scope - [policyType] - [resolveType] - [policyName]

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F17566

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-many-failed  
**mibFaultCode:** 17566  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F17567

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 17567
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll****Fault Code:** F17568**Message**

```
[FSM:STAGE:FAILEDIRETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 17568
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```

```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F17569

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 17569
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F17570

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-all-failed  
**mibFaultCode:** 17570  
**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client- [id]/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro- [id]/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policyName]  
**Affected MO:**  
 extpol/reg/providers/prov- [type]/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policyName]  
**Affected MO:**  
 extpol/reg/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policyName]  
**Affected MO:**  
 policy-ep/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policyName]

## fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F17571

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 17571
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code: F17572**

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 17572
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```



```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F17573

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 17573
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailFirmwareInfraPackInfraVersion:Restore

**Fault Code:** F17690

### Message

[FSM:STAGE:FAILED|RETRY]: Check and Restore the Platform Version(FSM-STAGE:sam:dme:FirmwareInfraPackInfraVersion:Restore)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: restore-failed
mibFaultCode: 17690
mibFaultName: fsmStFailFirmwareInfraPackInfraVersionRestore
moClass: firmware:InfraPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /fw-infra-pack- [name]
```

## fsmStFailFirmwareInfraPackInfraVersion:WaitForReady

**Fault Code:** F17690

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for system to be ready(FSM-STAGE:sam:dme:FirmwareInfraPackInfraVersion:WaitForReady)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-ready-failed
mibFaultCode: 17690
mibFaultName: fsmStFailFirmwareInfraPackInfraVersionWaitForReady
moClass: firmware:InfraPack
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/fw-infra-pack- [name]

```

## fsmStFailFirmwareValidationStatusValidate:ApplicationPack

**Fault Code:** F17700

### Message

[FSM:STAGE:FAILED|RETRY]: Validating the application pack(FSM-STAGE:sam:dme:FirmwareValidationStatusValidate:ApplicationPack)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: application-pack-failed
mibFaultCode: 17700
mibFaultName: fsmStFailFirmwareValidationStatusValidateApplicationPack
moClass: firmware:ValidationStatus
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib- [name]/validation

```

## fsmStFailFirmwareValidationStatusValidate:Complete

**Fault Code:** F17700

### Message

[FSM:STAGE:FAILED|RETRY]: Complete Validation(FSM-STAGE:sam:dme:FirmwareValidationStatusValidate:Complete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: complete-failed
mibFaultCode: 17700

```

```

mibFaultName: fsmStFailFirmwareValidationStatusValidateComplete
moClass: firmware:ValidationStatus
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]/validation

```

## fsmStFailSdLogicalDeviceConfigureUserMacs:ConfigureSwitch

**Fault Code:** F17711

### Message

[FSM:STAGE:FAILED|RETRY]: Invoke Port API to configure the switch(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureUserMacs:ConfigureSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: configure-switch-failed
mibFaultCode: 17711
mibFaultName: fsmStFailSdLogicalDeviceConfigureUserMacsConfigureSwitch
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld-[name]

```

## fsmStFailSdLogicalDeviceConfigureUserMacs:WaitForSwitchConfig

**Fault Code:** F17711

### Message

[FSM:STAGE:FAILED|RETRY]: Wait for Switch configuration to complete(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureUserMacs:WaitForSwitchConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-switch-config-failed  
**mibFaultCode:** 17711  
**mibFaultName:** fsmStFailSdLogicalDeviceConfigureUserMacsWaitForSwitchConfig  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

**fsmStFailMgmtIfSwMgmtOobIfDhcpConfig:StopDhcpSvc****Fault Code: F17715****Message**

[FSM:STAGE:FAILEDIRETRY]: disabling the out-of-band interface dhcp service(FSM-STAGE:sam:dme:MgmtIfSwMgmtOobIfDhcpConfig:StopDhcpSvc)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** stop-dhcp-svc-failed  
**mibFaultCode:** 17715  
**mibFaultName:** fsmStFailMgmtIfSwMgmtOobIfDhcpConfigStopDhcpSvc  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/sw-slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/mgmt/if- [id]  
**Affected MO:** sys/switch- [id]/mgmt/if- [id]

## fsmStFailSdLduUpdateInterfaceStatus:SendStatus

**Fault Code:** F17718

### Message

[FSM:STAGE:FAILED|RETRY]: Send Interface Operational State(FSM-STAGE:sam:dme:SdLduUpdateInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: send-status-failed
mibFaultCode: 17718
mibFaultName: fsmStFailSdLduUpdateInterfaceStatusSendStatus
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]
```

## fsmStFailEquipmentChassisShutdownChassis:ApplyShutdown

**Fault Code:** F17724

### Message

[FSM:STAGE:FAILED|RETRY]: Shutdown Chassis(FSM-STAGE:sam:dme:EquipmentChassisShutdownChassis:ApplyShutdown)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-shutdown-failed
mibFaultCode: 17724
mibFaultName: fsmStFailEquipmentChassisShutdownChassisApplyShutdown
moClass: equipment:Chassis
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailEquipmentChassisRebootChassis:ApplyReboot

**Fault Code:** F17725

### Message

```
[FSM:STAGE:FAILED|RETRY]: Reboot
Chassis(FSM-STAGE:sam:dme:EquipmentChassisRebootChassis:ApplyReboot)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-reboot-failed
mibFaultCode: 17725
mibFaultName: fsmStFailEquipmentChassisRebootChassisApplyReboot
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmStFailIpsecEpUpdateEp:ApplyConfig

**Fault Code:** F17730

### Message

```
[FSM:STAGE:FAILED|RETRY]: configure IPsec
connections(FSM-STAGE:sam:dme:IpsecEpUpdateEp:ApplyConfig)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-config-failed

```

```

mibFaultCode: 17730
mibFaultName: fsmStFailIpsecEpUpdateEpApplyConfig
moClass: ipsec:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ipsec-ext

```

## fsmStFailNetworkEthLanMgmtUpdateInterfaceStatus:SendStatus

**Fault Code:** F17743

### Message

[FSM:STAGE:FAILED|RETRY]: Send Management Interface Operational State(FSM-STAGE:sam:dme:NetworkEthLanMgmtUpdateInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-status-failed
mibFaultCode: 17743
mibFaultName: fsmStFailNetworkEthLanMgmtUpdateInterfaceStatusSendStatus
moClass: network:EthLanMgmt
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/mgmt-port-[portId]

```

## fsmStFailNetworkEthLanMgmtUpdateMgmtInterfaceStatus:SendStatus

**Fault Code:** F17744

### Message

[FSM:STAGE:FAILED|RETRY]: Send Management Interface Operational State(FSM-STAGE:sam:dme:NetworkEthLanMgmtUpdateMgmtInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** warning  
**Cause:** send-status-failed  
**mibFaultCode:** 17744  
**mibFaultName:** fsmStFailNetworkEthLanMgmtUpdateMgmtInterfaceStatusSendStatus  
**moClass:** network:EthLanMgmt  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch- [id] /mgmt-port- [portId]

**fsmRmtErrComputeServerDiscPolicyResolveScrubPolicy:Resolve****Fault Code:** F77916**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving scrub policy(FSM-STAGE:sam:dme:ComputeServerDiscPolicyResolveScrubPolicy:Resolve)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-failed  
**mibFaultCode:** 77916  
**mibFaultName:** fsmRmtErrComputeServerDiscPolicyResolveScrubPolicyResolve  
**moClass:** compute:ServerDiscPolicy  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /server-discovery

**fsmRmtErrGmetaHolderInventory:CheckInventoryStatus****Fault Code:** F77917**Message**

[FSM:STAGE:REMOTE-ERROR]: Throttle inventory(FSM-STAGE:sam:dme:GmetaHolderInventory:CheckInventoryStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** check-inventory-status-failed  
**mibFaultCode:** 77917  
**mibFaultName:** fsmRmtErrGmetaHolderInventoryCheckInventoryStatus  
**moClass:** gmeta:Holder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** gmeta/category-[category]-provider-[provider]

**fsmRmtErrGmetaHolderInventory:ReportFullInventory**

**Fault Code:** F77917

**Message**

[FSM:STAGE:REMOTE-ERROR]: Report  
 inventory(FSM-STAGE:sam:dme:GmetaHolderInventory:ReportFullInventory)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** report-full-inventory-failed  
**mibFaultCode:** 77917  
**mibFaultName:** fsmRmtErrGmetaHolderInventoryReportFullInventory  
**moClass:** gmeta:Holder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** gmeta/category-[category]-provider-[provider]

**fsmRmtErrFirmwareDownloaderDownload:CheckPendingNetworkConfig**

**Fault Code:** F77957

**Message**

[FSM:STAGE:REMOTE-ERROR]: checking pending management network  
 config(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:CheckPendingNetworkConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-pending-network-config-failed
mibFaultCode: 77957
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadCheckPendingNetworkConfig
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

**fsmRmtErrFirmwareDownloaderDownload:CopyRemote**

**Fault Code: F77957**

**Message**

[FSM:STAGE:REMOTE-ERROR]: sync images to subordinate(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:CopyRemote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-remote-failed
mibFaultCode: 77957
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadCopyRemote
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

## fsmRmtErrFirmwareDownloaderDownload:DeleteExtraImages

**Fault Code:** F77957

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting extra distributable images(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteExtraImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-extra-images-failed
mibFaultCode: 77957
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadDeleteExtraImages
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

## fsmRmtErrFirmwareDownloaderDownload:DeleteLocal

**Fault Code:** F77957

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting downloadable [fileName] on local(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 77957
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

```

## fsmRmtErrFirmwareDownloaderDownload:Local

**Fault Code:** F77957

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 77957
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

```

## fsmRmtErrFirmwareDownloaderDownload:UnpackLocal

**Fault Code:** F77957

### Message

[FSM:STAGE:REMOTE-ERROR]: unpacking image [fileName] on primary(FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** unpack-local-failed  
**mibFaultCode:** 77957  
**mibFaultName:** fsmRmtErrFirmwareDownloaderDownloadUnpackLocal  
**moClass:** firmware:Downloader  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-catalogue/dnld- [fileName]  
**Affected MO:** sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]

**fsmRmtErrFirmwareImageDelete:Local**

**Fault Code:** F77958

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting image file [name] ([invTag]) from primary(FSM-STAGE:sam:dme:FirmwareImageDelete:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 77958  
**mibFaultName:** fsmRmtErrFirmwareImageDeleteLocal  
**moClass:** firmware:Image  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-catalogue/image- [name]

**fsmRmtErrFirmwareImageDelete:Remote**

**Fault Code:** F77958

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting image file [name] ([invTag]) from secondary(FSM-STAGE:sam:dme:FirmwareImageDelete:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remote-failed
mibFaultCode: 77958
mibFaultName: fsmRmtErrFirmwareImageDeleteRemote
moClass: firmware:Image
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/image-[name]
```

**fsmRmtErrFirmwareDistributableDelete:Local**

**Fault Code: F77959**

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 77959
mibFaultName: fsmRmtErrFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]
```

**fsmRmtErrFirmwareDistributableDelete:Remote**

**Fault Code: F77959**

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting package [name] from secondary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remote-failed
mibFaultCode: 77959
mibFaultName: fsmRmtErrFirmwareDistributableDeleteRemote
moClass: firmware:Distributable
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]
```

**fsmRmtErrMgmtControllerUpdateUCSManager:copyExtToLocal****Fault Code: F77960****Message**

[FSM:STAGE:REMOTE-ERROR]: copying image from external repository to local repository(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:copyExtToLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-ext-to-local-failed
mibFaultCode: 77960
mibFaultName: fsmRmtErrMgmtControllerUpdateUCSManagerCopyExtToLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
```



```

Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerUpdateUCSManager:copyExtToPeer

**Fault Code:** F77960

### Message

[FSM:STAGE:REMOTE-ERROR]: copying image from external repository to local repository of peer(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:copyExtToPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-ext-to-peer-failed
mibFaultCode: 77960
mibFaultName: fsmRmtErrMgmtControllerUpdateUCSManagerCopyExtToPeer
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerUpdateUCSManager:execute

**Fault Code:** F77960

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating firmware  
image(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 77960  
**mibFaultName:** fsmRmtErrMgmtControllerUpdateUCSManagerExecute  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmRmtErrMgmtControllerUpdateUCSManager:start

**Fault Code:** F77960

### Message

[FSM:STAGE:REMOTE-ERROR]: Scheduling firmware image  
update(FSM-STAGE:sam:dme:MgmtControllerUpdateUCSManager:start)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: start-failed
mibFaultCode: 77960
mibFaultName: fsmRmtErrMgmtControllerUpdateUCSManagerStart
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt
```

**fsmRmtErrMgmtControllerUpdateSwitch:copyToLocal**

**Fault Code:** F77961

**Message**

[FSM:STAGE:REMOTE-ERROR]: copying image from external repository to local repository(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:copyToLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-to-local-failed
mibFaultCode: 77961
mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchCopyToLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerUpdateSwitch:copyToPeer

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: copying image from external repository to local repository of peer(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:copyToPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-to-peer-failed
mibFaultCode: 77961
mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchCopyToPeer
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt

```

**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmRmtErrMgmtControllerUpdateSwitch:resetLocal

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: rebooting local fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:resetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** reset-local-failed  
**mibFaultCode:** 77961  
**mibFaultName:** fsmRmtErrMgmtControllerUpdateSwitchResetLocal  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmRmtErrMgmtControllerUpdateSwitch:resetRemote

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: rebooting remote fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:resetRemote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: reset-remote-failed
mibFaultCode: 77961
mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchResetRemote
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmRmtErrMgmtControllerUpdateSwitch:updateLocal**

**Fault Code: F77961**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: updating local fabric
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:updateLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: update-local-failed
mibFaultCode: 77961

```

```

mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchUpdateLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerUpdateSwitch:updateRemote

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: updating peer fabric  
interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:updateRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-remote-failed
mibFaultCode: 77961
mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchUpdateRemote
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt

```

**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit- [id] /adaptor- [id] /mgmt  
**Affected MO:** sys/rack-unit- [id] /boardController/mgmt  
**Affected MO:** sys/rack-unit- [id] /ext-board- [id] /boardController/mgmt  
**Affected MO:** sys/rack-unit- [id] /ext-board- [id] /mgmt  
**Affected MO:** sys/rack-unit- [id] /mgmt  
**Affected MO:** sys/switch- [id] /mgmt

## fsmRmtErrMgmtControllerUpdateSwitch:verifyLocal

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: verifying boot variables for local fabric interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:verifyLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-local-failed  
**mibFaultCode:** 77961  
**mibFaultName:** fsmRmtErrMgmtControllerUpdateSwitchVerifyLocal  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id] /blade- [slotId] /adaptor- [id] /mgmt  
**Affected MO:** sys/chassis- [id] /blade- [slotId] /boardController/mgmt  
**Affected MO:** sys/chassis- [id] /blade- [slotId] /ext-board- [id] /boardController/mgmt  
**Affected MO:** sys/chassis- [id] /blade- [slotId] /ext-board- [id] /mgmt  
**Affected MO:** sys/chassis- [id] /blade- [slotId] /mgmt  
**Affected MO:** sys/chassis- [id] /slot- [id] /mgmt  
**Affected MO:** sys/chassis- [id] /sw-slot- [id] /mgmt  
**Affected MO:** sys/fex- [id] /mgmt  
**Affected MO:** sys/fex- [id] /slot- [id] /mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit- [id] /adaptor- [id] /mgmt  
**Affected MO:** sys/rack-unit- [id] /boardController/mgmt  
**Affected MO:** sys/rack-unit- [id] /ext-board- [id] /boardController/mgmt  
**Affected MO:** sys/rack-unit- [id] /ext-board- [id] /mgmt  
**Affected MO:** sys/rack-unit- [id] /mgmt  
**Affected MO:** sys/switch- [id] /mgmt



## fsmRmtErrMgmtControllerUpdateSwitch:verifyRemote

**Fault Code:** F77961

### Message

[FSM:STAGE:REMOTE-ERROR]: verifying boot variables for remote fabric interconnect(FSM-STAGE:sam:dme:MgmtControllerUpdateSwitch:verifyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: verify-remote-failed
mibFaultCode: 77961
mibFaultName: fsmRmtErrMgmtControllerUpdateSwitchVerifyRemote
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerUpdateIOM:CopyIOMImgToSub

**Fault Code:** F77962

### Message

[FSM:STAGE:REMOTE-ERROR]: Copying IOM Image to subordinate FI(FSM-STAGE:sam:dme:MgmtControllerUpdateIOM:CopyIOMImgToSub)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: copyiomimg-to-sub-failed
mibFaultCode: 77962
mibFaultName: fsmRmtErrMgmtControllerUpdateIOMCopyIOMImgToSub
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmRmtErrMgmtControllerUpdateIOM:CopyImgFromRep**

**Fault Code:** F77962

**Message**

[FSM:STAGE:REMOTE-ERROR]: Copying IOM Image from repository to FI(FSM-STAGE:sam:dme:MgmtControllerUpdateIOM:CopyImgFromRep)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: copy-img-from-rep-failed
mibFaultCode: 77962
mibFaultName: fsmRmtErrMgmtControllerUpdateIOMCopyImgFromRep
moClass: mgmt:Controller
Type: fsm
Callhome: none

```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrFirmwarePlatformPackPlatformVersion:Restore

**Fault Code:** F77963

### Message

[FSM:STAGE:REMOTE-ERROR]: Check and Restore the Platform Version(FSM-STAGE:sam:dme:FirmwarePlatformPackPlatformVersion:Restore)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: restore-failed
mibFaultCode: 77963
mibFaultName: fsmRmtErrFirmwarePlatformPackPlatformVersionRestore
moClass: firmware:PlatformPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/fw-platform-pack-[name]

```

## fsmRmtErrFirmwarePlatformPackPlatformVersion:WaitForReady

**Fault Code:** F77963

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for system to be ready(FSM-STAGE:sam:dme:FirmwarePlatformPackPlatformVersion:WaitForReady)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-ready-failed
mibFaultCode: 77963
mibFaultName: fsmRmtErrFirmwarePlatformPackPlatformVersionWaitForReady
moClass: firmware:PlatformPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/fw-platform-pack-[name]
```

**fsmRmtErrFirmwareSystemDeploy:ActivateApplicationImage**

**Fault Code:** F77964

**Message**

[FSM:STAGE:REMOTE-ERROR]: Activating  
Application(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateApplicationImage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: activate-application-image-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployActivateApplicationImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmRmtErrFirmwareSystemDeploy:ActivateFirmwareImage

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Activating System Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateFirmwareImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: activate-firmware-image-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployActivateFirmwareImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmRmtErrFirmwareSystemDeploy:ActivateManagerImage

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Activating Service Manager(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateManagerImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: activate-manager-image-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployActivateManagerImage
moClass: firmware:System
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmRmtErrFirmwareSystemDeploy:ActivateNpuImage

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Activating NPU  
 Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateNpuImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** activate-npu-image-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployActivateNpuImage  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmRmtErrFirmwareSystemDeploy:ActivateSystemImage

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Activating System  
 Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ActivateSystemImage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** activate-system-image-failed  
**mibFaultCode:** 77964

```

mibFaultName: fsmRmtErrFirmwareSystemDeployActivateSystemImage
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmRmtErrFirmwareSystemDeploy:CheckFirmwareUpgradeStatus

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Check Firmware Upgrade  
Status(FSM-STAGE:sam:dme:FirmwareSystemDeploy:CheckFirmwareUpgradeStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: check-firmware-upgrade-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployCheckFirmwareUpgradeStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmRmtErrFirmwareSystemDeploy:CompleteFirmwareUpgrade

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Complete Firmware Pack  
Upgrade(FSM-STAGE:sam:dme:FirmwareSystemDeploy:CompleteFirmwareUpgrade)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** complete-firmware-upgrade-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployCompleteFirmwareUpgrade  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmRmtErrFirmwareSystemDeploy>DeleteCurrentApplication**

**Fault Code:** F77964

**Message**

[FSM:STAGE:REMOTE-ERROR]: Delete Current Application(FSM-STAGE:sam:dme:FirmwareSystemDeploy>DeleteCurrentApplication)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-current-application-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployDeleteCurrentApplication  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmRmtErrFirmwareSystemDeploy>PollApplicationActivationStatus**

**Fault Code:** F77964

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for Application Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy>PollApplicationActivationStatus)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: poll-application-activation-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollApplicationActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrFirmwareSystemDeploy:PollDeleteCurrentApplicationStatus**

**Fault Code: F77964**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Wait for Current Application Deletion to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollDeleteCurrentApplicationStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: poll-delete-current-application-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollDeleteCurrentApplicationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrFirmwareSystemDeploy:PollManagerActivationStatus**

**Fault Code: F77964**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for Service Manager Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollManagerActivationStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: poll-manager-activation-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollManagerActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrFirmwareSystemDeploy:PollNpuActivationStatus**

**Fault Code:** F77964

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for NPU Image Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollNpuActivationStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: poll-npu-activation-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollNpuActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmRmtErrFirmwareSystemDeploy:PollStartupServiceManagerStatus

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for Setting Service Manager Startup Version to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollStartupServiceManagerStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: poll-startup-service-manager-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollStartupServiceManagerStatus
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

## fsmRmtErrFirmwareSystemDeploy:PollSystemActivationStatus

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for System Activation to complete(FSM-STAGE:sam:dme:FirmwareSystemDeploy:PollSystemActivationStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: poll-system-activation-status-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployPollSystemActivationStatus
moClass: firmware:System
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmRmtErrFirmwareSystemDeploy:RebootSystemForImageUpgrade

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Activating System  
 Image(FSM-STAGE:sam:dme:FirmwareSystemDeploy:RebootSystemForImageUpgrade)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** reboot-system-for-image-upgrade-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployRebootSystemForImageUpgrade  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

## fsmRmtErrFirmwareSystemDeploy:SetStartupServiceManagerVersion

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Setting Service Manager Startup  
 Version(FSM-STAGE:sam:dme:FirmwareSystemDeploy:SetStartupServiceManagerVersion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** set-startup-service-manager-version-failed  
**mibFaultCode:** 77964

```

mibFaultName: fsmRmtErrFirmwareSystemDeploySetStartupServiceManagerVersion
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmRmtErrFirmwareSystemDeploy:ValidateApplicationPack

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Validating the application pack(FSM-STAGE:sam:dme:FirmwareSystemDeploy:ValidateApplicationPack)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: validate-application-pack-failed
mibFaultCode: 77964
mibFaultName: fsmRmtErrFirmwareSystemDeployValidateApplicationPack
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmRmtErrFirmwareSystemDeploy:WaitForDeploy

**Fault Code:** F77964

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for Deploy to begin(FSM-STAGE:sam:dme:FirmwareSystemDeploy:WaitForDeploy)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-deploy-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployWaitForDeploy  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmRmtErrFirmwareSystemDeploy:WaitForSystemReady**

**Fault Code:** F77964

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for System Ready(FSM-STAGE:sam:dme:FirmwareSystemDeploy:WaitForSystemReady)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-system-ready-failed  
**mibFaultCode:** 77964  
**mibFaultName:** fsmRmtErrFirmwareSystemDeployWaitForSystemReady  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmRmtErrFirmwareSupFirmwareDeploy:ActivateFirmwarePack**

**Fault Code:** F77965

**Message**

[FSM:STAGE:REMOTE-ERROR]: Activating SUP Firmware(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:ActivateFirmwarePack)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: activate-firmware-pack-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployActivateFirmwarePack
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmRmtErrFirmwareSupFirmwareDeploy:CompleteFirmwareUpgrade**

**Fault Code: F77965**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Complete Firmware Pack Upgrade(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:CompleteFirmwareUpgrade)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: complete-firmware-upgrade-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployCompleteFirmwareUpgrade
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmRmtErrFirmwareSupFirmwareDeploy:DebundlePort**

**Fault Code: F77965**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Debundle the ports(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:DebundlePort)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: debundle-port-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployDebundlePort
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

**fsmRmtErrFirmwareSupFirmwareDeploy:PollActivateOfFirmwarePack**

**Fault Code:** F77965

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for Firmware Activation to complete(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:PollActivateOfFirmwarePack)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: poll-activate-of-firmware-pack-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployPollActivateOfFirmwarePack
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```



## fsmRmtErrFirmwareSupFirmwareDeploy:PollDebundlePort

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for Ports debundle complete(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:PollDebundlePort)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: poll-debundle-port-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployPollDebundlePort
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware
```

## fsmRmtErrFirmwareSupFirmwareDeploy:UpdateImageVersion

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating Image Version(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:UpdateImageVersion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: update-image-version-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployUpdateImageVersion
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

## fsmRmtErrFirmwareSupFirmwareDeploy:UpdatePackageVersion

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating Package Version(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:UpdatePackageVersion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** update-package-version-failed  
**mibFaultCode:** 77965  
**mibFaultName:** fsmRmtErrFirmwareSupFirmwareDeployUpdatePackageVersion  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

## fsmRmtErrFirmwareSupFirmwareDeploy:ValidateFirmwarePack

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Validate the firmware pack(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:ValidateFirmwarePack)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** validate-firmware-pack-failed  
**mibFaultCode:** 77965

```

mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployValidateFirmwarePack
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware

```

## fsmRmtErrFirmwareSupFirmwareDeploy:WaitForDeploy

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for Deploy to begin(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:WaitForDeploy)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-deploy-failed
mibFaultCode: 77965
mibFaultName: fsmRmtErrFirmwareSupFirmwareDeployWaitForDeploy
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware

```

## fsmRmtErrFirmwareSupFirmwareDeploy:WaitForFirmwareVersionUpdate

**Fault Code:** F77965

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for Firmware Version to update(FSM-STAGE:sam:dme:FirmwareSupFirmwareDeploy:WaitForFirmwareVersionUpdate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-firmware-version-update-failed  
**mibFaultCode:** 77965  
**mibFaultName:** fsmRmtErrFirmwareSupFirmwareDeployWaitForFirmwareVersionUpdate  
**moClass:** firmware:SupFirmware  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-supfirmware

**fsmRmtErrFirmwareSystemApplyCatalogPack:ActivateCatalog**

**Fault Code:** F77966

**Message**

[FSM:STAGE:REMOTE-ERROR]: Activating Catalog(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ActivateCatalog)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** activate-catalog-failed  
**mibFaultCode:** 77966  
**mibFaultName:** fsmRmtErrFirmwareSystemApplyCatalogPackActivateCatalog  
**moClass:** firmware:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-system

**fsmRmtErrFirmwareSystemApplyCatalogPack:ResolveDistributable**

**Fault Code:** F77966

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve distributable from operations manager(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveDistributable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-distributable-failed
mibFaultCode: 77966
mibFaultName: fsmRmtErrFirmwareSystemApplyCatalogPackResolveDistributable
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrFirmwareSystemApplyCatalogPack:ResolveDistributableNames**

**Fault Code: F77966**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving distributable name(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveDistributableNames)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-distributable-names-failed
mibFaultCode: 77966
mibFaultName: fsmRmtErrFirmwareSystemApplyCatalogPackResolveDistributableNames
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrFirmwareSystemApplyCatalogPack:ResolveImages**

**Fault Code: F77966**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve images from operations manager(FSM-STAGE:sam:dme:FirmwareSystemApplyCatalogPack:ResolveImages)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-images-failed
mibFaultCode: 77966
mibFaultName: fsmRmtErrFirmwareSystemApplyCatalogPackResolveImages
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system
```

**fsmRmtErrIdentIdentRequestUpdateIdent:Execute**

**Fault Code: F77968**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 77968
mibFaultName: fsmRmtErrIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

## fsmRmtErrIdentMetaSystemSync:Execute

**Fault Code:** F77969

### Message

[FSM:STAGE:REMOTE-ERROR]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 77969
mibFaultName: fsmRmtErrIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: metaverse/metasys
```

## fsmRmtErrIdentMetaSystemSync:Ping

**Fault Code:** F77969

### Message

[FSM:STAGE:REMOTE-ERROR]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: ping-failed
mibFaultCode: 77969
mibFaultName: fsmRmtErrIdentMetaSystemSyncPing
moClass: ident:MetaSystem
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys

## fsmRmtErrIdentMetaSystemUcscUnivSync:Execute

**Fault Code:** F77970

### Message

[FSM:STAGE:REMOTE-ERROR]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemUcscUnivSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 77970  
**mibFaultName:** fsmRmtErrIdentMetaSystemUcscUnivSyncExecute  
**moClass:** ident:MetaSystem  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys

## fsmRmtErrSmAppDelete:Local

**Fault Code:** F78025

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting the Application [name]-[version](FSM-STAGE:sam:dme:SmAppDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 78025



```

mibFaultName: fsmRmtErrSmAppDeleteLocal
moClass: sm:App
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/app-[name]-[version]
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/app-[name]-[version]

```

## fsmRmtErrSmSecSvcRestoreApplication:Restore

**Fault Code:** F78026

### Message

[FSM:STAGE:REMOTE-ERROR]: Restoring Apps in progress(FSM-STAGE:sam:dme:SmSecSvcRestoreApplication:Restore)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: restore-failed
mibFaultCode: 78026
mibFaultName: fsmRmtErrSmSecSvcRestoreApplicationRestore
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc

```

## fsmRmtErrSmAppUpdateApplication:Update

**Fault Code:** F78027

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating Apps in progress(FSM-STAGE:sam:dme:SmAppUpdateApplication:Update)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-failed  
**mibFaultCode:** 78027  
**mibFaultName:** fsmRmtErrSmAppUpdateApplicationUpdate  
**moClass:** sm:App  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc/app- [name] - [version]  
**Affected MO:** sys-secsvc/slot- [slotId] /app-inst- [appInstId] /app- [name] - [version]

**fsmRmtErrSmAppInstanceResetApplication:StartApps**

**Fault Code:** F78028

**Message**

[FSM:STAGE:REMOTE-ERROR]: Start main and decorator applications(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StartApps)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** start-apps-failed  
**mibFaultCode:** 78028  
**mibFaultName:** fsmRmtErrSmAppInstanceResetApplicationStartApps  
**moClass:** sm:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc/slot- [slotId] /app-inst- [appName]

**fsmRmtErrSmAppInstanceResetApplication:StopDecoratorApps**

**Fault Code:** F78028

**Message**

[FSM:STAGE:REMOTE-ERROR]: Stop decorator applications(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StopDecoratorApps)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: stop-decorator-apps-failed
mibFaultCode: 78028
mibFaultName: fsmRmtErrSmAppInstanceResetApplicationStopDecoratorApps
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

**fsmRmtErrSmAppInstanceResetApplication:StopMainApp**

**Fault Code: F78028**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Stop main
application(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:StopMainApp)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: stop-main-app-failed
mibFaultCode: 78028
mibFaultName: fsmRmtErrSmAppInstanceResetApplicationStopMainApp
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

**fsmRmtErrSmAppInstanceResetApplication:WairForStopDecorators**

**Fault Code: F78028**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Wait for stopping decorator applications to
complete(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WairForStopDecorators)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wair-for-stop-decorators-failed
mibFaultCode: 78028
mibFaultName: fsmRmtErrSmAppInstanceResetApplicationWairForStopDecorators
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

**fsmRmtErrSmAppInstanceResetApplication:WaitForBladeReboot**

**Fault Code: F78028**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Wait for blade
reboot(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WaitForBladeReboot)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-blade-reboot-failed
mibFaultCode: 78028
mibFaultName: fsmRmtErrSmAppInstanceResetApplicationWaitForBladeReboot
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

## fsmRmtErrSmAppInstanceResetApplication:WaitForStopMainApp

**Fault Code:** F78028

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for stopping main application to complete.(FSM-STAGE:sam:dme:SmAppInstanceResetApplication:WaitForStopMainApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-stop-main-app-failed
mibFaultCode: 78028
mibFaultName: fsmRmtErrSmAppInstanceResetApplicationWaitForStopMainApp
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

## fsmRmtErrSmSecSvcAutoDeployCSP:CreateLogicalDevice

**Fault Code:** F78029

### Message

[FSM:STAGE:REMOTE-ERROR]: Creating a default logical device(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:CreateLogicalDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: create-logical-device-failed
mibFaultCode: 78029
mibFaultName: fsmRmtErrSmSecSvcAutoDeployCSPCreateLogicalDevice
moClass: sm:SecSvc
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc

## fsmRmtErrSmSecSvcAutoDeployCSP:WaitForChassisMoReady

**Fault Code:** F78029

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for chassis object ready(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:WaitForChassisMoReady)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-chassis-mo-ready-failed  
**mibFaultCode:** 78029  
**mibFaultName:** fsmRmtErrSmSecSvcAutoDeployCSPWaitForChassisMoReady  
**moClass:** sm:SecSvc  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sec-svc

## fsmRmtErrSmSecSvcAutoDeployCSP:WaitForPortReady

**Fault Code:** F78029

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for physical interfaces ready(FSM-STAGE:sam:dme:SmSecSvcAutoDeployCSP:WaitForPortReady)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-port-ready-failed  
**mibFaultCode:** 78029

```

mibFaultName: fsmRmtErrSmSecSvcAutoDeployCSPWaitForPortReady
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc

```

## fsmRmtErrSwAccessDomainDeploy:UpdateConnectivity

**Fault Code:** F78107

### Message

[FSM:STAGE:REMOTE-ERROR]: internal network configuration on [switchId](FSM-STAGE:sam:dme:SwAccessDomainDeploy:UpdateConnectivity)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 78107
mibFaultName: fsmRmtErrSwAccessDomainDeployUpdateConnectivity
moClass: sw:AccessDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/access-eth

```

## fsmRmtErrSwEthLanBorderDeploy:UpdateConnectivity

**Fault Code:** F78108

### Message

[FSM:STAGE:REMOTE-ERROR]: Uplink eth port configuration on [switchId](FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateConnectivity)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-connectivity-failed  
**mibFaultCode:** 78108  
**mibFaultName:** fsmRmtErrSwEthLanBorderDeployUpdateConnectivity  
**moClass:** sw:EthLanBorder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/border-eth

**fsmRmtErrSwEthLanBorderDeploy:UpdateSwitchConfigToAppAG****Fault Code:** F78108**Message**

[FSM:STAGE:REMOTE-ERROR]: Update switch config info to appAG(FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateSwitchConfigToAppAG)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-switch-config-to-appag-failed  
**mibFaultCode:** 78108  
**mibFaultName:** fsmRmtErrSwEthLanBorderDeployUpdateSwitchConfigToAppAG  
**moClass:** sw:EthLanBorder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/border-eth

**fsmRmtErrSwEthLanBorderDeploy:UpdateSwitchPortConfigToAppAG****Fault Code:** F78108**Message**

[FSM:STAGE:REMOTE-ERROR]: Update switch port config to appAG(FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateSwitchPortConfigToAppAG)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-switch-port-config-to-appag-failed
mibFaultCode: 78108
mibFaultName: fsmRmtErrSwEthLanBorderDeployUpdateSwitchPortConfigToAppAG
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```

**fsmRmtErrSwEthLanBorderDeploy:UpdateVlanGroups**

**Fault Code: F78108**

**Message**

[FSM:STAGE:REMOTE-ERROR]: VLAN group configuration on [switchId](FSM-STAGE:sam:dme:SwEthLanBorderDeploy:UpdateVlanGroups)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-vlan-groups-failed
mibFaultCode: 78108
mibFaultName: fsmRmtErrSwEthLanBorderDeployUpdateVlanGroups
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```

**fsmRmtErrSwFcSanBorderDeploy:UpdateConnectivity**

**Fault Code: F78109**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Uplink fc port configuration on [switchId](FSM-STAGE:sam:dme:SwFcSanBorderDeploy:UpdateConnectivity)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 78109
mibFaultName: fsmRmtErrSwFcSanBorderDeployUpdateConnectivity
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc
```

**fsmRmtErrSwUtilityDomainDeploy:UpdateConnectivity**

**Fault Code: F78110**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Utility network configuration on [switchId](FSM-STAGE:sam:dme:SwUtilityDomainDeploy:UpdateConnectivity)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-connectivity-failed
mibFaultCode: 78110
mibFaultName: fsmRmtErrSwUtilityDomainDeployUpdateConnectivity
moClass: sw:UtilityDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/utility-eth
```

## fsmRmtErrSwPhysConfPhysical:ConfigSwA

**Fault Code:** F78116

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure physical port mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:ConfigSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: config-sw-afailed
mibFaultCode: 78116
mibFaultName: fsmRmtErrSwPhysConfPhysicalConfigSwA
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys
```

## fsmRmtErrSwPhysConfPhysical:ConfigSwB

**Fault Code:** F78116

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure physical port mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:ConfigSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: config-sw-bfailed
mibFaultCode: 78116
mibFaultName: fsmRmtErrSwPhysConfPhysicalConfigSwB
moClass: sw:Phys
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/phys

## fsmRmtErrSwPhysConfPhysical:PortInventorySwA

**Fault Code:** F78116

### Message

[FSM:STAGE:REMOTE-ERROR]: Performing local port inventory of switch [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:PortInventorySwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** port-inventory-sw-afailed  
**mibFaultCode:** 78116  
**mibFaultName:** fsmRmtErrSwPhysConfPhysicalPortInventorySwA  
**moClass:** sw:Phys  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/phys

## fsmRmtErrSwPhysConfPhysical:PortInventorySwB

**Fault Code:** F78116

### Message

[FSM:STAGE:REMOTE-ERROR]: Performing peer port inventory of switch [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:PortInventorySwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** port-inventory-sw-bfailed  
**mibFaultCode:** 78116

```

mibFaultName: fsmRmtErrSwPhysConfPhysicalPortInventorySwB
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys

```

## fsmRmtErrSwPhysConfPhysical:VerifyPhysConfig

**Fault Code:** F78116

### Message

[FSM:STAGE:REMOTE-ERROR]: Verifying physical transition on fabric interconnect [id](FSM-STAGE:sam:dme:SwPhysConfPhysical:VerifyPhysConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: verify-phys-config-failed
mibFaultCode: 78116
mibFaultName: fsmRmtErrSwPhysConfPhysicalVerifyPhysConfig
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys

```

## fsmRmtErrSwExtUtilityConfPortBreakout:ConfigSwA

**Fault Code:** F78121

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure port breakout mode mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:ConfigSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** config-sw-afailed  
**mibFaultCode:** 78121  
**mibFaultName:** fsmRmtErrSwExtUtilityConfPortBreakoutConfigSwA  
**moClass:** sw:ExtUtility  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/ext

**fsmRmtErrSwExtUtilityConfPortBreakout:ConfigSwB**

**Fault Code:** F78121

**Message**

[FSM:STAGE:REMOTE-ERROR]: Configure port breakout mode on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:ConfigSwB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** config-sw-bfailed  
**mibFaultCode:** 78121  
**mibFaultName:** fsmRmtErrSwExtUtilityConfPortBreakoutConfigSwB  
**moClass:** sw:ExtUtility  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/ext

**fsmRmtErrSwExtUtilityConfPortBreakout:PortInventorySwA**

**Fault Code:** F78121

**Message**

[FSM:STAGE:REMOTE-ERROR]: Performing local port inventory of switch [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:PortInventorySwA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: port-inventory-sw-afailed
mibFaultCode: 78121
mibFaultName: fsmRmtErrSwExtUtilityConfPortBreakoutPortInventorySwA
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

**fsmRmtErrSwExtUtilityConfPortBreakout:PortInventorySwB**

**Fault Code: F78121**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Performing peer port inventory of switch [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:PortInventorySwB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: port-inventory-sw-bfailed
mibFaultCode: 78121
mibFaultName: fsmRmtErrSwExtUtilityConfPortBreakoutPortInventorySwB
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

**fsmRmtErrSwExtUtilityConfPortBreakout:VerifyBreakoutConfig**

**Fault Code: F78121**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Verifying physical port breakout config on fabric interconnect [id](FSM-STAGE:sam:dme:SwExtUtilityConfPortBreakout:VerifyBreakoutConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-breakout-config-failed
mibFaultCode: 78121
mibFaultName: fsmRmtErrSwExtUtilityConfPortBreakoutVerifyBreakoutConfig
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

**fsmRmtErrSwFcSanBorderActivateZoneSet:UpdateZones****Fault Code: F78122****Message**

```
[FSM:STAGE:REMOTE-ERROR]: fc zone configuration on
[switchId](FSM-STAGE:sam:dme:SwFcSanBorderActivateZoneSet:UpdateZones)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-zones-failed
mibFaultCode: 78122
mibFaultName: fsmRmtErrSwFcSanBorderActivateZoneSetUpdateZones
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc
```



## fsmRmtErrCallhomeEpConfigCallhome:SetLocal

**Fault Code:** F78158

### Message

[FSM:STAGE:REMOTE-ERROR]: call-home configuration on primary(FSM-STAGE:sam:dme:CallhomeEpConfigCallhome:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-local-failed
mibFaultCode: 78158
mibFaultName: fsmRmtErrCallhomeEpConfigCallhomeSetLocal
moClass: callhome:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: call-home
```

## fsmRmtErrCallhomeEpConfigCallhome:SetPeer

**Fault Code:** F78158

### Message

[FSM:STAGE:REMOTE-ERROR]: call-home configuration on secondary(FSM-STAGE:sam:dme:CallhomeEpConfigCallhome:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-peer-failed
mibFaultCode: 78158
mibFaultName: fsmRmtErrCallhomeEpConfigCallhomeSetPeer
moClass: callhome:Ep
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** call-home

## fsmRmtErrAdaptorExtEthIfPathReset:Disable

**Fault Code:** F78167

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable path [side]([switchId]) on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorExtEthIfPathReset:Disable)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** disable-failed  
**mibFaultCode:** 78167  
**mibFaultName:** fsmRmtErrAdaptorExtEthIfPathResetDisable  
**moClass:** adaptor:ExtEthIf  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/ext-eth- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/ext-eth- [id]

## fsmRmtErrAdaptorExtEthIfPathReset:Enable

**Fault Code:** F78167

### Message

[FSM:STAGE:REMOTE-ERROR]: Enabe path [side]([switchId]) on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorExtEthIfPathReset:Enable)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** enable-failed

```

mibFaultCode: 78167
mibFaultName: fsmRmtErrAdaptorExtEthIfPathResetEnable
moClass: adaptor:ExtEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/ext-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/ext-eth-[id]

```

## fsmRmtErrAdaptorHostEthIfCircuitReset:DisableA

**Fault Code: F78170**

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:DisableA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: disable-afailed
mibFaultCode: 78170
mibFaultName: fsmRmtErrAdaptorHostEthIfCircuitResetDisableA
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]

```

## fsmRmtErrAdaptorHostEthIfCircuitReset:DisableB

**Fault Code: F78170**

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:DisableB)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-bfailed
mibFaultCode: 78170
mibFaultName: fsmRmtErrAdaptorHostEthIfCircuitResetDisableB
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]
```

**fsmRmtErrAdaptorHostEthIfCircuitReset:EnableA****Fault Code: F78170****Message**

```
[FSM:STAGE:REMOTE-ERROR]: Enable circuit A for host adaptor [id] on server
[chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:EnableA)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: enable-afailed
mibFaultCode: 78170
mibFaultName: fsmRmtErrAdaptorHostEthIfCircuitResetEnableA
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]
```

## fsmRmtErrAdaptorHostEthIfCircuitReset:EnableB

**Fault Code:** F78170

### Message

[FSM:STAGE:REMOTE-ERROR]: Enable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostEthIfCircuitReset:EnableB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: enable-bfailed
mibFaultCode: 78170
mibFaultName: fsmRmtErrAdaptorHostEthIfCircuitResetEnableB
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]
```

## fsmRmtErrAdaptorHostFcIfCircuitReset:DisableA

**Fault Code:** F78171

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:DisableA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: disable-afailed
mibFaultCode: 78171
mibFaultName: fsmRmtErrAdaptorHostFcIfCircuitResetDisableA
moClass: adaptor:HostFcIf
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-fc- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-fc- [id]

```

## fsmRmtErrAdaptorHostFcIfCircuitReset:DisableB

**Fault Code:** F78171

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:DisableB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: disable-bfailed
mibFaultCode: 78171
mibFaultName: fsmRmtErrAdaptorHostFcIfCircuitResetDisableB
moClass: adaptor:HostFcIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-fc- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/host-fc- [id]

```

## fsmRmtErrAdaptorHostFcIfCircuitReset:EnableA

**Fault Code:** F78171

### Message

[FSM:STAGE:REMOTE-ERROR]: Enable circuit A for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:EnableA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: enable-afailed
mibFaultCode: 78171
mibFaultName: fsmRmtErrAdaptorHostFcIfCircuitResetEnableA
moClass: adaptor:HostFcIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-fc-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-fc-[id]

```

**fsmRmtErrAdaptorHostFcIfCircuitReset:EnableB****Fault Code: F78171****Message**

[FSM:STAGE:REMOTE-ERROR]: Enable circuit B for host adaptor [id] on server [chassisId]/[slotId](FSM-STAGE:sam:dme:AdaptorHostFcIfCircuitReset:EnableB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: enable-bfailed
mibFaultCode: 78171
mibFaultName: fsmRmtErrAdaptorHostFcIfCircuitResetEnableB
moClass: adaptor:HostFcIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-fc-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-fc-[id]

```

**fsmRmtErrLicenseDownloaderDownload:CopyRemote****Fault Code: F78188****Message**

[FSM:STAGE:REMOTE-ERROR]: Copy the license file to subordinate for inventory(FSM-STAGE:sam:dme:LicenseDownloaderDownload:CopyRemote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-remote-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadCopyRemote
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld- [fileName]
```

**fsmRmtErrLicenseDownloaderDownload:DeleteLocal**

**Fault Code: F78188**

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload:DeleteLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadDeleteLocal
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld- [fileName]
```

**fsmRmtErrLicenseDownloaderDownload:DeleteRemote**

**Fault Code: F78188**

**Message**

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files for [fileName] on subordinate(FSM-STAGE:sam:dme:LicenseDownloaderDownload:DeleteRemote)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-remote-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadDeleteRemote
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]
```

**fsmRmtErrLicenseDownloaderDownload:Local****Fault Code: F78188****Message**

[FSM:STAGE:REMOTE-ERROR]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadLocal
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]
```

## fsmRmtErrLicenseDownloaderDownload:ValidateLocal

**Fault Code:** F78188

### Message

[FSM:STAGE:REMOTE-ERROR]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: validate-local-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadValidateLocal
moClass: license:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]
```

## fsmRmtErrLicenseDownloaderDownload:ValidateRemote

**Fault Code:** F78188

### Message

[FSM:STAGE:REMOTE-ERROR]: validation for license file [fileName] on subordinate(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: validate-remote-failed
mibFaultCode: 78188
mibFaultName: fsmRmtErrLicenseDownloaderDownloadValidateRemote
moClass: license:Downloader
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld-[fileName]

```

## fsmRmtErrLicenseFileInstall:Local

**Fault Code: F78189**

### Message

[FSM:STAGE:REMOTE-ERROR]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 78189
mibFaultName: fsmRmtErrLicenseFileInstallLocal
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]

```

## fsmRmtErrLicenseFileInstall:Remote

**Fault Code: F78189**

### Message

[FSM:STAGE:REMOTE-ERROR]: Installing license on subordinate(FSM-STAGE:sam:dme:LicenseFileInstall:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: remote-failed
mibFaultCode: 78189

```

```

mibFaultName: fsmRmtErrLicenseFileInstallRemote
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]

```

## fsmRmtErrLicenseFileClear:Local

**Fault Code:** F78190

### Message

[FSM:STAGE:REMOTE-ERROR]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 78190
mibFaultName: fsmRmtErrLicenseFileClearLocal
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]

```

## fsmRmtErrLicenseFileClear:Remote

**Fault Code:** F78190

### Message

[FSM:STAGE:REMOTE-ERROR]: Clearing license on subordinate(FSM-STAGE:sam:dme:LicenseFileClear:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** remote-failed  
**mibFaultCode:** 78190  
**mibFaultName:** fsmRmtErrLicenseFileClearRemote  
**moClass:** license:File  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/license/file-[scope]:[id]

**fsmRmtErrLicenseInstanceUpdateFlexlm:Local****Fault Code: F78191****Message**

[FSM:STAGE:REMOTE-ERROR]: Updating on primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 78191  
**mibFaultName:** fsmRmtErrLicenseInstanceUpdateFlexlmLocal  
**moClass:** license:Instance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

**fsmRmtErrLicenseInstanceUpdateFlexlm:Remote****Fault Code: F78191****Message**

[FSM:STAGE:REMOTE-ERROR]: Updating on subordinate(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Remote)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: remote-failed
mibFaultCode: 78191
mibFaultName: fsmRmtErrLicenseInstanceUpdateFlexlmRemote
moClass: license:Instance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

**fsmRmtErrLicenseSmartConfigSetConfig:Local**

**Fault Code: F78192**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Smart config
change(FSM-STAGE:sam:dme:LicenseSmartConfigSetConfig:Local)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 78192
mibFaultName: fsmRmtErrLicenseSmartConfigSetConfigLocal
moClass: license:SmartConfig
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/license-config-[operation]
```

**fsmRmtErrLsServerConfigure:AnalyzeImpact**

**Fault Code: F78210**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Analyzing changes
impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: analyze-impact-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureAnalyzeImpact
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

**fsmRmtErrLsServerConfigure:ApplyConfig****Fault Code: F78210****Message**

[FSM:STAGE:REMOTE-ERROR]: Applying config to server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureApplyConfig
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmRmtErrLsServerConfigure:ApplyDefaultIdentifiers

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving and applying default identifiers locally(FSM-STAGE:sam:dme:LsServerConfigure:ApplyDefaultIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-default-identifiers-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureApplyDefaultIdentifiers
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmRmtErrLsServerConfigure:ApplyIdentifiers

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving and applying identifiers locally(FSM-STAGE:sam:dme:LsServerConfigure:ApplyIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-identifiers-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureApplyIdentifiers
moClass: ls:Server
Type: fsm
```



```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmRmtErrLsServerConfigure:ApplyPolicies

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving and applying policies(FSM-STAGE:sam:dme:LsServerConfigure:ApplyPolicies)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-policies-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureApplyPolicies
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmRmtErrLsServerConfigure:ApplyTemplate

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Applying configuration template [srcTemplName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** apply-template-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureApplyTemplate  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:CommitStorage**

**Fault Code:** F78210

**Message**

[FSM:STAGE:REMOTE-ERROR]: committing storage for service profile(FSM-STAGE:sam:dme:LsServerConfigure:CommitStorage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** commit-storage-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureCommitStorage  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:EvaluateAssociation**

**Fault Code:** F78210

**Message**

[FSM:STAGE:REMOTE-ERROR]: Evaluate association with server [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: evaluate-association-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureEvaluateAssociation
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

**fsmRmtErrLsServerConfigure:ProvisionStorage****Fault Code: F78210****Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving storage policy(FSM-STAGE:sam:dme:LsServerConfigure:ProvisionStorage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: provision-storage-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureProvisionStorage
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmRmtErrLsServerConfigure:ResolveBootConfig

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Computing binding changes(FSM-STAGE:sam:dme:LsServerConfigure:ResolveBootConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-boot-config-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveBootConfig
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmRmtErrLsServerConfigure:ResolveDefaultIdentifiers

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving default identifiers(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDefaultIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-default-identifiers-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveDefaultIdentifiers
moClass: ls:Server
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmRmtErrLsServerConfigure:ResolveDistributable

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve distributable from operations manager(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDistributable)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-distributable-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveDistributable
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmRmtErrLsServerConfigure:ResolveDistributableNames

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving distributable names from host pack(FSM-STAGE:sam:dme:LsServerConfigure:ResolveDistributableNames)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-distributable-names-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureResolveDistributableNames  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:ResolveIdentifiers****Fault Code:** F78210**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-identifiers-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureResolveIdentifiers  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:ResolveImages****Fault Code:** F78210**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve images from operations manager(FSM-STAGE:sam:dme:LsServerConfigure:ResolveImages)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-images-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveImages
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

**fsmRmtErrLsServerConfigure:ResolveNetworkPolicies****Fault Code: F78210****Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving various dependent policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkPolicies)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-network-policies-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveNetworkPolicies
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmRmtErrLsServerConfigure:ResolveNetworkTemplates

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving various template policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-network-templates-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveNetworkTemplates
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmRmtErrLsServerConfigure:ResolvePolicies

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving various policies(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-policies-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolvePolicies
moClass: ls:Server
Type: fsm
```



```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmRmtErrLsServerConfigure:ResolveSchedule

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving schedule policy(FSM-STAGE:sam:dme:LsServerConfigure:ResolveSchedule)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-schedule-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureResolveSchedule
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmRmtErrLsServerConfigure:ValidatePolicyOwnership

**Fault Code: F78210**

### Message

[FSM:STAGE:REMOTE-ERROR]: Validating policy integrity from ownership perspective(FSM-STAGE:sam:dme:LsServerConfigure:ValidatePolicyOwnership)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** validate-policy-ownership-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureValidatePolicyOwnership  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:WaitForAssocCompletion**

**Fault Code:** F78210

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for Association completion on server [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-assoc-completion-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureWaitForAssocCompletion  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrLsServerConfigure:WaitForCommitStorage**

**Fault Code:** F78210

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for storage commit to complete(FSM-STAGE:sam:dme:LsServerConfigure:WaitForCommitStorage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-commit-storage-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureWaitForCommitStorage
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

**fsmRmtErrLsServerConfigure:WaitForMaintPermission****Fault Code: F78210****Message**

```
[FSM:STAGE:REMOTE-ERROR]: Waiting for ack or maint
window(FSM-STAGE:sam:dme:LsServerConfigure:WaitForMaintPermission)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-maint-permission-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureWaitForMaintPermission
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]
```

## fsmRmtErrLsServerConfigure:WaitForMaintWindow

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for maintenance window(FSM-STAGE:sam:dme:LsServerConfigure:WaitForMaintWindow)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-maint-window-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureWaitForMaintWindow
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]
```

## fsmRmtErrLsServerConfigure:WaitForStorageProvision

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: waiting for storage provisioning to complete(FSM-STAGE:sam:dme:LsServerConfigure:WaitForStorageProvision)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-for-storage-provision-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureWaitForStorageProvision
moClass: ls:Server
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmRmtErrLsServerConfigure:checkAssignedDefaultIdentifiersForDup

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: checking assigned identifiers(from default pool) for dup(FSM-STAGE:sam:dme:LsServerConfigure:checkAssignedDefaultIdentifiersForDup)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: check-assigned-default-identifiers-for-dup-failed
mibFaultCode: 78210
mibFaultName: fsmRmtErrLsServerConfigureCheckAssignedDefaultIdentifiersForDup
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ls- [name]
Affected MO: org- [name] /tier- [name] /ls- [name]

```

## fsmRmtErrLsServerConfigure:checkAssignedIdentifiersForDup

**Fault Code:** F78210

### Message

[FSM:STAGE:REMOTE-ERROR]: checking assigned identifiers for dup(FSM-STAGE:sam:dme:LsServerConfigure:checkAssignedIdentifiersForDup)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** check-assigned-identifiers-for-dup-failed  
**mibFaultCode:** 78210  
**mibFaultName:** fsmRmtErrLsServerConfigureCheckAssignedIdentifiersForDup  
**moClass:** ls:Server  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ls- [name]  
**Affected MO:** org- [name] /tier- [name] /ls- [name]

**fsmRmtErrComputeBladeDiag:CleanupServerConnSwA**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Cleaning up server [chassisId]/[slotId] interface on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:CleanupServerConnSwA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** cleanup-server-conn-sw-afailed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagCleanupServerConnSwA  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id] /blade- [slotId]

**fsmRmtErrComputeBladeDiag:CleanupServerConnSwB**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Cleaning up server [chassisId]/[slotId] interface on fabric B(FSM-STAGE:sam:dme:ComputeBladeDiag:CleanupServerConnSwB)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: cleanup-server-conn-sw-bfailed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagCleanupServerConnSwB
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmRmtErrComputeBladeDiag:ConfigFeLocal****Fault Code: F78220****Message**

[FSM:STAGE:REMOTE-ERROR]: Configuring primary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:ConfigFeLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-fe-local-failed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagConfigFeLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmRmtErrComputeBladeDiag:ConfigFePeer****Fault Code: F78220****Message**

[FSM:STAGE:REMOTE-ERROR]: Configuring secondary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:ConfigFePeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-fe-peer-failed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagConfigFePeer
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
```

**fsmRmtErrComputeBladeDiag:DisableServerConnSwA****Fault Code: F78220****Message**

[FSM:STAGE:REMOTE-ERROR]: Disable server [chassisId]/[slotId] interface on fabric A after completion of network traffic tests on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:DisableServerConnSwA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-server-conn-sw-afailed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagDisableServerConnSwA
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
```



## fsmRmtErrComputeBladeDiag:DisableServerConnSwB

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Disable server [chassisId]/[slotId] connectivity on fabric B in preparation for network traffic tests on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:DisableServerConnSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: disable-server-conn-sw-bfailed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagDisableServerConnSwB
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

## fsmRmtErrComputeBladeDiag:EnableServerConnSwA

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Enable server [chassisId]/[slotId] connectivity on fabric A in preparation for network traffic tests on fabric A(FSM-STAGE:sam:dme:ComputeBladeDiag:EnableServerConnSwA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: enable-server-conn-sw-afailed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagEnableServerConnSwA
moClass: compute:Blade
```

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]

```

## fsmRmtErrComputeBladeDiag:EnableServerConnSwB

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Enable server [chassisId]/[slotId] connectivity on fabric B in preparation for network traffic tests on fabric B(FSM-STAGE:sam:dme:ComputeBladeDiag:EnableServerConnSwB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: enable-server-conn-sw-bfailed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagEnableServerConnSwB
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]

```

## fsmRmtErrComputeBladeDiag:EvaluateStatus

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Evaluating status; diagnostics completed(FSM-STAGE:sam:dme:ComputeBladeDiag:EvaluateStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** evaluate-status-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagEvaluateStatus  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

**fsmRmtErrComputeBladeDiag:RemoveConfig**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Derive diag config for server  
 [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RemoveConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** remove-config-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagRemoveConfig  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

**fsmRmtErrComputeBladeDiag:RestoreConfigFeLocal**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Reconfiguring primary fabric interconnect access to server  
 [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RestoreConfigFeLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** restore-config-fe-local-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagRestoreConfigFeLocal  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

**fsmRmtErrComputeBladeDiag:RestoreConfigFePeer**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Reconfiguring secondary fabric interconnect access to server [chassisId]/[slotId](FSM-STAGE:sam:dme:ComputeBladeDiag:RestoreConfigFePeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** restore-config-fe-peer-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagRestoreConfigFePeer  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

**fsmRmtErrComputeBladeDiag:SwConfigLocal**

**Fault Code:** F78220

**Message**

[FSM:STAGE:REMOTE-ERROR]: Configure primary fabric interconnect in server [chassisId]/[slotId] for diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwConfigLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagSwConfigLocal
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

**fsmRmtErrComputeBladeDiag:SwConfigPeer**

**Fault Code: F78220**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Configure secondary fabric interconnect in server [chassisId]/[slotId] for diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 78220
mibFaultName: fsmRmtErrComputeBladeDiagSwConfigPeer
moClass: compute:Blade
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
```

## fsmRmtErrComputeBladeDiag:SwUnconfigLocal

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Unconfigure primary fabric interconnect for server [chassisId]/[slotId] in diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwUnconfigLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sw-unconfig-local-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagSwUnconfigLocal  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

## fsmRmtErrComputeBladeDiag:SwUnconfigPeer

**Fault Code:** F78220

### Message

[FSM:STAGE:REMOTE-ERROR]: Unconfigure secondary fabric interconnect for server [chassisId]/[slotId] in diagnostics environment(FSM-STAGE:sam:dme:ComputeBladeDiag:SwUnconfigPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sw-unconfig-peer-failed  
**mibFaultCode:** 78220  
**mibFaultName:** fsmRmtErrComputeBladeDiagSwUnconfigPeer  
**moClass:** compute:Blade

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]

```

## fsmRmtErrMgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgLocal

**Fault Code:** F78243

### Message

[FSM:STAGE:REMOTE-ERROR]: in-band vlan configuration on Local CIMC(FSM-STAGE:sam:dme:MgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: cimcvlan-cfg-local-failed
mibFaultCode: 78243
mibFaultName: fsmRmtErrMgmtControllerExtMgmtInterfaceConfigCIMCVlanCfgLocal
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmRmtErrMgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgPeer

**Fault Code:** F78243

### Message

[FSM:STAGE:REMOTE-ERROR]: in-band vlan configuration on Peer  
CIMC(FSM-STAGE:sam:dme:MgmtControllerExtMgmtInterfaceConfig:CIMCVlanCfgPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** cimcvlan-cfg-peer-failed  
**mibFaultCode:** 78243  
**mibFaultName:** fsmRmtErrMgmtControllerExtMgmtInterfaceConfigCIMCVlanCfgPeer  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmRmtErrComputePhysicalSwConnUpd:A

**Fault Code:** F78244

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating fabric A for server  
[dn](FSM-STAGE:sam:dme:ComputePhysicalSwConnUpd:A)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: a-failed
mibFaultCode: 78244
mibFaultName: fsmRmtErrComputePhysicalSwConnUpdA
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]
```

**fsmRmtErrComputePhysicalSwConnUpd:B****Fault Code: F78244****Message**

```
[FSM:STAGE:REMOTE-ERROR]: Updating fabric B for server
[dn](FSM-STAGE:sam:dme:ComputePhysicalSwConnUpd:B)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: b-failed
mibFaultCode: 78244
mibFaultName: fsmRmtErrComputePhysicalSwConnUpdB
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]
```

## fsmRmtErrEquipmentIOCardResetIom:Execute

**Fault Code:** F78245

### Message

[FSM:STAGE:REMOTE-ERROR]: Reset IOM [id] on Fex  
[chassisId](FSM-STAGE:sam:dme:EquipmentIOCardResetIom:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 78245  
**mibFaultName:** fsmRmtErrEquipmentIOCardResetIomExecute  
**moClass:** equipment:IOCard  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

## fsmRmtErrComputePhysicalServiceInfraDeploy:SwConfigLocal

**Fault Code:** F78246

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure service infrastructure on primary fabric  
Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraDeploy:SwConfigLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sw-config-local-failed  
**mibFaultCode:** 78246  
**mibFaultName:** fsmRmtErrComputePhysicalServiceInfraDeploySwConfigLocal  
**moClass:** compute:Physical  
**Type:** fsm

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]

```

## fsmRmtErrComputePhysicalServiceInfraDeploy:SwConfigPeer

**Fault Code:** F78246

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure service infrastructure on secondary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraDeploy:SwConfigPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 78246
mibFaultName: fsmRmtErrComputePhysicalServiceInfraDeploySwConfigPeer
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]
Affected MO: sys/rack-unit-[id]

```

## fsmRmtErrComputePhysicalServiceInfraWithdraw:SwUnConfigLocal

**Fault Code:** F78247

### Message

[FSM:STAGE:REMOTE-ERROR]: Unconfigure service infrastructure on primary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraWithdraw:SwUnConfigLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** sw-un-config-local-failed  
**mibFaultCode:** 78247  
**mibFaultName:** fsmRmtErrComputePhysicalServiceInfraWithdrawSwUnConfigLocal  
**moClass:** compute:Physical  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]  
**Affected MO:** sys/rack-unit- [id]

**fsmRmtErrComputePhysicalServiceInfraWithdraw:SwUnConfigPeer**

**Fault Code:** F78247

**Message**

[FSM:STAGE:REMOTE-ERROR]: Unconfigure service infrastructure on secondary fabric Interconnect(FSM-STAGE:sam:dme:ComputePhysicalServiceInfraWithdraw:SwUnConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** sw-un-config-peer-failed  
**mibFaultCode:** 78247  
**mibFaultName:** fsmRmtErrComputePhysicalServiceInfraWithdrawSwUnConfigPeer  
**moClass:** compute:Physical  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]  
**Affected MO:** sys/rack-unit- [id]

**fsmRmtErrEquipmentIOCardBaseFePresence:CheckLicense**

**Fault Code:** F78255

**Message**

[FSM:STAGE:REMOTE-ERROR]: Checking license for chassis [chassisId] (iom [id])(FSM-STAGE:sam:dme:EquipmentIOCardBaseFePresence:CheckLicense)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: check-license-failed
mibFaultCode: 78255
mibFaultName: fsmRmtErrEquipmentIOCardBaseFePresenceCheckLicense
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]
Affected MO: sys/fex-[id]/slot-[id]
```

**fsmRmtErrEquipmentIOCardBaseFePresence:Identify**

**Fault Code: F78255**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: identifying IOM
[chassisId]/[id](FSM-STAGE:sam:dme:EquipmentIOCardBaseFePresence:Identify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: identify-failed
mibFaultCode: 78255
mibFaultName: fsmRmtErrEquipmentIOCardBaseFePresenceIdentify
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]
Affected MO: sys/fex-[id]/slot-[id]
```

## fsmRmtErrEquipmentIOCardBaseFeConn:ConfigureSwMgmtEndPoint

**Fault Code:** F78256

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring fabric interconnect [switchId] mgmt connectivity to IOM  
[chassisId]/[id]([side])(FSM-STAGE:sam:dme:EquipmentIOCardBaseFeConn:ConfigureSwMgmtEndPoint)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** configure-sw-mgmt-end-point-failed  
**mibFaultCode:** 78256  
**mibFaultName:** fsmRmtErrEquipmentIOCardBaseFeConnConfigureSwMgmtEndPoint  
**moClass:** equipment:IOCardBase  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

## fsmRmtErrEquipmentIOCardBaseFeConn:ConfigureVifNs

**Fault Code:** F78256

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring IOM [chassisId]/[id]([side]) virtual name space(FSM-STAGE:sam:dme:EquipmentIOCardBaseFeConn:ConfigureVifNs)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** configure-vif-ns-failed  
**mibFaultCode:** 78256

```

mibFaultName: fsmRmtErrEquipmentIOCardBaseFeConnConfigureVifNs
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]
Affected MO: sys/fex-[id]/slot-[id]

```

## fsmRmtErrEquipmentChassisRemoveChassis:DisableEndPoint

**Fault Code:** F78257

### Message

[FSM:STAGE:REMOTE-ERROR]: unconfiguring access to chassis  
[id](FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:DisableEndPoint)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: disable-end-point-failed
mibFaultCode: 78257
mibFaultName: fsmRmtErrEquipmentChassisRemoveChassisDisableEndPoint
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmRmtErrEquipmentChassisRemoveChassis:UnIdentifyLocal

**Fault Code:** F78257

### Message

[FSM:STAGE:REMOTE-ERROR]: erasing chassis identity [id] from  
primary(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:UnIdentifyLocal)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: un-identify-local-failed
mibFaultCode: 78257
mibFaultName: fsmRmtErrEquipmentChassisRemoveChassisUnIdentifyLocal
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

**fsmRmtErrEquipmentChassisRemoveChassis:UnIdentifyPeer**

**Fault Code: F78257**

**Message**

[FSM:STAGE:REMOTE-ERROR]: erasing chassis identity [id] from secondary(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:UnIdentifyPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: un-identify-peer-failed
mibFaultCode: 78257
mibFaultName: fsmRmtErrEquipmentChassisRemoveChassisUnIdentifyPeer
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

**fsmRmtErrEquipmentChassisRemoveChassis:Wait**

**Fault Code: F78257**

**Message**

[FSM:STAGE:REMOTE-ERROR]: waiting for clean up of resources for chassis [id] (approx. 2 min)(FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:Wait)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-failed
mibFaultCode: 78257
mibFaultName: fsmRmtErrEquipmentChassisRemoveChassisWait
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

**fsmRmtErrEquipmentChassisRemoveChassis:decomission****Fault Code: F78257****Message**

```
[FSM:STAGE:REMOTE-ERROR]: decomissioning chassis
[id](FSM-STAGE:sam:dme:EquipmentChassisRemoveChassis:decomission)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: decomission-failed
mibFaultCode: 78257
mibFaultName: fsmRmtErrEquipmentChassisRemoveChassisDecomission
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

## fsmRmtErrEquipmentLocatorLedSetFeLocatorLed:Execute

**Fault Code:** F78258

### Message

[FSM:STAGE:REMOTE-ERROR]: setting locator led to  
[adminState](FSM-STAGE:sam:dme:EquipmentLocatorLedSetFeLocatorLed:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 78258  
**mibFaultName:** fsmRmtErrEquipmentLocatorLedSetFeLocatorLedExecute  
**moClass:** equipment:LocatorLed  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/locator-led  
**Affected MO:** sys/chassis-[id]/fan-module-[tray]-[id]/locator-led  
**Affected MO:** sys/chassis-[id]/locator-led  
**Affected MO:** sys/chassis-[id]/psu-[id]/locator-led  
**Affected MO:** sys/chassis-[id]/slot-[id]/locator-led  
**Affected MO:** sys/fex-[id]/locator-led  
**Affected MO:** sys/fex-[id]/psu-[id]/locator-led  
**Affected MO:** sys/fex-[id]/slot-[id]/locator-led  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/locator-led  
**Affected MO:** sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led  
**Affected MO:** sys/rack-unit-[id]/locator-led  
**Affected MO:** sys/rack-unit-[id]/psu-[id]/locator-led  
**Affected MO:** sys/switch-[id]/fan-module-[tray]-[id]/locator-led  
**Affected MO:** sys/switch-[id]/locator-led  
**Affected MO:** sys/switch-[id]/psu-[id]/locator-led

## fsmRmtErrEquipmentLocatorLedSetFiLocatorLed:Execute

**Fault Code:** F78259

### Message

[FSM:STAGE:REMOTE-ERROR]: setting FI locator led to  
[adminState](FSM-STAGE:sam:dme:EquipmentLocatorLedSetFiLocatorLed:Execute)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 78259
mibFaultName: fsmRmtErrEquipmentLocatorLedSetFiLocatorLedExecute
moClass: equipment:LocatorLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led
Affected MO: sys/chassis-[id]/blade-[slotId]/locator-led
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/chassis-[id]/locator-led
Affected MO: sys/chassis-[id]/psu-[id]/locator-led
Affected MO: sys/chassis-[id]/slot-[id]/locator-led
Affected MO: sys/fex-[id]/locator-led
Affected MO: sys/fex-[id]/psu-[id]/locator-led
Affected MO: sys/fex-[id]/slot-[id]/locator-led
Affected MO: sys/rack-unit-[id]/ext-board-[id]/locator-led
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/rack-unit-[id]/locator-led
Affected MO: sys/rack-unit-[id]/psu-[id]/locator-led
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/switch-[id]/locator-led
Affected MO: sys/switch-[id]/psu-[id]/locator-led
```

**fsmRmtErrPortPIoInCompatSfpPresence:Shutdown**

**Fault Code: F78262**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Shutting down
port(FSM-STAGE:sam:dme:PortPIoInCompatSfpPresence:Shutdown)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: shutdown-failed
mibFaultCode: 78262
mibFaultName: fsmRmtErrPortPIoInCompatSfpPresenceShutdown
moClass: port:PIo
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/port-[portId]

```

## fsmRmtErrPortPloInCompatSfpReplaced:EnablePort

**Fault Code:** F78263

### Message

[FSM:STAGE:REMOTE-ERROR]: Enabling  
port(FSM-STAGE:sam:dme:PortPloInCompatSfpReplaced:EnablePort)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: enable-port-failed
mibFaultCode: 78263
mibFaultName: fsmRmtErrPortPloInCompatSfpReplacedEnablePort
moClass: port:PIO
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/port-[portId]

```

## fsmRmtErrObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F78503

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 78503
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/controllers/contro- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/providers/prov- [type] /observed- [dataSrcSysId] - [id]
Affected MO: observe/observed- [dataSrcSysId] - [id]

```

**fsmRmtErrObserveObservedResolveResourceFsm:Execute**

**Fault Code: F78504**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 78504
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/controllers/contro- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/providers/prov- [type] /observed- [dataSrcSysId] - [id]
Affected MO: observe/observed- [dataSrcSysId] - [id]

```

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F78505

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 78505  
**mibFaultName:** fsmRmtErrObserveObservedResolveVMFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F78506

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 78506

```

mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmRmtErrEquipmentBeaconLedIlluminate:ExecuteA

**Fault Code:** F78589

### Message

[FSM:STAGE:REMOTE-ERROR]: Turn beacon lights on/off for [dn] on fabric interconnect [id](FSM-STAGE:sam:dme:EquipmentBeaconLedIlluminate:ExecuteA)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-afailed
mibFaultCode: 78589
mibFaultName: fsmRmtErrEquipmentBeaconLedIlluminateExecuteA
moClass: equipment:BeaconLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/beacon
Affected MO: sys/chassis-[id]/blade-[slotId]/beacon
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/chassis-[id]/psu-[id]/beacon
Affected MO: sys/chassis-[id]/slot-[id]/beacon
Affected MO: sys/fex-[id]/beacon
Affected MO: sys/fex-[id]/psu-[id]/beacon
Affected MO: sys/fex-[id]/slot-[id]/beacon
Affected MO: sys/rack-unit-[id]/beacon
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/rack-unit-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/switch-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/slot-[id]/beacon

```

## fsmRmtErrEquipmentBeaconLedIlluminate:ExecuteB

**Fault Code:** F78589

### Message

[FSM:STAGE:REMOTE-ERROR]: Turn beacon lights on/off for [dn] on fabric interconnect [id](FSM-STAGE:sam:dme:EquipmentBeaconLedIlluminate:ExecuteB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-bfailed
mibFaultCode: 78589
mibFaultName: fsmRmtErrEquipmentBeaconLedIlluminateExecuteB
moClass: equipment:BeaconLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/beacon
Affected MO: sys/chassis-[id]/blade-[slotId]/beacon
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/chassis-[id]/psu-[id]/beacon
Affected MO: sys/chassis-[id]/slot-[id]/beacon
Affected MO: sys/fex-[id]/beacon
Affected MO: sys/fex-[id]/psu-[id]/beacon
Affected MO: sys/fex-[id]/slot-[id]/beacon
Affected MO: sys/rack-unit-[id]/beacon
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/rack-unit-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/switch-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/slot-[id]/beacon
```

## fsmRmtErrSdAppInstanceInstallApplication:SendCommand

**Fault Code:** F78591

### Message

[FSM:STAGE:REMOTE-ERROR]: Send command to install application(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:SendCommand)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-command-failed
mibFaultCode: 78591
mibFaultName: fsmRmtErrSdAppInstanceInstallApplicationSendCommand
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmRmtErrSdAppInstanceInstallApplication:UpdateAppInstance**

**Fault Code: F78591**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:UpdateAppInstance)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-app-instance-failed
mibFaultCode: 78591
mibFaultName: fsmRmtErrSdAppInstanceInstallApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmRmtErrSdAppInstanceInstallApplication:WaitStage**

**Fault Code: F78591**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Wait for confirmation from SMA that the application is installed(FSM-STAGE:sam:dme:SdAppInstanceInstallApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 78591
mibFaultName: fsmRmtErrSdAppInstanceInstallApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

**fsmRmtErrSdAppInstanceStartApplication:SendCommand**

**Fault Code:** F78592

**Message**

[FSM:STAGE:REMOTE-ERROR]: Send command to start application(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:SendCommand)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-command-failed
mibFaultCode: 78592
mibFaultName: fsmRmtErrSdAppInstanceStartApplicationSendCommand
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

## fsmRmtErrSdAppInstanceStartApplication:UpdateAppInstance

**Fault Code:** F78592

### Message

[FSM:STAGE:REMOTE-ERROR]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:UpdateAppInstance)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: update-app-instance-failed
mibFaultCode: 78592
mibFaultName: fsmRmtErrSdAppInstanceStartApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

## fsmRmtErrSdAppInstanceStartApplication:WaitStage

**Fault Code:** F78592

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for confirmation from SMA that the application has started(FSM-STAGE:sam:dme:SdAppInstanceStartApplication:WaitStage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 78592
mibFaultName: fsmRmtErrSdAppInstanceStartApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

## fsmRmtErrSdLduProvisionLDU:CheckBladeReadiness

**Fault Code:** F78593

### Message

[FSM:STAGE:REMOTE-ERROR]: Check if the blade is available to provision logical device.(FSM-STAGE:sam:dme:SdLduProvisionLDU:CheckBladeReadiness)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** check-blade-readiness-failed  
**mibFaultCode:** 78593  
**mibFaultName:** fsmRmtErrSdLduProvisionLDUCheckBladeReadiness  
**moClass:** sd:Ldu  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]/ldu- [slotId]  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]

## fsmRmtErrSdLduProvisionLDU:StartApps

**Fault Code:** F78593

### Message

[FSM:STAGE:REMOTE-ERROR]: Start the Apps(FSM-STAGE:sam:dme:SdLduProvisionLDU:StartApps)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** start-apps-failed

```

mibFaultCode: 78593
mibFaultName: fsmRmtErrSdLduProvisionLDUStartApps
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]

```

## fsmRmtErrSdLduProvisionLDU:WaitForAppsInstallation

**Fault Code: F78593**

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for all the apps in the LDU to get installed.(FSM-STAGE:sam:dme:SdLduProvisionLDU:WaitForAppsInstallation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-apps-installation-failed
mibFaultCode: 78593
mibFaultName: fsmRmtErrSdLduProvisionLDUWaitForAppsInstallation
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]

```

## fsmRmtErrSdLduProvisionLDU:WaitForLinkConfiguration

**Fault Code: F78593**

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for CCL and MGMT Links configuration(FSM-STAGE:sam:dme:SdLduProvisionLDU:WaitForLinkConfiguration)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-for-link-configuration-failed  
**mibFaultCode:** 78593  
**mibFaultName:** fsmRmtErrSdLduProvisionLDUWaitForLinkConfiguration  
**moClass:** sd:Ldu  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]/ldu- [slotId]  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]

**fsmRmtErrSdAppInstanceUpgradeApplication:SendCommand**

**Fault Code:** F78594

**Message**

[FSM:STAGE:REMOTE-ERROR]: Send command to upgrade application(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:SendCommand)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 78594  
**mibFaultName:** fsmRmtErrSdAppInstanceUpgradeApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmRmtErrSdAppInstanceUpgradeApplication:UpdateAppInstance**

**Fault Code:** F78594

**Message**

[FSM:STAGE:REMOTE-ERROR]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:UpdateAppInstance)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-app-instance-failed
mibFaultCode: 78594
mibFaultName: fsmRmtErrSdAppInstanceUpgradeApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

**fsmRmtErrSdAppInstanceUpgradeApplication:WaitStage**

**Fault Code:** F78594

**Message**

[FSM:STAGE:REMOTE-ERROR]: Wait for confirmation from SMA that the application is upgraded(FSM-STAGE:sam:dme:SdAppInstanceUpgradeApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-stage-failed
mibFaultCode: 78594
mibFaultName: fsmRmtErrSdAppInstanceUpgradeApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

## fsmRmtErrSdAppInstanceStopApplication:ReleaseAppLicense

**Fault Code:** F78595

### Message

[FSM:STAGE:REMOTE-ERROR]: Release license of application instance(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:ReleaseAppLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-app-license-failed  
**mibFaultCode:** 78595  
**mibFaultName:** fsmRmtErrSdAppInstanceStopApplicationReleaseAppLicense  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]

## fsmRmtErrSdAppInstanceStopApplication:SendCommand

**Fault Code:** F78595

### Message

[FSM:STAGE:REMOTE-ERROR]: Send command to stop application(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 78595  
**mibFaultName:** fsmRmtErrSdAppInstanceStopApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none



```

Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmRmtErrSdAppInstanceStopApplication:UpdateAppInstance

**Fault Code:** F78595

### Message

[FSM:STAGE:REMOTE-ERROR]: Updates the operational state of application instance(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:UpdateAppInstance)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-app-instance-failed
mibFaultCode: 78595
mibFaultName: fsmRmtErrSdAppInstanceStopApplicationUpdateAppInstance
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmRmtErrSdAppInstanceStopApplication:WaitStage

**Fault Code:** F78595

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for confirmation from SMA that the application has stopped(FSM-STAGE:sam:dme:SdAppInstanceStopApplication:WaitStage)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-stage-failed
mibFaultCode: 78595

```

```

mibFaultName: fsmRmtErrSdAppInstanceStopApplicationWaitStage
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmRmtErrSdAppInstanceUninstallApplication:ReleaseAppLicense

**Fault Code:** F78596

### Message

[FSM:STAGE:REMOTE-ERROR]: Release license of application instance(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:ReleaseAppLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-app-license-failed
mibFaultCode: 78596
mibFaultName: fsmRmtErrSdAppInstanceUninstallApplicationReleaseAppLicense
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]

```

## fsmRmtErrSdAppInstanceUninstallApplication:SendCommand

**Fault Code:** F78596

### Message

[FSM:STAGE:REMOTE-ERROR]: Send command to uninstall application(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:SendCommand)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-command-failed  
**mibFaultCode:** 78596  
**mibFaultName:** fsmRmtErrSdAppInstanceUninstallApplicationSendCommand  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmRmtErrSdAppInstanceUninstallApplication:WaitStage****Fault Code: F78596****Message**

[FSM:STAGE:REMOTE-ERROR]: Wait for confirmation from SMA that the application has been uninstalled.(FSM-STAGE:sam:dme:SdAppInstanceUninstallApplication:WaitStage)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** wait-stage-failed  
**mibFaultCode:** 78596  
**mibFaultName:** fsmRmtErrSdAppInstanceUninstallApplicationWaitStage  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]

**fsmRmtErrSdSlotChangePlatformLogLevel:SendCommand****Fault Code: F78597****Message**

[FSM:STAGE:REMOTE-ERROR]: Send command to change the log level(FSM-STAGE:sam:dme:SdSlotChangePlatformLogLevel:SendCommand)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-command-failed
mibFaultCode: 78597
mibFaultName: fsmRmtErrSdSlotChangePlatformLogLevelSendCommand
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]
```

**fsmRmtErrSdAppInstanceBundleDataPorts:ConfigureLinks**

**Fault Code:** F78598

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Trigger ConfigureLinks
FSM(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:ConfigureLinks)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: configure-links-failed
mibFaultCode: 78598
mibFaultName: fsmRmtErrSdAppInstanceBundleDataPortsConfigureLinks
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmRmtErrSdAppInstanceBundleDataPorts:SendBundleStatus**

**Fault Code:** F78598

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Notify Application about Port Bundle
Status(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:SendBundleStatus)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-bundle-status-failed
mibFaultCode: 78598
mibFaultName: fsmRmtErrSdAppInstanceBundleDataPortsSendBundleStatus
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId]
```

**fsmRmtErrSdAppInstanceBundleDataPorts:UpdateBundleStatus**

**Fault Code: F78598**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update the bundle status(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:UpdateBundleStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-bundle-status-failed
mibFaultCode: 78598
mibFaultName: fsmRmtErrSdAppInstanceBundleDataPortsUpdateBundleStatus
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId]
```

## fsmRmtErrSdAppInstanceBundleDataPorts:WaitForConfigCompletion

**Fault Code:** F78598

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for links configuration completion(FSM-STAGE:sam:dme:SdAppInstanceBundleDataPorts:WaitForConfigCompletion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-config-completion-failed  
**mibFaultCode:** 78598  
**mibFaultName:** fsmRmtErrSdAppInstanceBundleDataPortsWaitForConfigCompletion  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]

## fsmRmtErrSdLogicalDeviceConfigureLinks:ConfigureSwitch

**Fault Code:** F78599

### Message

[FSM:STAGE:REMOTE-ERROR]: Invoke Port API to configure the switch(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:ConfigureSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** configure-switch-failed  
**mibFaultCode:** 78599  
**mibFaultName:** fsmRmtErrSdLogicalDeviceConfigureLinksConfigureSwitch  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]

```

## fsmRmtErrSdLogicalDeviceConfigureLinks:SendInterfaces

**Fault Code: F78599**

### Message

[FSM:STAGE:REMOTE-ERROR]: Send Updated Interface Mapping(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:SendInterfaces)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-interfaces-failed
mibFaultCode: 78599
mibFaultName: fsmRmtErrSdLogicalDeviceConfigureLinksSendInterfaces
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]

```

## fsmRmtErrSdLogicalDeviceConfigureLinks:UnconfigureLinks

**Fault Code: F78599**

### Message

[FSM:STAGE:REMOTE-ERROR]: Unconfigure Links in the LogicalDevice(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:UnconfigureLinks)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: unconfigure-links-failed
mibFaultCode: 78599

```

```

mibFaultName: fsmRmtErrSdLogicalDeviceConfigureLinksUnconfigureLinks
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]

```

## fsmRmtErrSdLogicalDeviceConfigureLinks:UnconfigureLogicalDevice

**Fault Code:** F78599

### Message

[FSM:STAGE:REMOTE-ERROR]: Unconfigure logical device(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:UnconfigureLogicalDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: unconfigure-logical-device-failed
mibFaultCode: 78599
mibFaultName: fsmRmtErrSdLogicalDeviceConfigureLinksUnconfigureLogicalDevice
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]

```

## fsmRmtErrSdLogicalDeviceConfigureLinks:WaitForSwitchConfig

**Fault Code:** F78599

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for Switch configuration to complete(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureLinks:WaitForSwitchConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** warning  
**Cause:** wait-for-switch-config-failed  
**mibFaultCode:** 78599  
**mibFaultName:** fsmRmtErrSdLogicalDeviceConfigureLinksWaitForSwitchConfig  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

**fsmRmtErrSdLinkUpdateInterfaceStatus:SendStatus****Fault Code: F78600****Message**

[FSM:STAGE:REMOTE-ERROR]: Send Interface Operational State(FSM-STAGE:sam:dme:SdLinkUpdateInterfaceStatus:SendStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-status-failed  
**mibFaultCode:** 78600  
**mibFaultName:** fsmRmtErrSdLinkUpdateInterfaceStatusSendStatus  
**moClass:** sd:Link  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 sys-secsvc/ld- [name]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]  
**Affected MO:** sys-secsvc/ld- [name]/ldu- [slotId]/ext-ldulink- [name] - [appInstId]  
**Affected MO:**  
 sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]  
**Affected MO:**  
 sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]/ext-ldulink- [name] - [appInstId]

## fsmRmtErrSdClusterBootstrapUpdateClusterConfiguration:SendConfig

**Fault Code:** F78601

### Message

[FSM:STAGE:REMOTE-ERROR]: Send Updated Cluster Configuration(FSM-STAGE:sam:dme:SdClusterBootstrapUpdateClusterConfiguration:SendConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: send-config-failed
mibFaultCode: 78601
mibFaultName: fsmRmtErrSdClusterBootstrapUpdateClusterConfigurationSendConfig
moClass: sd:ClusterBootstrap
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/cluster-bootstrap
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/cluster-bootstrap
```

## fsmRmtErrSdSlotFormatDisk:CheckBladeReadiness

**Fault Code:** F78602

### Message

[FSM:STAGE:REMOTE-ERROR]: Check blade readiness(FSM-STAGE:sam:dme:SdSlotFormatDisk:CheckBladeReadiness)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: check-blade-readiness-failed
mibFaultCode: 78602
mibFaultName: fsmRmtErrSdSlotFormatDiskCheckBladeReadiness
moClass: sd:Slot
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]

```

## fsmRmtErrSdSlotFormatDisk:ResetBladePower

**Fault Code:** F78602

### Message

```
[FSM:STAGE:REMOTE-ERROR]: Blade power
reset(FSM-STAGE:sam:dme:SdSlotFormatDisk:ResetBladePower)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: reset-blade-power-failed
mibFaultCode: 78602
mibFaultName: fsmRmtErrSdSlotFormatDiskResetBladePower
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]

```

## fsmRmtErrSdSlotFormatDisk:StartDiskFormat

**Fault Code:** F78602

### Message

```
[FSM:STAGE:REMOTE-ERROR]: Start formatting
disk(FSM-STAGE:sam:dme:SdSlotFormatDisk:StartDiskFormat)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: start-disk-format-failed

```

```

mibFaultCode: 78602
mibFaultName: fsmRmtErrSdSlotFormatDiskStartDiskFormat
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]

```

## fsmRmtErrSdSlotFormatDisk:WaitForDiskFormatComplete

**Fault Code: F78602**

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for disk format complete(FSM-STAGE:sam:dme:SdSlotFormatDisk:WaitForDiskFormatComplete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-disk-format-complete-failed
mibFaultCode: 78602
mibFaultName: fsmRmtErrSdSlotFormatDiskWaitForDiskFormatComplete
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]

```

## fsmRmtErrSdSlotSynchTimeZone:UpdateTimeZone

**Fault Code: F78603**

### Message

[FSM:STAGE:REMOTE-ERROR]: Update time zone(FSM-STAGE:sam:dme:SdSlotSynchTimeZone:UpdateTimeZone)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** update-time-zone-failed  
**mibFaultCode:** 78603  
**mibFaultName:** fsmRmtErrSdSlotSynchTimeZoneUpdateTimeZone  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]

**fsmRmtErrSdAppAttributeCtrlGetAppAttributes:GetAttributes**

**Fault Code:** F78604

**Message**

[FSM:STAGE:REMOTE-ERROR]: Retrive application attributes(FSM-STAGE:sam:dme:SdAppAttributeCtrlGetAppAttributes:GetAttributes)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** get-attributes-failed  
**mibFaultCode:** 78604  
**mibFaultName:** fsmRmtErrSdAppAttributeCtrlGetAppAttributesGetAttributes  
**moClass:** sd:AppAttributeCtrl  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]/app-attribute-ctrl

**fsmRmtErrSdMgmtInfoUpdateMgmtInfo:SendUpdate**

**Fault Code:** F78605

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update management information(FSM-STAGE:sam:dme:SdMgmtInfoUpdateMgmtInfo:SendUpdate)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-update-failed
mibFaultCode: 78605
mibFaultName: fsmRmtErrSdMgmtInfoUpdateMgmtInfoSendUpdate
moClass: sd:MgmtInfo
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/mgmt-info
```

**fsmRmtErrSdNetMgmtBootstrapUpdateNetMgmtBootstrap:SendUpdate**

**Fault Code:** F78606

**Message**

[FSM:STAGE:REMOTE-ERROR]: Send message to  
AppAgent(FSM-STAGE:sam:dme:SdNetMgmtBootstrapUpdateNetMgmtBootstrap:SendUpdate)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-update-failed
mibFaultCode: 78606
mibFaultName: fsmRmtErrSdNetMgmtBootstrapUpdateNetMgmtBootstrapSendUpdate
moClass: sd:NetMgmtBootstrap
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/net-mgmt-bootstrap
```

**fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:StartApp**

**Fault Code:** F78607

**Message**

[FSM:STAGE:REMOTE-ERROR]: Trigger FSM to start  
application(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:StartApp)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: start-app-failed
mibFaultCode: 78607
mibFaultName: fsmRmtErrSdUpgradeTaskStopUpgradeStartAppStartApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task
```

**fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:StopApp**

**Fault Code: F78607**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Stop application before  
upgrade(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:StopApp)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: stop-app-failed
mibFaultCode: 78607
mibFaultName: fsmRmtErrSdUpgradeTaskStopUpgradeStartAppStopApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task
```

## fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:UpgradeApp

**Fault Code:** F78607

### Message

[FSM:STAGE:REMOTE-ERROR]: Trigger FSM to upgrade application(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:UpgradeApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** upgrade-app-failed  
**mibFaultCode:** 78607  
**mibFaultName:** fsmRmtErrSdUpgradeTaskStopUpgradeStartAppUpgradeApp  
**moClass:** sd:UpgradeTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]/upgrade-task

## fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:WaitForBladeReboot

**Fault Code:** F78607

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for blade reboot(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForBladeReboot)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-blade-reboot-failed  
**mibFaultCode:** 78607  
**mibFaultName:** fsmRmtErrSdUpgradeTaskStopUpgradeStartAppWaitForBladeReboot  
**moClass:** sd:UpgradeTask  
**Type:** fsm  
**Callhome:** none



```

Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task

```

## fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:WaitForStopApp

**Fault Code:** F78607

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for application stop to complete.(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForStopApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-stop-app-failed
mibFaultCode: 78607
mibFaultName: fsmRmtErrSdUpgradeTaskStopUpgradeStartAppWaitForStopApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /upgrade-task

```

## fsmRmtErrSdUpgradeTaskStopUpgradeStartApp:WaitForUpgradeApp

**Fault Code:** F78607

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for application upgrade to complete.(FSM-STAGE:sam:dme:SdUpgradeTaskStopUpgradeStartApp:WaitForUpgradeApp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-upgrade-app-failed
mibFaultCode: 78607

```

```

mibFaultName: fsmRmtErrSdUpgradeTaskStopUpgradeStartAppWaitForUpgradeApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/upgrade-task

```

## fsmRmtErrEtherServerIntFloConfigSpeed:Configure

**Fault Code:** F78609

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure admin speed for  
[dn](FSM-STAGE:sam:dme:EtherServerIntFioConfigSpeed:Configure)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: configure-failed
mibFaultCode: 78609
mibFaultName: fsmRmtErrEtherServerIntFioConfigSpeedConfigure
moClass: ether:ServerIntFio
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/diag/port- [portId]
Affected MO: sys/chassis- [id]/slot- [id]/ [type]/port- [portId]
Affected MO: sys/chassis- [id]/sw-slot- [id]/ [type]/port- [portId]
Affected MO: sys/fex- [id]/slot- [id]/ [type]/port- [portId]
Affected MO: sys/rack-unit- [id]/diag/port- [portId]
Affected MO: sys/switch- [id]/slot- [id]/ [type]/port- [portId]

```

## fsmRmtErrEtherFtwPortPairConfigFtw:Configure

**Fault Code:** F78610

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure fail-to-wire for  
[dn](FSM-STAGE:sam:dme:EtherFtwPortPairConfigFtw:Configure)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: configure-failed
mibFaultCode: 78610
mibFaultName: fsmRmtErrEtherFtwPortPairConfigFtwConfigure
moClass: ether:FtwPortPair
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/switch-[id]/fail-to-wire/ftw-port-[slotId] - [aggrPortId] - [portId] -port- [peerSlotId]
-[peerAggrPortId] - [peerPortId]
```

**fsmRmtErrExtpolEpRegisterFsm:Execute****Fault Code: F78625****Message**

```
[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 78625
mibFaultName: fsmRmtErrExtpolepRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol
```

## fsmRmtErrExtpolRegistryCrossDomainConfig:SetLocal

**Fault Code:** F78626

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure cross-domain XML for FLEX client on local fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainConfig:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-local-failed
mibFaultCode: 78626
mibFaultName: fsmRmtErrExtpolRegistryCrossDomainConfigSetLocal
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg
```

## fsmRmtErrExtpolRegistryCrossDomainConfig:SetPeer

**Fault Code:** F78626

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure cross-domain XML for FLEX client on peer fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainConfig:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-peer-failed
mibFaultCode: 78626
mibFaultName: fsmRmtErrExtpolRegistryCrossDomainConfigSetPeer
moClass: extpol:Registry
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmRmtErrExtpolRegistryCrossDomainDelete:SetLocal

**Fault Code:** F78627

### Message

[FSM:STAGE:REMOTE-ERROR]: Remove cross-domain XML for FLEX client on local fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainDelete:SetLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-local-failed
mibFaultCode: 78627
mibFaultName: fsmRmtErrExtpolRegistryCrossDomainDeleteSetLocal
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmRmtErrExtpolRegistryCrossDomainDelete:SetPeer

**Fault Code:** F78627

### Message

[FSM:STAGE:REMOTE-ERROR]: Remove cross-domain XML for FLEX client on peer fabric-interconnect(FSM-STAGE:sam:dme:ExtpolRegistryCrossDomainDelete:SetPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-peer-failed
mibFaultCode: 78627

```

```

mibFaultName: fsmRmtErrExtpolRegistryCrossDomainDeleteSetPeer
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmRmtErrStorageSystemSync:Execute

**Fault Code:** F78664

### Message

[FSM:STAGE:REMOTE-ERROR]: Synchronise requestors with storage broker(FSM-STAGE:sam:dme:StorageSystemSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 78664
mibFaultName: fsmRmtErrStorageSystemSyncExecute
moClass: storage:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: storage-ep/system

```

## fsmRmtErrSysfileMutationSingle:Execute

**Fault Code:** F78666

### Message

[FSM:STAGE:REMOTE-ERROR]: [action] file [name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: execute-failed
mibFaultCode: 78666
mibFaultName: fsmRmtErrSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation

```

**fsmRmtErrSysfileMutationGlobal:Local****Fault Code: F78667****Message**

[FSM:STAGE:REMOTE-ERROR]: remove files from local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: local-failed
mibFaultCode: 78667
mibFaultName: fsmRmtErrSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation

```

**fsmRmtErrSysfileMutationGlobal:Peer****Fault Code: F78667****Message**

[FSM:STAGE:REMOTE-ERROR]: remove files from peer(FSM-STAGE:sam:dme:SysfileMutationGlobal:Peer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: peer-failed
mibFaultCode: 78667
mibFaultName: fsmRmtErrSysfileMutationGlobalPeer
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmRmtErrApplicationDownloaderDownload:Local**

**Fault Code: F78671**

**Message**

[FSM:STAGE:REMOTE-ERROR]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:ApplicationDownloaderDownload:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 78671
mibFaultName: fsmRmtErrApplicationDownloaderDownloadLocal
moClass: application:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/app-catalogue/dnld- [fileName]
```

**fsmRmtErrApplicationDownloaderDownload:UnpackLocal**

**Fault Code: F78671**

**Message**

[FSM:STAGE:REMOTE-ERROR]: unpacking image [fileName] on primary(FSM-STAGE:sam:dme:ApplicationDownloaderDownload:UnpackLocal)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 78671
mibFaultName: fsmRmtErrApplicationDownloaderDownloadUnpackLocal
moClass: application:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/app-catalogue/dnld- [fileName]
```

**fsmRmtErrCommSvcEpUpdateSvcEp:PropogateEpSettings**

**Fault Code: F78672**

**Message**

[FSM:STAGE:REMOTE-ERROR]: propogate updated settings (eg. timezone)(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpSettings)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: propogate-ep-settings-failed
mibFaultCode: 78672
mibFaultName: fsmRmtErrCommSvcEpUpdateSvcEpPropogateEpSettings
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

## fsmRmtErrCommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomLocal

**Fault Code:** F78672

### Message

[FSM:STAGE:REMOTE-ERROR]: propogate updated timezone settings to FEXs and IOMs.(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** propogate-ep-time-zone-settings-to-fex-iom-local-failed  
**mibFaultCode:** 78672  
**mibFaultName:** fsmRmtErrCommSvcEpUpdateSvcEpPropogateEpTimeZoneSettingsToFexIomLocal  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/svc-ext

## fsmRmtErrCommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomPeer

**Fault Code:** F78672

### Message

[FSM:STAGE:REMOTE-ERROR]: propogate updated timezone settings to FEXs and IOMs.(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:PropogateEpTimeZoneSettingsToFexIomPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** propogate-ep-time-zone-settings-to-fex-iom-peer-failed  
**mibFaultCode:** 78672  
**mibFaultName:** fsmRmtErrCommSvcEpUpdateSvcEpPropogateEpTimeZoneSettingsToFexIomPeer  
**moClass:** comm:SvcEp

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmRmtErrCommSvcEpUpdateSvcEp:SetEpLocal

**Fault Code:** F78672

### Message

[FSM:STAGE:REMOTE-ERROR]: communication service [name] configuration to primary(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:SetEpLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-ep-local-failed
mibFaultCode: 78672
mibFaultName: fsmRmtErrCommSvcEpUpdateSvcEpSetEpLocal
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmRmtErrCommSvcEpUpdateSvcEp:SetEpPeer

**Fault Code:** F78672

### Message

[FSM:STAGE:REMOTE-ERROR]: communication service [name] configuration to secondary(FSM-STAGE:sam:dme:CommSvcEpUpdateSvcEp:SetEpPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: set-ep-peer-failed
mibFaultCode: 78672
mibFaultName: fsmRmtErrCommSvcEpUpdateSvcEpSetEpPeer
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmRmtErrCommSvcEpRestartWebSvc:local

**Fault Code: F78673**

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services in primary(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 78673
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcLocal
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext

```

## fsmRmtErrCommSvcEpRestartWebSvc:peer

**Fault Code: F78673**

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services in secondary(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:peer)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: peer-failed
mibFaultCode: 78673
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcPeer
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

**fsmRmtErrPkiEpUpdateEp:PostSetKeyRingLocal**

**Fault Code: F78691**

**Message**

[FSM:STAGE:REMOTE-ERROR]: post processing after keyring configuration on primary(FSM-STAGE:sam:dme:PkiEpUpdateEp:PostSetKeyRingLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: post-set-key-ring-local-failed
mibFaultCode: 78691
mibFaultName: fsmRmtErrPkiEpUpdateEpPostSetKeyRingLocal
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

**fsmRmtErrPkiEpUpdateEp:PostSetKeyRingPeer**

**Fault Code: F78691**

**Message**

[FSM:STAGE:REMOTE-ERROR]: post processing after keyring configuration on secondary(FSM-STAGE:sam:dme:PkiEpUpdateEp:PostSetKeyRingPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: post-set-key-ring-peer-failed
mibFaultCode: 78691
mibFaultName: fsmRmtErrPkiEpUpdateEpPostSetKeyRingPeer
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

**fsmRmtErrPkiEpUpdateEp:SetKeyRingLocal**

**Fault Code: F78691**

**Message**

[FSM:STAGE:REMOTE-ERROR]: keyring configuration on primary(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetKeyRingLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-key-ring-local-failed
mibFaultCode: 78691
mibFaultName: fsmRmtErrPkiEpUpdateEpSetKeyRingLocal
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

## fsmRmtErrPkiEpUpdateEp:SetKeyRingPeer

**Fault Code:** F78691

### Message

[FSM:STAGE:REMOTE-ERROR]: keyring configuration on secondary(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetKeyRingPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-key-ring-peer-failed
mibFaultCode: 78691
mibFaultName: fsmRmtErrPkiEpUpdateEpSetKeyRingPeer
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

## fsmRmtErrPkiEpUpdateEp:ValidateKeyRingAndTP

**Fault Code:** F78691

### Message

[FSM:STAGE:REMOTE-ERROR]: validate keyring and trust point(FSM-STAGE:sam:dme:PkiEpUpdateEp:ValidateKeyRingAndTP)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: validate-key-ring-andtp-failed
mibFaultCode: 78691
mibFaultName: fsmRmtErrPkiEpUpdateEpValidateKeyRingAndTP
moClass: pki:Ep
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/pki-ext

## fsmRmtErrAaaEpUpdateEp:SetEpLocal

**Fault Code:** F78692

### Message

[FSM:STAGE:REMOTE-ERROR]: external aaa server configuration to primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** set-ep-local-failed  
**mibFaultCode:** 78692  
**mibFaultName:** fsmRmtErrAaaEpUpdateEpSetEpLocal  
**moClass:** aaa:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/ldap-ext  
**Affected MO:** sys/radius-ext  
**Affected MO:** sys/tacacs-ext

## fsmRmtErrAaaEpUpdateEp:SetEpPeer

**Fault Code:** F78692

### Message

[FSM:STAGE:REMOTE-ERROR]: external aaa server configuration to secondary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning



```

Cause: set-ep-peer-failed
mibFaultCode: 78692
mibFaultName: fsmRmtErrAaaEpUpdateEpSetEpPeer
moClass: aaa:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ldap-ext
Affected MO: sys/radius-ext
Affected MO: sys/tacacs-ext

```

## fsmRmtErrAaaRealmUpdateRealm:SetRealmLocal

**Fault Code:** F78693

### Message

[FSM:STAGE:REMOTE-ERROR]: realm configuration to primary(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealmLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-realm-local-failed
mibFaultCode: 78693
mibFaultName: fsmRmtErrAaaRealmUpdateRealmSetRealmLocal
moClass: aaa:Realm
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/auth-realm

```

## fsmRmtErrAaaRealmUpdateRealm:SetRealmPeer

**Fault Code:** F78693

### Message

[FSM:STAGE:REMOTE-ERROR]: realm configuration to secondary(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealmPeer)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-realm-peer-failed
mibFaultCode: 78693
mibFaultName: fsmRmtErrAaaRealmUpdateRealmSetRealmPeer
moClass: aaa:Realm
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/auth-realm
```

**fsmRmtErrAaaUserEpUpdateUserEp:SetUserLocal**

**Fault Code: F78694**

**Message**

[FSM:STAGE:REMOTE-ERROR]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-user-local-failed
mibFaultCode: 78694
mibFaultName: fsmRmtErrAaaUserEpUpdateUserEpSetUserLocal
moClass: aaa:UserEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/user-ext
```

**fsmRmtErrAaaUserEpUpdateUserEp:SetUserPeer**

**Fault Code: F78694**

**Message**

[FSM:STAGE:REMOTE-ERROR]: user configuration to secondary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-user-peer-failed
mibFaultCode: 78694
mibFaultName: fsmRmtErrAaaUserEpUpdateUserEpSetUserPeer
moClass: aaa:UserEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/user-ext
```

**fsmRmtErrSysdebugManualCoreFileExportTargetExport:Execute**

**Fault Code:** F78705

**Message**

[FSM:STAGE:REMOTE-ERROR]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 78705
mibFaultName: fsmRmtErrSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/export-to- [hostname]
```

## fsmRmtErrSysdebugLogExportPolicyConfigure:Local

**Fault Code:** F78706

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring log file export service on local(FSM-STAGE:sam:dme:SysdebugLogExportPolicyConfigure:Local)

### Explanation

Cisco Firepower Manager could not set the configurations in the primary Fabric Interconnect for log file transfer to remote server.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Execute the show tech-support command and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 78706
mibFaultName: fsmRmtErrSysdebugLogExportPolicyConfigureLocal
moClass: sysdebug:LogExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/log-export-policy
```

## fsmRmtErrSysdebugLogExportPolicyConfigure:Peer

**Fault Code:** F78706

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring log file export service on peer(FSM-STAGE:sam:dme:SysdebugLogExportPolicyConfigure:Peer)

### Explanation

Cisco Firepower Manager could not set the configurations in the subordinate Fabric Interconnect (FI) for log file transfer to remote server. This fault typically appears for one of the following reasons:

- The subordinate FI is not reachable.
- The subordinate FI is experiencing an internal system error on applying the configuration.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the FI cluster state to ensure that the subordinate FI is reachable and functioning correctly. If the subordinate FI is down, take appropriate corrective actions so that the Firepower cluster goes into HA ready state.

- Step 2** If the HA state of the primary and subordinate FIs are good, execute the show tech-support command and contact Cisco Technical Support.

#### Fault Details

```
Severity: warning
Cause: peer-failed
mibFaultCode: 78706
mibFaultName: fsmRmtErrSysdebugLogExportPolicyConfigurePeer
moClass: sysdebug:LogExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/log-export-policy
```

### fsmRmtErrSysdebugAutoCoreFileExportTargetConfigure:Local

**Fault Code: F78707**

#### Message

[FSM:STAGE:REMOTE-ERROR]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

#### Explanation

Cisco Firepower Manager could not set the configurations in the primary Fabric Interconnect for auto core transfer to remote TFTP server.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Execute the show tech-support command and contact Cisco Technical Support.

#### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 78707
mibFaultName: fsmRmtErrSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/file-export
```

### fsmRmtErrSysdebugAutoCoreFileExportTargetConfigure:Peer

**Fault Code: F78707**

#### Message

[FSM:STAGE:REMOTE-ERROR]: configuring automatic core file export service on peer(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Peer)

**Explanation**

Cisco Firepower Manager could not set the configurations in the subordinate Fabric Interconnect (FI) for auto core transfer to remote TFTP server. This fault typically appears for one of the following reasons:

- The subordinate FI is not reachable.
- The subordinate FI is experiencing an internal system error on applying the configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the FI cluster state to ensure that the subordinate FI is reachable and functioning correctly. If the subordinate FI is down, take appropriate corrective actions so that the Firepower cluster goes into HA ready state.
- Step 2** If the HA state of the primary and subordinate FIs are good, execute the show tech-support command and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: peer-failed
mibFaultCode: 78707
mibFaultName: fsmRmtErrSysdebugAutoCoreFileExportTargetConfigurePeer
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/file-export
```

**fsmRmtErrSysdebugTechSupportInitiate:Local**

**Fault Code:** F78708

**Message**

[FSM:STAGE:REMOTE-ERROR]: create tech-support file from GUI on local(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 78708
mibFaultName: fsmRmtErrSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
```

```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support- [creationTS]

```

## fsmRmtErrSysdebugTechSupportDeleteTechSupFile:Local

**Fault Code:** F78709

### Message

[FSM:STAGE:REMOTE-ERROR]: delete tech-support file from GUI on local(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 78709
mibFaultName: fsmRmtErrSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support- [creationTS]

```

## fsmRmtErrSysdebugTechSupportDeleteTechSupFile:peer

**Fault Code:** F78709

### Message

[FSM:STAGE:REMOTE-ERROR]: delete tech-support file from GUI on peer(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: peer-failed

```

```

mibFaultCode: 78709
mibFaultName: fsmRmtErrSysdebugTechSupportDeleteTechSupFilePeer
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmRmtErrSysdebugTechSupportDownload:CopyPrimary

**Fault Code:** F78710

### Message

[FSM:STAGE:REMOTE-ERROR]: Copy the tech-support file to primary for download(FSM-STAGE:sam:dme:SysdebugTechSupportDownload:CopyPrimary)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-primary-failed
mibFaultCode: 78710
mibFaultName: fsmRmtErrSysdebugTechSupportDownloadCopyPrimary
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmRmtErrSysdebugTechSupportDownload:CopySub

**Fault Code:** F78710

### Message

[FSM:STAGE:REMOTE-ERROR]: copy tech-support file on subordinate switch to tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload:CopySub)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** warning  
**Cause:** copy-sub-failed  
**mibFaultCode:** 78710  
**mibFaultName:** fsmRmtErrSysdebugTechSupportDownloadCopySub  
**moClass:** sysdebug:TechSupport  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/tech-support-files/tech-support-[creationTS]

**fsmRmtErrSysdebugTechSupportDownload>DeletePrimary****Fault Code: F78710****Message**

[FSM:STAGE:REMOTE-ERROR]: Delete the tech-support file from primary switch under tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload>DeletePrimary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-primary-failed  
**mibFaultCode:** 78710  
**mibFaultName:** fsmRmtErrSysdebugTechSupportDownload>DeletePrimary  
**moClass:** sysdebug:TechSupport  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/tech-support-files/tech-support-[creationTS]

**fsmRmtErrSysdebugTechSupportDownload>DeleteSub****Fault Code: F78710****Message**

[FSM:STAGE:REMOTE-ERROR]: Delete the tech-support file from subordinate under tmp directory(FSM-STAGE:sam:dme:SysdebugTechSupportDownload>DeleteSub)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-sub-failed
mibFaultCode: 78710
mibFaultName: fsmRmtErrSysdebugTechSupportDownloadDeleteSub
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

**fsmRmtErrSysdebugCoreDownload:CopyPrimary**

**Fault Code: F78711**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Copy the Core file to primary for download(FSM-STAGE:sam:dme:SysdebugCoreDownload:CopyPrimary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-primary-failed
mibFaultCode: 78711
mibFaultName: fsmRmtErrSysdebugCoreDownloadCopyPrimary
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file-[name] | [switchId]
```

**fsmRmtErrSysdebugCoreDownload:CopySub**

**Fault Code: F78711**

**Message**

[FSM:STAGE:REMOTE-ERROR]: copy Core file on subordinate switch to tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload:CopySub)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-sub-failed
mibFaultCode: 78711
mibFaultName: fsmRmtErrSysdebugCoreDownloadCopySub
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

**fsmRmtErrSysdebugCoreDownload>DeletePrimary****Fault Code: F78711****Message**

[FSM:STAGE:REMOTE-ERROR]: Delete the Core file from primary switch under tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload>DeletePrimary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: delete-primary-failed
mibFaultCode: 78711
mibFaultName: fsmRmtErrSysdebugCoreDownloadDeletePrimary
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

## fsmRmtErrSysdebugCoreDownload>DeleteSub

**Fault Code:** F78711

### Message

[FSM:STAGE:REMOTE-ERROR]: Delete the Core file from subordinate under tmp directory(FSM-STAGE:sam:dme:SysdebugCoreDownload>DeleteSub)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-sub-failed
mibFaultCode: 78711
mibFaultName: fsmRmtErrSysdebugCoreDownload>DeleteSub
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

## fsmRmtErrSysdebugLogControlEpLogControlPersist:Local

**Fault Code:** F78712

### Message

[FSM:STAGE:REMOTE-ERROR]: persisting LogControl on local(FSM-STAGE:sam:dme:SysdebugLogControlEpLogControlPersist:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 78712
mibFaultName: fsmRmtErrSysdebugLogControlEpLogControlPersistLocal
moClass: sysdebug:LogControlEp
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/logcontrol

```

## fsmRmtErrSysdebugLogControlEpLogControlPersist:Peer

**Fault Code:** F78712

### Message

[FSM:STAGE:REMOTE-ERROR]: persisting LogControl on peer(FSM-STAGE:sam:dme:SysdebugLogControlEpLogControlPersist:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: peer-failed
mibFaultCode: 78712
mibFaultName: fsmRmtErrSysdebugLogControlEpLogControlPersistPeer
moClass: sysdebug:LogControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/logcontrol

```

## fsmRmtErrEpgosDefinitionDeploy:Local

**Fault Code:** F78776

### Message

[FSM:STAGE:REMOTE-ERROR]: vnic qos policy [name] configuration to primary(FSM-STAGE:sam:dme:EpgosDefinitionDeploy:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 78776

```

```

mibFaultName: fsmRmtErrEpqosDefinitionDeployLocal
moClass: epqos:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos- [name]

```

## fsmRmtErrEpqosDefinitionDeploy:Peer

**Fault Code:** F78776

### Message

[FSM:STAGE:REMOTE-ERROR]: vnic qos policy [name] configuration to secondary(FSM-STAGE:sam:dme:EpqosDefinitionDeploy:Peer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: peer-failed
mibFaultCode: 78776
mibFaultName: fsmRmtErrEpqosDefinitionDeployPeer
moClass: epqos:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos- [name]

```

## fsmRmtErrEpqosDefinitionDelTaskRemove:Local

**Fault Code:** F78777

### Message

[FSM:STAGE:REMOTE-ERROR]: vnic qos policy [name] removal from primary(FSM-STAGE:sam:dme:EpqosDefinitionDelTaskRemove:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 78777  
**mibFaultName:** fsmRmtErrEpqosDefinitionDelTaskRemoveLocal  
**moClass:** epqos:DefinitionDelTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ep-qos-deletion- [defIntId]

**fsmRmtErrEpqosDefinitionDelTaskRemove:Peer****Fault Code:** F78777**Message**

[FSM:STAGE:REMOTE-ERROR]: vnic qos policy [name] removal from secondary(FSM-STAGE:sam:dme:EpqosDefinitionDelTaskRemove:Peer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** peer-failed  
**mibFaultCode:** 78777  
**mibFaultName:** fsmRmtErrEpqosDefinitionDelTaskRemovePeer  
**moClass:** epqos:DefinitionDelTask  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /ep-qos-deletion- [defIntId]

**fsmRmtErrQosclassDefinitionConfigGlobalQoS:SetLocal****Fault Code:** F78780**Message**

[FSM:STAGE:REMOTE-ERROR]: QoS Classification Definition [name] configuration on primary(FSM-STAGE:sam:dme:QosclassDefinitionConfigGlobalQoS:SetLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-local-failed
mibFaultCode: 78780
mibFaultName: fsmRmtErrQosclassDefinitionConfigGlobalQoSSetLocal
moClass: qosclass:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan/classes
```

**fsmRmtErrQosclassDefinitionConfigGlobalQoS:SetPeer**

**Fault Code: F78780**

**Message**

[FSM:STAGE:REMOTE-ERROR]: QoS Classification Definition [name] configuration on secondary(FSM-STAGE:sam:dme:QosclassDefinitionConfigGlobalQoS:SetPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-peer-failed
mibFaultCode: 78780
mibFaultName: fsmRmtErrQosclassDefinitionConfigGlobalQoSSetPeer
moClass: qosclass:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan/classes
```

**fsmRmtErrMgmtControllerRegistryConfig:Remove**

**Fault Code: F78787**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Deleting registry information from config file(FSM-STAGE:sam:dme:MgmtControllerRegistryConfig:Remove)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: remove-failed
mibFaultCode: 78787
mibFaultName: fsmRmtErrMgmtControllerRegistryConfigRemove
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmRmtErrMgmtIfSwMgmtOobIfConfig:Switch**

**Fault Code: F78798**

**Message**

[FSM:STAGE:REMOTE-ERROR]: configuring the out-of-band interface(FSM-STAGE:sam:dme:MgmtIfSwMgmtOobIfConfig:Switch)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: switch-failed
mibFaultCode: 78798

```

```

mibFaultName: fsmRmtErrMgmtIfSwMgmtOobIfConfigSwitch
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmRmtErrMgmtIfSwMgmtInbandIfConfig:Switch

**Fault Code:** F78799

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring the inband interface(FSM-STAGE:sam:dme:MgmtIfSwMgmtInbandIfConfig:Switch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: switch-failed
mibFaultCode: 78799
mibFaultName: fsmRmtErrMgmtIfSwMgmtInbandIfConfigSwitch
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]

```

```

Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmRmtErrMgmtIPv6IfAddrSwMgmtOobIpv6IfConfig:Switch

**Fault Code:** F78800

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring the out-of-band IPv6 interface(FSM-STAGE:sam:dme:MgmtIPv6IfAddrSwMgmtOobIpv6IfConfig:Switch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: switch-failed
mibFaultCode: 78800
mibFaultName: fsmRmtErrMgmtIPv6IfAddrSwMgmtOobIpv6IfConfigSwitch
moClass: mgmt:IPv6IfAddr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/fex-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/fex-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/mgmt/if-[id]/ifConfig-ipv6/if-ipv6

```

**Affected MO:**  
 sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:**  
 sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/switch-[id]/ifConfig-ipv6/if-ipv6  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6

## fsmRmtErrNhTableHolderConfigureLinks:ApplyConfig

**Fault Code:** F78813

### Message

[FSM:STAGE:REMOTE-ERROR]: Apply  
 Configuration(FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-config-failed  
**mibFaultCode:** 78813  
**mibFaultName:** fsmRmtErrNhTableHolderConfigureLinksApplyConfig  
**moClass:** nh:TableHolder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/tbh

## fsmRmtErrNhTableHolderConfigureLinks:ConfigInterface

**Fault Code:** F78813

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure  
 Interface(FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:ConfigInterface)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-interface-failed
mibFaultCode: 78813
mibFaultName: fsmRmtErrNhTableHolderConfigureLinksConfigInterface
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmRmtErrNhTableHolderConfigureLinks:VerifyLinkConfig**

**Fault Code: F78813**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:NhTableHolderConfigureLinks:VerifyLinkConfig)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-link-config-failed
mibFaultCode: 78813
mibFaultName: fsmRmtErrNhTableHolderConfigureLinksVerifyLinkConfig
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmRmtErrNhTableHolderBootstrapLinks:ApplyConfig**

**Fault Code: F78814**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Apply
Configuration(FSM-STAGE:sam:dme:NhTableHolderBootstrapLinks:ApplyConfig)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 78814
mibFaultName: fsmRmtErrNhTableHolderBootstrapLinksApplyConfig
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmRmtErrStatsCollectionPolicyUpdateEp:SetEpA**

**Fault Code: F78818**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update endpoint on fabric interconnect A(FSM-STAGE:sam:dme:StatsCollectionPolicyUpdateEp:SetEpA)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-ep-afailed
mibFaultCode: 78818
mibFaultName: fsmRmtErrStatsCollectionPolicyUpdateEpSetEpA
moClass: stats:CollectionPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: stats/coll-policy-[name]
```

## fsmRmtErrStatsCollectionPolicyUpdateEp:SetEpB

**Fault Code:** F78818

### Message

[FSM:STAGE:REMOTE-ERROR]: Update endpoint on fabric interconnect  
B(FSM-STAGE:sam:dme:StatsCollectionPolicyUpdateEp:SetEpB)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: set-ep-bfailed
mibFaultCode: 78818
mibFaultName: fsmRmtErrStatsCollectionPolicyUpdateEpSetEpB
moClass: stats:CollectionPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: stats/coll-policy-[name]
```

## fsmRmtErrSyntheticFsObjCreate:createLocal

**Fault Code:** F78843

### Message

[FSM:STAGE:REMOTE-ERROR]: create on  
primary(FSM-STAGE:sam:dme:SyntheticFsObjCreate:createLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: create-local-failed
mibFaultCode: 78843
mibFaultName: fsmRmtErrSyntheticFsObjCreateCreateLocal
moClass: synthetic:FsoObj
Type: fsm
Callhome: none
```

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/file-[name]

```

## fsmRmtErrSyntheticFsObjCreate:createRemote

**Fault Code:** F78843

### Message

[FSM:STAGE:REMOTE-ERROR]: create on secondary(FSM-STAGE:sam:dme:SyntheticFsObjCreate:createRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: create-remote-failed
mibFaultCode: 78843
mibFaultName: fsmRmtErrSyntheticFsObjCreateCreateRemote
moClass: synthetic:Fsobj
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/file-[name]

```

## fsmRmtErrCapabilityUpdaterUpdater:Apply

**Fault Code:** F78848

### Message

[FSM:STAGE:REMOTE-ERROR]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:Apply)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-failed
mibFaultCode: 78848

```



```

mibFaultName: fsmRmtErrCapabilityUpdaterUpdaterApply
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]

```

## fsmRmtErrCapabilityUpdaterUpdater:CopyRemote

**Fault Code:** F78848

### Message

[FSM:STAGE:REMOTE-ERROR]: syncing catalog files to subordinate(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: copy-remote-failed
mibFaultCode: 78848
mibFaultName: fsmRmtErrCapabilityUpdaterUpdaterCopyRemote
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]

```

## fsmRmtErrCapabilityUpdaterUpdater>DeleteLocal

**Fault Code:** F78848

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting temp image [fileName] on local(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater>DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-local-failed  
**mibFaultCode:** 78848  
**mibFaultName:** fsmRmtErrCapabilityUpdaterUpdaterDeleteLocal  
**moClass:** capability:Updater  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities/ep/updater- [fileName]

**fsmRmtErrCapabilityUpdaterUpdater:EvaluateStatus****Fault Code:** F78848**Message**

[FSM:STAGE:REMOTE-ERROR]: evaluating status of  
update(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:EvaluateStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** evaluate-status-failed  
**mibFaultCode:** 78848  
**mibFaultName:** fsmRmtErrCapabilityUpdaterUpdaterEvaluateStatus  
**moClass:** capability:Updater  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities/ep/updater- [fileName]

**fsmRmtErrCapabilityUpdaterUpdater:Local****Fault Code:** F78848**Message**

[FSM:STAGE:REMOTE-ERROR]: downloading catalog file [fileName] from  
[server](FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 78848
mibFaultName: fsmRmtErrCapabilityUpdaterUpdaterLocal
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmRmtErrCapabilityUpdaterUpdater:RescanImages**

**Fault Code: F78848**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: rescanning image
files(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:RescanImages)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: rescan-images-failed
mibFaultCode: 78848
mibFaultName: fsmRmtErrCapabilityUpdaterUpdaterRescanImages
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmRmtErrCapabilityUpdaterUpdater:UnpackLocal**

**Fault Code: F78848**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: unpacking catalog file [fileName] on
primary(FSM-STAGE:sam:dme:CapabilityUpdaterUpdater:UnpackLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 78848
mibFaultName: fsmRmtErrCapabilityUpdaterUpdaterUnpackLocal
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater-[fileName]
```

**fsmRmtErrCapabilityCatalogueActivateCatalog:ApplyCatalog**

**Fault Code: F78849**

**Message**

[FSM:STAGE:REMOTE-ERROR]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:ApplyCatalog)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-catalog-failed
mibFaultCode: 78849
mibFaultName: fsmRmtErrCapabilityCatalogueActivateCatalogApplyCatalog
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities
```

## fsmRmtErrCapabilityCatalogueActivateCatalog:CopyCatFromRep

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: Copying Catalogue from repository to  
FI(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyCatFromRep)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copy-cat-from-rep-failed  
**mibFaultCode:** 78849  
**mibFaultName:** fsmRmtErrCapabilityCatalogueActivateCatalogCopyCatFromRep  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmRmtErrCapabilityCatalogueActivateCatalog:CopyExternalRepToRemote

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: syncing external repository to  
subordinate(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyExternalRepToRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copy-external-rep-to-remote-failed  
**mibFaultCode:** 78849  
**mibFaultName:** fsmRmtErrCapabilityCatalogueActivateCatalogCopyExternalRepToRemote  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmRmtErrCapabilityCatalogueActivateCatalog:CopyRemote

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: syncing catalog changes to subordinate(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:CopyRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** copy-remote-failed  
**mibFaultCode:** 78849  
**mibFaultName:** fsmRmtErrCapabilityCatalogueActivateCatalogCopyRemote  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmRmtErrCapabilityCatalogueActivateCatalog:EvaluateStatus

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: evaluating status of activation(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:EvaluateStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** evaluate-status-failed  
**mibFaultCode:** 78849

```

mibFaultName: fsmRmtErrCapabilityCatalogueActivateCatalogEvaluateStatus
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities

```

## fsmRmtErrCapabilityCatalogueActivateCatalog:RescanImages

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: rescanning image  
files(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:RescanImages)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: rescan-images-failed
mibFaultCode: 78849
mibFaultName: fsmRmtErrCapabilityCatalogueActivateCatalogRescanImages
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities

```

## fsmRmtErrCapabilityCatalogueActivateCatalog:UnpackLocal

**Fault Code:** F78849

### Message

[FSM:STAGE:REMOTE-ERROR]: activating catalog  
changes(FSM-STAGE:sam:dme:CapabilityCatalogueActivateCatalog:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** unpack-local-failed  
**mibFaultCode:** 78849  
**mibFaultName:** fsmRmtErrCapabilityCatalogueActivateCatalogUnpackLocal  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

**fsmRmtErrCapabilityMgmtExtensionActivateMgmtExt:ApplyCatalog**

**Fault Code:** F78850

**Message**

[FSM:STAGE:REMOTE-ERROR]: applying changes to catalog(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:ApplyCatalog)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** apply-catalog-failed  
**mibFaultCode:** 78850  
**mibFaultName:** fsmRmtErrCapabilityMgmtExtensionActivateMgmtExtApplyCatalog  
**moClass:** capability:MgmtExtension  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities/ep/mgmt-ext

**fsmRmtErrCapabilityMgmtExtensionActivateMgmtExt:CopyRemote**

**Fault Code:** F78850

**Message**

[FSM:STAGE:REMOTE-ERROR]: syncing management extension changes to subordinate(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:CopyRemote)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: copy-remote-failed
mibFaultCode: 78850
mibFaultName: fsmRmtErrCapabilityMgmtExtensionActivateMgmtExtCopyRemote
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmRmtErrCapabilityMgmtExtensionActivateMgmtExt:EvaluateStatus**

**Fault Code: F78850**

**Message**

[FSM:STAGE:REMOTE-ERROR]: evaluating status of activation(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:EvaluateStatus)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: evaluate-status-failed
mibFaultCode: 78850
mibFaultName: fsmRmtErrCapabilityMgmtExtensionActivateMgmtExtEvaluateStatus
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmRmtErrCapabilityMgmtExtensionActivateMgmtExt:RescanImages**

**Fault Code: F78850**

**Message**

[FSM:STAGE:REMOTE-ERROR]: rescanning image files(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:RescanImages)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: rescan-images-failed
mibFaultCode: 78850
mibFaultName: fsmRmtErrCapabilityMgmtExtensionActivateMgmtExtRescanImages
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

**fsmRmtErrCapabilityMgmtExtensionActivateMgmtExt:UnpackLocal**

**Fault Code: F78850**

**Message**

[FSM:STAGE:REMOTE-ERROR]: activating management extension changes(FSM-STAGE:sam:dme:CapabilityMgmtExtensionActivateMgmtExt:UnpackLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 78850
mibFaultName: fsmRmtErrCapabilityMgmtExtensionActivateMgmtExtUnpackLocal
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

## fsmRmtErrCapabilityCatalogueDeployCatalogue:SyncPortAGLocal

**Fault Code:** F78851

### Message

[FSM:STAGE:REMOTE-ERROR]: Sending capability catalogue [version] to local portAG(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:SyncPortAGLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: sync-portaglocal-failed
mibFaultCode: 78851
mibFaultName: fsmRmtErrCapabilityCatalogueDeployCatalogueSyncPortAGLocal
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities
```

## fsmRmtErrCapabilityCatalogueDeployCatalogue:SyncPortAGRemote

**Fault Code:** F78851

### Message

[FSM:STAGE:REMOTE-ERROR]: Sending capability catalogue [version] to remote portAG(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:SyncPortAGRemote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: sync-portagremote-failed
mibFaultCode: 78851
mibFaultName: fsmRmtErrCapabilityCatalogueDeployCatalogueSyncPortAGRemote
moClass: capability:Catalogue
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmRmtErrCapabilityCatalogueDeployCatalogue:finalize

**Fault Code:** F78851

### Message

[FSM:STAGE:REMOTE-ERROR]: Finalizing capability catalogue [version] deployment(FSM-STAGE:sam:dme:CapabilityCatalogueDeployCatalogue:finalize)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** finalize-failed  
**mibFaultCode:** 78851  
**mibFaultName:** fsmRmtErrCapabilityCatalogueDeployCatalogueFinalize  
**moClass:** capability:Catalogue  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** capabilities

## fsmRmtErrSwEthMonDeploy:UpdateEthMon

**Fault Code:** F78860

### Message

[FSM:STAGE:REMOTE-ERROR]: Ethernet traffic monitor (SPAN)configuration on [switchId](FSM-STAGE:sam:dme:SwEthMonDeploy:UpdateEthMon)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** update-eth-mon-failed  
**mibFaultCode:** 78860

```

mibFaultName: fsmRmtErrSwEthMonDeployUpdateEthMon
moClass: sw:EthMon
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/lanmon-eth/mon-[name]

```

## fsmRmtErrSwSspEthMonDeploy:UpdateSspEthMon

**Fault Code:** F78909

### Message

[FSM:STAGE:REMOTE-ERROR]: SSP Packet Capture configuration on [switchId](FSM-STAGE:sam:dme:SwSspEthMonDeploy:UpdateSspEthMon)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-ssp-eth-mon-failed
mibFaultCode: 78909
mibFaultName: fsmRmtErrSwSspEthMonDeployUpdateSspEthMon
moClass: sw:SspEthMon
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ssp-lanmon-eth/ssp-mon-session[name]

```

## fsmRmtErrSwSspEthMonSrcPhyEpDelete:DeletePcapFile

**Fault Code:** F78910

### Message

[FSM:STAGE:REMOTE-ERROR]: Delete Pcap file whenever there is a delete interface trigger(FSM-STAGE:sam:dme:SwSspEthMonSrcPhyEpDelete:DeletePcapFile)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: delete-pcap-file-failed
mibFaultCode: 78910
mibFaultName: fsmRmtErrSwSspEthMonSrcPhyEpDeleteDeletePcapFile
moClass: sw:SspEthMonSrcPhyEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/switch- [id] /ssp-lanmon-eth/ssp-mon-session [name] /ssp-mon-src-phy- [chassisId] -slot-
[slotId] -port- [portId] -aggr- [aggrPortId]

```

**fsmRmtErrFabricVnetEpSyncEpPushVnetEpDeletion:Sync****Fault Code: F78916****Message**

[FSM:STAGE:REMOTE-ERROR]: Update resource-mgr with VnetEp deletion(FSM-STAGE:sam:dme:FabricVnetEpSyncEpPushVnetEpDeletion:Sync)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: sync-failed
mibFaultCode: 78916
mibFaultName: fsmRmtErrFabricVnetEpSyncEpPushVnetEpDeletionSync
moClass: fabric:VnetEpSyncEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/providers/prov- [type] /syncEp

```

**fsmRmtErrFabricLanCloudSwitchMode:SwConfigLocal****Fault Code: F78917****Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:FabricLanCloudSwitchMode:SwConfigLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 78917
mibFaultName: fsmRmtErrFabricLanCloudSwitchModeSwConfigLocal
moClass: fabric:LanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan
```

**fsmRmtErrFabricLanCloudSwitchMode:SwConfigPeer**

**Fault Code: F78917**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Fabric interconnect mode configuration to primary(FSM-STAGE:sam:dme:FabricLanCloudSwitchMode:SwConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 78917
mibFaultName: fsmRmtErrFabricLanCloudSwitchModeSwConfigPeer
moClass: fabric:LanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan
```

**fsmRmtErrFabricSanCloudSwitchMode:SwConfigLocal**

**Fault Code: F78918**

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:FabricSanCloudSwitchMode:SwConfigLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-local-failed
mibFaultCode: 78918
mibFaultName: fsmRmtErrFabricSanCloudSwitchModeSwConfigLocal
moClass: fabric:SanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/san
```

**fsmRmtErrFabricSanCloudSwitchMode:SwConfigPeer**

**Fault Code: F78918**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Fabric interconnect FC mode configuration to primary(FSM-STAGE:sam:dme:FabricSanCloudSwitchMode:SwConfigPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sw-config-peer-failed
mibFaultCode: 78918
mibFaultName: fsmRmtErrFabricSanCloudSwitchModeSwConfigPeer
moClass: fabric:SanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/san
```



## fsmRmtErrFabricEpMgrConfigure:ApplyConfig

**Fault Code:** F78924

### Message

[FSM:STAGE:REMOTE-ERROR]: Apply switch configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-config-failed  
**mibFaultCode:** 78924  
**mibFaultName:** fsmRmtErrFabricEpMgrConfigureApplyConfig  
**moClass:** fabric:EpMgr  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/[id]

## fsmRmtErrFabricEpMgrConfigure:ApplyPhysical

**Fault Code:** F78924

### Message

[FSM:STAGE:REMOTE-ERROR]: Applying physical configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ApplyPhysical)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-physical-failed  
**mibFaultCode:** 78924  
**mibFaultName:** fsmRmtErrFabricEpMgrConfigureApplyPhysical  
**moClass:** fabric:EpMgr  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/[id]

## fsmRmtErrFabricEpMgrConfigure:ValidateConfiguration

**Fault Code:** F78924

### Message

[FSM:STAGE:REMOTE-ERROR]: Validating logical configuration(FSM-STAGE:sam:dme:FabricEpMgrConfigure:ValidateConfiguration)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** validate-configuration-failed  
**mibFaultCode:** 78924  
**mibFaultName:** fsmRmtErrFabricEpMgrConfigureValidateConfiguration  
**moClass:** fabric:EpMgr  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** fabric/[id]

## fsmRmtErrFabricEpMgrConfigure:WaitOnPhys

**Fault Code:** F78924

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting on physical change application(FSM-STAGE:sam:dme:FabricEpMgrConfigure:WaitOnPhys)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-on-phys-failed  
**mibFaultCode:** 78924

```

mibFaultName: fsmRmtErrFabricEpMgrConfigureWaitOnPhys
moClass: fabric:EpMgr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/[id]

```

## fsmRmtErrMgmtExportPolicyReportConfigCopy:Report

**Fault Code:** F78930

### Message

[FSM:STAGE:REMOTE-ERROR]: Report config copy to Ops  
Mgr(FSM-STAGE:sam:dme:MgmtExportPolicyReportConfigCopy:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: report-failed
mibFaultCode: 78930
mibFaultName: fsmRmtErrMgmtExportPolicyReportConfigCopyReport
moClass: mgmt:ExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/cfg-exp-policy- [name]
Affected MO: org- [name]/db-backup-policy- [name]

```

## fsmRmtErrExtpolProviderReportConfigImport:Report

**Fault Code:** F78931

### Message

[FSM:STAGE:REMOTE-ERROR]: Report config import to Ops  
Mgr(FSM-STAGE:sam:dme:ExtpolProviderReportConfigImport:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** report-failed  
**mibFaultCode:** 78931  
**mibFaultName:** fsmRmtErrExtpolProviderReportConfigImportReport  
**moClass:** extpol:Provider  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol/reg/providers/prov- [type]

**fsmRmtErrMgmtIfVirtualIfConfig:Local****Fault Code: F78932****Message**

[FSM:STAGE:REMOTE-ERROR]: Updating virtual interface on local fabric interconnect(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 78932  
**mibFaultName:** fsmRmtErrMgmtIfVirtualIfConfigLocal  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/sw-slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/mgmt/if- [id]  
**Affected MO:** sys/switch- [id]/mgmt/if- [id]

## fsmRmtErrMgmtIfVirtualIfConfig:Remote

**Fault Code:** F78932

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating virtual interface on peer fabric interconnect(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Remote)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: remote-failed
mibFaultCode: 78932
mibFaultName: fsmRmtErrMgmtIfVirtualIfConfigRemote
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmRmtErrMgmtIfEnableVip:Local

**Fault Code:** F78933

### Message

[FSM:STAGE:REMOTE-ERROR]: Enable virtual interface on local fabric interconnect(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: local-failed
mibFaultCode: 78933
mibFaultName: fsmRmtErrMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

**fsmRmtErrMgmtIfDisableVip:Peer**

**Fault Code:** F78934

**Message**

[FSM:STAGE:REMOTE-ERROR]: Disable virtual interface on peer fabric interconnect(FSM-STAGE:sam:dme:MgmtIfDisableVip:Peer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: peer-failed
mibFaultCode: 78934
mibFaultName: fsmRmtErrMgmtIfDisableVipPeer
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

**fsmRmtErrMgmtIfEnableHA:Local****Fault Code: F78935****Message**

[FSM:STAGE:REMOTE-ERROR]: Transition from single to cluster mode(FSM-STAGE:sam:dme:MgmtIfEnableHA:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: local-failed
mibFaultCode: 78935
mibFaultName: fsmRmtErrMgmtIfEnableHALocal
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]

```

**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmRmtErrMgmtBackupBackup:backupLocal

**Fault Code:** F78936

### Message

[FSM:STAGE:REMOTE-ERROR]: internal database  
 backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** backup-local-failed  
**mibFaultCode:** 78936  
**mibFaultName:** fsmRmtErrMgmtBackupBackupBackupLocal  
**moClass:** mgmt:Backup  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/backup-[hostname]

## fsmRmtErrMgmtBackupBackup:upload

**Fault Code:** F78936

### Message

[FSM:STAGE:REMOTE-ERROR]: internal system  
 backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: upload-failed
mibFaultCode: 78936
mibFaultName: fsmRmtErrMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/backup- [hostname]
```

**fsmRmtErrMgmtImporterImport:cleanUp**

**Fault Code: F78937**

**Message**

[FSM:STAGE:REMOTE-ERROR]: cleaning up old Security Service configuration(FSM-STAGE:sam:dme:MgmtImporterImport:cleanUp)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: clean-up-failed
mibFaultCode: 78937
mibFaultName: fsmRmtErrMgmtImporterImportCleanUp
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]
```

## fsmRmtErrMgmtImporterImport:config

**Fault Code:** F78937

### Message

[FSM:STAGE:REMOTE-ERROR]: importing the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 78937  
**mibFaultName:** fsmRmtErrMgmtImporterImportConfig  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/import-config- [hostname]

## fsmRmtErrMgmtImporterImport:configBreakout

**Fault Code:** F78937

### Message

[FSM:STAGE:REMOTE-ERROR]: updating breakout port configuration(FSM-STAGE:sam:dme:MgmtImporterImport:configBreakout)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-breakout-failed  
**mibFaultCode:** 78937  
**mibFaultName:** fsmRmtErrMgmtImporterImportConfigBreakout  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmRmtErrMgmtImporterImport:downloadLocal

**Fault Code:** F78937

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: download-local-failed
mibFaultCode: 78937
mibFaultName: fsmRmtErrMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmRmtErrMgmtImporterImport:reportResults

**Fault Code:** F78937

### Message

[FSM:STAGE:REMOTE-ERROR]: Reporting results of import configuration(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: report-results-failed
mibFaultCode: 78937

```

```

mibFaultName: fsmRmtErrMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmRmtErrMgmtImporterImport:waitForSwitch

**Fault Code:** F78937

### Message

[FSM:STAGE:REMOTE-ERROR]: waiting for completion of switch configuration(FSM-STAGE:sam:dme:MgmtImporterImport:waitForSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: wait-for-switch-failed
mibFaultCode: 78937
mibFaultName: fsmRmtErrMgmtImporterImportWaitForSwitch
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]

```

## fsmRmtErrMgmtControllerSysConfig:Primary

**Fault Code:** F78938

### Message

[FSM:STAGE:REMOTE-ERROR]: system configuration on primary(FSM-STAGE:sam:dme:MgmtControllerSysConfig:Primary)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: primary-failed
mibFaultCode: 78938
mibFaultName: fsmRmtErrMgmtControllerSysConfigPrimary
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmRmtErrMgmtControllerSysConfig:Secondary****Fault Code: F78938****Message**

[FSM:STAGE:REMOTE-ERROR]: system configuration on secondary(FSM-STAGE:sam:dme:MgmtControllerSysConfig:Secondary)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: secondary-failed
mibFaultCode: 78938
mibFaultName: fsmRmtErrMgmtControllerSysConfigSecondary
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt

```

**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmRmtErrNfsMountInstMount:MountLocal

**Fault Code:** F78971

### Message

[FSM:STAGE:REMOTE-ERROR]: Mount nfs [remoteDir] from server [server] on local switch(FSM-STAGE:sam:dme:NfsMountInstMount:MountLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** mount-local-failed  
**mibFaultCode:** 78971  
**mibFaultName:** fsmRmtErrNfsMountInstMountMountLocal  
**moClass:** nfs:MountInst  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/nfs-mount-inst-[name]

## fsmRmtErrNfsMountInstMount:MountPeer

**Fault Code:** F78971

### Message

[FSM:STAGE:REMOTE-ERROR]: Mount nfs [remoteDir] from NFS server [server] on peer switch(FSM-STAGE:sam:dme:NfsMountInstMount:MountPeer)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: mount-peer-failed
mibFaultCode: 78971
mibFaultName: fsmRmtErrNfsMountInstMountMountPeer
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch- [id]/nfs-mount-inst- [name]
```

**fsmRmtErrNfsMountInstMount:RegisterClient**

**Fault Code: F78971**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Register client with Ops  
Mgr(FSM-STAGE:sam:dme:NfsMountInstMount:RegisterClient)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: register-client-failed
mibFaultCode: 78971
mibFaultName: fsmRmtErrNfsMountInstMountRegisterClient
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch- [id]/nfs-mount-inst- [name]
```

**fsmRmtErrNfsMountInstMount:VerifyRegistration**

**Fault Code: F78971**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Verify client registration with Ops  
Mgr(FSM-STAGE:sam:dme:NfsMountInstMount:VerifyRegistration)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-registration-failed
mibFaultCode: 78971
mibFaultName: fsmRmtErrNfsMountInstMountVerifyRegistration
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmRmtErrNfsMountInstUnmount:UnmountLocal**

**Fault Code: F78972**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Unmount nfs [remoteDir] from server
[server](FSM-STAGE:sam:dme:NfsMountInstUnmount:UnmountLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: unmount-local-failed
mibFaultCode: 78972
mibFaultName: fsmRmtErrNfsMountInstUnmountUnmountLocal
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```



## fsmRmtErrNfsMountInstUnmount:UnmountPeer

**Fault Code:** F78972

### Message

[FSM:STAGE:REMOTE-ERROR]: Unmount nfs [remoteDir] from server [server](FSM-STAGE:sam:dme:NfsMountInstUnmount:UnmountPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unmount-peer-failed  
**mibFaultCode:** 78972  
**mibFaultName:** fsmRmtErrNfsMountInstUnmountUnmountPeer  
**moClass:** nfs:MountInst  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/switch-[id]/nfs-mount-inst-[name]

## fsmRmtErrNfsMountDefReportNfsMountSuspend:Report

**Fault Code:** F78973

### Message

[FSM:STAGE:REMOTE-ERROR]: Report mount suspend success to operations manager(FSM-STAGE:sam:dme:NfsMountDefReportNfsMountSuspend:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** report-failed  
**mibFaultCode:** 78973  
**mibFaultName:** fsmRmtErrNfsMountDefReportNfsMountSuspendReport  
**moClass:** nfs:MountDef  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: nfs-ep/nfs-mount-def- [name]

```

## fsmRmtErrExtpolEpRepairCert:cleanOldData

**Fault Code:** F78994

### Message

[FSM:STAGE:REMOTE-ERROR]: Cleaning certificates, channels and policy meta data(FSM-STAGE:sam:dme:ExtpolEpRepairCert:cleanOldData)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: clean-old-data-failed
mibFaultCode: 78994
mibFaultName: fsmRmtErrExtpolEpRepairCertCleanOldData
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmRmtErrExtpolEpRepairCert:request

**Fault Code:** F78994

### Message

[FSM:STAGE:REMOTE-ERROR]: Provisioning latest certificates(FSM-STAGE:sam:dme:ExtpolEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: request-failed
mibFaultCode: 78994

```

```

mibFaultName: fsmRmtErrExtpolEpRepairCertRequest
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmRmtErrExtpolEpRepairCert:unregister

**Fault Code:** F78994

### Message

[FSM:STAGE:REMOTE-ERROR]: unregister from old FPR Central, if needed(FSM-STAGE:sam:dme:ExtpolEpRepairCert:unregister)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: unregister-failed
mibFaultCode: 78994
mibFaultName: fsmRmtErrExtpolEpRepairCertUnregister
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmRmtErrExtpolEpRepairCert:verify

**Fault Code:** F78994

### Message

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:ExtpolEpRepairCert:verify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 78994  
**mibFaultName:** fsmRmtErrExtpolEpRepairCertVerify  
**moClass:** extpol:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol

**fsmRmtErrExtpolEpRepairCert:verifyGuid**

**Fault Code:** F78994

**Message**

[FSM:STAGE:REMOTE-ERROR]: verifying GUID of FPR  
 Central(FSM-STAGE:sam:dme:ExtpolEpRepairCert:verifyGuid)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** verify-guid-failed  
**mibFaultCode:** 78994  
**mibFaultName:** fsmRmtErrExtpolEpRepairCertVerifyGuid  
**moClass:** extpol:Ep  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** extpol

**fsmRmtErrPolicyControlEpOperate:Resolve**

**Fault Code:** F78995

**Message**

[FSM:STAGE:REMOTE-ERROR]: (FSM-STAGE:sam:dme:PolicyControlEpOperate:Resolve)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-failed
mibFaultCode: 78995
mibFaultName: fsmRmtErrPolicyControlEpOperateResolve
moClass: policy:ControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep- [type]
```

**fsmRmtErrPolicyControlledTypeOperate:ResolveAll****Fault Code: F78996****Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving controlled type global policies(FSM-STAGE:sam:dme:PolicyControlledTypeOperate:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 78996
mibFaultName: fsmRmtErrPolicyControlledTypeOperateResolveAll
moClass: policy:ControlledType
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep- [type]/cfg-backup-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/comm-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/datetime-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/discovery-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/dns-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/fabric-fw-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/fault-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/mep-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/monitoring-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/powermgmt-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/psu-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/security-ctrl/ctrlled-type- [type]
```

## fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F78999

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 78999  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F79000

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 79000
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release**

**Fault Code: F79001**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 79001
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```

```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F79002

### Message

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 79002
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```



## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F79003

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 79003  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F79004

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 79004
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany**

**Fault Code: F79005**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 79005
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```

```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F79006

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 79006
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F79007

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-many-failed  
**mibFaultCode:** 79007  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F79008

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 79008
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll**

**Fault Code:** F79009

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 79009
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```

```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F79010

### Message

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 79010
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F79011

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-all-failed  
**mibFaultCode:** 79011  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F79012

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 79012
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll**

**Fault Code: F79013**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 79013
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true

```



```

Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrFirmwareInfraPackInfraVersion:Restore

**Fault Code:** F79130

### Message

[FSM:STAGE:REMOTE-ERROR]: Check and Restore the Platform Version(FSM-STAGE:sam:dme:FirmwareInfraPackInfraVersion:Restore)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: restore-failed
mibFaultCode: 79130
mibFaultName: fsmRmtErrFirmwareInfraPackInfraVersionRestore
moClass: firmware:InfraPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/fw-infra-pack-[name]

```

## fsmRmtErrFirmwareInfraPackInfraVersion:WaitForReady

**Fault Code:** F79130

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for system to be ready(FSM-STAGE:sam:dme:FirmwareInfraPackInfraVersion:WaitForReady)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-ready-failed
mibFaultCode: 79130
mibFaultName: fsmRmtErrFirmwareInfraPackInfraVersionWaitForReady
moClass: firmware:InfraPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/fw-infra-pack-[name]
```

**fsmRmtErrFirmwareValidationStatusValidate:ApplicationPack**

**Fault Code:** F79140

**Message**

[FSM:STAGE:REMOTE-ERROR]: Validating the application  
pack(FSM-STAGE:sam:dme:FirmwareValidationStatusValidate:ApplicationPack)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: application-pack-failed
mibFaultCode: 79140
mibFaultName: fsmRmtErrFirmwareValidationStatusValidateApplicationPack
moClass: firmware:ValidationStatus
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]/validation
```

## fsmRmtErrFirmwareValidationStatusValidate:Complete

**Fault Code:** F79140

### Message

[FSM:STAGE:REMOTE-ERROR]: Complete  
Validation(FSM-STAGE:sam:dme:FirmwareValidationStatusValidate:Complete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: complete-failed
mibFaultCode: 79140
mibFaultName: fsmRmtErrFirmwareValidationStatusValidateComplete
moClass: firmware:ValidationStatus
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]/validation
```

## fsmRmtErrSdLogicalDeviceConfigureUserMacs:ConfigureSwitch

**Fault Code:** F79151

### Message

[FSM:STAGE:REMOTE-ERROR]: Invoke Port API to configure the  
switch(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureUserMacs:ConfigureSwitch)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: configure-switch-failed
mibFaultCode: 79151
mibFaultName: fsmRmtErrSdLogicalDeviceConfigureUserMacsConfigureSwitch
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
```

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

## fsmRmtErrSdLogicalDeviceConfigureUserMacs:WaitForSwitchConfig

**Fault Code:** F79151

### Message

[FSM:STAGE:REMOTE-ERROR]: Wait for Switch configuration to complete(FSM-STAGE:sam:dme:SdLogicalDeviceConfigureUserMacs:WaitForSwitchConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-switch-config-failed  
**mibFaultCode:** 79151  
**mibFaultName:** fsmRmtErrSdLogicalDeviceConfigureUserMacsWaitForSwitchConfig  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

## fsmRmtErrMgmtIfSwMgmtOobIfDhcpConfig:StopDhcpSvc

**Fault Code:** F79155

### Message

[FSM:STAGE:REMOTE-ERROR]: disabling the out-of-band interface dhcp service(FSM-STAGE:sam:dme:MgmtIfSwMgmtOobIfDhcpConfig:StopDhcpSvc)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** stop-dhcp-svc-failed  
**mibFaultCode:** 79155

```

mibFaultName: fsmRmtErrMgmtIfSwMgmtOobIfDhcpConfigStopDhcpSvc
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmRmtErrSdLduUpdateInterfaceStatus:SendStatus

**Fault Code:** F79158

### Message

[FSM:STAGE:REMOTE-ERROR]: Send Interface Operational  
State(FSM-STAGE:sam:dme:SdLduUpdateInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-status-failed
mibFaultCode: 79158
mibFaultName: fsmRmtErrSdLduUpdateInterfaceStatusSendStatus
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld-[name]/ldu-[slotId]
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]/ldu-[slotId]

```

## fsmRmtErrEquipmentChassisShutdownChassis:ApplyShutdown

**Fault Code:** F79164

### Message

[FSM:STAGE:REMOTE-ERROR]: Shutdown  
Chassis(FSM-STAGE:sam:dme:EquipmentChassisShutdownChassis:ApplyShutdown)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-shutdown-failed  
**mibFaultCode:** 79164  
**mibFaultName:** fsmRmtErrEquipmentChassisShutdownChassisApplyShutdown  
**moClass:** equipment:Chassis  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]

## fsmRmtErrEquipmentChassisRebootChassis:ApplyReboot

**Fault Code:** F79165

### Message

[FSM:STAGE:REMOTE-ERROR]: Reboot  
Chassis(FSM-STAGE:sam:dme:EquipmentChassisRebootChassis:ApplyReboot)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-reboot-failed  
**mibFaultCode:** 79165  
**mibFaultName:** fsmRmtErrEquipmentChassisRebootChassisApplyReboot  
**moClass:** equipment:Chassis  
**Type:** fsm  
**Callhome:** none

```

Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]

```

## fsmRmtErrIpsecEpUpdateEp:ApplyConfig

**Fault Code:** F79170

### Message

[FSM:STAGE:REMOTE-ERROR]: configure IPsec connections(FSM-STAGE:sam:dme:IpsecEpUpdateEp:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-config-failed
mibFaultCode: 79170
mibFaultName: fsmRmtErrIpsecEpUpdateEpApplyConfig
moClass: ipsec:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ipsec-ext

```

## fsmRmtErrNetworkEthLanMgmtUpdateInterfaceStatus:SendStatus

**Fault Code:** F79183

### Message

[FSM:STAGE:REMOTE-ERROR]: Send Management Interface Operational State(FSM-STAGE:sam:dme:NetworkEthLanMgmtUpdateInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-status-failed
mibFaultCode: 79183

```

```

mibFaultName: fsmRmtErrNetworkEthLanMgmtUpdateInterfaceStatusSendStatus
moClass: network:EthLanMgmt
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/mgmt-port-[portId]

```

## fsmRmtErrNetworkEthLanMgmtUpdateMgmtInterfaceStatus:SendStatus

**Fault Code:** F79184

### Message

[FSM:STAGE:REMOTE-ERROR]: Send Management Interface Operational State(FSM-STAGE:sam:dme:NetworkEthLanMgmtUpdateMgmtInterfaceStatus:SendStatus)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: send-status-failed
mibFaultCode: 79184
mibFaultName: fsmRmtErrNetworkEthLanMgmtUpdateMgmtInterfaceStatusSendStatus
moClass: network:EthLanMgmt
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/mgmt-port-[portId]

```

## fsmFailComputeServerDiscPolicyResolveScrubPolicy

**Fault Code:** F999516

### Message

[FSM:FAILED]: sam:dme:ComputeServerDiscPolicyResolveScrubPolicy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999516  
**mibFaultName:** fsmFailComputeServerDiscPolicyResolveScrubPolicy  
**moClass:** compute:ServerDiscPolicy  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** org- [name] /server-discovery

**fsmFailGmetaHolderInventory**

**Fault Code:** F999517

**Message**

[FSM:FAILED]: sam:dme:GmetaHolderInventory

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999517  
**mibFaultName:** fsmFailGmetaHolderInventory  
**moClass:** gmeta:Holder  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** gmeta/category- [category] -provider- [provider]

**fsmFailFirmwareDownloaderDownload**

**Fault Code:** F999557

**Message**

[FSM:FAILED]: sam:dme:FirmwareDownloaderDownload

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999557
mibFaultName: fsmFailFirmwareDownloaderDownload
moClass: firmware:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/dnld- [fileName]
Affected MO: sys/pki-ext/tp- [name]/certrevoke/dnld- [fileName]
```

**fsmFailFirmwareImageDelete**

**Fault Code:** F999558

**Message**

[FSM:FAILED]: sam:dme:FirmwareImageDelete

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999558
mibFaultName: fsmFailFirmwareImageDelete
moClass: firmware:Image
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/image- [name]
```

**fsmFailFirmwareDistributableDelete**

**Fault Code:** F999559

**Message**

[FSM:FAILED]: sam:dme:FirmwareDistributableDelete

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999559
mibFaultName: fsmFailFirmwareDistributableDelete
moClass: firmware:Distributable
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-catalogue/distrib-[name]
```

**fsmFailMgmtControllerUpdateUCSManager**

**Fault Code: F999560**

**Message**

[FSM:FAILED]: sam:dme:MgmtControllerUpdateUCSManager

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999560
mibFaultName: fsmFailMgmtControllerUpdateUCSManager
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
```

**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmFailMgmtControllerUpdateSwitch

**Fault Code:** F999561

### Message

[FSM:FAILED]: sam:dme:MgmtControllerUpdateSwitch

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999561  
**mibFaultName:** fsmFailMgmtControllerUpdateSwitch  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmFailMgmtControllerUpdateIOM

**Fault Code:** F999562

### Message

[FSM:FAILED]: sam:dme:MgmtControllerUpdateIOM

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999562
mibFaultName: fsmFailMgmtControllerUpdateIOM
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

**fsmFailFirmwarePlatformPackPlatformVersion**

**Fault Code:** F999563

**Message**

[FSM:FAILED]: sam:dme:FirmwarePlatformPackPlatformVersion

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999563
mibFaultName: fsmFailFirmwarePlatformPackPlatformVersion

```

```

moClass: firmware:PlatformPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org-[name]/fw-platform-pack-[name]

```

## fsmFailFirmwareSystemDeploy

**Fault Code:** F999564

### Message

[FSM:FAILED]: sam:dme:FirmwareSystemDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999564
mibFaultName: fsmFailFirmwareSystemDeploy
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmFailFirmwareSupFirmwareDeploy

**Fault Code:** F999565

### Message

[FSM:FAILED]: sam:dme:FirmwareSupFirmwareDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed

```

```

mibFaultCode: 999565
mibFaultName: fsmFailFirmwareSupFirmwareDeploy
moClass: firmware:SupFirmware
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-supfirmware

```

## fsmFailFirmwareSystemApplyCatalogPack

**Fault Code:** F999566

### Message

[FSM:FAILED]: sam:dme:FirmwareSystemApplyCatalogPack

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999566
mibFaultName: fsmFailFirmwareSystemApplyCatalogPack
moClass: firmware:System
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/fw-system

```

## fsmFailIdentIdentRequestUpdateIdent

**Fault Code:** F999568

### Message

[FSM:FAILED]: sam:dme:IdentIdentRequestUpdateIdent

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999568  
**mibFaultName:** fsmFailIdentIdentRequestUpdateIdent  
**moClass:** ident:IdentRequest  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys/IdentQ-[id]

**fsmFailIdentMetaSystemSync**

**Fault Code:** F999569

**Message**

[FSM:FAILED]: sam:dme:IdentMetaSystemSync

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999569  
**mibFaultName:** fsmFailIdentMetaSystemSync  
**moClass:** ident:MetaSystem  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** metaverse/metasys

**fsmFailIdentMetaSystemUcscUnivSync**

**Fault Code:** F999570

**Message**

[FSM:FAILED]: sam:dme:IdentMetaSystemUcscUnivSync

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999570
mibFaultName: fsmFailIdentMetaSystemUcscUnivSync
moClass: ident:MetaSystem
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: metaverse/metasys
```

**fsmFailSmAppDelete**

**Fault Code:** F999625

**Message**

[FSM:FAILED]: sam:dme:SmAppDelete

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999625
mibFaultName: fsmFailSmAppDelete
moClass: sm:App
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/app- [name] - [version]
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /app- [name] - [version]
```

**fsmFailSmSecSvcRestoreApplication**

**Fault Code:** F999626

**Message**

[FSM:FAILED]: sam:dme:SmSecSvcRestoreApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999626
mibFaultName: fsmFailSmSecSvcRestoreApplication
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc
```

**fsmFailSmAppUpdateApplication**

**Fault Code:** F999627

**Message**

[FSM:FAILED]: sam:dme:SmAppUpdateApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999627
mibFaultName: fsmFailSmAppUpdateApplication
moClass: sm:App
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/app- [name] - [version]
Affected MO: sys-secsvc/slot- [slotId] /app-inst- [appInstId] /app- [name] - [version]
```

## fsmFailSmAppInstanceResetApplication

**Fault Code:** F999628

### Message

[FSM:FAILED]: sam:dme:SmAppInstanceResetApplication

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999628
mibFaultName: fsmFailSmAppInstanceResetApplication
moClass: sm:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc/slot-[slotId]/app-inst-[appName]
```

## fsmFailSmSecSvcAutoDeployCSP

**Fault Code:** F999629

### Message

[FSM:FAILED]: sam:dme:SmSecSvcAutoDeployCSP

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999629
mibFaultName: fsmFailSmSecSvcAutoDeployCSP
moClass: sm:SecSvc
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sec-svc
```

## fsmFailSwAccessDomainDeploy

**Fault Code:** F999707

### Message

[FSM:FAILED]: sam:dme:SwAccessDomainDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999707
mibFaultName: fsmFailSwAccessDomainDeploy
moClass: sw:AccessDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/access-eth
```

## fsmFailSwEthLanBorderDeploy

**Fault Code:** F999708

### Message

[FSM:FAILED]: sam:dme:SwEthLanBorderDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999708
mibFaultName: fsmFailSwEthLanBorderDeploy
moClass: sw:EthLanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-eth
```

## fsmFailSwFcSanBorderDeploy

**Fault Code:** F999709

### Message

[FSM:FAILED]: sam:dme:SwFcSanBorderDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999709
mibFaultName: fsmFailSwFcSanBorderDeploy
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc
```

## fsmFailSwUtilityDomainDeploy

**Fault Code:** F999710

### Message

[FSM:FAILED]: sam:dme:SwUtilityDomainDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999710
mibFaultName: fsmFailSwUtilityDomainDeploy
moClass: sw:UtilityDomain
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/utility-eth
```

## fsmFailSwPhysConfPhysical

**Fault Code:** F999716

### Message

[FSM:FAILED]: sam:dme:SwPhysConfPhysical

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999716
mibFaultName: fsmFailSwPhysConfPhysical
moClass: sw:Phys
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/phys
```

## fsmFailSwExtUtilityConfPortBreakout

**Fault Code:** F999721

### Message

[FSM:FAILED]: sam:dme:SwExtUtilityConfPortBreakout

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999721
mibFaultName: fsmFailSwExtUtilityConfPortBreakout
moClass: sw:ExtUtility
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ext
```

## fsmFailSwFcSanBorderActivateZoneSet

**Fault Code:** F999722

### Message

[FSM:FAILED]: sam:dme:SwFcSanBorderActivateZoneSet

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999722
mibFaultName: fsmFailSwFcSanBorderActivateZoneSet
moClass: sw:FcSanBorder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/border-fc
```

## fsmFailCallhomeEpConfigCallhome

**Fault Code:** F999758

### Message

[FSM:FAILED]: sam:dme:CallhomeEpConfigCallhome

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999758
mibFaultName: fsmFailCallhomeEpConfigCallhome
moClass: callhome:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: call-home
```

## fsmFailAdaptorExtEthIfPathReset

**Fault Code:** F999767

### Message

[FSM:FAILED]: sam:dme:AdaptorExtEthIfPathReset

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999767
mibFaultName: fsmFailAdaptorExtEthIfPathReset
moClass: adaptor:ExtEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]/adaptor- [id]/ext-eth- [id]
Affected MO: sys/rack-unit- [id]/adaptor- [id]/ext-eth- [id]
```

## fsmFailAdaptorHostEthIfCircuitReset

**Fault Code:** F999770

### Message

[FSM:FAILED]: sam:dme:AdaptorHostEthIfCircuitReset

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999770
mibFaultName: fsmFailAdaptorHostEthIfCircuitReset
moClass: adaptor:HostEthIf
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
```



**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]

## fsmFailAdaptorHostFcIfCircuitReset

**Fault Code:** F99771

### Message

[FSM:FAILED]: sam:dme:AdaptorHostFcIfCircuitReset

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999771  
**mibFaultName:** fsmFailAdaptorHostFcIfCircuitReset  
**moClass:** adaptor:HostFcIf  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-fc-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-fc-[id]

## fsmFailLicenseDownloaderDownload

**Fault Code:** F99788

### Message

[FSM:FAILED]: sam:dme:LicenseDownloaderDownload

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999788  
**mibFaultName:** fsmFailLicenseDownloaderDownload  
**moClass:** license:Downloader

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/dnld- [fileName]

```

## fsmFailLicenseFileInstall

**Fault Code:** F999789

### Message

[FSM:FAILED]: sam:dme:LicenseFileInstall

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999789
mibFaultName: fsmFailLicenseFileInstall
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file- [scope]: [id]

```

## fsmFailLicenseFileClear

**Fault Code:** F999790

### Message

[FSM:FAILED]: sam:dme:LicenseFileClear

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999790

```

```

mibFaultName: fsmFailLicenseFileClear
moClass: license:File
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/file-[scope]:[id]

```

## fsmFailLicenseInstanceUpdateFlexIm

**Fault Code:** F999791

### Message

[FSM:FAILED]: sam:dme:LicenseInstanceUpdateFlexIm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999791
mibFaultName: fsmFailLicenseInstanceUpdateFlexIm
moClass: license:Instance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

## fsmFailLicenseSmartConfigSetConfig

**Fault Code:** F999792

### Message

[FSM:FAILED]: sam:dme:LicenseSmartConfigSetConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical

```

```

Cause: fsm-failed
mibFaultCode: 999792
mibFaultName: fsmFailLicenseSmartConfigSetConfig
moClass: license:SmartConfig
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/license/license-config- [operation]

```

## fsmFailLsServerConfigure

**Fault Code:** F999810

### Message

[FSM:FAILED]: sam:dme:LsServerConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999810
mibFaultName: fsmFailLsServerConfigure
moClass: ls:Server
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name]/ls- [name]
Affected MO: org- [name]/tier- [name]/ls- [name]

```

## fsmFailComputeBladeDiag

**Fault Code:** F999820

### Message

[FSM:FAILED]: sam:dme:ComputeBladeDiag

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999820  
**mibFaultName:** fsmFailComputeBladeDiag  
**moClass:** compute:Blade  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]

**fsmFailMgmtControllerExtMgmtInterfaceConfig**

**Fault Code:** F999843

**Message**

[FSM:FAILED]: sam:dme:MgmtControllerExtMgmtInterfaceConfig

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999843  
**mibFaultName:** fsmFailMgmtControllerExtMgmtInterfaceConfig  
**moClass:** mgmt:Controller  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt  
**Affected MO:** sys/fex-[id]/mgmt  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt  
**Affected MO:** sys/mgmt  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt  
**Affected MO:** sys/rack-unit-[id]/mgmt  
**Affected MO:** sys/switch-[id]/mgmt

## fsmFailComputePhysicalSwConnUpd

**Fault Code:** F999844

### Message

[FSM:FAILED]: sam:dme:ComputePhysicalSwConnUpd

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999844
mibFaultName: fsmFailComputePhysicalSwConnUpd
moClass: compute:Physical
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
Affected MO: sys/rack-unit- [id]
```

## fsmFailEquipmentIOCardResetIom

**Fault Code:** F999845

### Message

[FSM:FAILED]: sam:dme:EquipmentIOCardResetIom

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999845
mibFaultName: fsmFailEquipmentIOCardResetIom
moClass: equipment:IOCard
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
```

**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

## fsmFailComputePhysicalServiceInfraDeploy

**Fault Code:** F999846

### Message

[FSM:FAILED]: sam:dme:ComputePhysicalServiceInfraDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999846  
**mibFaultName:** fsmFailComputePhysicalServiceInfraDeploy  
**moClass:** compute:Physical  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]  
**Affected MO:** sys/rack-unit-[id]

## fsmFailComputePhysicalServiceInfraWithdraw

**Fault Code:** F999847

### Message

[FSM:FAILED]: sam:dme:ComputePhysicalServiceInfraWithdraw

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999847  
**mibFaultName:** fsmFailComputePhysicalServiceInfraWithdraw  
**moClass:** compute:Physical

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/blade- [slotId]
Affected MO: sys/rack-unit- [id]

```

## fsmFailEquipmentIOCardBaseFePresence

**Fault Code:** F999855

### Message

[FSM:FAILED]: sam:dme:EquipmentIOCardBaseFePresence

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999855
mibFaultName: fsmFailEquipmentIOCardBaseFePresence
moClass: equipment:IOCardBase
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]/slot- [id]
Affected MO: sys/chassis- [id]/sw-slot- [id]
Affected MO: sys/fex- [id]/slot- [id]

```

## fsmFailEquipmentIOCardBaseFeConn

**Fault Code:** F999856

### Message

[FSM:FAILED]: sam:dme:EquipmentIOCardBaseFeConn

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999856  
**mibFaultName:** fsmFailEquipmentIOCardBaseFeConn  
**moClass:** equipment:IOCardBase  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/slot-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]

**fsmFailEquipmentChassisRemoveChassis**

**Fault Code:** F999857

**Message**

[FSM:FAILED]: sam:dme:EquipmentChassisRemoveChassis

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 999857  
**mibFaultName:** fsmFailEquipmentChassisRemoveChassis  
**moClass:** equipment:Chassis  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]

**fsmFailEquipmentLocatorLedSetFeLocatorLed**

**Fault Code:** F999858

**Message**

[FSM:FAILED]: sam:dme:EquipmentLocatorLedSetFeLocatorLed

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999858
mibFaultName: fsmFailEquipmentLocatorLedSetFeLocatorLed
moClass: equipment:LocatorLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led
Affected MO: sys/chassis-[id]/blade-[slotId]/locator-led
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/chassis-[id]/locator-led
Affected MO: sys/chassis-[id]/psu-[id]/locator-led
Affected MO: sys/chassis-[id]/slot-[id]/locator-led
Affected MO: sys/fex-[id]/locator-led
Affected MO: sys/fex-[id]/psu-[id]/locator-led
Affected MO: sys/fex-[id]/slot-[id]/locator-led
Affected MO: sys/rack-unit-[id]/ext-board-[id]/locator-led
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/rack-unit-[id]/locator-led
Affected MO: sys/rack-unit-[id]/psu-[id]/locator-led
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/switch-[id]/locator-led
Affected MO: sys/switch-[id]/psu-[id]/locator-led
```

**fsmFailEquipmentLocatorLedSetFiLocatorLed**

**Fault Code:** F999859

**Message**

[FSM:FAILED]: sam:dme:EquipmentLocatorLedSetFiLocatorLed

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999859
mibFaultName: fsmFailEquipmentLocatorLedSetFiLocatorLed
moClass: equipment:LocatorLed
Type: fsm
Callhome: none
Auto Cleared: true
```

```

Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/locator-led
Affected MO: sys/chassis-[id]/blade-[slotId]/locator-led
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/chassis-[id]/locator-led
Affected MO: sys/chassis-[id]/psu-[id]/locator-led
Affected MO: sys/chassis-[id]/slot-[id]/locator-led
Affected MO: sys/fex-[id]/locator-led
Affected MO: sys/fex-[id]/psu-[id]/locator-led
Affected MO: sys/fex-[id]/slot-[id]/locator-led
Affected MO: sys/rack-unit-[id]/ext-board-[id]/locator-led
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/rack-unit-[id]/locator-led
Affected MO: sys/rack-unit-[id]/psu-[id]/locator-led
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/locator-led
Affected MO: sys/switch-[id]/locator-led
Affected MO: sys/switch-[id]/psu-[id]/locator-led

```

## fsmFailPortPioInCompatSfpPresence

**Fault Code:** F999862

### Message

[FSM:FAILED]: sam:dme:PortPioInCompatSfpPresence

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 999862
mibFaultName: fsmFailPortPioInCompatSfpPresence
moClass: port:Pio
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/aggr-port-[aggrPortId]/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/port-[portId]

```

## fsmFailPortPloInCompatSfpReplaced

**Fault Code:** F999863

### Message

[FSM:FAILED]: sam:dme:PortPloInCompatSfpReplaced

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 999863
mibFaultName: fsmFailPortPloInCompatSfpReplaced
moClass: port:Plo
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id] /slot- [id] / [type] /aggr-port- [aggrPortId] /port- [portId]
Affected MO: sys/chassis- [id] /slot- [id] / [type] /port- [portId]
Affected MO: sys/chassis- [id] /sw-slot- [id] / [type] /aggr-port- [aggrPortId] /port- [portId]
Affected MO: sys/chassis- [id] /sw-slot- [id] / [type] /port- [portId]
Affected MO: sys/fex- [id] /slot- [id] / [type] /aggr-port- [aggrPortId] /port- [portId]
Affected MO: sys/fex- [id] /slot- [id] / [type] /port- [portId]
Affected MO: sys/switch- [id] /slot- [id] / [type] /aggr-port- [aggrPortId] /port- [portId]
Affected MO: sys/switch- [id] /slot- [id] / [type] /port- [portId]
```

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F1000103

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000103
```

```

mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/controllers/contro- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/providers/prov- [type] /observed- [dataSrcSysId] - [id]
Affected MO: observe/observed- [dataSrcSysId] - [id]

```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F1000104

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000104
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/controllers/contro- [id] /observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/observed- [dataSrcSysId] - [id]
Affected MO: extpol/reg/providers/prov- [type] /observed- [dataSrcSysId] - [id]
Affected MO: observe/observed- [dataSrcSysId] - [id]

```

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F1000105

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000105
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

**fsmFailObserveObservedResolveControllerFsm**

**Fault Code:** F1000106

**Message**

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000106
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailEquipmentBeaconLedIlluminate

**Fault Code:** F1000189

### Message

[FSM:FAILED]: sam:dme:EquipmentBeaconLedIlluminate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000189
mibFaultName: fsmFailEquipmentBeaconLedIlluminate
moClass: equipment:BeaconLed
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/beacon
Affected MO: sys/chassis-[id]/blade-[slotId]/beacon
Affected MO: sys/chassis-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/chassis-[id]/psu-[id]/beacon
Affected MO: sys/chassis-[id]/slot-[id]/beacon
Affected MO: sys/fex-[id]/beacon
Affected MO: sys/fex-[id]/psu-[id]/beacon
Affected MO: sys/fex-[id]/slot-[id]/beacon
Affected MO: sys/rack-unit-[id]/beacon
Affected MO: sys/rack-unit-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/rack-unit-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/fan-module-[tray]-[id]/beacon
Affected MO: sys/switch-[id]/psu-[id]/beacon
Affected MO: sys/switch-[id]/slot-[id]/beacon
```

## fsmFailSdAppInstanceInstallApplication

**Fault Code:** F1000191

### Message

[FSM:FAILED]: sam:dme:SdAppInstanceInstallApplication

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000191  
**mibFaultName:** fsmFailSdAppInstanceInstallApplication  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]

**fsmFailSdAppInstanceStartApplication**

**Fault Code:** F1000192

**Message**

[FSM:FAILED]: sam:dme:SdAppInstanceStartApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000192  
**mibFaultName:** fsmFailSdAppInstanceStartApplication  
**moClass:** sd:AppInstance  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]/app-inst-[appInstId]

**fsmFailSdLduProvisionLDU**

**Fault Code:** F1000193

**Message**

[FSM:FAILED]: sam:dme:SdLduProvisionLDU

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000193
mibFaultName: fsmFailSdLduProvisionLDU
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]
```

**fsmFailSdAppInstanceUpgradeApplication**

**Fault Code:** F1000194

**Message**

[FSM:FAILED]: sam:dme:SdAppInstanceUpgradeApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000194
mibFaultName: fsmFailSdAppInstanceUpgradeApplication
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

**fsmFailSdAppInstanceStopApplication**

**Fault Code:** F1000195

**Message**

[FSM:FAILED]: sam:dme:SdAppInstanceStopApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000195
mibFaultName: fsmFailSdAppInstanceStopApplication
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

**fsmFailSdAppInstanceUninstallApplication**

**Fault Code: F1000196**

**Message**

[FSM:FAILED]: sam:dme:SdAppInstanceUninstallApplication

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000196
mibFaultName: fsmFailSdAppInstanceUninstallApplication
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot-[slotId]/app-inst-[appInstId]
```

## fsmFailSdSlotChangePlatformLogLevel

**Fault Code:** F1000197

### Message

[FSM:FAILED]: sam:dme:SdSlotChangePlatformLogLevel

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000197
mibFaultName: fsmFailSdSlotChangePlatformLogLevel
moClass: sd:Slot
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]
```

## fsmFailSdAppInstanceBundleDataPorts

**Fault Code:** F1000198

### Message

[FSM:FAILED]: sam:dme:SdAppInstanceBundleDataPorts

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000198
mibFaultName: fsmFailSdAppInstanceBundleDataPorts
moClass: sd:AppInstance
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]
```

## fsmFailSdLogicalDeviceConfigureLinks

**Fault Code:** F1000199

### Message

[FSM:FAILED]: sam:dme:SdLogicalDeviceConfigureLinks

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000199
mibFaultName: fsmFailSdLogicalDeviceConfigureLinks
moClass: sd:LogicalDevice
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]
```

## fsmFailSdLinkUpdateInterfaceStatus

**Fault Code:** F1000200

### Message

[FSM:FAILED]: sam:dme:SdLinkUpdateInterfaceStatus

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000200
mibFaultName: fsmFailSdLinkUpdateInterfaceStatus
moClass: sd:Link
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
```

**Affected MO:**  
 sys-secsvc/ld- [name]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]  
**Affected MO:** sys-secsvc/ld- [name]/ldu- [slotId]/ext-ldulink- [name] - [appInstId]  
**Affected MO:**  
 sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]/app-ldulink- [name] - [endpoint1AppInstId] - [endpoint2AppInstId]  
**Affected MO:**  
 sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]/ext-ldulink- [name] - [appInstId]

## fsmFailSdClusterBootstrapUpdateClusterConfiguration

**Fault Code:** F1000201

### Message

[FSM:FAILED]: sam:dme:SdClusterBootstrapUpdateClusterConfiguration

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000201  
**mibFaultName:** fsmFailSdClusterBootstrapUpdateClusterConfiguration  
**moClass:** sd:ClusterBootstrap  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]/cluster-bootstrap  
**Affected MO:** sys-secsvc/slot- [slotId]/app-inst- [appInstId]/cluster-bootstrap

## fsmFailSdSlotFormatDisk

**Fault Code:** F1000202

### Message

[FSM:FAILED]: sam:dme:SdSlotFormatDisk

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000202  
**mibFaultName:** fsmFailSdSlotFormatDisk  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]

**fsmFailSdSlotSynchTimeZone**

**Fault Code:** F1000203

**Message**

[FSM:FAILED]: sam:dme:SdSlotSynchTimeZone

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000203  
**mibFaultName:** fsmFailSdSlotSynchTimeZone  
**moClass:** sd:Slot  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/slot-[slotId]

**fsmFailSdAppAttributeCtrlGetAppAttributes**

**Fault Code:** F1000204

**Message**

[FSM:FAILED]: sam:dme:SdAppAttributeCtrlGetAppAttributes

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000204
mibFaultName: fsmFailSdAppAttributeCtrlGetAppAttributes
moClass: sd:AppAttributeCtrl
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/app-attribute-ctrl
```

**fsmFailSdMgmtInfoUpdateMgmtInfo**

**Fault Code:** F1000205

**Message**

[FSM:FAILED]: sam:dme:SdMgmtInfoUpdateMgmtInfo

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000205
mibFaultName: fsmFailSdMgmtInfoUpdateMgmtInfo
moClass: sd:MgmtInfo
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/mgmt-info
```

**fsmFailSdNetMgmtBootstrapUpdateNetMgmtBootstrap**

**Fault Code:** F1000206

**Message**

[FSM:FAILED]: sam:dme:SdNetMgmtBootstrapUpdateNetMgmtBootstrap

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000206
mibFaultName: fsmFailSdNetMgmtBootstrapUpdateNetMgmtBootstrap
moClass: sd:NetMgmtBootstrap
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/net-mgmt-bootstrap
```

**fsmFailSdUpgradeTaskStopUpgradeStartApp**

**Fault Code:** F1000207

**Message**

[FSM:FAILED]: sam:dme:SdUpgradeTaskStopUpgradeStartApp

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000207
mibFaultName: fsmFailSdUpgradeTaskStopUpgradeStartApp
moClass: sd:UpgradeTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/upgrade-task
```



## fsmFailEtherServerIntFioConfigSpeed

**Fault Code:** F1000209

### Message

[FSM:FAILED]: sam:dme:EtherServerIntFioConfigSpeed

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000209
mibFaultName: fsmFailEtherServerIntFioConfigSpeed
moClass: ether:ServerIntFio
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/diag/port-[portId]
Affected MO: sys/chassis-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/chassis-[id]/sw-slot-[id]/[type]/port-[portId]
Affected MO: sys/fex-[id]/slot-[id]/[type]/port-[portId]
Affected MO: sys/rack-unit-[id]/diag/port-[portId]
Affected MO: sys/switch-[id]/slot-[id]/[type]/port-[portId]
```

## fsmFailEtherFtwPortPairConfigFtw

**Fault Code:** F1000210

### Message

[FSM:FAILED]: sam:dme:EtherFtwPortPairConfigFtw

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000210
mibFaultName: fsmFailEtherFtwPortPairConfigFtw
moClass: ether:FtwPortPair
```

```

Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/switch- [id] /fail-to-wire/ftw-port- [slotId] - [aggrPortId] - [portId] -port- [peerSlotId]
- [peerAggrPortId] - [peerPortId]

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F1000225

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000225
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol

```

## fsmFailExtpolRegistryCrossDomainConfig

**Fault Code:** F1000226

### Message

[FSM:FAILED]: sam:dme:ExtpolRegistryCrossDomainConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical

```

```

Cause: fsm-failed
mibFaultCode: 1000226
mibFaultName: fsmFailExtpolRegistryCrossDomainConfig
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmFailExtpolRegistryCrossDomainDelete

**Fault Code:** F1000227

### Message

[FSM:FAILED]: sam:dme:ExtpolRegistryCrossDomainDelete

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000227
mibFaultName: fsmFailExtpolRegistryCrossDomainDelete
moClass: extpol:Registry
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg

```

## fsmFailStorageSystemSync

**Fault Code:** F1000264

### Message

[FSM:FAILED]: sam:dme:StorageSystemSync

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000264  
**mibFaultName:** fsmFailStorageSystemSync  
**moClass:** storage:System  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** storage-ep/system

**fsmFailSysfileMutationSingle**

**Fault Code:** F1000266

**Message**

[FSM:FAILED]: sam:dme:SysfileMutationSingle

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000266  
**mibFaultName:** fsmFailSysfileMutationSingle  
**moClass:** sysfile:Mutation  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/corefiles/file- [name] | [switchId]/mutation  
**Affected MO:** sys/corefiles/mutation

**fsmFailSysfileMutationGlobal**

**Fault Code:** F1000267

**Message**

[FSM:FAILED]: sam:dme:SysfileMutationGlobal

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000267
mibFaultName: fsmFailSysfileMutationGlobal
moClass: sysfile:Mutation
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file-[name] | [switchId]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmFailApplicationDownloaderDownload**

**Fault Code:** F1000271

**Message**

[FSM:FAILED]: sam:dme:ApplicationDownloaderDownload

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000271
mibFaultName: fsmFailApplicationDownloaderDownload
moClass: application:Downloader
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/app-catalogue/dnld-[fileName]
```

**fsmFailCommSvcEpUpdateSvcEp**

**Fault Code:** F1000272

**Message**

[FSM:FAILED]: sam:dme:CommSvcEpUpdateSvcEp

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000272
mibFaultName: fsmFailCommSvcEpUpdateSvcEp
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

**fsmFailCommSvcEpRestartWebSvc****Fault Code: F1000273****Message**

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000273
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/svc-ext
```

## fsmFailPkiEpUpdateEp

**Fault Code:** F1000291

**Message**

[FSM:FAILED]: sam:dme:PkiEpUpdateEp

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000291
mibFaultName: fsmFailPkiEpUpdateEp
moClass: pki:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/pki-ext
```

## fsmFailAaaEpUpdateEp

**Fault Code:** F1000292

**Message**

[FSM:FAILED]: sam:dme:AaaEpUpdateEp

**Explanation**

Cisco FPR Manager could not set the configurations for AAA servers.

**Recommended Action**

Check the error for the failed FSM stage and take the recommended action for that stage.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000292
mibFaultName: fsmFailAaaEpUpdateEp
moClass: aaa:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ldap-ext
Affected MO: sys/radius-ext
Affected MO: sys/tacacs-ext
```

## fsmFailAaaRealmUpdateRealm

**Fault Code:** F1000293

### Message

[FSM:FAILED]: sam:dme:AaaRealmUpdateRealm

### Explanation

Cisco FPR Manager could not set the configurations for Authentication Realm.

### Recommended Action

Check the error for the failed FSM stage and take the recommended action for that stage.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000293
mibFaultName: fsmFailAaaRealmUpdateRealm
moClass: aaa:Realm
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/auth-realm
```

## fsmFailAaaUserEpUpdateUserEp

**Fault Code:** F1000294

### Message

[FSM:FAILED]: sam:dme:AaaUserEpUpdateUserEp

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000294
mibFaultName: fsmFailAaaUserEpUpdateUserEp
moClass: aaa:UserEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/user-ext
```



## fsmFailSysdebugManualCoreFileExportTargetExport

**Fault Code:** F1000305

### Message

[FSM:FAILED]: sam:dme:SysdebugManualCoreFileExportTargetExport

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000305
mibFaultName: fsmFailSysdebugManualCoreFileExportTargetExport
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]/export-to- [hostname]
```

## fsmFailSysdebugLogExportPolicyConfigure

**Fault Code:** F1000306

### Message

[FSM:FAILED]: sam:dme:SysdebugLogExportPolicyConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000306
mibFaultName: fsmFailSysdebugLogExportPolicyConfigure
moClass: sysdebug:LogExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/log-export-policy
```

## fsmFailSysdebugAutoCoreFileExportTargetConfigure

**Fault Code:** F1000307

### Message

[FSM:FAILED]: sam:dme:SysdebugAutoCoreFileExportTargetConfigure

### Explanation

Cisco Firepower Manager could not set the configurations for auto core transfer to remote TFTP server.

### Recommended Action

Check the error for the failed FSM stage and take the recommended action for that stage.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000307
mibFaultName: fsmFailSysdebugAutoCoreFileExportTargetConfigure
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/file-export
```

## fsmFailSysdebugTechSupportInitiate

**Fault Code:** F1000308

### Message

[FSM:FAILED]: sam:dme:SysdebugTechSupportInitiate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000308
mibFaultName: fsmFailSysdebugTechSupportInitiate
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support- [creationTS]
```

## fsmFailSysdebugTechSupportDeleteTechSupFile

**Fault Code:** F1000309

### Message

[FSM:FAILED]: sam:dme:SysdebugTechSupportDeleteTechSupFile

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000309
mibFaultName: fsmFailSysdebugTechSupportDeleteTechSupFile
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support- [creationTS]
```

## fsmFailSysdebugTechSupportDownload

**Fault Code:** F1000310

### Message

[FSM:FAILED]: sam:dme:SysdebugTechSupportDownload

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000310
mibFaultName: fsmFailSysdebugTechSupportDownload
moClass: sysdebug:TechSupport
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tech-support-files/tech-support- [creationTS]
```

## fsmFailSysdebugCoreDownload

**Fault Code:** F1000311

### Message

[FSM:FAILED]: sam:dme:SysdebugCoreDownload

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000311
mibFaultName: fsmFailSysdebugCoreDownload
moClass: sysdebug:Core
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/corefiles/file- [name] | [switchId]
```

## fsmFailSysdebugLogControlEpLogControlPersist

**Fault Code:** F1000312

### Message

[FSM:FAILED]: sam:dme:SysdebugLogControlEpLogControlPersist

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000312
mibFaultName: fsmFailSysdebugLogControlEpLogControlPersist
moClass: sysdebug:LogControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/sysdebug/logcontrol
```

## fsmFailEpqosDefinitionDeploy

**Fault Code:** F1000376

### Message

[FSM:FAILED]: sam:dme:EpqosDefinitionDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000376
mibFaultName: fsmFailEpqosDefinitionDeploy
moClass: epqos:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos- [name]
```

## fsmFailEpqosDefinitionDelTaskRemove

**Fault Code:** F1000377

### Message

[FSM:FAILED]: sam:dme:EpqosDefinitionDelTaskRemove

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000377
mibFaultName: fsmFailEpqosDefinitionDelTaskRemove
moClass: epqos:DefinitionDelTask
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /ep-qos-deletion- [defIntId]
```

## fsmFailQosclassDefinitionConfigGlobalQoS

**Fault Code:** F1000380

### Message

[FSM:FAILED]: sam:dme:QosclassDefinitionConfigGlobalQoS

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000380
mibFaultName: fsmFailQosclassDefinitionConfigGlobalQoS
moClass: qosclass:Definition
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan/classes
```

## fsmFailMgmtControllerRegistryConfig

**Fault Code:** F1000387

### Message

[FSM:FAILED]: sam:dme:MgmtControllerRegistryConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000387
mibFaultName: fsmFailMgmtControllerRegistryConfig
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
```

```

Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmFailMgmtIfSwMgmtOobIfConfig

**Fault Code: F1000398**

### Message

[FSM:FAILED]: sam:dme:MgmtIfSwMgmtOobIfConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000398
mibFaultName: fsmFailMgmtIfSwMgmtOobIfConfig
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]

```

**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmFailMgmtIfSwMgmtInbandIfConfig

**Fault Code:** F1000399

### Message

[FSM:FAILED]: sam:dme:MgmtIfSwMgmtInbandIfConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000399  
**mibFaultName:** fsmFailMgmtIfSwMgmtInbandIfConfig  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmFailMgmtIPv6IfAddrSwMgmtOobIPv6IfConfig

**Fault Code:** F1000400

### Message

[FSM:FAILED]: sam:dme:MgmtIPv6IfAddrSwMgmtOobIPv6IfConfig



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000400
mibFaultName: fsmFailMgmtIPv6IfAddrSwMgmtOobIPv6IfConfig
moClass: mgmt:IPv6IfAddr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/fex-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO:
sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/switch-[id]/ifConfig-ipv6/if-ipv6
Affected MO: sys/switch-[id]/mgmt/if-[id]/ifConfig-ipv6/if-ipv6

```

**fsmFailNhTableHolderConfigureLinks**

**Fault Code:** F1000413

**Message**

[FSM:FAILED]: sam:dme:NhTableHolderConfigureLinks

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000413
mibFaultName: fsmFailNhTableHolderConfigureLinks
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmFailNhTableHolderBootstrapLinks**

**Fault Code:** F1000414

**Message**

[FSM:FAILED]: sam:dme:NhTableHolderBootstrapLinks

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000414
mibFaultName: fsmFailNhTableHolderBootstrapLinks
moClass: nh:TableHolder
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/tbh
```

**fsmFailStatsCollectionPolicyUpdateEp**

**Fault Code:** F1000418

**Message**

[FSM:FAILED]: sam:dme:StatsCollectionPolicyUpdateEp

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000418
mibFaultName: fsmFailStatsCollectionPolicyUpdateEp
moClass: stats:CollectionPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: stats/coll-policy- [name]
```

**fsmFailSyntheticFsObjCreate**

**Fault Code: F1000443**

**Message**

[FSM:FAILED]: sam:dme:SyntheticFsObjCreate

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000443
mibFaultName: fsmFailSyntheticFsObjCreate
moClass: synthetic:FsoObj
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/file- [name]
```

## fsmFailCapabilityUpdaterUpdater

**Fault Code:** F1000448

### Message

[FSM:FAILED]: sam:dme:CapabilityUpdaterUpdater

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000448
mibFaultName: fsmFailCapabilityUpdaterUpdater
moClass: capability:Updater
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/updater- [fileName]
```

## fsmFailCapabilityCatalogueActivateCatalog

**Fault Code:** F1000449

### Message

[FSM:FAILED]: sam:dme:CapabilityCatalogueActivateCatalog

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000449
mibFaultName: fsmFailCapabilityCatalogueActivateCatalog
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities
```

## fsmFailCapabilityMgmtExtensionActivateMgmtExt

**Fault Code:** F1000450

### Message

[FSM:FAILED]: sam:dme:CapabilityMgmtExtensionActivateMgmtExt

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000450
mibFaultName: fsmFailCapabilityMgmtExtensionActivateMgmtExt
moClass: capability:MgmtExtension
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities/ep/mgmt-ext
```

## fsmFailCapabilityCatalogueDeployCatalogue

**Fault Code:** F1000451

### Message

[FSM:FAILED]: sam:dme:CapabilityCatalogueDeployCatalogue

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000451
mibFaultName: fsmFailCapabilityCatalogueDeployCatalogue
moClass: capability:Catalogue
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: capabilities
```

## fsmFailSwEthMonDeploy

**Fault Code:** F1000460

### Message

[FSM:FAILED]: sam:dme:SwEthMonDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000460
mibFaultName: fsmFailSwEthMonDeploy
moClass: sw:EthMon
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/lanmon-eth/mon-[name]
```

## fsmFailSwSspEthMonDeploy

**Fault Code:** F1000509

### Message

[FSM:FAILED]: sam:dme:SwSspEthMonDeploy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000509
mibFaultName: fsmFailSwSspEthMonDeploy
moClass: sw:SspEthMon
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/ssp-lanmon-eth/ssp-mon-session[name]
```

## fsmFailSwSspEthMonSrcPhyEpDelete

**Fault Code:** F1000510

### Message

[FSM:FAILED]: sam:dme:SwSspEthMonSrcPhyEpDelete

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000510
mibFaultName: fsmFailSwSspEthMonSrcPhyEpDelete
moClass: sw:SspEthMonSrcPhyEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
sys/switch- [id]/ssp-lanmon-eth/ssp-mon-session[name]/ssp-mon-src-phy- [chassisId]-slot-
[slotId]-port- [portId]-aggr- [aggrPortId]
```

## fsmFailFabricVnetEpSyncEpPushVnetEpDeletion

**Fault Code:** F1000516

### Message

[FSM:FAILED]: sam:dme:FabricVnetEpSyncEpPushVnetEpDeletion

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000516
mibFaultName: fsmFailFabricVnetEpSyncEpPushVnetEpDeletion
moClass: fabric:VnetEpSyncEp
Type: fsm
Callhome: none
Auto Cleared: true
```

```
Is Implemented: true
Affected MO: extpol/reg/providers/prov-[type]/syncEp
```

## fsmFailFabricLanCloudSwitchMode

**Fault Code:** F1000517

### Message

[FSM:FAILED]: sam:dme:FabricLanCloudSwitchMode

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000517
mibFaultName: fsmFailFabricLanCloudSwitchMode
moClass: fabric:LanCloud
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/lan
```

## fsmFailFabricSanCloudSwitchMode

**Fault Code:** F1000518

### Message

[FSM:FAILED]: sam:dme:FabricSanCloudSwitchMode

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000518
mibFaultName: fsmFailFabricSanCloudSwitchMode
moClass: fabric:SanCloud
Type: fsm
```



```

Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/san

```

## fsmFailFabricEpMgrConfigure

**Fault Code:** F1000524

### Message

[FSM:FAILED]: sam:dme:FabricEpMgrConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000524
mibFaultName: fsmFailFabricEpMgrConfigure
moClass: fabric:EpMgr
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: fabric/[id]

```

## fsmFailMgmtExportPolicyReportConfigCopy

**Fault Code:** F1000530

### Message

[FSM:FAILED]: sam:dme:MgmtExportPolicyReportConfigCopy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000530
mibFaultName: fsmFailMgmtExportPolicyReportConfigCopy

```

```

moClass: mgmt:ExportPolicy
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: org- [name] /cfg-exp-policy- [name]
Affected MO: org- [name] /db-backup-policy- [name]

```

## fsmFailExtpolProviderReportConfigImport

**Fault Code:** F1000531

### Message

[FSM:FAILED]: sam:dme:ExtpolProviderReportConfigImport

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000531
mibFaultName: fsmFailExtpolProviderReportConfigImport
moClass: extpol:Provider
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol/reg/providers/prov- [type]

```

## fsmFailMgmtIfVirtualIfConfig

**Fault Code:** F1000532

### Message

[FSM:FAILED]: sam:dme:MgmtIfVirtualIfConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical

```

```

Cause: fsm-failed
mibFaultCode: 1000532
mibFaultName: fsmFailMgmtIfVirtualIfConfig
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmFailMgmtIfEnableVip

**Fault Code: F1000533**

### Message

[FSM:FAILED]: sam:dme:MgmtIfEnableVip

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000533
mibFaultName: fsmFailMgmtIfEnableVip
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]

```

```

Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]
Affected MO: sys/switch-[id]/mgmt/if-[id]

```

## fsmFailMgmtIfDisableVip

**Fault Code:** F1000534

### Message

[FSM:FAILED]: sam:dme:MgmtIfDisableVip

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000534
mibFaultName: fsmFailMgmtIfDisableVip
moClass: mgmt:If
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]
Affected MO:
sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/mgmt/if-[id]
Affected MO: sys/fex-[id]/slot-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]
Affected MO: sys/rack-unit-[id]/mgmt/if-[id]

```

**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmFailMgmtIfEnableHA

**Fault Code:** F1000535

### Message

[FSM:FAILED]: sam:dme:MgmtIfEnableHA

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000535  
**mibFaultName:** fsmFailMgmtIfEnableHA  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/blade-[slotId]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/chassis-[id]/sw-slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/mgmt/if-[id]  
**Affected MO:** sys/fex-[id]/slot-[id]/mgmt/if-[id]  
**Affected MO:** sys/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/host-eth-[id]/if-[id]  
**Affected MO:** sys/rack-unit-[id]/adaptor-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/ext-board-[id]/mgmt/if-[id]  
**Affected MO:** sys/rack-unit-[id]/mgmt/if-[id]  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]

## fsmFailMgmtBackupBackup

**Fault Code:** F1000536

### Message

[FSM:FAILED]: sam:dme:MgmtBackupBackup

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000536
mibFaultName: fsmFailMgmtBackupBackup
moClass: mgmt:Backup
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/backup- [hostname]
```

**fsmFailMgmtImporterImport****Fault Code: F1000537****Message**

[FSM:FAILED]: sam:dme:MgmtImporterImport

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000537
mibFaultName: fsmFailMgmtImporterImport
moClass: mgmt:Importer
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/import-config- [hostname]
```

## fsmFailMgmtControllerSysConfig

**Fault Code:** F1000538

### Message

[FSM:FAILED]: sam:dme:MgmtControllerSysConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000538
mibFaultName: fsmFailMgmtControllerSysConfig
moClass: mgmt:Controller
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]/blade-[slotId]/adaptor-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/boardController/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/ext-board-[id]/mgmt
Affected MO: sys/chassis-[id]/blade-[slotId]/mgmt
Affected MO: sys/chassis-[id]/slot-[id]/mgmt
Affected MO: sys/chassis-[id]/sw-slot-[id]/mgmt
Affected MO: sys/fex-[id]/mgmt
Affected MO: sys/fex-[id]/slot-[id]/mgmt
Affected MO: sys/mgmt
Affected MO: sys/rack-unit-[id]/adaptor-[id]/mgmt
Affected MO: sys/rack-unit-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/boardController/mgmt
Affected MO: sys/rack-unit-[id]/ext-board-[id]/mgmt
Affected MO: sys/rack-unit-[id]/mgmt
Affected MO: sys/switch-[id]/mgmt

```

## fsmFailNfsMountInstMount

**Fault Code:** F1000571

### Message

[FSM:FAILED]: sam:dme:NfsMountInstMount

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000571
mibFaultName: fsmFailNfsMountInstMount
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmFailNfsMountInstUnmount**

**Fault Code:** F1000572

**Message**

[FSM:FAILED]: sam:dme:NfsMountInstUnmount

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000572
mibFaultName: fsmFailNfsMountInstUnmount
moClass: nfs:MountInst
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch-[id]/nfs-mount-inst-[name]
```

**fsmFailNfsMountDefReportNfsMountSuspend**

**Fault Code:** F1000573

**Message**

[FSM:FAILED]: sam:dme:NfsMountDefReportNfsMountSuspend



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000573
mibFaultName: fsmFailNfsMountDefReportNfsMountSuspend
moClass: nfs:MountDef
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: nfs-ep/nfs-mount-def- [name]
```

**fsmFailExtpolEpRepairCert**

**Fault Code:** F1000594

**Message**

[FSM:FAILED]: sam:dme:ExtpolEpRepairCert

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000594
mibFaultName: fsmFailExtpolEpRepairCert
moClass: extpol:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: extpol
```

## fsmFailPolicyControlEpOperate

**Fault Code:** F1000595

### Message

[FSM:FAILED]: sam:dme:PolicyControlEpOperate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000595
mibFaultName: fsmFailPolicyControlEpOperate
moClass: policy:ControlEp
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep- [type]
```

## fsmFailPolicyControlledTypeOperate

**Fault Code:** F1000596

### Message

[FSM:FAILED]: sam:dme:PolicyControlledTypeOperate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000596
mibFaultName: fsmFailPolicyControlledTypeOperate
moClass: policy:ControlledType
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/control-ep- [type]/cfg-backup-ctrl/ctrlled-type- [type]
```

```

Affected MO: sys/control-ep- [type]/comm-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/datetime-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/discovery-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/dns-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/fabric-fw-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/fault-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/mep-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/monitoring-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/powermgmt-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/psu-ctrl/ctrlled-type- [type]
Affected MO: sys/control-ep- [type]/security-ctrl/ctrlled-type- [type]

```

## fsmFailPolicyPolicyScopeReleasePolicyFsm

**Fault Code:** F1000599

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000599
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client- [id]/scope-cont- [appType]/context- [name]/scope- [policyType] -
[resolveType] - [policyName]
Affected MO:
extpol/reg/controllers/contro- [id]/scope-cont- [appType]/context- [name]/scope- [policyType]
pe] - [resolveType] - [policyName]
Affected MO:
extpol/reg/providers/prov- [type]/scope-cont- [appType]/context- [name]/scope- [policyType]
]- [resolveType] - [policyName]
Affected MO:
extpol/reg/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [polic
yName]
Affected MO:
policy-ep/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [polic
yName]

```

## fsmFailPolicyPolicyScopeReleaseOperationFsm

**Fault Code:** F1000600

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000600
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmFailPolicyPolicyScopeReleaseStorageFsm

**Fault Code:** F1000601

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000601
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
  pe]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
  ]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
  yName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

**fsmFailPolicyPolicyScopeResolveManyPolicyFsm**

**Fault Code:** F1000602

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000602
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true

```

**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code: F1000603**

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000603  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyOperationFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F1000604

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000604
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client- [id]/scope-cont- [appType]/context- [name]/scope- [policyType] -
  [resolveType] - [policyName]
Affected MO:
  extpol/reg/controllers/contro- [id]/scope-cont- [appType]/context- [name]/scope- [policyTy
  pe] - [resolveType] - [policyName]
Affected MO:
  extpol/reg/providers/prov- [type]/scope-cont- [appType]/context- [name]/scope- [policyType
  ] - [resolveType] - [policyName]
Affected MO:
  extpol/reg/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [poli
  cyName]
Affected MO:
  policy-ep/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policy
  Name]

```

## fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

**Fault Code:** F1000605

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000605
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseManyOperationFsm**

**Fault Code: F1000606**

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000606
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true

```



**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F1000607

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000607  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllPolicyFsm

**Fault Code:** F1000608

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000608
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F1000609

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000609
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client- [id]/scope-cont- [appType]/context- [name]/scope- [policyType] -
[resolveType] - [policyName]
Affected MO:
extpol/reg/controllers/contro- [id]/scope-cont- [appType]/context- [name]/scope- [policyTy
pe] - [resolveType] - [policyName]
Affected MO:
extpol/reg/providers/prov- [type]/scope-cont- [appType]/context- [name]/scope- [policyType
] - [resolveType] - [policyName]
Affected MO:
extpol/reg/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [polic
yName]
Affected MO:
policy-ep/scope-cont- [appType]/context- [name]/scope- [policyType] - [resolveType] - [policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllStorageFsm**

**Fault Code:** F1000610

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000610
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true

```

**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F1000611

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000611  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllOperationFsm

**Fault Code:** F1000612

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000612
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
  pe]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
  ]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[poli
  cyName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F1000613

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000613
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailFirmwareInfraPackInfraVersion**

**Fault Code: F1000730**

**Message**

[FSM:FAILED]: sam:dme:FirmwareInfraPackInfraVersion

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1000730
mibFaultName: fsmFailFirmwareInfraPackInfraVersion
moClass: firmware:InfraPack
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true

```

**Affected MO:** org-[name]/fw-infra-pack-[name]

## fsmFailFirmwareValidationStatusValidate

**Fault Code:** F1000740

### Message

[FSM:FAILED]: sam:dme:FirmwareValidationStatusValidate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000740  
**mibFaultName:** fsmFailFirmwareValidationStatusValidate  
**moClass:** firmware:ValidationStatus  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/fw-catalogue/distrib-[name]/validation

## fsmFailSdLogicalDeviceConfigureUserMacs

**Fault Code:** F1000751

### Message

[FSM:FAILED]: sam:dme:SdLogicalDeviceConfigureUserMacs

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000751  
**mibFaultName:** fsmFailSdLogicalDeviceConfigureUserMacs  
**moClass:** sd:LogicalDevice  
**Type:** fsm  
**Callhome:** none

**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys-secsvc/ld- [name]

## fsmFailMgmtIfSwMgmtOobIfDhcpConfig

**Fault Code:** F1000755

### Message

[FSM:FAILED]: sam:dme:MgmtIfSwMgmtOobIfDhcpConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 1000755  
**mibFaultName:** fsmFailMgmtIfSwMgmtOobIfDhcpConfig  
**moClass:** mgmt:If  
**Type:** fsm  
**Callhome:** none  
**Auto Cleared:** true  
**Is Implemented:** true  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/blade- [slotId]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/chassis- [id]/sw-slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/mgmt/if- [id]  
**Affected MO:** sys/fex- [id]/slot- [id]/mgmt/if- [id]  
**Affected MO:** sys/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/host-eth- [id]/if- [id]  
**Affected MO:** sys/rack-unit- [id]/adaptor- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/boardController/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/ext-board- [id]/mgmt/if- [id]  
**Affected MO:** sys/rack-unit- [id]/mgmt/if- [id]  
**Affected MO:** sys/switch- [id]/mgmt/if- [id]

## fsmFailSdLduUpdateInterfaceStatus

**Fault Code:** F1000758

### Message

[FSM:FAILED]: sam:dme:SdLduUpdateInterfaceStatus



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000758
mibFaultName: fsmFailSdLduUpdateInterfaceStatus
moClass: sd:Ldu
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys-secsvc/ld- [name]/ldu- [slotId]
Affected MO: sys-secsvc/slot- [slotId]/app-inst- [appInstId]/ldu- [slotId]
```

**fsmFailEquipmentChassisShutdownChassis**

**Fault Code: F1000764**

**Message**

[FSM:FAILED]: sam:dme:EquipmentChassisShutdownChassis

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000764
mibFaultName: fsmFailEquipmentChassisShutdownChassis
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis- [id]
```

## fsmFailEquipmentChassisRebootChassis

**Fault Code:** F1000765

### Message

[FSM:FAILED]: sam:dme:EquipmentChassisRebootChassis

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000765
mibFaultName: fsmFailEquipmentChassisRebootChassis
moClass: equipment:Chassis
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/chassis-[id]
```

## fsmFailIpsecEpUpdateEp

**Fault Code:** F1000770

### Message

[FSM:FAILED]: sam:dme:IpsecEpUpdateEp

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000770
mibFaultName: fsmFailIpsecEpUpdateEp
moClass: ipsec:Ep
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/ipsec-ext
```

## fsmFailNetworkEthLanMgmtUpdateInterfaceStatus

**Fault Code:** F1000783

### Message

[FSM:FAILED]: sam:dme:NetworkEthLanMgmtUpdateInterfaceStatus

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000783
mibFaultName: fsmFailNetworkEthLanMgmtUpdateInterfaceStatus
moClass: network:EthLanMgmt
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch- [id] /mgmt-port- [portId]
```

## fsmFailNetworkEthLanMgmtUpdateMgmtInterfaceStatus

**Fault Code:** F1000784

### Message

[FSM:FAILED]: sam:dme:NetworkEthLanMgmtUpdateMgmtInterfaceStatus

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 1000784
mibFaultName: fsmFailNetworkEthLanMgmtUpdateMgmtInterfaceStatus
moClass: network:EthLanMgmt
Type: fsm
Callhome: none
Auto Cleared: true
Is Implemented: true
Affected MO: sys/switch- [id] /mgmt-port- [portId]
```

