



Operations Manager Faults

fltMgmtImportItemImportXMLError

Fault Code: F1000033

Message

Import from '[localFile]' failed, Error message: [statusReport]

Explanation

This fault typically occurs when import operation fails

Recommended Action

If you see this fault, take the following actions:

-
- Step 1** Click 'Properties' of this import operation and check Status to see error description
 - Step 2** According to error description, change import configuration and try import again
 - Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

Fault Details

```
Severity: major
Cause: import-from-xml-failed
mibFaultCode: 10000033
mibFaultName: fltMgmtImportItemImportXMLError
moClass: mgmt:ImportItem
Type: configuration
Auto Cleared: true
Affected MO: sys/importer-[hostname]/imp-provider-[sysid]
```

fltFirmwareSourceRemote-download-failure

Fault Code: F1000241

Message

[type] Auto Download Failed. Error: [downloadError]

Explanation

This fault typically occurs when the download configuration is not correct

Recommended Action

If you see this fault, take the following actions:

-
- Step 1** Review the fault and the error message on the Faults tab.
 - Step 2** Check Username, Password and Download State
 - Step 3** Check Proxy configuration if exists
 - Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

Fault Details

```
Severity: minor
Cause: download-error
mibFaultCode: 10000241
mibFaultName: fltFirmwareSourceRemoteDownloadFailure
moClass: firmware:Source
Type: management
Auto Cleared: true
Affected MO: sys/fw-catalogue/source-[type]
```

fltCommSvcEpCommSvcNotDeployed

Fault Code: F10000339

Message

Communication Service configuration can't be deployed. Error: [configStatusMessage]

Explanation

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

Recommended Action

If you see this fault, take the following actions:

-
- Step 1** Verify that ports configured across all communication services is unique.

Fault Details

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

fltPkiTPStatus

Fault Code: F10000591

Message

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

Explanation

This fault occurs when certificate status of TrustPoint has become invalid.

Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

Fault Details

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

Fault Code: F1000592

Message

[name] Keyring's certificate is invalid, reason: [certStatus].

Explanation

This fault occurs when certificate status of Keyring has become invalid.

Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

Fault Details

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

fltConfigBackupUngrouped-domain

Fault Code: F1000616

Message

Unable to backup remotely.[faultDescr]

Explanation

remote scheduled backup failed . This fault typically occurs if the admin supplied wrong password, host, user name or path to the remote machine.

Recommended Action

If you see this fault, take the following actions:

-
- Step 1** Verify that remote scheduled backup policy parameters are valid

Fault Details

```
Severity: major
Cause: remote-failed
mibFaultCode: 10000616
mibFaultName: fltConfigBackupUngroupedDomain
moClass: config:Backup
Type: server
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```

fltMgmtExportPolicyNo-scheduler-exists

Fault Code: F10000645

Message

scheduler [schedName] not found

Explanation

None set.

Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

Fault Details

```
Severity: major
Cause: not-found
mibFaultCode: 10000645
mibFaultName: fltMgmtExportPolicyNoSchedulerExists
moClass: mgmt:ExportPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: org-[name]/
Affected MO: org-[name]/deviceprofile-[name]/
```