



## **Prime Collaboration Deployment Administration Guide, Release 14 and SUs**

**First Published:** 2021-03-31

**Last Modified:** 2024-04-15

### **Americas Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2021 Cisco Systems, Inc. All rights reserved.



## CONTENTS

### Full Cisco Trademarks with Software License ?

---

#### CHAPTER 1

### New and Changed Information 1

New and Changed Information 1

---

#### CHAPTER 2

### Introduction 3

Introduction to Cisco Prime Collaboration Deployment 3

---

#### CHAPTER 3

### Install Cisco Prime Collaboration Deployment 5

System Requirements for Installation 5

Browser Requirements 6

IP Address Requirements 6

Virtualization Software License Types 6

Frequently Asked Questions About the Installation 7

Preinstallation Tasks 9

Begin Installation 17

Install Cisco Prime Collaboration Deployment 17

Extract the PCD\_VAPP.OVA File 17

Install the Virtual Machine 18

Configure Cisco Prime Collaboration Deployment on the Virtual Machine 19

Postinstallation Tasks 20

---

#### CHAPTER 4

### Upgrade Cisco Prime Collaboration Deployment 23

Upgrade Cisco Prime Collaboration Deployment Using CLI 23

---

#### CHAPTER 5

### Cisco Prime Collaboration Deployment Features 25

Cisco Prime Collaboration Deployment Considerations	25
Network Address Translation Support	27
Configure Cisco Prime Collaboration Deployment Behind the NAT	27
Supported Tasks for Applications and Versions	28
Upgrade Paths for Export Restricted and Unrestricted Software	33
Supported ESXi Server Versions	33
Inventory of Clusters and ESXi Host Servers	34
Add an ESXi Host Server	36
Delete an ESXi Host Server	37
Discover a Cluster	37
Refresh a Cluster	39
Modify and View a Cluster	40
Create a Migration Cluster	40
Add New Cluster for Fresh Install	42
Edit a Node	43
Task Management	44
Migration Task	44
Before You Begin	44
Create a Migration Task	46
Run a Migration Task	49
Postmigration Tasks for Cisco Unified Communication Manager Nodes in the Cluster	50
Post Migration Tasks for IM and Presence Service	51
Migration Procedure Flow Charts	53
Simple Migration	53
Pre Release 10.0 Unified CM Network Migration	54
Release 10.0 And Later Unified CM Network Migration	55
Recovery of Original Cluster	55
Check the Status of the Cluster Manager Service on All Source Nodes	56
Upgrade Task	57
Create an Upgrade Task	58
Direct Refresh Upgrade	61
Database Replication	61
Reuse Sequence from Previous Task	62
Switch Versions Task	62

Create a Switch Versions Task	62
Server Restart Task	64
Create a Server Restart Task	64
Readdress Task	66
Create a Readdress Task	66
Run a Readdress Task	68
Post Readdress Task	69
Install Task	69
Create an Install Task	69
Add Install Task	70
Run an Install Task	72
Cancel Install Task	73
Post-Install Task	73
Edit and Expand Cluster Support	73
Edit or Delete a New Install Cluster	74
Edit or Delete a Discovered Cluster	75
Monitor Task Status	76
Action Buttons on the Monitoring Page	77
Automatic Refresh	77
Administration Tools	77
Email Notification	77
When Email Is Sent	77
SFTP Datastore	80
Migration or Fresh Install Tasks	80
Upgrade Task	80
Verify or View an ISO Filename	81
Delete ISO or COP Files	81
Remote SFTP Server Support	81
Add Remote SFTP Server	82
Associate Nodes to Remote SFTP Server	84
Edit Remote SFTP Server	84
Delete Remote SFTP Server	85
Delete Local SFTP/Datastore ISO files	86
Disk Space Warning Level	86

- Configure Disk Space Warning Level 86
- Max Nodes Configuration 87
  - Configure Max Nodes 87
- Audit Log Configuration 88
  - Configure Audit Logs 88
- Customized Logon Message 89
  - Configure Customized Logon Message 89
- FIPS 140-2 Compliance 89
- EnhancedSecurityMode Support 90
- Credential Policy for EnhancedSecurityMode 90
- EnhancedSecurityMode Requirements for Platform Cisco Prime Collaboration Deployment 91
- Re-encryption through AES 91
- Limited Number of Sign-in Sessions 91
- Minimum TLS Version Control 92
- Configurable Maximum Install Timeout for Clusters 92

---

**CHAPTER 6**

**Cisco Prime Collaboration Deployment Administrative Interface Elements 93**

- Common Administrative Interface Elements 93
- Monitoring View Elements 94
- Tasks View Elements 98
  - Upgrade View 98
  - Switch Versions View 101
  - Server Restart View 104
  - Readdress View 107
  - Install View 110
  - Migrate View 113
- Inventory View Elements 116
  - Clusters 116
  - ESXi Hosts View 122
  - SFTP Servers and Datastore 123
- Administration View Elements 124
  - Email Notification View 124
  - NAT Settings 126
  - Disk Space Warning Level 126

Max Nodes Configuration	127
Audit Log Configuration	127
Customized Logon Message Configuration	129
Supported Release Matrix	130

---

**CHAPTER 7 Cisco Prime Collaboration Deployment Configuration and Administration 131**

Services	131
Limitations and Restrictions	135

---

**CHAPTER 8 CLI Commands and Disaster Recovery System 137**

CLI Commands on Cisco Prime Collaboration Deployment	137
Create a DRS Backup of the Server	139
Important Notes on Backup and Restore	139
Restore a Backup to Cisco Prime Collaboration Deployment	140
CLI Commands for TLS Minimum Version Configuration	141
set tls min-version	141
show tls min-version	142

---

**CHAPTER 9 CLI Commands for EnhancedSecurityMode and FIPS Mode 143**

CLI Commands for EnhancedSecurityMode	143
Configure EnhancedSecurityMode	143
CLI Commands for FIPS Mode	144
Enable FIPS Mode	144
Disable FIPS Mode	145
User Account and Sign-in Attempts on CLI and Interface	146
Configure Remote Audit Logging for Platform Logs	146
Configure Logstash Server Information	147
Configure the FileBeat Client	147
Platform CLI Commands for Security in EnhancedSecurityMode	147

---

**CHAPTER 10 CTL Update 149**

More Information	149
Bulk Certificate Management	149

---

<b>CHAPTER 11</b>	<b>Best Practices</b>	<b>151</b>
	Cluster Discovery	151
	Upgrades	151
	ESXi Host	152
	Migration and Installation Virtual Machines	152
	Premigration	152
	Postmigration	152
	Task Validation	153
	Cisco Prime Collaboration Deployment Shutdown	153
	Monitoring Tasks	153
	Managing Files in the SFTP Datastore	153
	Using Cisco Prime Collaboration Deployment with Clustering Over WAN	154
	Sequence During Migration	154
	Server Readdress	154
	Fresh Install Publishers and Subscribers	154
	Fresh Install of a Unified CM and IM and Presence Cluster	154
	Email Notification	155
	Test Email	155

---

<b>CHAPTER 12</b>	<b>Cisco Prime Collaboration Deployment Troubleshooting</b>	<b>157</b>
	Increase Disk Space for Migrations	157
	General Troubleshooting Issues	158
	Errors Seen in View Log	158
	Lock Errors	161
	NFS Datastores	162
	Pause States on Monitor Page	162
	Scheduling	162
	Server Connectivity	163
	Task Failure Due to Restart	163
	Installation Task Failure	163
	Upgrade Task Failure	164
	Migration Task Failure	166
	Switch Version Task Failure	167

Readdress Task Failure	168
Server Restart Task Failure	170
Task Scheduling	171
Task Timeouts	172
Upgrade Migration and Installation	172
Run a New Task When Current Task in Canceling State	173
Rerun Fresh Install Task	173
Rerun Migration Task	173
Version Validity	174
ISO File Does Not Get Loaded Or Not Recognized During Migration	175





# CHAPTER 1

## New and Changed Information

- [New and Changed Information](#), on page 1

### New and Changed Information

The following table provides an overview of the significant changes to the features in this guide up to this current release. The table does not provide an exhaustive list of all changes made to the guide or of the new features up to this release.

**Table 1: New Features and Changed Behavior in Prime Collaboration Deployment**

Feature or Change	Description	See	Date
Initial Release of Document for Release 14	—	—	March 31, 2021
Update for SHA512 COP	A note was included to update the SHA512 COP file: <a href="#">cisco-cs-sha512-sum-v10.cpsgn</a>	<a href="#">Upgrade Cisco Prime Collaboration Deployment Using CLI</a> , on page 23	March 31, 2021
Initial Release of Document for Release 14SU1	—	—	October 27, 2021
Update for SHA512 COP	A note was included to update the SHA512 COP file: <a href="#">cisco-cs-sha512-sum-v10.cpsgn</a>	<a href="#">Upgrade Cisco Prime Collaboration Deployment Using CLI</a> , on page 23	October 27, 2021
Initial Release of Document for Release 14SU2	—	—	June 16, 2022
FIPS not able to make ssh connection to the pre-12.5 UC clusters	A recommendation note was added to address the cluster discovery, upgrade, or migration limitation.	<a href="#">Supported Tasks for Applications and Versions</a> , on page 28	June 16, 2022





## CHAPTER 2

# Introduction

---

- [Introduction to Cisco Prime Collaboration Deployment, on page 3](#)

## Introduction to Cisco Prime Collaboration Deployment

Cisco Prime Collaboration Deployment is an application that is designed to help in the management of Unified Communications (UC) applications. It allows you to perform tasks such as migration of older software versions of clusters to new virtual machines, fresh installs, and upgrades on existing clusters.

Cisco Prime Collaboration Deployment has three primary high-level functions:

- Perform operations on existing clusters (11.5 or later). Examples of these operations include:
  - Upgrade
  - Switch version
  - Restart
- Change IP addresses or hostnames in the cluster on existing Release 11.5 or higher clusters.



---

**Important** All the IP addresses that are mentioned in this document applies only for the IPv4 address format.

---

- Fresh install a new Release 11.5, 12.x or 14 Unified Communications cluster

To upgrade or migrate to a new release of Cisco Unified Communications Manager or IM and Presence Services, use this guide along with *Upgrade and Migration Guide for Cisco Unified Communications Manager and IM and Presence Service* at <http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-installation-guides-list.html>. This guide provides information about upgrade planning and pre-upgrade and post-upgrade procedures.



---

**Note** Cisco Prime Collaboration Deployment features are supported only by specific software versions. For details on software versions that are compatible with each Cisco Prime Collaboration Deployment feature, see [Supported Tasks for Applications and Versions, on page 28](#). For details on supported upgrade paths, see [Upgrade Paths for Export Restricted and Unrestricted Software, on page 33](#).

---





## CHAPTER 3

# Install Cisco Prime Collaboration Deployment

- [System Requirements for Installation, on page 5](#)
- [Browser Requirements, on page 6](#)
- [IP Address Requirements, on page 6](#)
- [Virtualization Software License Types, on page 6](#)
- [Frequently Asked Questions About the Installation, on page 7](#)
- [Preinstallation Tasks, on page 9](#)
- [Begin Installation, on page 17](#)
- [Install Cisco Prime Collaboration Deployment, on page 17](#)
- [Postinstallation Tasks, on page 20](#)

## System Requirements for Installation

As defined in the open virtualization format (OVA) that you must use to install Cisco Prime Collaboration Deployment, the following are the server requirements.

**Table 2: Cisco Prime Collaboration Deployment Installation Server Requirements**

Requirement	Notes
Product	Cisco Prime Collaboration Deployment
Version	14
CPU	2 vCPUs
Memory	4 GB
Hard Drive	80 GB (one)
Licensing	Cisco Prime Collaboration Deployment does not require a license
Port	22 Port 22 is required between Cisco Unified Communications Manager and Cisco Prime Collaboration Deployment for Cisco Prime Collaboration Deployment to perform migration.

## Browser Requirements

Cisco Prime Collaboration Deployment provides a GUI interface that you can use to configure and manage the system. You can access the interfaces by using the browsers and operating systems listed here.




---

**Note** Other browsers are not supported.

---

Cisco Prime Collaboration Deployment supports the following operating system browsers:

- Mozilla Firefox 42
- Mozilla Firefox ESR 38.4
- Google Chrome 46
- Microsoft Internet Explorer (IE) 9, 10, 11
- Apple Safari 7

From any user PC in your network, browse to a server that is running Cisco Prime Collaboration Deployment and log in with administrative privileges.




---

**Note** Simultaneous login to Cisco Prime Collaboration Deployment Administration GUI by more than five users can affect performance. Limit the number of users and administrators that are logged in simultaneously.

---




---

**Note** Cisco Prime Collaboration Deployment Administration does not support the buttons in your browser. Do not use the browser buttons (for example, the Back button) when you perform configuration tasks.

---

## IP Address Requirements

You must configure the Cisco Prime Collaboration Deployment server to use a static IP address to ensure that the server obtains a fixed IP address.

## Virtualization Software License Types

The VMware vSphere ESXi license is required for the physical server with ESXi that hosts the Cisco Prime Collaboration Deployment virtual machine in addition to any additional physical servers with ESXi on which Cisco Prime Collaboration Deployment operates. This includes virtual machines to which Cisco Prime Collaboration Deployment is migrating, installing, upgrading, or rebooting.

Cisco Prime Collaboration Deployment is not compatible with all license types of VMware vSphere ESXi, because some of these licenses do not enable the required VMware APIs.



---

**Note** Cisco Business Edition 6000 and Cisco Business Edition 7000 servers are preinstalled with Cisco UC Virtualization Hypervisor. If you plan to use Cisco Prime Collaboration Deployment with application VMs on these servers, you must substitute a higher virtualization software feature level.

---

The following are compatible with Cisco Prime Collaboration Deployment:

- Cisco UC Virtualization Foundation 6x (appears as “Foundation Edition” in vSphere Client)
- Cisco UC Virtualization Hypervisor Plus 6x
- Cisco Collaboration Virtualization Standard 6x
- VMware vSphere Standard Edition 6x
- VMware vSphere Enterprise Plus Edition 6x (there is no more "Enterprise Edition")
- Evaluation mode license  
(for example, for lab deployments and not production use)
- Cisco Business Edition Embedded Virtualization Basic 7x
- Cisco Business Edition Embedded Virtualization Basic Plus 7x
- Cisco Business Edition Embedded Virtualization Enhanced 7x

The following are not compatible with Cisco Prime Collaboration Deployment:

- Cisco UC Virtualization Hypervisor (appears as “Hypervisor Edition” in vSphere Client)
- VMware vSphere Hypervisor Edition

## Frequently Asked Questions About the Installation

Review this section carefully before you begin the installation.

### How Much Time Does the Installation Require?

The entire Cisco Prime Collaboration Deployment installation process, excluding pre and postinstallation tasks takes approximately 30 minutes.

### What Usernames and Passwords Do I Need to Specify?



---

**Note** The system checks your passwords for strength. For guidelines on creating a strong password, see “What Is a Strong Password?” below.

---

During the installation, you must specify the following usernames and passwords:

- Administrator account username and password
- Security password

You use the Administrator account username and password to log in to the following areas:

- Cisco Prime Collaboration Deployment GUI interface
- Command line interface

When you choose an administrator account username and password, follow these guidelines:

- Administrator account username—Must start with an alphabetic character and can contain alphanumeric characters, hyphens, and underscores.
- Administrator account password—Must be at least six characters long and can contain alphanumeric characters, space, colon (:), hyphens (-), double quote ("), comma (,), slash (/ \), braces ({}), square bracket ([ ]), tilde (~), dollar (\$), equal sign (=), plus sign (+), percentage sign (%), ampersand (&), underscores (\_), exclamation (!), at sign (@), hash (#), asterisk (\*), caret (^), parenthesis ( ), vertical bar (|), full stop (.).

Password should not contain a semicolon (;), angle brackets (<>), single quote ('), and question mark (?).

You can change the administrator account password or add a new administrator account by using the command line interface. For more information, see the *Command line interface for Cisco Prime Collaboration Deployment* section.

For the security password, the password must be at least six characters long and can contain alphanumeric characters, hyphens, and underscores.




---

**Note** Before you enable FIPS mode, Common Criteria, or Enhanced Security Mode, ensure that you have minimum 14 characters for Security Password.

---

### What Is a Strong Password?

The Installation wizard checks to ensure that you enter a strong password. To create a strong password, follow these recommendations:

- Mix uppercase and lowercase letters.
- Mix letters and numbers.
- Include hyphens and underscores.
- Remember that longer passwords are stronger and more secure than shorter ones.

Avoid the following types of passwords:

- Do not use recognizable words, such as proper names and dictionary words, even when combined with numbers.
- Do not invert recognizable words.
- Do not use word or number patterns, such as aaabbb, qwerty, zyxwvuts, 123321, and so on.
- Do not use recognizable words from other languages.
- Do not use personal information of any kind, including birthdays, postal codes, or names of children or pets.

### Can I Install Other Software on the Virtual Machine?

You cannot install or use unapproved third-party software applications. The system can upload and process only software that is Cisco approved.

You can use the CLI to perform approved software installations and upgrades.

## Preinstallation Tasks

The following table contains a list of preinstallation tasks that you must perform to install Cisco Prime Collaboration Deployment.

**Table 3: Preinstallation Tasks**

	Task
Step 1	Read this entire chapter to familiarize yourself with the installation procedure.
Step 2	Verify that the server on which you plan to install Cisco Prime Collaboration Deployment is properly configured in the DNS.
Step 3	Record the configuration settings for the server that you plan to install.

### Allow Network Traffic

This section describes the minimum required ports that you must configure to support the Cisco Prime Collaboration Deployment server. The following table provides a summary of the ports that you must configure on a corporate firewall. The port configurations that are listed in this table are based on default settings. If you change the default settings, you must update these configurations.

If other servers or ports are required on your network, you must allow for that traffic.



**Note** Cisco Prime Collaboration Deployment migration requires the use of a network file system (NFS) mounts on the ESXi host of the destination virtual machine. You may require additional protocols or ports. See the ESXi documentation at <http://www.VMware.com> for details.

**Table 4: Corporate Firewall Configuration**

Direction	Source	Destination	Protocol	Port	Description
Inbound	Cisco Prime Collaboration Deployment	IP address of the ftp server	TCP	21	FTP access to Cisco Prime Collaboration Deployment server for uploading licenses and software, upgrade, and CLI access

Direction	Source	Destination	Protocol	Port	Description
Inbound	Cisco Prime Collaboration Deployment	IP address of the sftp server	TCP	22	SFTP access to Cisco Prime Collaboration Deployment server for uploading licenses and software, upgrade, and CLI access
Inbound	Internal network or any management workstation	Cisco Prime Collaboration Deployment server IP address	HTTP	80	HTTP access to nonsecured GUI and web APIs (for example, login page)
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	TCP/UDP	111	Network File System
Inbound	Internal network or any management workstation	Cisco Prime Collaboration Deployment server IP address	HTTPS	443	HTTPS access to secured GUI and web APIs
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	TCP/UDP	662	Network File System
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	TCP/UDP	892	Network File System
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	TCP/UDP	2049	Network File System
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	HTTPS	6060	Asynchronous SOAP messages from application servers
Inbound	Internal network or any management workstation	Cisco Prime Collaboration Deployment server IP address	HTTPS	8443	HTTP alternate

Direction	Source	Destination	Protocol	Port	Description
Inbound	Internal network or any management workstation	Cisco Prime Collaboration Deployment server IP address	HTTP	8080	HTTP alternate
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	UDP	32769	Network File System
Inbound	UC application servers	Cisco Prime Collaboration Deployment server IP address	TCP	32803	Network File System

Table 5: Use of Command Line Interface (CLI)/Cisco Platform Administrative Web Services (PAWS) for tasks

Functions / Requirements	Cluster Discovery	Migration	Upgrade Install COP Files	Restart	Switch Version	Fresh Install Edit/Expand	Readdress Task
VMware APIs	No	Yes	No	No	No	Yes	No
NFS mount on destination ESXi host of virtual machine	No	Yes (ISO install images)	No	No	No	Yes (ISO install images)	No
Local or remote SFTP <b>Note</b> Migration does not happen with remote SFTP.	No	Yes (data export/import only)	Yes (ISO upgrade images)	No	No	No	No
PAWS	Yes		Yes	Yes	Yes	No	Yes
CLI via SSH	Yes	Yes	No	No	No	No	No

### Gather Information for Installation

Use the following table to record information about Cisco Prime Collaboration Deployment. You may not need to obtain all the information; gather only the information that is relevant to your system and network configuration.



**Note** Because some of the fields are optional, they may not apply to your configuration.



**Caution** You cannot change some of the fields after installation without reinstalling the software, so be sure to enter the values that you want. The last column in the table shows whether you can change a field after installation; if so, the applicable CLI command is shown.

**Table 6: Server Configuration Data**

Parameter	Description	Can Entry Be Changed After Installation?
<b>Administrator ID</b>	This field specifies the Administrator account user ID that you use for secure shell access to the CLI on Cisco Prime Collaboration Deployment.	No, you cannot change the entry after installation.  <b>Note</b> After installation, you can create additional Administrator accounts, but you cannot change the original Administrator account user ID.
<b>Administrator Password</b>	This field specifies the password for the Administrator account, which you use for secure shell access to the CLI.  You also use this password with the <code>adminsftp</code> user. You use the <code>adminsftp</code> user to access local backup files, upload server licenses, and so on.  Ensure that the password is at least six characters long; the password can contain alphanumeric characters, hyphens, and underscores.	Yes, you can change the entry after installation by running the following CLI command:  <b>set password user admin</b>
<b>Country</b>	From the list, choose the applicable country for your installation.	Yes, you can change the entry after installation by running the following CLI command:  <b>set web-security</b>
<b>DHCP</b>	Cisco requires that you choose <b>No</b> to the DHCP option. After you choose <b>No</b> , enter a hostname, IP address, IP mask, and gateway.	No, do not change the entry after installation.

Parameter	Description	Can Entry Be Changed After Installation?
<b>DNS Enable</b>	<p>A DNS server resolves a hostname into an IP address or an IP address into a hostname.</p> <p>Cisco Prime Collaboration Deployment requires that you use a DNS server. Choose <b>Yes</b> to enable DNS.</p>	No, do not change the entry after installation.
<b>DNS Primary</b>	<p>Enter the IP address of the DNS server that you want to specify as the primary DNS server. Enter the IP address in dotted decimal format as <b>ddd . ddd . ddd . ddd</b>.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set network dns</b></p> <p>To view DNS and network information, run the following CLI command:</p> <p><b>show network eth0 detail</b></p>
<b>DNS Secondary (optional)</b>	<p>Enter the IP address of the DNS server that you want to specify as the optional secondary DNS server.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set network dns</b></p>
<b>Gateway Address</b>	<p>Enter the IP address of the network gateway.</p> <p>If you do not have a gateway, you must still set this field to <b>255 . 255 . 255 . 255</b>. Without a gateway, you may be limited to communicating only with devices on your subnet.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set network gateway</b></p>

Parameter	Description	Can Entry Be Changed After Installation?
<b>Hostname</b>	<p>Enter a hostname that is unique to your server.</p> <p>The hostname can consist of up to 64 characters and can contain alphanumeric characters and hyphens. The first character cannot be a hyphen.</p> <p><b>Important</b> Do not change your hostname while any tasks are running.</p>	<p>Yes, you can change the entry after installation.</p> <p><b>set network hostname</b></p> <p><b>Note</b> On hostname change, make sure to re-mount the Prime Collaboration Deployment NFS on all the ESXi hosts which were added to the Prime Collaboration Deployment. This can be done by the following:</p> <ol style="list-style-type: none"> <li>1. Login to each ESXi host which was added to Prime Collaboration Deployment.</li> <li>2. Right-click on the Prime Collaboration Deployment NFS storage and delete it.</li> <li>3. From the Cisco Prime Collaboration Deployment application, click the open and close navigation button, and choose <b>Inventory &gt;ESXi Hosts</b>.</li> <li>4. Click <b>Edit</b> on each ESXi host and click <b>OK</b>.</li> </ol> <p>This will remount the Prime Collaboration Deployment as NFS on the respective ESXi host with updated hostname.</p>
<b>IP Address</b>	Enter the IP address of your server.	<p>Yes, you can change the entry after installation.</p> <p><b>set network ip eth0</b></p>

Parameter	Description	Can Entry Be Changed After Installation?
<b>IP Mask</b>	Enter the IP subnet mask of this machine.	Yes, you can change the entry after installation by using the following CLI command:  <b>set network ip eth0</b>
<b>Location</b>	Enter the location of the server.  You can enter any location that is meaningful within your organization. Examples include the state or the city where the server is located.	Yes, you can change the entry after installation by using the following CLI command:  <b>set web-security</b>
<b>MTU Size</b>	The maximum transmission unit (MTU) represents the largest packet, in bytes, that this host transmits on the network.  Enter the MTU size in bytes for your network. If you are unsure of the MTU setting for your network, use the default value.  The default value is 1500 bytes.	Yes, you can change the entry after installation by running the following CLI command:  <b>set network mtu</b>
<b>NTP Server</b>	Enter the hostname or IP address of one or more Network Time Protocol (NTP) servers with which you want to synchronize.  You can enter up to five NTP servers.  <b>Caution</b> To avoid potential compatibility, accuracy, and network jitter problems, the external NTP servers that you specify for the primary node can be NTP v4 (version 4). If you are using IPv6 addressing, external NTP servers must be NTP v4.	Yes, you can change the entry after installation by running the following CLI command:  <b>utils ntp server</b>

Parameter	Description	Can Entry Be Changed After Installation?
<b>Organization</b>	<p>Enter the name of your organization.</p> <p><b>Tip</b> You can use this field to enter multiple organizational units. To enter more than one organizational unit name, separate the entries with a comma. For entries that already contain a comma, enter a backslash before the comma that is included as part of the entry.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set web-security</b></p>
<b>Security Password</b>	<p>Enter your security password.</p> <p>The password must contain at least six alphanumeric characters. The password can contain hyphens and underscores, but it must start with an alphanumeric character.</p> <p><b>Note</b> Save this password.</p> <p><b>Note</b> Before you enable FIPS mode, Common Criteria, or Enhanced Security Mode, ensure that you have a minimum 14 characters for Security Password.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set password user security</b></p>
<b>State</b>	<p>Enter the state in which the server is located.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set web-security</b></p>
<b>Time Zone</b>	<p>This field specifies the local time zone and offset from Greenwich Mean Time (GMT).</p> <p>Choose the time zone that most closely matches the location of your machine.</p>	<p>Yes, you can change the entry after installation by running the following CLI command:</p> <p><b>set timezone</b></p> <p>To view the current time zone configuration, run the following CLI command:</p> <p><b>show timezone config</b></p>

# Begin Installation

You install the operating system and Cisco Prime Collaboration Deployment by running one installation program.

For information about how to navigate within the Installation wizard, see the following table.

**Table 7: Installation Wizard Navigation**

To Do This	Press This
Move to the next field	<b>Tab</b>
Move to the previous field	<b>Alt-Tab</b>
Choose an option	Space bar or <b>Enter</b>
Scroll up or down in a list	<b>Up Arrow</b> or <b>Down Arrow</b> key
Go to the previous window	Space bar or <b>Enter</b> to choose Back (when available)
Get help information for a window	Space bar or <b>Enter</b> to choose Help (when available)

## Install Cisco Prime Collaboration Deployment

### Extract the PCD\_VAPP.OVA File

Cisco Prime Collaboration Deployment is delivered with Unified Communications Manager, through a new purchase or an entitled upgrade that you access through the My Cisco Entitlements (MCE).

If you specify eDelivery in MCE (My Cisco Entitlements), you will receive a Cisco Prime Collaboration Deployment download link in the email that contains media and license links. This link points to a vApp OVA file that contains a preinstalled Cisco Prime Collaboration Deployment inside a virtual machine.

#### Procedure

- 
- Step 1** Extract the PCD\_VAPP.OVA from the pcd\_vApp\_UCOS\_10.xxxxx.iso file.
- A new PCD\_VAPP.OVA file is created. Verify the file size; ISO and OVA files do not have the same file size.
- Step 2** Deploy the PCD\_VAPP.OVA file in vCenter to install Cisco Prime Collaboration Deployment.
- If you are using the vSphere client, the name of this file may be PCD\_VAPP.OVA. If you are using the VMware vSphere web client to deploy the file, you must first change the name to PCD\_VAPP.ova (lowercase) before you deploy the file.
-

## Install the Virtual Machine

### Before you begin

- Download the OVA image.



**Note** If you are using Cisco Business Edition 6000 or Cisco Business Edition 7000 appliance with factory preloaded Cisco Collaboration Systems Release 11.5 or higher, you need not download the OVA image. The Cisco Prime Collaboration Deployment OVA is available in the datastore of the appliance. For details, see <http://www.cisco.com/c/en/us/products/unified-communications/business-edition-6000/index.html> or <http://www.cisco.com/c/en/us/products/unified-communications/business-edition-7000/index.html>.

- Read the “Preinstallation Tasks” section.
- Place a copy of the OVA on your local drive, depending on the installation type you are using.

Installation Type	Filename	Used with ESXi Host Software Version
OVA	PCD_VAPP.OVA or PCD_VAPP.ova  <b>Note</b> The name of the OVA file depends on whether you are using vSphere client or VMware vSphere web client to deploy the file. For more information, see <a href="#">Extract the PCD_VAPP.OVA File, on page 17</a>	6.5 and above

- Determine the following information for creating a virtual machine for Cisco Prime Collaboration Deployment and mapping the required port groups:
  - A name for the new Cisco Prime Collaboration Deployment that is unique within the inventory folder and up to 80 characters.
  - The name of the host where the Cisco Prime Collaboration Deployment is to be installed in the inventory folder.
  - The name of the datastore in which the VM files is to be stored.
  - The names of the network port groups used for the VM.



**Note** Cisco Prime Collaboration Deployment does not support virtual machine implementation over VXLAN.

### Procedure

---

- Step 1** Log in to vCenter.
- Step 2** From the vSphere Client, choose **File > Deploy OVF Template**.
- Step 3** Specify the location of the OVA file and click **Next**.  
The **OVF Template Details** window opens and the product information is displayed, including the size of the file and the size of the VM disk.
- Step 4** Click **Next**.
- Step 5** Enter the name of your VM and select the location where the OVA is to be deployed. Click **Next**.
- Step 6** Select the data center or cluster on which to install the OVA. Click **Next**.
- Step 7** Select the VM Storage Profile. Click **Next**.
- Step 8** Select the Disk Format. Click **Next**.
- Step 9** If necessary, select the network that the OVA uses for deployment. Click **Next**.
- Step 10** Review the options that you selected, and if no changes are required, click **Finish** to begin the OVA installation.  
After the installation is complete, the newly installed virtual machine appears in the selected location within vCenter.
- 

## Configure Cisco Prime Collaboration Deployment on the Virtual Machine

Cisco Prime Collaboration Deployment is installed as part of the OVA installation, but then you must configure it.

### Procedure

---

- Step 1** From the **vCenter** window, open the console of your newly installed virtual machine.
- Step 2** Power on the virtual machine.  
Installation begins automatically.
- Step 3** When you are asked if you have preexisting configuration information, click **Continue** to proceed.  
The **Platform Installation Wizard** screen appears.
- Step 4** Click **Proceed** to continue with the wizard.
- Step 5** Click **Continue** at the Basic Install screen.
- Step 6** In the Timezone Configuration screen, select your time zone and click **OK**.
- Step 7** Click **Continue** at the Auto Negotiation Configuration screen.
- Step 8** When asked if you want to change the MTU size from the OS default, click **No** to proceed.
- Step 9** For network configuration, you can choose to either set up a static network IP address for the node or to use Dynamic Host Configuration Protocol (DHCP). Static IP addresses are recommended. If you use DHCP, use static DHCP.

- If you have a DHCP server that is configured in your network and want to use DHCP, click **Yes**. The network restarts and the **Administrator Login Configuration** window appears.
- If you want to configure static IP address for the node, click **No**. The **Static Network Configuration** window appears.

**Step 10** If you chose not to use DHCP, enter your static network configuration values and click **OK**.  
The DNS Client Configuration window appears.

**Step 11** To enable DNS, click **Yes**, enter your DNS client information and click **OK**.  
The network restarts by using the new configuration information, and the **Administrator Login Configuration** window appears.

**Step 12** Enter your Administrator username and password.

**Note** The Administrator username must start with an alphabetic character, be at least six characters long, and can contain alphanumeric characters, hyphens, and underscores. You will need the Administrator username to log in to Cisco Unified Communications Operating System Administration, the command line interface, and the Disaster Recovery System.

**Step 13** Enter the Certificate Information:

- Organization
- Unit
- Location
- State
- Country

**Step 14** Click **OK** to proceed.

**Step 15** Enter your Network Time Protocol (NTP) client configuration information. To test this configuration, click **Test**.

**Step 16** Click **Proceed** to configure the NTP.

**Step 17** When asked, enter your security password.

**Note** Before you enable FIPS mode, Common Criteria, or Enhanced Security Mode, ensure that you have minimum of 14 characters for Security Password.

**Step 18** When the platform configuration is complete, click **OK** to complete the installation. The installation takes a few minutes to complete.

## Postinstallation Tasks

### Procedure

**Step 1** Configure the backup settings. Remember to back up your Cisco Prime Collaboration Deployment data frequently. For more information on how to set up a backup schedule, see [CLI Commands and Disaster Recovery System, on page 137](#).

- Step 2** Verify that you have a valid Network Time Protocol (NTP). To perform this check, log in to the Cisco Prime Collaboration Deployment CLI and run the command **utils ntp status**.
-





## CHAPTER 4

# Upgrade Cisco Prime Collaboration Deployment

- [Upgrade Cisco Prime Collaboration Deployment Using CLI, on page 23](#)

## Upgrade Cisco Prime Collaboration Deployment Using CLI

To upgrade the software version of Cisco Prime Collaboration Deployment, use the **utils system upgrade initiate** CLI command. There are four options, depending on where you have placed the new ISO/COP file on an external filesystem or on Cisco Prime Collaboration Deployment itself.

Follow the given procedure for installing ISO and COP files as well.

### Before you begin

You must place the non-bootable ISO file on a network location or remote drive that is accessible from Cisco Prime Collaboration Deployment.

Upgrading to Cisco Prime Collaboration Deployment 14 from Pre-14 source release need SHA512 COP file (*ciscocm.enable-sha512sum-v1.0.cop.sgn*) to be installed to list the Cisco Prime Collaboration Deployment 14 iso file as valid.

Upgrading to Cisco Prime Collaboration Deployment 14SU1 from Pre-14 source release need COP file *ciscocm.enable-sha512sum-2021-signing-key-v1.0.cop.sgn* to be installed to list the Cisco Prime Collaboration Deployment 14SU1 ISO file as valid.

### Procedure

- 
- Step 1** If you want to place the ISO/COP on Cisco Prime Collaboration Deployment, upload it to the Cisco Prime Collaboration Deployment server /*upgrade* folder by performing the following steps:
- a) `sftp admin@<Cisco Prime Collaboration Deployment IP>`
  - b) `cd upgrade`
  - c) `put <name of iso file>`
- Note** If you are using a remote file system, place the ISO/COP file there. Be sure that it can be accessed through SFTP or FTP.
- Step 2** Log on to the CLI interface of the Cisco Prime Collaboration Deployment server, and use the **utils system upgrade initiate** CLI command.
- You will be asked to choose an option, based on where your ISO/COP is located.

```
Warning: Do not close this window without first canceling the upgrade.
```

```
1) Remote Filesystem via SFTP
2) Remote Filesystem via FTP
3) Local DVD/CD
4) Local Upload Directory
q) quit
```

```
Please select an option (1-4 or "q" ):
```

**Step 3** Perform one of the following steps:

- If the ISO/COP file is in the /upgrade folder of Cisco Prime Collaboration Deployment, choose option **4**.
- If the ISO/COP file is on a remote file system, choose option **1** or **2**, depending on whether you wish to use SFTP or FTP.

**Step 4** The system searches the directory for files to upgrade to and displays those filenames. Select the file that you wish to upgrade the Cisco Prime Collaboration Deployment system to by choosing the number of that file.

**Step 5** Indicate whether you want the system to automatically switch to the upgraded version if the upgrade is successful.

**Example:**

```
Automatically switch
versions if the upgrade is successful (yes/no): yes
```

**Step 6** Start the installation:

```
Start installation (yes/no): yes
The upgrade log is install_log_2013-10-07.20.57.17.log
Upgrading the system. Please wait...
10/07/2013 20:57:18 file_list.sh|Starting file_list.sh|<LVL::Info>
10/07/2013 20:57:18 file_list.sh|Parse argument
method=local_upload_dir|<LVL::Debug>
10/07/2013 20:57:18 file_list.sh|Parse argument source_dir=|<LVL::Debug>
10/07/2013 20:57:18 file_list.sh|Parse argument
dest_file=/var/log/install/downloaded_versions|<LVL::Debug>
```

The installation begins.

**Step 7** After the installation is complete, use the **show version active** CLI command to see the current version of your Cisco Prime Collaboration Deployment software.

**Example:**

```
Active Master Version: 11.0.x.xxxxx-xxxx
Active Version Installed Software Options:
No Installed Software Options Found.
```



## CHAPTER 5

# Cisco Prime Collaboration Deployment Features

---

- [Cisco Prime Collaboration Deployment Considerations, on page 25](#)
- [Network Address Translation Support, on page 27](#)
- [Configure Cisco Prime Collaboration Deployment Behind the NAT, on page 27](#)
- [Supported Tasks for Applications and Versions, on page 28](#)
- [Upgrade Paths for Export Restricted and Unrestricted Software, on page 33](#)
- [Supported ESXi Server Versions, on page 33](#)
- [Inventory of Clusters and ESXi Host Servers, on page 34](#)
- [Task Management, on page 44](#)
- [Administration Tools, on page 77](#)
- [FIPS 140-2 Compliance, on page 89](#)
- [EnhancedSecurityMode Support, on page 90](#)
- [Credential Policy for EnhancedSecurityMode, on page 90](#)
- [EnhancedSecurityMode Requirements for Platform Cisco Prime Collaboration Deployment, on page 91](#)
- [Re-encryption through AES, on page 91](#)
- [Limited Number of Sign-in Sessions, on page 91](#)
- [Minimum TLS Version Control, on page 92](#)
- [Configurable Maximum Install Timeout for Clusters, on page 92](#)

## Cisco Prime Collaboration Deployment Considerations

Cisco Prime Collaboration Deployment allows a user to perform tasks (such as migration or upgrade) on servers that are in the inventory.

Step	Tasks
Step 1: Inventory Creation	<p>To perform any tasks, you must first have clusters in your inventory. To add a UC cluster that is already running UC applications to your inventory, click <b>Open and close navigation</b> and choose <b>Inventory &gt; Clusters &gt; Discovery Cluster</b> feature.</p> <p>To migrate an existing cluster to new virtual machines, click <b>Open and close navigation</b> and choose <b>Inventory &gt; Clusters &gt; Define Migration Destination Cluster</b>. (See <a href="#">Migration Task</a>, on page 44.)</p> <p>To install a new cluster, click <b>Open and close navigation</b> and choose <b>Inventory &gt; Clusters &gt; Define New UC Cluster</b> feature. (See <a href="#">Install Task</a>, on page 69.)</p> <p>If you are migrating an existing cluster to a new virtual machine cluster, or installing a new cluster, you must first add the ESXi Hosts that contain those virtual machines to your inventory. To add an ESXi host, click <b>Open and close navigation</b> and choose <b>Inventory &gt; ESXi Hosts</b>. (See <a href="#">Add an ESXi Host Server</a>, on page 36.)</p>
Step 2: Create a Task	<p>You can create a task to perform an operation on a cluster in your inventory. During task creation, options allow you to:</p> <ul style="list-style-type: none"> <li>• Choose the cluster</li> </ul> <p><b>Note</b> This task depends on the type of cluster you require. For example, you may choose a discovered cluster or a migration cluster.</p> <ul style="list-style-type: none"> <li>• Determine when to run the task</li> <li>• Determine if the task should run independently or pause between steps</li> </ul> <p>To perform one of the following actions, select from these procedures:</p> <ul style="list-style-type: none"> <li>• To migrate from an existing cluster to a new cluster of VM machines, see <a href="#">Migration Task</a>, on page 44.</li> <li>• To upgrade the Unified Communications Manager version of an existing cluster, see <a href="#">Upgrade Task</a>, on page 57.</li> <li>• To switch the version of an existing cluster, see <a href="#">Switch Versions Task</a>, on page 62.</li> <li>• To restart an existing cluster, see <a href="#">Server Restart Task</a>, on page 64.</li> <li>• To change the hostname or IP address of one or more servers in an existing cluster, see <a href="#">Readdress Task</a>, on page 66.</li> <li>• To create a new UC cluster from VM machines, see <a href="#">Install Task</a>, on page 69.</li> </ul>
Step 3: Monitor Tasks	<p>After a task is created, you can use the Monitoring window to view or track any task. You can also use this page to cancel, pause, or resume tasks.</p> <p>To view the tasks you created, see <a href="#">Monitor Task Status</a>, on page 76.</p>
Step 4: Administrative Tasks	<p>You can set up email notification. See <a href="#">Email Notification</a>, on page 155.</p>

# Network Address Translation Support

Cisco Prime Collaboration Deployment supports Network Access Translation (NAT). You can use Cisco Prime Collaboration Deployment in the following scenarios:

- When Cisco Prime Collaboration Deployment is in a local network, or private network and application nodes are behind the NAT.
- When Cisco Prime Collaboration Deployment is behind the NAT, and application nodes are in a private network.

To support application nodes behind the NAT, Cisco Prime Collaboration Deployment tracks the private IP address and the NAT IP address. Use Cisco Prime Collaboration Deployment to specify the NAT IP address for deployment nodes and the application. Cisco Prime Collaboration Deployment uses the NAT IP address to communicate with the application node. However, when you configure a node using the `platformConfig.xml` file, the node uses its private address.

## Configure Cisco Prime Collaboration Deployment Behind the NAT

When Cisco Prime Collaboration Deployment is behind the NAT and communicates with an application virtual machine or an ESXi host, the communication occurs using the NAT IP address.



---

**Note** When Cisco Prime Collaboration Deployment is behind the NAT and application nodes are in a private network, the application nodes communicate with the NAT IP address.

---

Use the **NAT Settings** window in the **Administration** menu to set the NAT IP address for Cisco Prime Collaboration Deployment. The NAT IP address that you enter on this window does not appear on any window on the GUI.

### Procedure

- 
- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close navigation** and choose **Administration > NAT Settings**.  
The **NAT Settings** window appears and is prepopulated with the hostname and the private IP address.
  - Step 2** Enter the NAT IP address in the **NAT IP** field.
  - Step 3** Click **Save**.  
The NAT IP address is saved as an entry in a configuration file on Cisco Prime Collaboration Deployment. This entry is used when the application nodes try to contact Cisco Prime Collaboration Deployment, then the application nodes read the configuration file to get the NAT IP address, and then try to communicate Cisco Prime Collaboration Deployment with that IP address.
  - Step 4** (Optional) Click **Reset**.  
The NAT IP address is reset to the earlier saved NAT IP address.
-

## Supported Tasks for Applications and Versions

You can use Cisco Prime Collaboration Deployment to perform various tasks for Unified Communications applications. The following tables list the tasks that Cisco Prime Collaboration Deployment supports for each application.


**Note**

- You can only use the 14SU2 or later versions of Cisco Prime Collaboration Deployment for all 14SU2 UC clusters.
- For Direct Standard Upgrade or Migration of UC clusters in FIPS mode with the Pre-14SU2 releases, install the COP file `ciscocm.ciscossl7_upgrade_CSCwa48315_CSCwa77974_v1.0.k4.cop` on the UC clusters.


**Note**

If the source is in FIPS mode and/or PCD in FIPS mode, see [https://www.cisco.com/web/software/286319173/139477/ciscocm.ciscossl7\\_upgrade\\_CSCwa48315\\_CSCwa77974\\_v1.0.k4.cop-ReadMe.pdf](https://www.cisco.com/web/software/286319173/139477/ciscocm.ciscossl7_upgrade_CSCwa48315_CSCwa77974_v1.0.k4.cop-ReadMe.pdf) for information on the COP file `ciscocm.ciscossl7_upgrade_CSCwa48315_CSCwa77974_v1.0.k4.cop`. This document details the pre-requisites required for direct upgrade or direct migration to the 14SU2 destination versions.


**Note**

If your 14SU2 version of Cisco Prime Collaboration Deployment is in FIPS mode and you are using any of the Pre-12.5 UC clusters to perform cluster discovery, upgrade, or migration, you must first switch your Cisco Prime Collaboration Deployment to work in the non-FIPS mode before proceeding with any of these tasks.


**Note**

The releases listed in the tables do not specify the Engineering Special (ES)/ Service Update (SU) versions. To identify supported ES/SU versions that you can upgrade or migrate to through Cisco Prime Collaboration Deployment, see the release notes of the corresponding product, such as IM and Presence, Cisco Unified Communications Manager, and Unity Connection.


**Note**

Cisco Prime Collaboration Deployment supports the destination version 11.5 and above for an upgrade or a migration. The application versions 10.x and above support virtualization. If the source version is 11.5 and above, the upgrade task is supported. However, if the source version is prior to 11.5, the upgrade task is not supported.

A migrate cluster task can migrate to any of releases listed in the tables, by having source version as 10.x and destination version should be 11.5 or higher on virtual machine.



**Note** If you're using Cisco Prime Collaboration Deployment to migrate Cisco Unified Communications Manager from Release 12.0(1) to any higher release, you must install the following COP file on the 12.0(1) system before you begin the migration. Otherwise, the configuration files related to Smart Licensing won't be migrated.

```
ciscocm-slm-migration.k3.cop.sgn
```

This requirement applies only for Prime Collaboration Deployment migrations from Release 12.0(1) of Cisco Unified Communications Manager (build 12.0.1.10000-10). If you are migrating from a higher release, such as Cisco Unified Communications Manager 12.0(1)SU1, you don't need to install the COP file.



**Note** Check destination application version release notes for any known caveats with using the Cisco Prime Collaboration Deployment tasks with the application. For Cisco Prime Collaboration Deployment, Fresh Install, Migrate and Upgrade tasks, check the destination application's Installation Guide and Upgrade Guide for any application-specific rules or restrictions on using these Cisco Prime Collaboration Deployment tasks with the application (for example, required node sequencing for installs or upgrades, restrictions on how COPs may be installed, and so on.)



**Note** If you're using Cisco Prime Collaboration Deployment to discover a cluster of the products deployed with the releases that have an issue as mentioned in the below table, you must install the `ciscocm.V11.5.1_CSCvv25961_add_diffie_C0085` COP file on the Unified Communications Manager system before you begin the discovery, otherwise, the discovery fails.

Product	Release with issue	Cop file for fix	Release with Fix
Cisco Unified Communications Manager	11.5.1.18900-97	Yes	11.5(1)Su9 and above
	10.5.2.22900-11	N/A	ES Branch 10.5.2.23200-1 and above
IM and Presence Service	11.5.1.18900-15	Yes	11.5(1)Su9 and above
Cisco Unity Connection	11.5.1.21137-1	Yes	11.5(1)Su9 and above
Cisco Emergency Responder	11.5.4.61000-12	Yes	11.5(1)Su9 and above



**Note** If you are using Cisco Prime Collaboration Deployment for upgrading clusters of the products deployed using SHA-512 files, ensure that you use the Release 14 or above versions of the Cisco Prime Collaboration Deployment. As part of enhancing the security compliances, all new COP and ISO files now have a '.sha512' extension in their names instead of the '.sgn' extension. For more information, see 'Enhanced Security Compliances' at [Release Notes for Cisco Unified Communications Manager and the IM and Presence Service, Release 14](#).

**Table 8: Supported Tasks for Cisco Unified Communications Manager (including Session Management Edition)**

Task	Release
Cluster Discovery	10.x, 11.x, 12.x and 14
Migrate Cluster (Install Application and Import Data from Old System)	<p><b>From</b> 10.x, 11.x, 12.x and 14</p> <p><b>To</b> 11.5, 12.x and 14</p> <p><b>Note</b> Prime Collaboration Deployment Migration 11x (till 11.5 SU5)/12.0 to 11x (till 11.5 SU5)/12.0 isn't supported, if "11x (till 11.5 SU5)/12.0" is an identical version as in same major, same minor, same MR, same SU/ES between the source and destination.</p>
Upgrade Cluster (Upgrade Application Version or Install COP Files)	<p><b>From</b> 11.5, 12.x and 14</p> <p><b>To</b> 11.5, 12.x and 14</p>
Restart	11.5, 12.x and 14
Switch Version	11.5, 12.x and 14
Fresh Install New Cluster or Edit or Expand an Existing Cluster	11.5, 12.x and 14
Readdress (Change Hostname or IP Addresses for One or More Nodes in a Cluster)	11.5, 12.x and 14

**Table 9: Supported Tasks for the IM and Presence Service**

Task	Release
Cluster Discovery	10.x, 11.x, 12.x, and 14
Migrate Cluster (Install Application and Import Data from Old System)	<p><b>From</b> 10.x, 11.x, 12.x and 14</p> <p><b>To</b> 11.5, 12.x and 14</p> <p><b>Note</b> Prime Collaboration Deployment Migration 11x (till 11.5 SU5)/12.0 to 11x (till 11.5 SU5)/12.0 isn't supported, if "11x (till 11.5 SU5)/12.0" is an identical version as in same major, same minor, same MR, same SU/ES between the source and destination.</p>

Task	Release
Upgrade Cluster (Upgrade Application Version or Install COP Files)	<b>From</b> 11.5, 12.x and 14 <b>To</b> 11.5, 12.x and 14
Restart	11.5, 12.x and 14
Switch Version	11.5 12.x and 14
Fresh Install New Cluster or Edit or Expand an Existing Cluster	11.5, 12.x and 14
Readdress (Change Hostname or IP Addresses for One or More Nodes in a Cluster)	Not Supported

**Table 10: Supported Tasks for Cisco Unified Contact Center Express**

Task	Release
Cluster Discovery	11.5, 11.6, 12.x
Migrate Cluster (Install Application and Import Data from Old System)	Not Supported
Upgrade Cluster (Upgrade Application Version or Install COP Files)	<b>Release Supported:</b> 11.5, 11.6, 12.x <b>To</b> 11.5, 11.6, 12.x <b>Note</b> Deployment of UCCX upgrade of a COP file for release 12.0.1, 11.x, and 10.x should be done one node at a time using PCD.
Restart	11.5, 11.6, 12.x
Switch Version	11.5, 11.6, 12.x
Fresh Install New Cluster or Edit or Expand an Existing Cluster	11.5, 11.6, 12.x
Readdress (Change Hostname or IP Addresses for One or More Nodes in a Cluster)	11.5, 11.6, 12.x



**Note** When you perform any task (Upgrade Cluster, Fresh Install New Cluster, or Edit or Expand an Existing Cluster) from Unified Contact Center Express, you cannot use the touchless installation method. The user needs to enter the details manually. For more information on the installation process, see the *Installation Guide and Upgrade Guide* of Cisco Unified Contact Center Express.

**Table 11: Supported Tasks for Cisco Unity Connection**

Task	Release
Cluster Discovery	11.5, 12.x and 14
Migrate Cluster (Install Application and Import Data from Old System)	Not Supported
Upgrade Cluster (Upgrade Application Version or Install COP Files)	11.5, 12.x and 14 <b>To</b> 11.5, 12.x and 14
Restart	11.5, 12.x and 14
Switch Version	11.5, 12.x and 14
Fresh Install New Cluster or Edit or Expand an Existing Cluster	11.5, 12.x and 14
Readdress (Change Hostname or IP Addresses for One or More Nodes in a Cluster)	11.5, 12.x and 14

**Table 12: Supported Tasks for Cisco Emergency Responder**

Cluster Discovery	11.5(x), 12.x, 14
Migrate Cluster (Install Application and Import Data from Old System)	Not Supported
Upgrade Cluster (Upgrade Application Version or Install COP Files)	11.5(x), 12.x, 14 <b>To</b> 11.5(x), 12.x, 14
Restart	11.5(x), 12.x, 14
Switch Version	11.5(x), 12.x, 14
Fresh Install New Cluster or Edit or Expand an Existing Cluster	Not Supported

Readdress (Change Hostname or IP Addresses for One or More Nodes in a Cluster)	11.5(x), 12.x, 14
--	-------------------

## Upgrade Paths for Export Restricted and Unrestricted Software

The following table lists the supported upgrade paths for applications that have an export restricted and an export unrestricted version. You can identify which version of an application you have by looking at the license SKU: export unrestricted versions are indicated by XU and export restricted versions are indicated by K9.

**Table 13: Supported Upgrade Paths for Export Restricted and Unrestricted Software**

From	To	Task Types Supported
Export Restricted (K9)	Export Restricted (K9)	Supported for Upgrade paths Supported for Migration paths
Export Restricted (K9)	Export Unrestricted (XU)	Not supported for Upgrade paths Supported for Migration paths
Export Unrestricted (XU)	Export Restricted (K9)	Not supported for Upgrade paths Not supported for Migration paths
Export Unrestricted (XU)	Export Unrestricted (XU)	Supported for Upgrade paths Supported for Migration paths

### Related Topics

[Create an Upgrade Task](#), on page 58

[Create a Switch Versions Task](#), on page 62

## Supported ESXi Server Versions

Following table lists the supported ESXi server versions for a Cisco Prime Collaboration Deployment virtual machine (VM). This VM integrates through the VMware APIs with a virtualization host that is running VMs for Cisco Unified Communications Manager or other applications. To view the list of compatible versions of VMware vSphere ESXi server for a Cisco Prime Collaboration Deployment virtual machine that runs on a virtualization host, see [https://www.cisco.com/c/dam/en/us/td/docs/voice\\_ip\\_comm/uc\\_system/virtualization/virtualization-cisco-prime-collaboration-deployment.html](https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/uc_system/virtualization/virtualization-cisco-prime-collaboration-deployment.html).

VMware vSphere ESXi on Host having VM of Cisco Unified Communications Manager or Another Application	Cisco Prime Collaboration Deployment Version Compatibility for VMware APIs
5.1 and older	No
5.5	No

VMware vSphere ESXi on Host having VM of Cisco Unified Communications Manager or Another Application	Cisco Prime Collaboration Deployment Version Compatibility for VMware APIs
6.x	<ul style="list-style-type: none"> <li>• No—For Release 11.5(1)</li> <li>• Yes—For Release 11.5(1) SU1 and later</li> </ul>
7.0	Yes—For Release 12.6 and later

## Inventory of Clusters and ESXi Host Servers

Consult the following table for information on the various Inventory use cases for discovering a cluster, add or edit a new or existing cluster, edit or expand clusters, and add or delete ESXi host servers.

Use case	What to do in PCD...
Add ESXi hosts	<ul style="list-style-type: none"> <li>• <a href="#">Add an ESXi Host Server, on page 36</a></li> </ul>
Discovered ESXi host was changed external to PCD	<ul style="list-style-type: none"> <li>• <a href="#">Delete an ESXi Host Server, on page 37</a></li> <li>• <a href="#">Add an ESXi Host Server, on page 36</a></li> </ul>
Add a new Cluster for PCD Fresh Install Task	<ul style="list-style-type: none"> <li>• <a href="#">Add New Cluster for Fresh Install, on page 42</a></li> <li>• <a href="#">Edit or Delete a New Install Cluster, on page 74</a></li> </ul>
Add a not-yet-discovered cluster to the PCD Inventory	<ul style="list-style-type: none"> <li>• <a href="#">Discover a Cluster, on page 37</a></li> <li>• <a href="#">Modify and View a Cluster, on page 40</a></li> <li>• Perform the various tasks mentioned in the application. See <a href="#">Supported Tasks for Applications and Versions, on page 28</a>.</li> </ul>
Update the Cluster Inventory for an already Discovered Cluster, where a node was added external to PCD. For example: <ul style="list-style-type: none"> <li>• Add an IM and Presence Service node to the already-discovered Unified CM cluster.</li> <li>• Add Unified Communications Manager subscriber to an already discovered Unified CM, Unity Connection, and Unified Contact Center Express cluster.</li> </ul>	<ul style="list-style-type: none"> <li>• Delete a cluster from Inventory—<a href="#">Edit or Delete a Discovered Cluster, on page 75</a></li> <li>• <a href="#">Discover a Cluster, on page 37</a></li> </ul>

Use case	What to do in PCD...
<p>Update the Cluster Inventory for an already discovered cluster, where a node was removed external to PCD. For example, when you delete a Unified Communications Manager or IM and Presence Service node from the Unified CM cluster.</p>	<ul style="list-style-type: none"> <li>• Delete a cluster from Inventory—<a href="#">Edit or Delete a Discovered Cluster, on page 75</a></li> <li>• <a href="#">Discover a Cluster, on page 37</a></li> </ul>
<p>Update the PCD Inventory for an already discovered cluster, where a node was replaced external to PCD. For example, when you delete a Unified Communications Manager or IM and Presence Service node from the Unified CM cluster, and then add a new node to the cluster.</p>	<p>If the Cluster's node count and IP Addresses were not changed then update the cluster using the <b>Refresh Cluster</b> button. See <a href="#">Refresh a Cluster, on page 39</a>.</p> <p>(OR)</p> <p>If the Cluster's node count and/or IP Addresses were changed, then:</p> <ul style="list-style-type: none"> <li>• Delete a cluster from Inventory—<a href="#">Edit or Delete a Discovered Cluster, on page 75</a></li> <li>• <a href="#">Discover a Cluster, on page 37</a></li> </ul>
<p>Update the PCD Inventory for an already discovered cluster, where a cluster was upgraded external to the PCD upgrade task. For example, in scenarios where the Unified CM or IM and Presence Service cluster that was directly upgraded using OS Admin UI or CLI after the time of discovery.</p>	<p>If the Cluster's node count and IP Addresses were not changed then update the cluster using the <b>Refresh Cluster</b> button. See <a href="#">Refresh a Cluster, on page 39</a>.</p> <p>(OR)</p> <p>If the Cluster's node count and/or IP Addresses were changed, then:</p> <ul style="list-style-type: none"> <li>• Delete Cluster from Inventory—<a href="#">Edit or Delete a Discovered Cluster, on page 75</a></li> <li>• <a href="#">Discover a Cluster, on page 37</a></li> </ul>
<p>Update PCD Inventory for an already discovered cluster, where a cluster needs to have the following configuration values changed (and it's desired to configure them directly from PCD versus using the application OS Admin UI or CLI):</p> <ul style="list-style-type: none"> <li>• Admin Username</li> <li>• Password</li> <li>• NAT IP Assign</li> <li>• SFTP server details</li> <li>• Notes</li> </ul>	<p>You can use the <b>Edit Node</b> option to change the mentioned configuration values and proceed with other tasks.</p> <p>See <a href="#">Edit a Node, on page 43</a>.</p>
<p>Update PCD Inventory for an already discovered cluster, where a cluster needs to have one or more nodes added to perform installation using PCD.</p>	<p>You can use the Edit cluster option to add one or more nodes and then proceed with installation.</p> <p>See <a href="#">Edit or Delete a Discovered Cluster, on page 75</a>.</p>

## Add an ESXi Host Server



**Important** When you add an ESXi host into Cisco Prime Collaboration Deployment, you mount the Cisco Prime Collaboration Deployment server as a network file system (NFS) mount on that host. In future, if you remove your Cisco Prime Collaboration Deployment machine, you first delete the ESXi host from the Cisco Prime Collaboration Deployment so that it does not cause a stale NFS mount on that host.

To communicate with an ESXi host server, Cisco Prime Collaboration Deployment requires either root access to the ESXi software or a nonroot user with **Host(Configuration, Storage Partition Configuration)** and **Virtual Machine(Interaction, Configure CD Media, Configure Floppy Media, Device Connection, Power Off, and Power On)** privileges enabled. The administrator creates a nonroot user with the specific permissions for Cisco Prime Collaboration Deployment tasks, such as Interactions, Configure CD Media, Configure Floppy Media, Device Connection, Power Off, and Power On privileges, for the fresh install or migration. The length of the nonroot user password must be less than 16 characters.

For more information on user password, see the [Frequently Asked Questions About the Installation, on page 7](#).



**Note** When you shut down a Cisco Prime Collaboration Deployment server, we recommend that you use the **utils system shutdown** CLI command.



**Note** Make sure that the host with the Cisco Prime Collaboration Deployment VM and the host with the application VMs use the required Virtualization Software License. See [Virtualization Software License Types, on page 6](#).



**Note** Ensure that the ESXi password is less than 32 characters, cluster password (install/discovered/migration) is less than 16 characters and are compliant with the preceding section that describes allowable special characters.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose the **Inventory > ESXi Hosts** from the menu.
- Step 2** Click **Add ESXi Host**.
- Step 3** The **Add Host Server** dialog box appears. Enter the following information:
  - a) Hostname/IP Address
  - b) Root sign-in or sufficiently privileged nonroot sign-in
  - c) Root password or nonroot password
- Step 4** Click **OK** to add the ESXi host.

## Delete an ESXi Host Server

### Procedure

- 
- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose the **Inventory > ESXi Hosts** from the menu.
- Step 2** Click **Delete**.
- 

## Discover a Cluster

With the Discover Cluster feature, Cisco Prime Collaboration Deployment communicates with the servers that are already running Unified Communications applications and adds that cluster information into the Cisco Prime Collaboration Deployment inventory.

When you perform the Discover Cluster operation, the Cisco Prime Collaboration Deployment server communicates with the publisher of the cluster and retrieves the cluster information. Then, it communicates with each server, installs the `ciscocm.ucmap_platformconfig.cop` file on the server (to retrieve configuration information), and collects information about the hostname, IP, product type, and both active and inactive versions for that server.

From 10.x and above UC clusters, Cisco Prime Collaboration Deployment uses SOAP requests to pull platformConfig.xml file from UC nodes. The cop file “ciscocm.ucmap\_platformconfig.cop” is installed if Platform Administrative Web Service(PAWS) is not available.



---

**Note** If your 14SU2 version of Cisco Prime Collaboration Deployment is in FIPS mode and you are using any of the Pre-12.5 UC clusters to perform cluster discovery, you must first switch your Cisco Prime Collaboration Deployment to work in the non-FIPS mode before proceeding with cluster discovery.

---

For details on the supported applications, see “Supported Upgrade and Migration Tasks” in the Related Topics section.



---

**Note** If a cluster includes Cisco Unified Communications Manager and IM and Presence Service (Cisco Unified Communications and IM and Presence Service servers), the Cluster Discovery discovers the Cisco Unified Presence or IM and Presence Service nodes as part of the Cisco Unified Communications Manager cluster.

---

If you are upgrading IM and Presence Services nodes to a Maintenance Release (MR) or an Engineering Special (ES) Release and you are not upgrading Cisco Unified Communications Manager nodes, following rules apply:

- If you are using the Cisco Unified OS Administration interface for upgrade, you must upgrade the Cisco Unified Communications Manager publisher node and then upgrade the IM and Presence Services nodes to an MR or an ES Release.
- If you are using the Cisco Prime Collaboration Deployment migration task, choose the Cisco Unified Communications Manager publisher node in addition to the IM and Presence Services nodes.

- If you are using the Cisco Prime Collaboration Deployment upgrade task, you do not need to select the Cisco Unified Communications Manager publisher node if the first three digits of new version of IM and Presence Services match the first three digits of the currently installed version of Cisco Unified Communications Manager.

## Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close navigation** and choose **Inventory > Clusters**.  
The **Clusters** window appears.
- Step 2** Click **Discover Cluster** to discover the existing clusters.  
The Discover Cluster wizard appears.
- Step 3** Enter details in the following fields:
- **Choose a Nickname for this Cluster**
  - **Hostname/IP Address of Cluster Publisher**

**Note** For a cluster that has both Unified Communications Manager and IM and Presence Service nodes, enter the hostname or IP address of the Cisco Unified Communications Manager publisher.

**Note** When the publisher is behind the NAT, providing the private IP address of the publisher does not reach to the node. You must provide the proper NAT/ Public IP address for successful node discovery.
  - **OS Admin Username**
  - **OS Admin Password**

**Note** Ensure that cluster password is less than 16 characters.  
You must not use the % character in the Cisco Unified OS Administration password for successful node discovery.
  - **Enable NAT**
- Step 4** (Optional) Check the **Enable NAT** check box, and then click **Next**.
- Important** During discovery, the `ciscoconf.ucmap_platformconfig.cop` file is installed automatically on the active partition of all nodes in the cluster. This COP file is used for the cluster discovery process and does not affect Cisco Unified Communications Manager.
- Note** When a cluster is behind NAT, the application tries to establish communication with each node using its private address. So, the nodes are unreachable. A pop-up shows the unreachable nodes.
- Cisco Prime Collaboration Deployment generates a list of cluster nodes from the inventory of the publisher server. The list generation process may take several minutes to complete. After the list is generated, a confirmation message appears to indicate the completion of the cluster discovery process.
- Step 5** Click **Edit** to add NAT IP address, and click **OK**.  
The NAT IP address is set for the hostname.
- Step 6** Click **Resume Discovery** to resume the discovery of unreachable nodes.

Cisco Prime Collaboration Deployment retries to discover the cluster with the NAT IP address instead of the private IP address and to get the cluster details, such as version. The discovery is successful when the cluster details appear on the window.

**Step 7** Click **Next**.

**Step 8** (Optional) Click **Assign Functions** to assign functions to each of the cluster nodes.

**Note** The assignment of functions has no effect on the services that are to be activated. However, this information can be used to determine the default sequence of tasks.

The **Assign Functions** dialog box appears.

**Step 9** Click **Finish**.

The cluster appears in the **Clusters** window, showing the cluster name, the product and version, the cluster type as *Discovered*, and the discovery status.

**Note** It might take a few minutes to discover a cluster. After the discovery is complete, the information for each node in the cluster is listed in the **Cluster Inventory** window. If you cancel the discovery before it is complete, the data is lost and you will have to repeat the discovery procedure.

**Note** The following are the different statuses that appear for the **Discovery Status** field:

- **Contacting**—Indicates that Cisco Prime Collaboration Deployment is establishing communication with clusters.
- **Discovering**—Indicates that the cluster discovery is in process.
- **Successful**—Indicates that the cluster discovery is successful.
- **Node Unreachable**—Indicates that the cluster node is inaccessible.
- **Timeout**—Indicates that the duration that is configured for the cluster discovery is complete but no cluster was discovered.
- **Internal Error**—Indicates that cluster discovery is failed because of an incorrect NAT IP address.

---

### Related Topics

[Upgrade Paths for Export Restricted and Unrestricted Software](#), on page 33

## Refresh a Cluster

You can choose one or multiple virtual machines that you have added as nodes in a cluster to view and refresh them.

### Procedure

---

**Step 1** Discover a cluster by following the 'Discover a Cluster' procedure. See [Discover a Cluster, on page 37](#).

**Step 2** Check the check box of one of the discovered or newly installed clusters to choose a cluster, and click the **Refresh Cluster** link.

---

## Modify and View a Cluster

You can select one or multiple virtual machines that you have added as nodes in a cluster to view and modify them.



**Note** The cluster nodes that you need to install appear as editable and have **Edit** and **Delete** links. The installed cluster nodes appear dimmed and you can't edit or delete them.



**Note** When you add new nodes to the installed cluster, all fields on **Configure NTP Settings** page appear dimmed and are non-editable. The fields on the other pages will populate the values of the already installed nodes as the default. If needed, you can change the values for the newly added nodes.

### Procedure

- Step 1** Discover a cluster by following the 'Discover a Cluster' procedure. See [Discover a Cluster, on page 37](#).
- Step 2** Check the check box of one of the discovered or newly installed clusters to choose a cluster, and click **Edit** link.
- Step 3** On the **Edit Link** window, view the details in the fields, and modify the details, as required.
- Step 4** Click **OK**.

## Create a Migration Cluster

### Before you begin

To create a migration task, perform the following procedure:

1. Discover the existing cluster that you wish to migrate. See the "Discover a Cluster" procedure at [Discover a Cluster, on page 37](#).
2. Define a migration cluster.



**Note** After you define the migration cluster, see "Migration Task" at [Migration Task, on page 44](#) to define when and how to perform the migration.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, select **Inventory > Cluster**.
- Step 2** Click **Define Migration Destination Cluster**.

The **Define Migration Destination Cluster** wizard appears.

**Step 3** In the Specify Clusters section, specify the name of the cluster, select the source UC cluster from the drop-down list. Enter a name in the Destination Cluster Name field and select one of the following Destination Network Settings options:

- To retain the default network options, select the **Use the source node network settings for all destination nodes** option.
- To modify the default network settings or enter new network options, select the **Enter new network settings for one or more destination nodes** option.

**Note** If you select the **Use the source node network settings for all destination nodes** option, same IP address appears for both the source node **NAT IP** and **Dest NAT IP** columns **Assign Destination Cluster Nodes**. If you select the **Enter new network settings for one or more destination nodes** option, only source hostname appears and not the destination hostname on the **Assign Destination Cluster Nodes** window.

**Step 4** Click **Next**.

The **Assign Destination Cluster Nodes** window appears.

**Step 5** Click **Assign Destination Cluster Nodes** to select the destination virtual machine for each source node.

**Note** If DHCP is in use on your source node, the destination node will also be configured to use DHCP, and you will not have the option of changing your network settings in this wizard.

The **Configure Destination Cluster** window appears.

**Step 6** Select a virtual machine, click **Next Node** to go to the next node in the cluster, and select another virtual machine for the destination virtual machine, and click **Done**.

**Note** If there is more than one node in the cluster, repeat these steps - (assigning VM, and entering new IP/hostname settings, if needed) for each node in the source cluster.

**Step 7** Click **Next**.

The **Configure NTP/SMTP Settings** window appears.

**Step 8** Enter the Network Time Protocol (NTP) server settings to be applied to the migration nodes when the migration task runs, and optionally, enter the SMTP server settings.

**Important** In a proxy TFTP setup, if a network migration is performed "off-cluster", you need to manually configure the new hostname and IP address of that off-cluster in the proxy TFTP. Off-cluster refers to situations where TFTP functionality is being performed by a proxy that is not part of that specific Unified Communications Manager cluster. During a migration, that TFTP server (that is not part of the cluster) is not modified. If you want to change the hostname or IP address of that server, you must do it as a separate process and not with Cisco Prime Collaboration Deployment.

**Step 9** Click **Next**.

The **Define DNS Settings** window appears.

**Step 10** To change the DNS setting for a node, select the node or nodes from the table and click **Assign DNS Settings**. Enter the primary and secondary DNS, then click **OK** to apply the changes.

**Important** You cannot change the domain name during a migration.

**Step 11** Click **Finish**.

The changes are saved and a row is added to the clusters table to reflect the new migration cluster that you have created.

## Add New Cluster for Fresh Install

### Procedure

- 
- Step 1** From the Cisco Prime Collaboration Deployment application, select **Inventory > Clusters**.
- Step 2** Click **Define New UC Cluster**.  
The **Define Cluster** wizard appears.
- Step 3** In the Specify Cluster Name section, enter the cluster name, and click **Next**.  
The **Add Virtual Machines** window appears.
- Step 4** Click **Add Node** to add nodes to the cluster.  
The **Add Node** dialog box appears to show the list of the available VMs that are sorted by name and by host.
- Step 5** On the **Add Node** window, enter the network settings for the node that you have added, choose the functions for the node, and choose a VM for this node. Select the VM that you wish to add and then enter the following information in the sections below the VM table:
- In Network section, select either **Static IP Address** or **Use DHCP with reservations**. If you select the **Static IP Address** option, enter the hostname, IP Address, subnet mask, gateway, and NAT IP. If you select **Use DHCP with reservations** option, enter the IP address that you have a reservation for on your DHCP server (associated with the MAC address for that VM) in addition to the hostname.  
If you are adding a Cisco Unified Contact Center Express server, do not use DHCP for network settings.
 

**Note** **NAT IP** is an optional field. In Step 4, if you have selected a node that is behind NAT, enter the IP address in the **NAT IP** field, else leave this field blank. The value that you enter in this field appears in the **NAT IP** column. If the NAT IP address is associated with a port, you can enter port value which should be in the range of 1–65535.
  - From the **Products and Functions** list box, select a product.
  - In the Functions section, check the appropriate function check boxes for your VM.
 

**Note**

    - Check the **Publisher** check box for at least one node in the cluster that you have defined, for each application type.
    - (Optional) Add a note about the functions that you have assigned in the **Notes** field below the **Publisher** field.
  - Click **OK**.
  - In Virtual Machines section, choose a VM for this node.
 

**Note**

    - Choose a new VM for fresh install clusters and that new VMs must be in turned off state.
    - Do not install over an existing running Cisco Unified Communications Manager node. The installation must be a fresh VM that you create with the appropriate OVA for the application that you will install.

- Step 6** Click **OK**.  
The VM is added and is listed in the **Cluster Name** table.
- Step 7** (Optional) To add more nodes to the cluster, repeat steps 4 through 6.
- Step 8** Click **Next**.  
The **Configure Cluster Wide Settings** window appears.
- Step 9** Enter the OS administration credentials, application credentials, security password, SMTP settings, and certificate information for this cluster, and click **Next**.
- Note** Before you enable FIPS mode, Common Criteria, or Enhanced Security Mode, ensure that you have minimum 14 characters for Security Password.
- The **Configure DNS Settings** window appears.
- Step 10** (Optional) Add a DNS setting for a node, select the node, and click **Assign DNS Settings**.  
The Cisco Unified Contact Center Express application must use DNS.  
The **Configure NTP Settings** window appears.
- Step 11** Enter IP address of at least one NTP server.
- Note**
- It is recommended that you define at least IP addresses of two NTP servers.
  - If you are not using DNS, NTP server must be an IP address. If you are using DNS, NTP server can be an FQDN.
- Step 12** Click **Next**.  
The **Configure NIC Settings** window appears.
- Step 13** (Optional) Choose the server, and enter an MTU size between 552 and 1500, and click **Apply to Selected**.
- Step 14** Click **Next**.  
The **Configure Time Zones** window appears.
- Step 15** Select a node, choose the region and time zone from the **Region** and **Time Zones** list boxes, and click **Apply to Selected**.
- Step 16** Click **Finish**.  
The new install cluster is listed on the Clusters screen, with a Cluster Type as **New Install**. The cluster is defined but is yet to be created. To install the cluster, create an install task. The install task uses the install cluster that you have defined, and creates the cluster.

## Edit a Node

You can edit one or multiple virtual machines that you have added as nodes in a cluster.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, select **Inventory > Clusters**.
- Step 2** Discover a cluster by following the 'Discover a Cluster' procedure. See [Discover a Cluster, on page 37](#).
- Step 3** Check the check box of one of the discovered or newly installed clusters to choose a node, and click **Edit Node** link.
- Step 4** In the **Edit Node** window, view the details in the fields, and modify the details, as required.

**Step 5** Click **OK**.

---

## Task Management

After you add your clusters and ESXi hosts to the Cisco Prime Collaboration Development inventory, you can create tasks to manage your clusters. Each task has the following common features:

- Each task is applied to a single cluster.
- The default sequence for each task (for example, what servers are affected and when) is applied based on the server functions you defined.
- The sequence of each task can be customized to fit your needs.
- Each task can be scheduled to start immediately or at a later date.
- Tasks can also be created without a specific start time. You can then manually start the task through the Monitoring page at the appropriate time.

Migration, install, and upgrade tasks require you to select one or more Cisco Option Packages (COP) or ISO files. You must download these files from Cisco.com and upload them to the Cisco Prime Collaboration Deployment server before you create the task. You can use any SFTP client to upload the files using the "adminsftp" account and the OS Administration password. Upload migration and .iso install files into the /fresh\_install directory, and place upgrade .iso files or .cop files to be installed on an existing server in the /upgrade directory.




---

**Note** Migration and install .iso files must be bootable.

---




---

**Note** PCD scheduler can execute 21 task actions simultaneously. See [Max Nodes Configuration, on page 127](#).

---

## Migration Task

### Before You Begin




---

**Note** To verify that your source and the desired destination application versions are supported paths for PCD Migration Task, see the 'Supported Tasks for Cisco Unified Communications Manager (including Session Management Edition)' table in section [Supported Tasks for Applications and Versions](#).

---

To perform cluster migration, the destination-virtual machine must be ready for installation before you create the migration task. Be sure that the following steps are completed:

1. **VMware**—Deploy the hardware for the new cluster and install ESXi.



---

**Note** Make sure that the host with the Cisco Prime Collaboration Deployment VM and the host with the application VMs use the required Virtualization Software License. See [Virtualization Software License Types](#), on page 6.

---

2. **ISO file**—Download the recommended OVA and ISO images for the target release, and use SFTP to send the ISO file to the Cisco Prime Collaboration Deployment server, `/fresh_install` directory.
3. **VMware**—Deploy the Cisco-recommended OVA to create the VMs for the destination nodes. Create the appropriate number of target-virtual machines on your ESXi hosts (one new virtual machine for each server in the existing cluster) using the Cisco OVAs that you downloaded in Step 2. Configure the network settings on new VMs.
4. **Cisco Prime Collaboration Deployment GUI**—Add the ESXi Hosts that contain your virtual machines to the Cisco Prime Collaboration Deployment inventory. For information about adding an ESXi host to Cisco Prime Collaboration Deployment, see [Add an ESXi Host Server](#), on page 36.
5. **Cisco Prime Collaboration Deployment GUI**—Ensure that you performed a cluster discovery for the existing cluster (source cluster) so that it appears in the Cluster Inventory. For information about cluster discovery, see [Discover a Cluster](#), on page 37.
6. **Cisco Prime Collaboration Deployment GUI**—Create the migration cluster (click **Open and close navigation** and choose **Inventory > Clusters**) to define the mapping between MCS source nodes and target-virtual machines.



---

**Important** When the migration cluster is created, you must indicate whether all destination nodes maintain the same hostname or IP address, or whether some of these addresses change.

---

- Using the source node settings for all destination nodes option is called a simple migration. See the migration flow chart for more information.
  - Entering new network settings for one or more destination nodes is called a network migration. See the migration flow chart for more information.
7. **Cisco Prime Collaboration Deployment GUI**—Setup Email Notification (Optional)
    - Click open and close navigation and choose **Administration > Email Notification**.
    - When email notification is set up, the Prime Collaboration Deployment server emails the error conditions that may occur during the migration task.
  8. **Cisco Prime Collaboration Deployment GUI**—Create the migration task.
  9. Install the `ciscocm.migrate_export_10_0_1.sh_v1.1.cop.sgn` cop file on both IM and Presence publisher and subscriber nodes.

### Special Considerations

- If you are migrating a cluster that is security enabled, see [CTL Update](#), on page 149 for special instructions. If you are performing a migration with network migration (where one or more hostnames or IP addresses

change between the source and destination nodes), update the IP addresses or hostnames of destination nodes in your DNS server before you begin the migration task.

- You can specify a different NAT address for source and destination, so that the source is not abruptly shut down. If you want to perform a simple migration but need to specify different Network Address Translation (NAT) entries for source and destination, you must select “Network Migration” and provide the same details for source and destination (all hostnames and IP addresses).



- 
- Note**
1. Before migrating the cluster, we recommend installing the latest Upgrade Readiness COP file. See the for details. This is applicable if the source cluster is 10.x or above and valid only for Unified Communications Manager and IM and Presence Service.
  2. Make sure that Prime Collaboration Deployment has enough free space depending on the size of the source cluster in the common partition.
  3. If your 14SU2 or later versions of Cisco Prime Collaboration Deployment is in FIPS mode and you are using any of the Pre-12.5 UC clusters to perform migration, you must first switch your Cisco Prime Collaboration Deployment to work in the non-FIPS mode before proceeding with migration. You can also use the Fresh Install with Data Import (V2V) option if you do not plan to use Cisco Prime Collaboration Deployment for migration.
- 

## Create a Migration Task

Follow these steps to create or edit a new migration task to simultaneously upgrade and migrate a cluster to new virtual machines.

Note the supported restricted and unrestricted paths. See “Supported Upgrade and Migration Tasks” and “Upgrade Paths for Export Restricted and Unrestricted Software” in the Related Topics section.

### Procedure

---

- Step 1** Click **Open and close navigation** and choose **Task > Migrate**.
- Step 2** Click **Add Migration Task**. The Add Migration Task wizard appears.
- Step 3** In the **Specify Task Name** drop-down, enter a name for the migration task in **Choose a Nickname for this Migration Task**.
- Step 4** From the **Source UC Cluster** drop-down list, select the cluster on which the nodes to be migrated from are located.
- Step 5** From the **Destination Cluster** drop-down list, select the destination cluster or migration map. The migration maps are associated with the source cluster you have selected. Click **Next**.
- If you want to apply an upgrade patch along with the migration, click **Yes** radio button. Click **No** radio button to proceed with migration task only.
- Step 6** In the **Choose Migration Files** section, choose the ISO file you wish to install on the destination cluster by clicking **Browse**. The **Choose a Migration File** window opens. Select the ISO file from the list and click **OK**.
- If you have applied upgrade patch along with the migration, browse the patch files along with the ISO files for Unified Communications Manager and IM and Presence Service

You must select the patch file of the same Engineering Special (ES)/ Service Update (SU) versions of the ISO file.

**Important** The ISO file is visible here only if it was placed in the local SFTP directory under `/fresh_install`, if Prime Collaboration Deployment is used as local SFTP. If any remote SFTP is associated with the migration cluster, then the files should present in the remote SFTP.

If you select Prime Collaboration Deployment as SFTP, then you can place the migration file under `/fresh_install` and the upgrade patch file under `/upgrade` directory. If you select any remote SFTP, then both migration and upgrade patch file should be in the same SFTP server.

**Note** To create a migration task, while selecting ISO files, ensure that the ISO files are common across all the required SFTP servers which are associated to cluster nodes. If the ISO files are not common to all the required SFTP servers which are associated to cluster nodes, the valid files do not appear although they are valid for migration. To view all the ISO files, from the **Show** drop-down list, choose **All**.

**Note** When you add the Remote SFTP server, you should maintain the different SFTP directories for fresh install/migration and upgrade. You can add the same Remote SFTP server for fresh install/migration and upgrade but directories for fresh install/migration and upgrade should be different.

**Step 7** If you want to make the newly created task as dependent on the successful completion of another previously executed task, check the checkbox of the tasks listed in the **Task Dependency Scheduling**.

You can select multiple tasks as dependent tasks. If you do not want to make any dependency, check the **No Dependency** checkbox.

**Step 8** Click **Next**.

**Step 9** In the **Specify Migration Procedure** section, you will see the default sequence for the migration task. If you wish, you can change the sequence of steps in the migration procedure. (For example, the default is to install each subscriber individually. You might want to change this to install more than one subscriber in a step.) You have the following options:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.
X mark	Delete the current step.  If you remove all the nodes from a step, the step is removed by default. You cannot remove a step that contains the Publisher node.
Up arrow	Move the step up to be performed earlier.
Down arrow	Move the step down to be performed later.

- The Pencil icon opens up an **Edit Step** window. Add nodes to be migrated in this step from the list of available nodes. The available nodes are the ones that you chose for migration.
- The step to which each node is assigned displays next to the node. If a node is not assigned to any step, it shows as unassigned.
- When you assign all the nodes to a step, a default sequencing is available.

**Important** You cannot proceed to the next step until you assign all the nodes.

- The **Pause task after step completes** option pauses the task after completion of this step. You must manually start the next step to complete the task.

For more information about sequencing tasks, see the task management information at the beginning of this section.

**Step 10** Select the date and time when you want the migrate task to begin. You have the following options to schedule upgrades:

If the task is created as depended task, then **Set Start Time** section is disabled.

**Note** Cisco Prime Collaboration Deployment does not allow you to select the date and time for the dependent tasks, as the dependent task starts automatically after the successful completion of the existing task.

- Select **Schedule for a specific time** to enter the date and time when you want the migrate task to start. The start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server as denoted by the time zone that is displayed with this option.

**Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task starts automatically.

- Select **Start task manually** to keep the task in a manual start.

**Note** If you choose to start the task manually, a task is created, but does not start until you click the **Start task** button on the Monitoring page, or the **Start task** link on the task page.

- Select **Start task immediately upon completion of this wizard** to start the task immediately after you click **Finish**.
- If you want the system to automatically switch to the new version, choose the option **Upgrade Option to Automatically Switch to New Version after Successful Upgrade**.

**Step 11** Click **Next**.

**Step 12** In the **Review** section, you can review the selections that you made. You can also add notes to your new migration task.

**Step 13** If there are no changes required, click **Finish** to add your new migration task.

**Step 14** The new migration task appears in the table on the Migrate screen.

**Important** If you are performing a migration with the network migration, the sequence automatically inserts a “Forced Pause” step into the sequence after all the servers are installed to allow the user to perform procedures. See the “Run a Migration Task” section for details on when manual procedures are needed. The “Forced Pause” step cannot be edited and moved, and it has no nodes that are assigned. This step is inserted before the source node shutdown step, because if CTL Updates or certificate management steps are required, these steps must be completed before the source node is shut down.

---

### Related Topics

[Upgrade Paths for Export Restricted and Unrestricted Software](#), on page 33

## Run a Migration Task

If you scheduled the task to start at later date, or if you chose Manual Start, then the task is listed in the task list, but has not started yet. In this case, a validation button will be associated with the task. Click **Validate** to check the task before it runs. If there are any problems with the task (such as a missing ISO file, or VMs not in Off state), the validation will alert you, so the issues can be fixed before the task starts.

For a task that was scheduled to start, you can click the Start button to begin the task.

While the migration task is running, depending on the type of migration task, some user operations might be needed. For example, if you are performing a “migration with network migration,” the sequence automatically inserts a “Forced Pause” into the sequence after all the servers have been installed. This will cause the migration task to pause after all the new servers are installed but before any of the source machines are shut down.

Consult the table below and the applicable Migration Procedure flow chart (see the “Migration Procedure Flow Charts” section) to determine if any user interaction will be needed during the migration task.



- Important** When the migration cluster is created, you must indicate whether all destination nodes will keep the same hostname or IP address, or if some of these addresses will be changing.
- Using the source node settings for the all destination nodes option is referred to as a “simple migration” in the “Migration Procedure Flow Charts” section.
  - Entering new network settings for one or more destination nodes option is referred as “network migration” in the “Migration Procedure Flow Charts” section.

Unified CM source cluster - from Release	Simple Migration or Network Migration	Unified CM source cluster - (secure or nonsecure)	User procedures to be performed during migration
10.x	Simple migration	Secure	No steps required during migration.
10.x	Simple migration	Nonsecure	No steps required during migration.
10.x	Network migration	Secure	When the migration task reaches the Forced Paused step, perform the following steps: <ol style="list-style-type: none"> <li>1. CTL Update</li> <li>2. Bulk Certificate Management</li> <li>3. Resume the task on Cisco Prime Collaboration Deployment GUI.</li> </ol>
10.x	Network migration	Nonsecure	When the migration task reaches the Forced Paused step, perform the following steps: <ol style="list-style-type: none"> <li>1. Bulk Certificate Management</li> <li>2. Resume the task on Cisco Prime Collaboration Deployment GUI.</li> </ol>

Unified CM source cluster - from Release	Simple Migration or Network Migration	Unified CM source cluster - (secure or nonsecure)	User procedures to be performed during migration
11.x, and 12.x	Simple migration	Secure	No steps are required during migration.
11.x, and 12.x	Simple migration	Nonsecure	No steps are required during migration.
11.x, and 12.x	Network migration	Secure	When the migration task reaches the Forced Paused step, perform the following steps: <ol style="list-style-type: none"> <li>1. CTL Update</li> <li>2. Bulk Certificate Management</li> <li>3. Resume the task on Cisco Prime Collaboration Deployment GUI.</li> </ol>
11.x, and 12.x	Network migration	Nonsecure	When the migration task reaches the Forced Paused step, perform the following steps: <ol style="list-style-type: none"> <li>1. Bulk Certificate Management</li> <li>2. Resume the task on Cisco Prime Collaboration Deployment GUI.</li> </ol>

## Postmigration Tasks for Cisco Unified Communication Manager Nodes in the Cluster

“After the migration task runs successfully, if a migration task with network migration is performed, some additional steps is required. (No postmigration tasks are required if a simple migration is performed.)”

Consult the following table and the applicable migration Use Case flowchart to determine whether any user tasks should perform after the migration task is successful.

Unified CM source cluster - from Release	Simple Migration or Network Migration	Unified CM source cluster (Secure or Non-secure)	User procedures to be performed after migration
10.x	Network migration	Secure	<ol style="list-style-type: none"> <li>1. Change TFTP Server IP Address .</li> <li>2. Verify Phone Registration.</li> </ol>
	Network migration	Nonsecure	<ol style="list-style-type: none"> <li>1. Change TFTP Server IP Address .</li> <li>2. Verify Phone Registration.</li> </ol>

Unified CM source cluster - from Release	Simple Migration or Network Migration	Unified CM source cluster (Secure or Non-secure)	User procedures to be performed after migration
11.x, and 12.x	Network Migration	Secure	<ol style="list-style-type: none"> <li>1. Change TFTP Server IP Address .</li> <li>2. Verify Phone Registration.</li> </ol>
	Network Migration	Nonsecure	<ol style="list-style-type: none"> <li>1. Change TFTP Server IP Address .</li> <li>2. Verify Phone Registration.</li> </ol>



**Note** Device default settings will **NOT** be carried over from source cluster to destination cluster after a simple or network migration task.

Any device packs installed for specific features need to be reinstalled if destination cluster version does not already include the device pack feature.



**Note** After migration, reinstall all COP files for any country locale that you are using. COP files may be reinstalled through PCD Upgrade Task or Unified Communications Manager OS Admin or CLI.

## Post Migration Tasks for IM and Presence Service

If the migrated cluster contains IM and Presence Service nodes, and you are performing a network migration, these postinstallation tasks must be performed for any pre-Release 10.x IM and Presence Service cluster.

### Procedure

	Command or Action	Purpose
<b>Step 1</b>	Configure certificates and certificate trust stores.	<p>If the old cluster had CA-signed certificates in any of the component trust stores, be aware that the components contain self-signed certificates on the migrated Release 10.x cluster.</p> <p>Also, the root and intermediate certificates of the Certificate Authority are not preserved in their respective trust stores. You should sign the certificates with the old Certificate Authority, similar to how it would have been done initially.</p> <p>For more information, see the <i>Administration Guide for Cisco Unified Communications Manager Guide</i>.</p>

	Command or Action	Purpose
<b>Step 2</b>	Configure intercluster peers.	<p>If the old cluster had an intercluster peer relationship, you need to delete the configuration from all peer clusters. Once this is done, add the appropriate interclustering based on the network details of the new cluster.</p> <p>For example, Cluster A, Cluster B, and Cluster C are all intercluster peers. If Cluster A was migrated, then you should delete all interclustering configuration from the old Cluster A and likewise Cluster A from Cluster B and Cluster C and then add interclustering with the network details of the new Cluster A. You do not need to configure anything from the new Cluster A since the migration brings over the old data.</p> <p>For more information, see <i>Deployment Guide for IM and Presence Service on Cisco Unified Communications Manager</i>.</p>
<b>Step 3</b>	Re-publish SIP Federation.	<p>If the old cluster was front-ending SIP Interdomain with Microsoft OCS/Lync/AOL or SIP Intradomain federation with OCS/Lync, then your enterprise needs to re-publish the DNS-SRV of your federating domain to reflect the new network details.</p> <p>If the far side has SIP static routes that are configured instead of DNS-SRV based routing, then the SIP static routes need to be changed to reflect the new network address. Similarly, all intermediate network elements (including ASA or any other similar components that route or inspect traffic to the old cluster from the external federation entities) need to be re-configured for successful routing to the new cluster.</p> <p>For Interdomain configuration, see <i>Interdomain Federation for IM and Presence Service on Cisco Unified Communications Manager</i>.</p> <p>For Intradomain federation, see <i>Partitioned Intradomain Federation for IM and Presence Service on Cisco Unified Communications Manager</i>.</p>
<b>Step 4</b>	Re-publish XMPP Federation.	<p>If the old cluster was front-ending XMPP Interdomain federation to any external XMPP servers, then your enterprise needs to republish your federating domain's DNS-SRV records to reflect the new network details.</p>


	Command or Action	Purpose
		For more information, see <i>Interdomain Federation for IM and Presence Service on Cisco Unified Communications Manager</i> .
<b>Step 5</b>	Configure Cisco Jabber/Cisco Unified Personal Communicator connectivity.	Jabber or Unified Personal Communicator caches the hostname information from the old cluster and does not have new hostname information unless you are able to push the configuration to the desktop of the user, or that user manually enters one of the node names.  A fail safe approach for users that are unassigned from the old cluster, and as a result are unable to log in, involves the user manually entering the hostname or IP address of one of the nodes in the new cluster (of which they were informed before migration). In this scenario, the user's client finds the right home node by way of redirected login.

## Migration Procedure Flow Charts

Use the following task flows as a guide to perform migration tasks.

### Simple Migration

Figure 1: Flow Chart for Simple Migration






**Note** Cisco Prime Collaboration Deployment does not support migration of Business Edition 5000 Appliance running on MCS 7828H3.


## Pre Release 10.0 Unified CM Network Migration

Figure 2: Flow Chart for Pre Release 10.0 Unified Network Migration



## Release 10.0 And Later Unified CM Network Migration

Figure 3: Flow Chart for Release 10.0 and later Unified CM Network Migration




3519167

## Recovery of Original Cluster

Use the following procedure when a cluster fails to migrate successfully, and some nodes are installed on the new cluster.

Figure 4: Flow Chart for Recovery of Original Cluster



## Check the Status of the Cluster Manager Service on All Source Nodes

The steps below are used if a migration task fails when there were network migration changes on one or more nodes. Following the failure, you may need to perform some steps to get the old cluster nodes running again. See the flow chart above for all steps to be followed. Below are detailed steps for running the CLI command to restart cluster manager on old nodes.

Perform the following steps manually on all subscriber nodes that were supposed to have network changes (for example, hostname, IP address, or both) after all old cluster nodes are up and running.

Use cases that may require the restart of Cluster manager on source nodes are:

### Use Case 1

No hostname and no IP address change on Publisher, hostname change on Subscriber

The user is required to check Cluster Manager service on source Subscriber

#### Use Case 2

No hostname and no IP address change on Publisher, IP address change on Subscriber

The user is required to check Cluster Manager service on source Subscriber

#### Use Case 3

No hostname and no IP address change on Publisher, hostname, and IP address change on Subscriber

The user is required to check Cluster Manager service on source Subscriber

#### Use Case 4

No hostname change on Publisher, IP address change on Publisher, no hostname and no IP Subscriber

The user is required to check Cluster Manager service on source Publisher

### Procedure

---

**Step 1** Enter the following CLI command at the command prompt: **utils service list**. The following output appears:

```
Requesting service status, please wait...
System SSH [STARTED]
Cluster Manager [STOPPED]
```

**Step 2** If Cluster Manager Service status is STOPPED, type the following command to start the service on the old subscriber node:

**utils service start Cluster Manager**

---

## Upgrade Task

Use Cisco Prime Collaboration Deployment to perform the following types of upgrade tasks:

- Direct standard upgrade—This upgrade does not require upgrades to the embedded operating system. You can install upgrade software on your server while the system continues to operate.
- Direct refresh upgrade—This upgrade is required in situations where incompatibilities exist between the old and new software releases. For example, a refresh upgrade is required when the major version of the embedded operating system changes between the version you are upgrading from and the version that you are upgrading to.

The application automatically determines whether you need to perform a direct standard upgrade or a direct refresh upgrade.




---

**Note** If your 14SU2 version of Cisco Prime Collaboration Deployment is in FIPS mode and you are using any of the Pre-12.5 UC clusters to perform an upgrade, you must first switch your Cisco Prime Collaboration Deployment to work in the non-FIPS mode before proceeding with the upgrade.

---

## Create an Upgrade Task

Use the upgrade task to perform software version upgrades on a cluster. You can also use an upgrade task to install .cop files on all or a subset of servers in a cluster.

To know the supported applications, releases, and versions, see the see “Supported Upgrade and Migration Tasks” and “Upgrade Paths for Export Restricted and Unrestricted Software” in the Related Topics section.




---

**Note** Based on the source version and destination version you choose, Cisco Prime Collaboration Deployment uses either direct standard upgrade sequence or validation, or direct refresh upgrade sequence or validation.

---

Use the Add Upgrade Task wizard to create and edit upgrade tasks.

To create or edit a new upgrade task to automatically run on one or more clusters at scheduled times, follow these steps.

### Before you begin

1. Note the supported restricted and unrestricted paths. See “Supported Upgrade and Migration Tasks” and “Upgrade Paths for Export Restricted and Unrestricted Software” in the Related Topics section.
2. Perform a cluster discovery for the cluster that you wish to upgrade, so it appears in the Cluster Inventory. See [Discover a Cluster, on page 37](#).
3. Download the ISO files you wish to upgrade to, and use SFTP to send this file to Cisco Prime Collaboration Deployment in the upgrade folder. If you are using the upgrade task to install a .cop file, upload the .cop file to the /upgrade folder using an SFTP client.
4. For the application servers in the cluster to be upgraded, ensure that the Platform Administrative Web Service is active on that server.




---

**Note** Before upgrading the cluster, Cisco recommends to install the latest Upgrade Readiness COP file. Refer to the *Upgrade and Migration Guide for Cisco Unified Communications Manager and IM and Presence Service* for details. This is applicable if the source cluster is 9.X or above and valid only for Unified Communications Manager and IM&P.

---

### Procedure

- 
- Step 1** Click **Open and close navigation** and choose **Task > Upgrade** from the main menu.
- Step 2** Click **Add Upgrade Task**.

- Step 3** In the **Specify Task Name** drop-down, enter a name for the upgrade task in **Choose a Nickname for this Upgrade Task**.
- Step 4** Select the upgrade type as **ISO** or **COP**.
- You can install multiple cops files in a single upgrade task.
- Note** If the user select the multiple cop files for upgrade then the task sequence will load up according to the selected COP files.
- Note** Maximum 32 COP files can be selected for a specific product.
- Step 5** From the **Cluster** drop-down list, select the cluster on which the nodes to be upgraded are located.
- Step 6** If you want to make the newly created task as dependent on the successful completion of another previously executed task, check the checkbox of the tasks listed in the **Task Dependency Scheduling**.
- You can select multiple tasks as dependent tasks. If you do not want to make any dependency, check the **No Dependency** checkbox.
- You can make an upgrade ISO task dependent on an upgrade task only.
- You can make an upgrade COP task dependent on Install and Migration task.
- Step 7** Select the nodes that are part of the upgrade from the list of nodes.
- Step 8** Click **Next**.
- Note** The **Next** button is dimmed if no nodes are selected.
- Step 9** Click the respective **Browse** buttons to select the upgrade files from the file server.
- Note** The option to select upgrade files is available only for the selected product types and applications that are currently supported in the cluster.
- Step 10** Select a valid upgrade file or files.
- Note** Click **Show** drop-down list to see all the available upgrade files on the file server.
- Note** To create an upgrade task, while selecting ISO/COP files, ensure that the ISO/COP files are common across all the required SFTP servers which are associated to cluster nodes. If the ISO/COP files are not common to all the required SFTP servers which are associated to cluster nodes, the valid files do not appear even though they are valid for upgrade. To view all the ISO/COP files, from the **Show** drop-down list, choose **All**.
- Note** When you add the Remote SFTP server, you should maintain the different SFTP directories for fresh install/migration and upgrade. You can add the same Remote SFTP server for fresh install/migration and upgrade but directories for fresh install/migration and upgrade should be different.
- Step 11** Click **Choose File**.
- Step 12** Click **Next**.
- Note** The **Next** button is dimmed if no valid upgrade files are selected.
- Step 13** Select the date and time when you want the upgrade task to begin. You have the following options to schedule upgrades:
- If the task is created as depended task, then **Set Start Time** section is disabled.

**Note** Cisco Prime Collaboration Deployment does not allow you to select the date and time for the dependent tasks, as the dependent task starts automatically after the successful completion of the existing task.

- Select **Schedule for a specific time** to enter the date and time when you want the upgrade task to start. The start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server as denoted by the time zone that is displayed with this option.

**Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task starts automatically.

- Select **Start task manually** to keep the task in a manual start.

**Note** If you choose to start the task manually, a task is created, but does not start until you click the **Start task** button on the Monitoring page, or the **Start task** link on the task page.

- Select **Start task immediately upon completion of this wizard** to start the task immediately after you click **Finish**.
- If you want the system to automatically switch to the new version, choose the option **Upgrade Option to Automatically Switch to New Version after Successful Upgrade**. Otherwise, the server, or servers, are upgraded but remain on the current version of software. In that case, you can schedule a switch version task to switch over to the upgraded version of software.

**Step 14** Click **Next**.

**Step 15** Specify the sequence of steps to complete the task. You have the following options:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.
X mark	Delete the current step. If you remove all the nodes from a step, the step is removed by default. You cannot remove a step that contains the publisher node.
Up arrow	Move the step up to be performed earlier.
Down arrow	Move the step down to be performed later.

- The Pencil icon opens up an **Edit Step** window. Add nodes to be upgraded in this step from the list of available nodes. The available nodes are the ones that you chose for an upgrade.
- The step to which each node is assigned displays next to the node. If a node is not assigned to any step, it shows as unassigned.
- When you assign all the nodes to a step, a default sequencing is available.

**Important** You cannot proceed to next step until you assign all the nodes.

- The **Pause task after step completes** option pauses the task after completion of this step. Manually start the next step to complete the task.

**Step 16** Click **OK**.

**Step 17** Click **Next**.

**Note** The **Next** button remains enabled, which allows you to click to display any configuration errors.

**Step 18** See the **Review** section to verify the details of the task you created. You can add notes for the task, if necessary. The notes are saved with the task and are visible if the task is edited before completion.

**Step 19** Click **Finish** to schedule the task.

---

### Related Topics

[Upgrade Paths for Export Restricted and Unrestricted Software](#), on page 33

## Direct Refresh Upgrade

You can perform refresh upgrade to upgrade from existing version of a product to a later version where operating systems of both the versions are different. The supported products for this upgrade are Cisco Unified Communications Manager, IM and Presence Service, Cisco Unity Connection, Cisco Unified Contact Center Express, and Cisco Emergency Responder.

In the earlier releases, after direct refresh upgrade, although Cisco Unified Communications Manager was upgraded to the new version, it used to switch back to its older version. The new version used to be an inactive version. For the new version to be the active version, switch version was required. The switch back used to happen because upgrade and switch version were two separate steps. It implies that the version had to be switched twice to make the new version after direct refresh upgrade.

To prevent switch version twice, in this release, Cisco Prime Collaboration Deployment includes switch version step as part of upgrade step during refresh upgrade. Check the **Automatically switch to new version after successful upgrade** check box in the **Upgrade Task** window during upgrade task configuration. Then, the switch version of the product (either Cisco Unified Communications Manager or IM and Presence Service) is included as part of the upgrade step. However, the switch version step appears as a separate step if the upgrade is for Cisco Unified Communications Manager and IM and Presence Service cluster.

## Database Replication

Database replication is one of the steps of refresh upgrade process. Cisco Prime Collaboration Deployment runs services and commands and waits for the database replication status of the selected Cisco Unified Communications Manager nodes.

For more information, see “Sequencing Rules and Time Requirements” chapter of the *Upgrade and Migration Guide for Cisco Unified Communications Manager and IM and Presence Service* at <http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/tsd-products-support-series-home.html>.



---

**Note** Cisco Prime Collaboration Deployment checks the database replication when you choose the cluster that is combined with Cisco Unified Communications Manager and IM and Presence Service. The database replication runs only for Cisco Unified Communications Manager before the IM and Presence Service upgrade or switch.

---

Only after successful database replication, the next task that is listed in the upgrade sequence starts. The tasks listed after database replication include upgrade or switch version of IM and Presence Service subscriber nodes.

## Reuse Sequence from Previous Task

The Reuse Sequence from Previous Task feature uses a previously defined task sequence in the task you are currently creating. This feature is useful for upgrade, restart, switch version, migration, and readdress tasks. It allows you to reuse a previously configured task sequence as opposed to having to rescript the sequence from scratch.

During task creation, the task wizard progresses to the sequence pane where a user can configure the ordering and pause characteristics. If there is a task in the system of similar type, the sequence from that task is presented as the default sequence.

In this case, a check box labeled **Use Last Configured Run Sequence** is visible just above the sequence table. You can check the check box to use the sequence from the previous task or leave the check box unchecked to use the default sequence that the system generates.

To be considered a task of similar type, the selected cluster, task type, and nodes in the task must match exactly. If multiple tasks meet the similar type criteria, the most recently created task is used and its sequence is presented as the default to the user.

In the case of an upgrade task, there is an additional requirement. The type of installation must be either ISO based or COP based. The COP and ISO installations can be performed with different sequencing.

## Switch Versions Task

### Create a Switch Versions Task

Use the switch versions task to automatically switch one or more nodes in a cluster to the upgraded or inactive version.

Use the Switch Versions Task wizard to create and edit switch versions tasks.

To know which applications and releases are supported for upgrade tasks, see “Supported Upgrade and Migration Tasks” and “Upgrade Paths for Export Restricted and Unrestricted Software” in the Related Topics section.

To create or edit a switch versions task to automatically switch one or more nodes in a cluster to the upgraded or inactive version at scheduled times, follow this procedure.




---

**Note** The Automatic Switch version option is not available on clusters which contain Unity Connection and Cisco Unified Contact Center Express nodes. For clusters with Cisco Unity Connection and Cisco Unified Contact Center Express, create an upgrade task and then create a switch version task to switch to the new version. You can create the switch version task after the upgrade task runs successfully.

---

#### Before you begin

1. Perform a cluster discovery for the cluster on which you want to switch versions, so that the cluster appears in the Cluster inventory. See [Discover a Cluster, on page 37](#). If you previously used Cisco Prime Collaboration Deployment to upgrade or migrate a cluster, the cluster should already be in the inventory.
2. For each application server in the cluster, ensure that the Platform Administrative Web Service is active on that server.

## Procedure

**Step 1** Click **Open and close navigation** and choose **Tasks > Switch Versions** from the main menu.

**Step 2** Click **Add Switch Versions Task**.

**Step 3** In the **Specify Task Name** drop-down, enter a name for the switch version task in **Choose a Nickname for this Switch Versions Task**.

**Step 4** From the **Cluster** drop-down list, select the cluster on which you want to switch the versions.

**Step 5** Select the version to which you want all the nodes to be switched.

**Note** If there is more than one product, you can select the applicable versions of all the different products. You also can choose to switch the version for one product and to not switch the version for another product.

**Step 6** Click **Next**.

**Step 7** Select the date and time when you want the switch versions task to begin. You have the following options to schedule switch versions task:

- Select **Schedule for a specific time** to enter the date and time when you want the switch versions task to start. Any start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server as denoted by the time zone that is displayed with this option.

**Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task will start automatically.

- Select **Start task manually** to keep the task in a manual start.
- Select **Start task immediately upon completion of this wizard** to start the task immediately after you click **Finish**.

**Note** You can also start the task from the Monitoring page.

- If you want the server to automatically switch to the new version, check the check box next to **Automatically switch to new version after successful upgrade**.

**Step 8** Click **Next**.

**Step 9** Specify the sequence of steps to complete the task. You have the following options:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.
X mark	Delete the current step. If you remove all the nodes from a step, the step is removed by default. You cannot remove a step that contains the Publisher node.
Up arrow	Move the step up to be performed earlier.
Down arrow	Move the step down to be performed later.

- The Pencil icon opens up an **Edit Step** window. Add the nodes on which the versions must be switched in this step from the list of available nodes. The available nodes are the ones that you chose for the switch versions task.
- The step to which each node is assigned displays next to the node. If a node is not assigned to any step, it shows as unassigned.
- When you assign all the nodes to a step, a default sequencing is available.
  - Important** You cannot proceed to next step until you assign all the nodes.
- The **Pause task after step completes** option pauses the task after completion of this step. You must manually start the next step to complete the task.

**Step 10** Click **OK**.

**Step 11** Click **Next**.

**Note** The **Next** button remains enabled, which allows the user to click to be informed of any configuration errors.

**Step 12** Use the **Review** section to verify the details of the task that you created. You can add notes for the task if required. The notes are saved with the task and are visible if the task is edited before completion.

**Step 13** Click **Finish** to schedule the task.

---

#### Related Topics

[Upgrade Paths for Export Restricted and Unrestricted Software](#), on page 33

## Server Restart Task

To know which applications and releases are supported for upgrade tasks, see “Supported Upgrade and Migration Tasks” and “Upgrade Paths for Export Restricted and Unrestricted Software” in the Related Topics section.

#### Related Topics

[Upgrade Paths for Export Restricted and Unrestricted Software](#), on page 33

## Create a Server Restart Task

Use the Restart Task wizard to create and edit restart tasks.

To create or edit a restart task to automatically restart one or more nodes in a cluster at scheduled times, follow this procedure.

#### Before you begin

1. Perform a cluster discovery for the cluster you wish to restart, so that it appears in the Cluster inventory. See [Discover a Cluster](#), on page 37.
2. For each application server in the cluster, ensure that the Platform Administrative Web Service is active on that server.

3. If you are using Cisco Prime Collaboration Deployment Readdress Task with virtual machine of an application, ensure that you follow the application's rules for changing IP and hostname—either one at a time or simultaneously.

### Procedure

- Step 1** Click the open and close navigation button and choose **Task > Server Restart** from the main menu.
- Step 2** Click **Add Server Restart Task**.  
The Add Restart Task wizard appears.
- Step 3** In the **Specify Task Name** drop-down, enter a name for the server restart task in **Choose a Nickname for this Server Restart Task**.
- Step 4** From the **Clusters** drop-down list, select the cluster on which you want to restart the nodes.
- Step 5** If you want to make the newly created restart task as dependent on the successful completion of another previously created upgrade task, check the checkbox of the tasks listed in the Task Dependency Scheduling. You can select multiple tasks as dependent tasks. If you do not want to make any dependency, check the **No Dependency** checkbox.
- Step 6** From the table, select the nodes to be restarted. If you do not select any nodes, you cannot continue.
- Step 7** Click **Next**.
- Step 8** Select the date and time when you want the server restart task to begin. You have the following options to schedule restart tasks:
- If the task is created as depended task, then **Set Start Time** section is disabled.
- Note** Cisco Prime Collaboration Deployment does not allow you to select the date and time for the dependent tasks, as the dependent task starts automatically after the successful completion of the existing task.
- Select **Schedule for a specific time** to enter the date and time when you want the restart task to start. Any start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server.
- Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task will start automatically.
- Select **Start the task manually** to keep the task in a manual start.
  - Select **Start task immediately upon completion of the wizard** to start the task immediately after you click **Finish**.
- Note** You can also start the task from the Monitoring page.
- Step 9** Click **Next**.
- Step 10** Specify the sequence of steps to complete the task. You have the following options:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.

Option	Description
X mark	Delete the current step.  If you remove all the nodes from a step, the step is removed by default. You cannot remove a step that contains the Publisher node.
Up arrow	Move the step up to be prepared earlier.
Down arrow	Move the step down to be prepared later.

- The Pencil icon opens up an **Edit Step** window. In this step, add nodes to be restarted from the list of available nodes. The available nodes are the ones that you chose for a restart.
- The step to which each node is assigned appears next to the node. If a node is not assigned to any step, that node shows as unassigned.
- When you assign all the nodes to a step, a default sequencing is available.
  - Important** You cannot proceed to the next step until you assign all the nodes.
- The **Pause task after step completes** option pauses the task after completion of this step. You must manually start the next step to complete the task.

**Step 11** Click **OK**.

**Step 12** Click **Next**.

**Note** The **Next** button remains enabled, which allows the user to click to be informed of any configuration errors.

**Step 13** See the **Review** section to verify the details of the task you created. You can add notes for the task if required. The notes are saved with the task and are visible if the task is edited before completion.

**Step 14** Click **Finish** to schedule the task.

## Readdress Task

### Create a Readdress Task

Use the readdress task change the hostname or IP address for one or more nodes in a cluster. To use the readdress feature, the servers must be Release 11.5 or later.

Note the difference between a hostname and a fully qualified domain name (FQDN) The network-level DNS default domain name of the node is combined with the hostname to form the FQDN for the node. For example, a node with hostname “cucm-server” and domain “example.com” has an FQDN of “imp-server.example.com.”



**Note** Cisco Prime Collaboration Deployment does not support changing the FQDN, only hostnames.



---

**Note** Readdress tasks cannot be performed for any 14SU2 UC clusters in Cisco Prime Collaboration Deployment due to known caveat CSCwb95747-Hostname and IP address change task failed during Network change verification in PCD. This issue is fixed from Release 14SU3 onwards.

---

Use the Readdress Task wizard to create and edit readdress tasks.

### Before you begin

- If you have not already done so, perform a cluster discovery for the cluster you wish to readdress, so that it appears in the Cluster inventory. See [Discover a Cluster, on page 37](#).
- If you are using Cisco Prime Collaboration Deployment Readdress Task with virtual machine of an application, ensure that you follow the application's rules for changing IP and hostname—either one at a time or simultaneously.

### Procedure

---

- Step 1** Click the open and close navigation button and choose **Task > Readdress** from the main menu.
- Step 2** Click **Add Readdress Task**.
- Step 3** In the **Specify Task Name** drop-down, enter a name for the readdress task in **Choose a Nickname for this Readdress Task**.
- Step 4** From the **Cluster** drop-down list, select the cluster on which you want to change the address of the nodes. Click **View Nodes** to view the Cluster nodes.
- Step 5** Click **Next**.
- Step 6** Click **Edit** next to a node to enter an alternate Hostname, IP Address, Subnet Mask or Gateway.
- Note** If DHCP is configured for a cluster, you cannot edit using the readdress task.
- Step 7** Click **OK**.
- Step 8** Click **Next**.
- Important** When you click **Next**, Cisco Prime Collaboration Deployment performs a validation test automatically. If the test on a cluster fails, the error message describes the failed test. You can continue to create the tasks, but you must resolve the errors described or the task will fail.
- Step 9** Select the date and time when you want the readdress task to begin. You have the following options to schedule readdress tasks:
- Select **Schedule for a specific time** to enter the date and time when you want the readdress task to start. Any start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server as denoted by the time zone that is displayed with this option.
- Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task starts automatically.
- Select **Start task manually** to keep the task in a manual start.

- Select **Start task immediately upon completion of wizard** to start the task immediately after you click **Finish**.

**Note** You can also start the task from the Monitoring page.

**Step 10** Click **Next**.

**Step 11** Specify the sequence of steps to complete the task. You have the following options here:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.
Up arrow	Move the step up to be executed earlier.
Down arrow	Move the step down to be executed later.

- The Pencil icon opens up an **Edit Step** window. Add nodes to be readdressed in this step from the list of available nodes. The available nodes are the ones that you chose for a readdress.

**Note** IM and Presence Service nodes do not have an **Edit** button, since readdress is not supported on Cisco Prime Collaboration Deployment for IM and Presence Service servers.

- The step to which each node is assigned displays next to the node. If a node is not assigned to any step, it shows as unassigned.
- When you assign all the nodes to a step, there will be a default sequencing available.

**Important** You cannot proceed to next step until you assign all the nodes that were selected for this task.

- Cisco Prime Collaboration Deployment automatically inserts a Forced Pause after each sequence step in a Readdress task.
- For a readdress task, only one node can be assigned to each step. Multiple nodes cannot be combined and assigned in a single step.

**Step 12** Click **OK**.

**Step 13** Click **Next**.

**Note** The **Next** button remains enabled, which allows the user to click to be informed of any configuration errors.

**Step 14** See the **Review** section to verify the details of the task you created. You can add notes for the task if required. The notes are saved with the task and are visible if the task is edited before completion.

**Step 15** Click **Finish** to schedule the task.

## Run a Readdress Task

If you scheduled the task to start at a later date, or if you chose Manual Start, then the task will be listed in the task list but will not start yet.

For a task that was scheduled for manual start, click the **Start** button that is associated with this task to begin the task.

While the readdress task is running, if there is more than one server to be readdressed in the task, some user operations are needed. The readdress task sequence automatically inserts a Forced Pause into the sequence after the address of a server is changed.

The forced pause allows you to perform manual steps, such as updating DNS entries and server entries on the Unified Communications publisher node interface (**System > Server**). It also allows you to check the phones associated with the server successfully registered. User needs to perform these steps before resuming the readdress task in the interface for other Unified Communications nodes as well. After the readdress task resumes, the system replicates the updates successfully.

For more information, see *Administration Guide for Cisco Unified Communications Manager*.

### Before you begin



---

**Important** Before running a readdress task, you may need to perform certain steps (for example, updating entries on the DNS server).

It is very important that you read *Administration Guide for Cisco Unified Communications Manager* before you run the readdress task.

---

## Post Readdress Task

When you determine that the server successfully changed the address, go to the Cisco Prime Collaboration Deployment GUI and click **Resume** to resume the task.

The Cisco Prime Collaboration Deployment server proceeds to the next server in the sequence to be readdressed. Repeat the steps of waiting for the forced pause, checking the server state, and resuming the task, when the server readdress is verified.

## Install Task

Use this task to fresh install a cluster containing Unified Communications Manager or IM and Presence Service servers. You cannot use this task to add a new server to an existing cluster.

## Create an Install Task

### Before you begin

1. VMware—Deploy the hardware for the new cluster and install ESXi



---

**Note** Make sure that the host with the Cisco Prime Collaboration Deployment VM and the host with the application VMs use the required Virtualization Software License. See [Virtualization Software License Types, on page 6](#).

---

2. ISO files—Download the necessary OVA and ISO images for target release, and use SFTP transfer the ISO files to the `/fresh_install` directory of Cisco Prime Collaboration Deployment.




---

**Note** The ISO file must be bootable.

---




---

**Note** Do not edit the file name of the bootable ISO that is being used for a PCD task.

---

3. VMware—Deploy Cisco-recommended OVA to create the VMs for the nodes to be installed. Create the appropriate number of target virtual machines on your ESXi hosts (one new virtual machine for each server to be installed in the cluster) using the Cisco OVAs that you downloaded in Step 2. Configure the network settings on new VMs.
4. Cisco Prime Collaboration Deployment GUI—Add the ESXi Hosts that contain your virtual machines to the Cisco Prime Collaboration Deployment inventory. For information about adding and ESXi host to Cisco Prime Collaboration Deployment, see [Add an ESXi Host Server, on page 36](#).
5. Cisco Prime Collaboration Deployment GUI—Define the new installation cluster (click the open and close navigation button and choose **Inventory > Clusters**) to define the nodes to be installed, and their associated virtual machines. (See [Add New Cluster for Fresh Install, on page 42](#).)
6. Cisco Prime Collaboration Deployment GUI—Setup Email Notification (Optional)
  - Click the open and close navigation button and choose **Administration > Email Notification**.
  - When email notification is set up, the Cisco Prime Collaboration Deployment server emails the error conditions that may occur during the migration task.
7. Cisco Prime Collaboration Deployment GUI—Create the Install task.
8. Be sure to enter the IP addresses or hostnames of the cluster nodes to be installed into your DNS server before you create the install task.

## Add Install Task

Follow this procedure to automatically install one or more nodes in a cluster at scheduled times.

### Procedure

---

**Step 1** Click the open and close navigation button and choose **Task > Install** from the main menu.

**Step 2** Click **Add Install Task**.

**Note** If you have no Install tasks, a **Cluster Installation** pop-up window appears with the prerequisites to run the wizard. Click **Close** to close the pop-up window.

**Step 3** In the **Specify Task Name** drop-down, enter a name for the install task in **Choose a Nickname for this Install Task**.

**Step 4** From the **Installation Cluster** drop-down list, select the cluster on which the nodes to be installation are located.

If you want to apply an upgrade patch along with the installation, click **Yes** radio button otherwise click **No** radio button.

**Step 5** Click **Next**.

**Step 6** Click the respective **Browse** buttons to select the Unified Communications Manager Installation file and the Cisco Unified Presence Installation file from the server.

If you have applied upgrade patch along with the installation, browse the patch files along with the installation files for Unified Communications Manager and the Cisco Unified Presence.

You must select the patch file of same Engineering Special (ES)/ Service Update (SU) versions of the installation file.

**Important** The ISO file is visible here only if it was placed in the local SFTP directory under `/fresh_install`, if Prime Collaboration Deployment is used as local SFTP. If any remote SFTP is associated with the migration cluster, then the files should present in the remote SFTP. For more information, see the task management information at the beginning of this section.

**Note** By default, only files that can be installed on the selected nodes are displayed. The option to select install files is available only for the selected product types and applications that are currently supported in the cluster.

**Note** To create an install task, while selecting ISO files, ensure that the ISO files are common across all the required SFTP servers which are associated to cluster nodes. If the ISO files are not common to all the required SFTP servers which are associated to cluster nodes, the valid files do not appear even though they are valid for migration. To view all the ISO files, from the **Show** drop-down list, choose **All**.

**Note** When you add the Remote SFTP server, you should maintain the different SFTP directories for fresh install/migration and upgrade. You can add the same Remote SFTP server for fresh install/migration and upgrade but directories for fresh install/migration and upgrade should be different.

**Step 7** Click **Choose File**.

**Step 8** Click **Next**.

**Note** The **Next** button is dimmed if no valid upgrade files are selected.

**Step 9** Select the date and time when you want the upgrade task to begin. You have the following options to schedule upgrades:

- Select **Schedule for a specific time** to enter the date and time when you want the upgrade task to start. Any start time that you set is based on the time zone of the Cisco Prime Collaboration Deployment server as denoted by the time zone that is displayed with this option.

**Note** If you schedule a task for a few minutes in the future, but do not save it until that scheduled time passes, then the task starts automatically.

- Select **Start task manually** to keep the task in a manual start.
- Select **Start task immediately upon completion of this wizard** to start the task immediately after you click **Finish**.

**Note** You can also start the task from the Monitoring page.

**Step 10** Click **Next**.

**Step 11** Specify the sequence of steps to complete the task. You have the following options:

Option	Description
Pencil icon	Edit a step.
Page icon	Add a new step after the current step.
X mark	Delete the current step. If you remove all the nodes from a step, the step is removed by default. You cannot remove a step that contains the Publisher node.
Up arrow	Move the step up to be performed earlier.
Down arrow	Move the step down to be performed later.

- The Pencil icon opens up an **Edit Step** window. Add nodes to be installed in this step from the list of available nodes. The available nodes are the ones that you chose to install in this cluster.
- The step to which each node is assigned displays next to the node. If a node is not assigned to any step, it shows as unassigned.
- When you assign all the nodes to a step, a default sequencing is available.
 

**Important** You cannot proceed to next step until you assign all the nodes.
- If you are installing Cisco Unified Communications Manager between Releases 10.0(1) and 10.5(1), the task is paused after publisher node is installed completely. You must enter details of subscriber nodes into the publisher node before you manually start the next step. Cisco Unified Communications Manager Release 10.5(2) onward does not pause during a fresh installation; the install task continues automatically.

**Step 12** Click **OK**.

**Step 13** Click **Next**.

**Note** The Next button remains enabled, which allows you to click to be informed of any Misconfiguration.

**Step 14** See the **Review** section to verify the details of the task you created. You can add notes for the task if necessary. The notes are saved with the task and are visible if the task is edited before completion.

**Step 15** Click **Finish** to schedule the install task.

## Run an Install Task

If you scheduled a task to start at a later date or if you chose Manual Start, the task is listed in the Task list, but has not started yet. In this case, a validation button is associated with the install task. Click **Validation** to check the task before you run it. By running validation before you start the task, you are alerted to any potential problems with the task (such as a missing ISO file or VMs not in the Off state). You can then fix these issues before you start the task.



**Note** Clicking the **Validation** button will not start the task; this button only checks the resources to be used when the task starts.

For a task that was scheduled for manual start, click the **Start** button that is associated with this task to begin the task.

## Cancel Install Task

Use this procedure to cancel a fresh install task or an existing installation in a migration task.

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Task > Install** from the main menu.  
The existing install tasks appear in the **Task List** section.
- Step 2** Select an existing install task and click **Cancel**.

**Note** If you cancel the currently running install task, you will have to delete the virtual machine and then recreate it.

The virtual machine of the selected install task turns off and the task status is displayed as **Canceled**.

---

## Post-Install Task

After the install task, no further actions are required. The new cluster is ready for use.

## Edit and Expand Cluster Support

If you deployed a Cisco Unified Communications Manager cluster, the Edit and Expand Cluster support feature in Cisco Prime Collaboration Deployment eliminates migration issues and barriers. You can perform the following actions:

- Add IM and Presence Service to an existing Unified Communications Manager cluster.
- Add new nodes to the existing cluster—for example, add subscriber nodes.
- Select nodes from a cluster to perform installation.

This feature works with only a previously installed 10.x or later system and uses the Fresh Install Task to add the nodes.



---

**Note** After you add and install new nodes to an existing cluster, if you later perform the Discovery task, the entire cluster with the new nodes is discovered.

---

For information on how to edit/delete a new node or cluster, see the following:

- [Edit or Delete a New Install Cluster, on page 74](#)
- [Edit or Delete a Discovered Cluster, on page 75](#)

## Edit or Delete a New Install Cluster

Edit or delete an added new node that has not yet been installed. A node that has not been installed appears active.

### Procedure

#### Step 1

To edit an existing node, perform the following:

- a) From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > Clusters**.
- b) Click a cluster that has the cluster type as **New Install** and click **Edit**.
- c) In the Specify Cluster Name section, view the pre-populated cluster name, and click **Next**.
- d) In the Add Virtual Machines section, select a node from the existing nodes, and click **Edit**. The **Add Node** window appears.
- e) In the **Add Node** window, edit the node details, and click **OK**.
- f) In the Configure Cluster Wide Settings section, edit the OS administration credentials, application credentials, security password, SMTP settings, and certificate information for all nodes of a cluster, as required, and click **Next**.

**Note** Before you enable FIPS mode, Common Criteria, or Enhanced Security Mode, ensure that you have minimum 14 characters for Security Password.

- g) (Optional) In the Configure DNS Settings section, edit the DNS settings for the migration cluster nodes, and click **Next**.

**Note** If the previous nodes in the cluster have the same values for DNS and domain, then the value from the other nodes becomes the default value for the new nodes and is auto-populated. If the previous nodes have multiple values for DNS or domain, then no default value is applied.

- h) In the Configure NTP Settings section, edit the configuration of the NTP servers for the nodes in a cluster, and click **Next**.

**Note** The changes you make in this section apply to publisher node only.

- i) (Optional) In the Configure NIC Settings section, choose a server, and enter an MTU size between 552 and 1500, click **Apply to Selected**, and then click **Next**.
- j) In the Configure Time Zones section, select a node, edit the region and time zone from the Region and Time Zones list boxes, click **Apply to Selected**, and then click **Finish**.

**Note** If the previous nodes in the cluster have the same values for time zone, then the value from the other nodes becomes the default value for the new nodes and is auto-populated. If the previous nodes have multiple values for time zone, then no default value is applied.

The changes are saved. You can install one or multiple nodes in a cluster. See [Add Install Task, on page 70](#) for details.

- k)

#### Step 2

To delete an existing node, perform the following:

- a) From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > Clusters**.

- b) Click a cluster that has the cluster type as **New Install** and click **Delete**.

---

## Edit or Delete a Discovered Cluster

You can edit or delete a node that has not yet been installed. A node that has not been installed appears active and the installed nodes appear inactive.



---

**Note** After you add or install a new node, you cannot delete the node with this feature. You must delete the node from an existing installed cluster by using your application administration web page or the CLI.

---

### Procedure

---

- Step 1** To edit a node, from the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > Clusters**.
- a) From the Cisco Prime Collaboration Deployment application, select **Inventory > Clusters**.
  - b) Select a cluster that has the cluster type as **Discovered** and click **Edit**.
  - c) In the Specify Cluster Name section, enter the cluster name, and click **Next**.  
**Note** If the discovered cluster is already installed, the cluster name is non-editable.
  - d) In the Add Virtual Machines section, select a node from the existing nodes that has not been installed, and click **Edit**.  
The **Add Node** window appears.
  - e) In the **Add Node** window, edit the node details, and click **OK**, and then click **Next** in the Add Virtual Machines section.  
**Note** If you add a new node to an existing cluster, the new nodes cannot use the **Publisher** function.
  - f) In the Configure Cluster Wide Settings section, view the OS administration credentials, application credentials, security password, SMTP settings, and certificate information for all nodes of a cluster and click **Next**.  
**Note** The fields in this section are editable only if the cluster type is **New Install**.
  - g) (Optional) In the Configure DNS Settings section, edit the DNS settings for the migration cluster nodes, and click **Next**.  
**Note** If the previous nodes in the cluster have the same values for DNS and domain, then the value from the other nodes becomes the default value for the new nodes. If the previous nodes have multiple values for each DNS or domain, then no default value is applied.
  - h) In the Configure NTP Settings section, view the configuration of the NTP servers for the nodes in a cluster, and click **Next**.  
**Note** The fields in this section are non-editable.
  - i) (Optional) In the Configure NIC Settings section, edit the server details for the uninstalled nodes, enter an MTU size between 552 and 1500, and then click **Next**.

- j) In the Configure Time Zones section, select a node, edit the region and time zone from the Region and Time Zones list boxes, click **Apply to Selected**, and then click **Finish**.

**Note** If the previous nodes in the cluster have the same values for time zone, then the value from the other nodes becomes the default value for the new nodes. If the previous nodes have multiple values for the time zone, then no default value is applied.

The changes are saved. You can install one or multiple nodes in a cluster. See [Add Install Task, on page 70](#) for details.

**Step 2** To delete a node, perform the following:

- From the Cisco Prime Collaboration Deployment application, select **Inventory > Clusters**.
- Select a cluster that has the cluster type as **Discovered** and click **Delete** to remove the selected node.

## Monitor Task Status

Use the Monitoring page to view the status of tasks in Cisco Prime Collaboration Deployment.



**Note** For a description of the information that is available through the Monitoring page, see [Monitoring View Elements, on page 94](#).

### Procedure

**Step 1** Click the **Monitoring** link on the main menu to view the Monitoring page.

**Step 2** The column on the left side of the Monitoring page lists each task and an icon that shows its current status. Also shown is the type of task (Migrate, Upgrade, Install, and so on), and the cluster nickname for the task.

The task start time is also shown. Click the task in this left column to view the detailed data for that task in the panel on the right.

**Step 3** The upper right section of the page provides the following data:

- Status
- Start time
- Task data (for example: cluster nickname and ISO name)

Click **View Log** to see the detailed log messages for the task. If you see any errors or warnings in this log, refer to the Troubleshooting section more information.

In the upper right are buttons that you use to perform various operations on the task. For example, if the task is paused, click the **Resume** button to resume the task.

A button will appear if it is valid for the current state of the task. For example, after a task is finished, it will not have a **Cancel** button, but instead will have a Delete button (if you wish to remove the data for the task).

**Step 4** The bottom right section of the page provides detailed steps for the task, along with the status for that step. Click on the triangle that corresponds to a step to expand the step description.

Each step also has a View Log link, to show the log messages for that step.

**Note** The Monitoring page refreshes automatically every 6 minutes. To deactivate automatic refresh, click the **Disable** button.

---

## Action Buttons on the Monitoring Page

- **Start**—This button appears if a task is created with the “Start Task Manually” option. The task starts after you click the Start button.
- **Cancel**—Cancel the task. This button appears when a task is in the scheduled or running state. If the task has already started, this button does not undo any steps that are already complete, but it will stop the task as soon as possible.
- **Delete**—Delete the task from the system. This removes the task and all its history.
- **Resume**—This button appears when a task is in a paused state. It allows the user to resume the task at the next step or sub-step.
- **Retry**—This button appears when the task is in a “Paused due to error” state. Clicking this button retries the last step of the task (the failed next step or sub-step) that failed because of an error.

## Automatic Refresh

The Monitoring page refreshes automatically every 6 minutes. To deactivate automatic refresh, click the **Disable** button in the top left corner of the Monitoring page.

# Administration Tools

## Email Notification

The Email Notification feature sends email notifications to you that contain details about certain task events. You can choose whether the system sends emails for all standard task events (such as when task is scheduled, started, successful, paused, failed and canceled), or for only task errors. Emails are sent for all types of tasks—Cluster discovery, upgrade, migration, switch version, restart, fresh install, and readdress.

You can choose to send an email notification to a user after the value that is configured in the **Warning Threshold for Approaching Log Rotation Overwrite(%)** field from the **Audit Log Configuration** window is reached. The email notification informs the user to take back up of the audit log files because they will be deleted or overwritten.

## When Email Is Sent

If you choose to receive email notifications in **Standard mode**, an email message is sent when a task enters any of the following states:

- Scheduled
- Failed to Schedule
- Started

- Successful
- Failed
- Canceled
- Canceling
- Failed to Cancel
- Paused on Error
- Paused
- Paused – Required

If you choose to receive email notifications in **Error only mode**, an email message is sent when the task enters the following states:

- Failed to Schedule
- Failed
- Failed to Cancel
- Paused on Error

If PCD task of X steps, operating on 1 to N nodes the task action you get, email notifications when each node/task step is completed

Migration Task:

- Task Scheduled for Cluster
- Task Started for Cluster
- Source Node(s) A Configuration export success
- Source Node(s) B Configuration export success
- Destination Node(s) A Install success
- Destination Node(s) B Install success
- Source Node(s) A UFF Export success
- Source Node(s) A shut down success
- Destination Node(s) A UFF Import success
- Source Node(s) B UFF Export success
- Source Node(s) B shut down success
- Destination Node(s) B UFF Import success
- Task Completed/Failed

Upgrade Task (COPs):

- Task Scheduled for Cluster

- Task Started for Cluster
- COPs x installed on node a
- COPs y installed on node b
- Task Completed/Failed

PCD Fresh Install Task or Upgrade Task (ISO):

- Task Scheduled for Cluster
- Task Started for Cluster
- Node(s) A has been complete
- Node(s) B has been complete
- Task Completed/Failed

PCD Restart Task:

- Task Scheduled for these nodes
- Task Started for these nodes
- Node(s) A has been restarted
- Node(s) B has been restarted
- Task Completed/Failed

PCD Switch Version Task:

- Task Scheduled for these nodes
- Task Started for these nodes
- Node(s) A has been switched
- Node(s) B has been switched
- Task Completed/Failed

PCD Readdress:

- Task Scheduled for these nodes
- Task Started for these nodes
- Node(s) A has been readdressed
- Node(s) B has been readdressed
- Task Completed/Failed

## SFTP Datastore

The Cisco Prime Collaboration Deployment server serves as a local SSH File Transfer Protocol or Secure File Transfer Protocol (SFTP) server that is used to store the ISO and COP files to be used by upgrade, fresh install, and migrate tasks.




---

**Note** These procedures describe how to place files on the Cisco Prime Collaboration Deployment server using Linux. You can push a file from a Linux machine for SFTP client.

---

### Migration or Fresh Install Tasks

Follow this procedure to send the ISO file to the Cisco Prime Collaboration Deployment server using the `adminsftp` account and Cisco Prime Collaboration Deployment GUI (or CLI password with any SFTP client).

#### Procedure

---

**Step 1** From a Linux shell, type `sftp adminsftp@<Cisco Prime Collaboration Deployment server>` and then provide the password (the same in both the CLI and GUI).

**Step 2** Change the directory to the `fresh_install` directory.

**Example:**

From a Linux shell, type `cd fresh_install` and press **Return**.

**Step 3** Upload the ISO file.

**Example:**

Type `put UCSInstall_UCOS_10.0.x.xxx.sgn.iso`.

---

### Upgrade Task

Follow this procedure to use SFTP to upload ISO or COP files that will be used for upgrade tasks on the Cisco Prime Collaboration Deployment server.

#### Procedure

---

**Step 1** From a Linux shell, type `sftp adminsftp@<Cisco Prime Collaboration Deployment server>` and then provide the password (the same in both the CLI and GUI).

**Step 2** Change the directory to the `upgrade` directory.

**Example:**

From a Linux shell, type `cd upgrade` and press **Return**.

**Step 3** Upload the ISO file or COP file.

**Example:**

```
Type put UCSInstall_UCOS_10.0.x.xxx.sgn.iso.
```

---

## Verify or View an ISO Filename

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click **open and close** navigation and choose **Inventory > SFTP Servers and Datastore**.
- Step 2** On this page, you can view and manage files that are stored on the SFTP datastore of this Cisco Prime Collaboration Deployment server.  
It displays the filename of the ISO and COP files that are stored on the server, and where they are located in the directory (for example: fresh\_install or upgrade).
- 

## Delete ISO or COP Files

Use the following procedure to delete ISO or COP files on a Cisco Prime Collaboration Deployment SFTP server using the Cisco Prime Collaboration Deployment GUI.

### Procedure

---

- Step 1** Log in to Cisco Prime Collaboration Deployment.
- Step 2** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Inventory > SFTP Servers and Datastore**.
- Step 3** Check the check box next to the ISO or COP file.
- Step 4** Click **Delete**.

**Important** We recommend that you periodically delete ISO or COP files that are no longer needed to save space, especially before upgrading the Cisco Prime Collaboration Deployment server software.

---

## Remote SFTP Server Support

The remote SFTP server support feature leverages Cisco Prime Collaboration Deployment for upgrades, migrations, and fresh installs. Use of this feature avoids the issues that are caused by large application image files streamed over WAN that are only supported by Cisco Prime Collaboration Deployment 12.1(1) and later.

Examples of where this feature is useful are listed as follows:

- Geographically distributed deployments, such as multi-site distributed IP Telephony with multiple clusters at separate sites from the Cisco Prime Collaboration Deployment virtual machine.
- Clustering over WAN (CoW), where the application virtual machines are at different sites than the Cisco Prime Collaboration Deployment virtual machine.

- Deployments where Cisco Prime Collaboration Deployment is in central data center; however Cisco Unified Communications Manager clusters are remote over the WAN.

These SFTP servers used for the upgrade of Cisco Unified Communications Manager are same as the SFTP servers that are used for the upgrade of Cisco Unified Communications Manager. Following is the list of the supported SFTP servers that are used for the upgrade:

- Open SSH
- Cygwin
- Titan



**Note** The remote SFTP server support is available for upgrade, migration, and fresh install tasks.

## Add Remote SFTP Server

### Before you begin

For Migration/Fresh install, mount the NFS on the ESXi host(s) where the destination VM's are created for the specific fresh install/Migration tasks.



**Note** Due to the limitation on PCD to store the huge lists of ESXi hosts where the remote SFTP server is mounted as NFS datastore, make sure to remove the unused remote SFTP server which is mounted as NFS from the ESXi hosts added in PCD.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > SFTP Servers and Datastore**.  
The **SFTP Servers/Datastore** table on this window shows the PCD details by default.
- Step 2** From the **SFTP Servers/Datastore** table, click **Add Server**.  
The **Add external file access** window appears.
- Step 3** Click **Install/Migration** or **Upgrade** radio button.
- Step 4** In the **Address and access credentials** section, enter values in the **IP / Host Name**, **Username**, and **Password** fields.
- Step 5** For Install or Migration task type, in the **Remote NFS Path to Datastore Directory on Server** section, enter the directory path in **Directory** field and NFS server name in **NFS Server Name** field.

Field	Description
Directory	Path which has been configured for NFS storage in ESXI host.
NFS Server Name	Name of NFS storage which has been created in ESXI.

**Example:**

Directory: /abc/def/

NFS Server Name: xyz\_NFS

When adding an NFS server, the SFTP credentials should point to a directory that is an exact match for the path which is configured in the ESXi host. For more information on adding NFS storage in EXSI host refer the respective documentation guide.

**Step 6** For Upgrade task type, in the **Remote SFTP Path to Datastore Directory on Server**, click an **Add Directory** button to add a value in the **Directory** field.

**Note** For an upgrade, ensure that a directory includes .iso datastore files.

**Step 7** (Optional) In the **Additional Information** section, enter description in the **Description** field.

**Step 8** Click **Add**.

Upon the successful add of remote SFTP server for the install or migration task type, a dialog box is displayed. Dialog box lists the ESXi hosts which are already added to Prime Collaboration Deployment under **Inventory > ESXi Hosts** that has the given NFS directory mounted.

**Note** If the SFTP server is not added, you get any of the following error messages:

- **Connection Timeout**—Indicates that the connection to SFTP server failed due to timeout.
- **Login Failure**—Indicates that the login to the SFTP server failed.
- **Directory Not Found**—Indicates that the directory that you selected is not found on the SFTP server.
- **Directory Already Entered**—Indicates that the directory that you selected already exists in the list of directories. You can view the list of available directories by clicking the **Add Directory** button.
- **Directory Already Exists**—Indicates that the directory that you entered already exists in the list of the SFTP servers.
- **Mandatory Fields Missed**—Indicates that you did not enter values in the mandatory fields.
- **Mentioned Server Could Not Be Located**—Indicates that the server that you entered is not configured with DNS. This error message appears if you enter host name instead of IP address.
- **No ESXi Hosts in Inventory**—Indicates that you have not added ESXi hosts. This error appears when you try to add Install or Migration task type remote SFTP, and the given NFS mount is not found as there are no ESXi hosts added under **Inventory > ESXi Hosts** page.
- **Could not find given NFS path/Directory on the listed ESXi host(s) under Inventory > ESXi Hosts**—This error appears when you try to add Install or Migration task type remote SFTP, and the given NFS directory is not found in any of the ESXi which are added under **Inventory > ESXi Hosts** page.

The **SFTP Servers/Datastore** table shows the remote SFTP server that you added. The **SFTP/Datastore Files** table shows the list of files from the remote SFTP server and from Cisco Prime Collaboration Deployment. In addition, the existing Cisco Prime Collaboration Deployment server is added automatically and the files

in the `upgrade` and `fresh_install` folders in the Cisco Prime Collaboration Deployment server appear by default in the **SFTP/Datastore Files** table.

---

## Associate Nodes to Remote SFTP Server

### Before you begin

- Add an SFTP server.
- Ensure that the cluster node you choose to associate to an SFTP server is not in the **Scheduled**, **Running**, or **Wait\_for\_manual\_start** states.

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > Clusters**.  
The **Clusters** window appears.
- Step 2** Click **Discover Cluster** button to search for the existing clusters. To discover a cluster, see the [Discover a Cluster, on page 37](#) procedure.
- Step 3** From the available cluster nodes in the **Cluster Nodes** table, click **Edit** for a cluster node.  
The **Edit Node** window appears.
- Step 4** From the **SFTP Server** drop-down list, choose an SFTP server.  
By default, this field shows the `localhost` option as the SFTP Server.
- Step 5** Click **OK**.  
The SFTP server is associated with the cluster node that you selected and the details appear in the **SFTP Server** column of the **Cluster Nodes** table.
- 

## Edit Remote SFTP Server

For the existing remote SFTP server, you can edit the details, such as username, password, or description. You can also add multiple directories to the remote SFTP server while editing other field values.

### Before you begin

- Ensure that a cluster node is not associated with remote SFTP server directory that you choose to edit.
- Ensure that no install, migration or upgrade task is associated with the SFTP server.

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click the open and close navigation button and choose **Inventory > SFTP Servers and Datastore**.  
The **SFTP and NFS File access** table on this window shows the PCD details by default.

- Step 2** From the available SFTP servers in the **SFTP and NFS File access** table, click **Edit** for an SFTP server. The **Edit SFTP Server** window appears.
- Step 3** For Install or Migration tasks, edit the values for the fields in the **Address and access credentials**, **Remote NFS Path to Datastore Directory on Server**, **NFS Server Name** , and **Additional Information** sections. Upon successful edit of remote SFTP server for install or migration task type, a dialog box is displayed. Dialog box lists the ESXi hosts which are already added to Prime Collaboration Deployment under **Inventory > ESXi Hosts** that has the given NFS directory mounted.
- Step 4** For Upgrade task, edit the values for the fields in the **Address and access credentials**, **Remote SFTP Path to Datastore Directory on Server**, and **Additional Information** sections.
- In **Remote SFTP Path to Datastore Directory on Server** section, by clicking the **Add Directory** button, you can edit an existing directory and also add multiple directories.
- Step 5** Click **Save**.

## Delete Remote SFTP Server

You can delete one or multiple remote SFTP servers that are available in the Cisco Prime Collaboration Deployment application. However, you cannot delete any datastore.

### Before you begin

- Ensure that no install, migration or upgrade tasks are associated and running with the cluster node that uses the SFTP server that you choose to delete.
- Disassociate the cluster nodes from the SFTP server that you choose to delete.



**Note** You can disassociate a cluster node even if no install, migration or upgrade tasks are associated and running with the cluster node that uses the SFTP server that you selected to delete.

- Ensure to change the node association of the SFTP server, which you choose to delete, from `remote/external` SFTP server to the `localhost` SFTP server.



**Note** If you do not change the node association from `remote/external` SFTP server to the `localhost` SFTP server, the association of cluster nodes changes to the `localhost` SFTP server from the remote SFTP server and the remote SFTP server that you selected is deleted.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Inventory > SFTP Servers and Datastore**. The **SFTP Servers/Datastore** table on this window shows the PCD details by default.

- Step 2** From the available SFTP servers in the **SFTP Servers/Datastore** table, check the check box of one or multiple remote SFTP servers that you want to delete.
- Step 3** Click **Delete**.

## Delete Local SFTP/Datastore ISO files

You can delete ISO and COP files from the SFTP server running locally in the Cisco Prime Collaboration Deployment virtual machine. However, you cannot delete ISO files from the remote SFTP server.

### Before you begin

Ensure that the SFTP and datastore ISO files that you choose to delete are not associated with the upgrade in these states—**Scheduled**, **Running**, or **Wait\_for\_manual\_start**.

### Procedure

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Inventory > SFTP Servers and Datastore**. The **SFTP Servers/Datastore** table on this window shows the PCD details by default.
- Step 2** From the available SFTP and datastore files in the **SFTP/Datastore Files** table, check the check box of one or multiple remote SFTP and datastore files that you want to delete.
- Note** You cannot delete remote SFTP files.
- Step 3** Click **Delete**.

## Disk Space Warning Level

Use this feature to view and configure a disk space warning level for tasks through the **Disk Space Warning Level Configuration** window. When the available disk space value drops below the value that you assign as the warning level disk space, the system warns you that it is running out of disk space to perform tasks.

### Configure Disk Space Warning Level

Use this procedure to configure the available disk space threshold where the system warns you that it is running out of disk space to perform tasks.



- Note** Disk space warning level is applicable and is validated for migration and install tasks. This level is also validated each time you log in to Cisco Prime Collaboration Deployment.

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Administration > Disk Space Warning Level**.  
The **Disk Space Warning Level** window appears showing the total disk space and the available disk space.
- Step 2** View the total disk space and the available disk space in the **Total Disk Space (GB)** and **Available Disk Space (GB)** fields.
- Step 3** Enter the value that you want to assign for the **Warning Level Disk Space (GB)** field.  
You can click the information link to check if the space value you entered is available for use on the server.
- Step 4** Click **Save**.
- Step 5** (Optional) Click **Reset**.  
The page is reset with the default values.
- 

## Max Nodes Configuration

This feature is to configure the maximum nodes across all running tasks (Cluster Discovery, Install Task, Migrate Task, Upgrade Task, Switch Version Task, Server Restart Task, and Readdress Task) count as configurable value so PCD completes the task quickly.

### Configure Max Nodes

Use this procedure to configure max nodes through the Cisco Prime Collaboration Deployment application.

#### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Administration > Max Nodes Configuration**.
- Step 2** Enter a value in the **Max Nodes** field.
- Note** Maximum nodes count loads with the default value 30. You can enter maximum 1–200 nodes.
- Step 3** Click **Save**.
- Step 4** Restart the Cisco Tomcat server to reflect change.
- Step 5** Optional: Click **Reset**. The page is reset with the default values.
- Note** When the maximum nodes count exceeds the maximum defined limit for tasks (Cluster Discovery, Install Task, Migrate Task, Upgrade Task, Switch Version Task, Server Restart Task, and Readdress Task), the following error message is displayed:

```
Maximum node count exceeded. This task takes longer time to complete.
```

---

## Audit Log Configuration

Use this feature to configure audit logs through Cisco Prime Collaboration Deployment interface for local and remote syslog servers. The audit logs are sent to the syslog server in the TCP mode. You can configure audit logs through the **Audit Log Configuration** window and perform the following tasks:

- Configure application audit event levels
- Configure remote Syslog server name or IP address
- Enable or disable audit logs
- Enable or disable log rotation
- Configure maximum number of files
- Configure file size
- Configure warning threshold level for log rotation

### Configure Audit Logs

Use this procedure to configure audit logs for local and remote syslog server through the Cisco Prime Collaboration Deployment application.

#### Procedure

- 
- Step 1** From the Cisco Prime Collaboration Deployment application, click **open and close** navigation and choose **Administration > Audit Log Configuration**.
- Step 2** Choose one of the options from the **Application Audit Event Level** drop down list to configure an audit level.
- Step 3** Enter the name of remote syslog server or the IP address for the **Remote Syslog Server Name / IP** field so that the audit logs are logged into this remote server.
- Step 4** (Optional) Check or uncheck the **Enable Local Audit Log** check box to enable or disable the local audit log.
- When you check this field, the audit events are logged in the local server. When you uncheck this field, audit events are not logged in the local server. The audit events includes User ID, ClientAddress, Severity, EventType, ResourceAccessed, EventuStatus , AuditCategory, CompulsoryEvent, ComponentID, CorrelationID and Node ID.
  - When you check this field, the **Enable Log Rotation** field becomes active.
- Step 5** (Optional) Check or uncheck the **Enable Log Rotation** check box to enable or disable the log rotation.
- Note** You can configure this field if **Enable Local Audit Log** is enabled.
- When you check this field, you can configure the **Maximum No of Files**, **Maximum File Size(MB)**, and **Warning Threshold for Approaching Log Rotation Overwrite(%)** fields. When you uncheck the **Enable Local Audit Log** field, the default values of these fields are not applicable as they are inactive.
- Step 6** Enter an integer value for the **Maximum No of Files** field to configure the maximum number of files that can be created on the server.

- Step 7** Enter a value for the **Maximum File Size (MB)** field to configure the maximum file size of each log that is created on the server.
- Step 8** Enter the warning threshold value for the **Warning Threshold for Approaching Log Rotation Overwrite(%)** field.
- Step 9** Click **Save**.
- Step 10** (Optional) Click **Reset**.  
The page is reset with the default values.
- 

## Customized Logon Message

Use this feature to display the alerts or warning messages while signing in to the Cisco Prime Collaboration Deployment application. You can configure the alerts or warning messages through the **Customized Logon Message** window and perform the following tasks:

- Upload a file with customized login message
- Enable user acknowledgment

## Configure Customized Logon Message

Use this procedure to configure customized logon messages when a user signs into the Cisco Prime Collaboration Deployment application.

### Procedure

---

- Step 1** From the Cisco Prime Collaboration Deployment application, click **Open and close** navigation and choose **Administration > Customized Logon Message**.
- Step 2** For the **Upload File** field, browse to the location of file that includes the customized logon message.
- Step 3** (Optional) Check or uncheck the **Require User Acknowledgement** check box to enable or disable user acknowledgment for the file that the user receives.  
If this field is enabled, users get an acknowledgment as an alert message on the Cisco Prime Collaboration Deployment sign-in page after they sign out for the first time from the same web browser instance.
- Step 4** Click **Upload File**.  
The file with the customized logon message is uploaded and a pop-up appears showing the file upload status.
- Step 5** (Optional) Click **Delete**.  
The file with the customized logon message is deleted and a pop-up appears showing the file deletion status.
- 

## FIPS 140-2 Compliance

FIPS, or Federal Information Processing Standard, is a U.S. and Canadian government certification standard that defines requirements that cryptographic modules must follow. A cryptographic module is a set of hardware, software, and/or firmware that implements approved security functions (including cryptographic algorithms and key generation) and is contained within the cryptographic boundary.

Certain versions of Unified Communications Manager are FIPS 140-2 compliant, in accordance with the U.S. National Institute of Standards (NIST), and can operate in FIPS mode, level 1 compliance. Cisco Prime Collaboration Deployment meets FIPS 140-2 requirements by using Cisco-verified libraries.

For information about which releases are FIPS-compliant and to view their certifications, see <http://www.cisco.com/c/en/us/solutions/industries/government/global-government-certifications/fips-140.html>.

For details on EnhancedSecurityMode, see [EnhancedSecurityMode Support, on page 90](#).

**Note**

- Elliptic Curve Digital Signature Algorithm (ECDSA) ciphers are not supported in Cisco Prime Collaboration Deployment. Hence, during TLS connection, the server does not negotiate the ECDSA certificates even though the **show cert list own** CLI command may show the ECDSA self-signed certificate.
- All the nodes of a cluster should either be FIPS or non-FIPS.

## EnhancedSecurityMode Support

Once you enable EnhancedSecurityMode, the following system enhancements are enabled by default:

- Stricter credential policy is implemented for user passwords and password changes
- TCP becomes the default protocol for remote audit logging
- FIPS mode is enabled

Enabling EnhancedSecurityMode does not enable these features by default and you have to configure them separately.

- Remote audit logging—All audit logs and event syslogs should be saved both locally and to a remote syslog server.
- System logging—All system events such as CLI logins and incorrect password attempts must be logged and saved.

**Note**

If you configure UC clusters on FIPS mode or EnhancedSecurityMode, ensure that you also configure Cisco Prime Collaboration Deployment with the similar modes. With this configuration, you can run the tasks that are specific to UC clusters.

## Credential Policy for EnhancedSecurityMode

Once the EnhancedSecurityMode is enabled, a stricter credential policy for password changes is implemented automatically for Cisco Prime Collaboration Deployment. This mode uses the following default requirements for password changes:

- Password length should be between 14 to 127 characters.

- Password should have at least 1 lowercase, 1 uppercase, 1 digit and 1 special character.
- Any of the previous 24 passwords cannot be reused.
- Minimum age of the password is 1 day and Maximum age of the password is 60 days.
- Any newly generated password's character sequence should differ by at least 4 characters from the old password's character sequence.

Once this mode is enabled, the system enforces a stricter credential policy for all password changes automatically.

## EnhancedSecurityMode Requirements for Platform Cisco Prime Collaboration Deployment

As part of EnhancedSecurityMode requirement, audit framework is introduced in Cisco Prime Collaboration Deployment. The audit framework includes audit activities, which are both in local server and remote server. The login sessions are limited for each user based on the CLI command configuration in the EnhancedSecurityMode.



---

**Note** By default, auditing is not enabled in Cisco Prime Collaboration Deployment. If you wish to have audit logs, you can enable auditing with or without being in FIPS mode or EnhancedSecurityMode.

---

## Re-encryption through AES

The encryption and decryption of application passwords is done in the `platformConfig.xml` file. During installation, the application password is re-encrypted through the Advanced Encryption Standard (AES) algorithm and is saved in the `platformConfig.xml` file.

## Limited Number of Sign-in Sessions

An administrator can configure the sign-in session limit for each user. A user can sign in to the Cisco Prime Collaboration Deployment application through multiple windows and web browsers up to the configured number of sign-in sessions. If a user exceeds the limit of configured the number of sign-in sessions, an error message appears on the sign-in page and the user is not allowed to sign in.

An administrator can configure the limit of sign-in sessions through the following CLI command:

```
set session maxlimit <value>
```

Where the default value is 10 and maximum value is 100.




---

**Note** When users exceed the limit of configured number of sign-in sessions, they must sign out from the application in that session and sign in to another session. In case the session closes due to abrupt exit from web browser, users need to restart the Tomcat server on Cisco Prime Collaboration Deployment to allow sign-in to the new session.

---

## Minimum TLS Version Control

This release of Cisco Prime Collaboration Deployment includes the minimum Transport Layer Security (TLS) protocol version configuration support. Use this feature to configure the minimum TLS version to comply with the organization security policies.

The supported TLS versions are TLS 1.0, 1.1, 1.2, . By default, TLS 1.0 is configured . After you configure the minimum TLS version, both the minimum version and the higher versions are supported.

Before you configure the minimum TLS version, ensure that the following products support secure connection of the selected minimum TLS version configured or above. If this requirement is not met, upgrade the product to a version that supports the interoperability for selected minimum TLS version configured or above when you configure the minimum TLS version.

- Cisco Unified Communications Manager
- IM and Presence Service
- Cisco Unity Connection
- Cisco Unified Contact Center Express
- Cisco Emergency Responder

To configure the minimum TLS version, see the [CLI Commands for TLS Minimum Version Configuration, on page 141](#) topic.

## Configurable Maximum Install Timeout for Clusters

With this release, you can configure the maximum timeout value during the migration of nodes of a cluster. In the previous releases, the default timeout value from Cisco Prime Collaboration Deployment was 5 hours for both install and migration tasks. This restriction prevented the nodes that have large data to import during migration to time out from Cisco Prime Collaboration Deployment side.

You can configure the maximum timeout value from the **Max Timeout for Install** drop-down list on the **Configure Destination Cluster** window. Click **Inventory > Clusters** to access the **Configure Destination Cluster** window. When you configure a migration destination cluster, you can choose the maximum timeout value for **Max Timeout for Install** from 5 hours up to 10 hours.




---

**Note** For Install task, Cisco Prime Collaboration Deployment has the default timeout value as 5 hours, which is non-configurable.

---



## CHAPTER 6

# Cisco Prime Collaboration Deployment Administrative Interface Elements

- [Common Administrative Interface Elements, on page 93](#)
- [Monitoring View Elements, on page 94](#)
- [Tasks View Elements, on page 98](#)
- [Inventory View Elements, on page 116](#)
- [Administration View Elements, on page 124](#)

## Common Administrative Interface Elements

The following elements are common to all views in the Cisco Prime Collaboration Deployment administration interface.

Setting	Description
Open and close navigation button	Provides you access to navigate to menus, which appear in a vertical pane. Click this button view and hide the menus.  <b>Note</b> When you sign in to the application for the first time, a transparent grey screen appears indicating this button. This screen also shows a pop-up message to turn off the indication.
Search and Indexing	Displays the search text box to allow search in the application. It also displays the options Cisco Prime Collaboration Deployment as index.  <b>Note</b> To view the search option, click the open and close navigation button.
About	Provides the version of the Cisco Prime Collaboration Deployment. This setting also includes copyright and trademark information.
Logout	Exits from the server.
Help	Provides context-sensitive help information.
Information ("i" button)	Provides information about the current page that you are viewing.

Setting	Description
Getting Started (flag button)	Provides information about getting started to perform system-level tasks on the server.

## Monitoring View Elements

After a task is scheduled, you can monitor, and control the tasks by using the Monitoring page.

Setting	Description
Task Queue	<p>A list of all the tasks contained in Cisco Prime Collaboration Deployment. This list can include any of the following tasks:</p> <ul style="list-style-type: none"> <li>• Scheduled</li> <li>• Canceled</li> <li>• Started</li> <li>• Paused</li> <li>• Paused due to Error</li> <li>• Successful</li> <li>• Failed</li> <li>• Upgrade Tasks</li> <li>• Switch Version Tasks</li> <li>• Server Restart Tasks</li> <li>• Readdress Tasks</li> <li>• Install Tasks</li> <li>• Migrate Tasks</li> </ul> <p>Click one of the tasks in the Task Queue to open the details for that task in the right top panel.</p>

Setting	Description
Task status	

Setting	Description
	<p>The top right portion of the Monitoring page shows the following information for a given task:</p> <ul style="list-style-type: none"> <li>• Status</li> <li>• Start time</li> <li>• Task data (for example: cluster data)</li> </ul> <p>To see details about the task, click on the View Log link.</p> <p>The following are the possible statuses for tasks:</p> <ul style="list-style-type: none"> <li>• Successful—Indicates that the task has finished without errors.</li> <li>• Started—Indicates that the task is currently running.</li> <li>• Scheduled—Indicates that the task has been scheduled, but has not yet started.</li> <li>• Manual Start—Indicates that the task is waiting to be started (user created the task with the "Start Task Manually" option).</li> <li>• Canceled—Indicates that the user chose not to run the task.</li> <li>• Paused—Indicates that the task is in a paused state waiting for feedback.</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system.</li> <li>• Failed—Indicates that the task has stopped because of an error.</li> <li>• Failed to Schedule—Indicates that the task was not scheduled, due to an error that occurred.</li> <li>• Failed to Cancel—Indicates that the user tried unsuccessfully to cancel the task. This typically happens when the task is in a final state (no actions are left to cancel).</li> <li>• Canceling—Indicates that the user canceled the task, but the task is in a state that will take a long time to cancel. The task may be in this state for an hour or more if the task being canceled is an installation or migration task (during the install-new-server phase).</li> </ul> <p>Possible messages and actions in a <b>Successful Status</b> state:</p> <ul style="list-style-type: none"> <li>• Task completed successfully</li> <li>• Delete—Deletes the task data permanently</li> </ul> <p>Possible actions in a <b>Started</b> state:</p> <ul style="list-style-type: none"> <li>• Cancel—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> <p>Possible actions in a <b>Scheduled</b> state:</p>

Setting	Description
	<ul style="list-style-type: none"> <li>• Cancel—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> <p>Possible actions in a <b>Waiting for Manual Start</b> state:</p> <ul style="list-style-type: none"> <li>• Start—Starts the task (You will see this button only if the Manual Start option was chosen when the task was created)</li> <li>• Delete—Deletes the selected task permanently</li> </ul> <p>Possible actions in a <b>Paused</b> state (a task enters this state if the user set up the task to pause at this step):</p> <ul style="list-style-type: none"> <li>• Resume—Task will continue at the next step</li> <li>• Cancel—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> <p>Possible actions in a <b>Paused Due To Errors</b> state (a task will enter this state, because the system detected an error at this step):</p> <ul style="list-style-type: none"> <li>• Resume—Task will continue at the next step. (Before resuming, user should look at the error in the view log and correct the problem that caused the error, or else the task will fail.) If the error message says “Failed due to validation,” the task will revalidate and start from the first step when you click Resume. Otherwise, the task will start from the next step or sub-step.</li> <li>• Retry—Retry the last failed task action (the failed next step or sub-step)</li> <li>• Cancel—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> <p>Possible action in a <b>Failed Status</b> state:</p> <ul style="list-style-type: none"> <li>• Delete—Deletes the selected task permanently</li> </ul>
Start Task button	Starts task running for Scheduled tasks
Edit button	Opens Edit dialog for Scheduled tasks
Pause button	Pauses Running tasks (at next step)
Resume button	Resumes task at next step for Paused and Paused (Error) tasks
Retry Button	Retries the last failed task action for Paused (Error) tasks
Cancel button	Cancels Scheduled, Running, Paused, and Paused (Error) tasks
Delete button	Deletes Scheduled, Canceled, Successful, and Failed tasks

Setting	Description
Task Summary	<p>The Task Summary section contains the following information for a task:</p> <ul style="list-style-type: none"> <li>• Source Cluster</li> <li>• Destination Cluster</li> <li>• Unified Communications Manager Upgrade File</li> <li>• Unified Presence Upgrade File</li> </ul>

## Tasks View Elements

### Upgrade View

Setting	Description
Scheduled Tasks and History table	
Status	<p>Provides information about the upgrade task:</p> <ul style="list-style-type: none"> <li>• Successful—Indicates that the task has finished without errors</li> <li>• Running—Indicates that the task is currently running</li> <li>• Scheduled—Indicates that the task has not yet started</li> <li>• Canceled—Indicates that the user has chosen not to run task</li> <li>• Paused—Indicates that the task is in a paused state waiting for feedback</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li> <li>• Failed—Indicates that the task has stopped due to error</li> </ul>
Start Time	Specifies the start time of the upgrade task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the name of the upgraded cluster
Notes	Note added during the Review portion of the Add Upgrade Task wizard

Setting	Description
Actions	<p>Allows you to perform the following for a particular upgrade task</p> <p><b>Note</b> Depending on the state of the task, only some of these actions may be allowed (for example, an upgrade task that is completed cannot be canceled).</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all nodes are available and the iso to be used for upgrade is present.</li> <li>• Edit—Shows the Edit Upgrade Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Use this button to restart task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action.</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p>When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—This causes the task to restart and retry the last failed task action (the failed step).</li> <li>• Resume—This causes the task to start at the next step (after the failed step).</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available.</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	Allows you to filter upgrade tasks by status, by selecting one of the following options from the drop-down list: <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—To show the tasks that are paused due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window.
Delete	Click the checkbox next to the task and click the Delete button at the top of the table. This action is applicable to tasks in the Failed, Successful, Scheduled and, Paused state.
Add Upgrade Task button	Opens the Add Upgrade Task wizard. <p><b>Note</b> You can also open the Add Upgrade Task wizard selecting Edit in the Actions column for a particular upgrade task.</p>
<b>Add Upgrade Task wizard window</b>	
For information about how to Add an Upgrade Task, see “Create an Upgrade Task”.	
Choose Cluster page	From the Choose Cluster page, select the cluster and product from the drop-down lists (All products is the default option for Products). Once you have selected the cluster, the list of nodes appears in the Cluster Nodes table.
Choose Upgrade File page	From the Choose Upgrade File page, select the upgrade file for each product being upgraded. You will have the option of selecting files only for the product type you selected on the Choose Cluster page.
Set Start Time and Upgrade Options page	From the Set Start Time and Upgrade Options page, select a start time for the task. <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting the task to begin immediately upon completion of the wizard.</p> <p>You also have the option of automatically switching to a new version following a successful upgrade.</p>
Specify Run Sequence page	From the Specify Run Sequence, specify the sequence in which the upgrade will be processed on the servers. You change the sequence of steps by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step. <p>Select the <b>Use Last Configured Run Sequence</b> box if you want to reuse the previous sequence.</p> <p>By default, each node is sequenced into its own step.</p>
Review page	The Review page provides a summary of the options you have selected in the previous steps. The nodes listed in the Nodes field are view-only—you cannot select them. <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Upgrade Task](#), on page 57

## Switch Versions View

Setting	Description
Scheduled Tasks and History table	
Status	<p>Provides information about the switch version task:</p> <ul style="list-style-type: none"> <li>• Successful—Indicates that the task has finished without errors</li> <li>• Running—Indicates that the task is currently running</li> <li>• Scheduled—Indicates that the task has not yet started</li> <li>• Canceled—Indicates that the user has chosen not to run task</li> <li>• Paused—Indicates that the task is in a paused state waiting for feedback</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li> <li>• Failed—Indicates that the task has stopped due to error</li> </ul>
Start Time	Specifies the start time of the switch version task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the switch version cluster
Notes	Notes that were added during the Review portion of the Add Switch Version wizard

Setting	Description
Actions	<p>The following are the status and the corresponding actions:</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all nodes are available and that none of the specified new addresses are reachable</li> <li>• Edit—Shows the Edit Switch Version Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Restarts task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p>When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—This causes the task to restart and retry the last failed task action (the failed step)</li> <li>• Resume—This causes the task to start at the next step (after the failed step)</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	<p>Allows you to filter switch version tasks by status, by selecting one of the following options from the drop-down list:</p> <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—To show the tasks that are paused due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window
Delete	Check the check box next to the task and click the Delete button at the top of the table. You can also click Delete under the Actions column for the task you wish to delete
Add Switch Versions Task button	<p>Opens the Switch Versions Task wizard.</p> <p><b>Note</b> You can also open the Switch Versions Task wizard by selecting Edit in the Actions column for a particular switch version task.</p>
Add Switch Versions Task window	<p>For information about how to add a switch version task, see “Create a Switch Versions Task”.</p>
Choose Cluster page	From the Choose Cluster page, select the cluster from the drop-down list. After you select the cluster, you must select the product versions (installed on the publisher) from the drop-down lists. If there is more than one product in the cluster, you have the option of not switching versions for one or more products. As long as one valid version is selected, you may proceed
Set Start Time page	<p>From the Set Start Time page, select a start time for the task.</p> <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting it to begin immediately upon completion of the wizard.</p>
Set Run Sequence page	<p>From the Specify Run Sequence, specify the sequence in which the version switch is processed on the servers. The sequence of the steps is changed by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step.</p> <p>Check the <b>Use Last Configured Run Sequence</b> check box if you want to reuse the previous sequence.</p> <p>By default, each node is sequenced into its own step. The Revert to Default button returns the steps to this original state.</p>
Review page	<p>The Review page provides a summary of the options you selected in the previous steps. The nodes listed in the Nodes field are view-only; you cannot select them.</p> <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Switch Versions Task](#), on page 62

## Server Restart View

Setting	Description
Scheduled Tasks and History table	
Status	<p>Provides information about the server restart task:</p> <ul style="list-style-type: none"> <li>• Successful—Indicates that the task is complete without errors</li> <li>• Running—Indicates that the task is currently running</li> <li>• Scheduled—Indicates that the task is not yet started</li> <li>• Canceled—Indicates that the user has chosen not to run task</li> <li>• Paused—Indicates that the task is in a paused state waiting for feedback</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li> <li>• Failed—Indicates that the task has stopped due to error</li> </ul>
Start Time	Specifies the start time of the server restart task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the server restart cluster
Notes	Notes that were added during the Review portion of the Add Restart Task wizard

Setting	Description
Actions	<p>The following are the status and the corresponding actions:</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all nodes are available and that none of the specified new addresses are reachable.</li> <li>• Edit—Shows the Edit Upgrade Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Edit—Shows the Edit Server Restart Task window. Allows you to edit the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Restarts task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p>When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—This causes the task to restart and retry the last failed task action (the failed step).</li> <li>• Resume—This causes the task to start at the next step (after the failed step).</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available.</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	<p>Allows you to filter restart tasks by status, by selecting one of the following options from the drop-down list:</p> <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window.
Delete	Click the checkbox next to the task and click the Delete button at the top of the table. You can also click Delete under the Actions column for the task you wish to delete.
Add Server Restart Task button	<p>Opens the Add Server Restart Task wizard.</p> <p><b>Note</b> You can also open the Add Server Restart Task wizard by selecting Edit in the Actions column for a particular server restart task.</p>
Add Server Restart Task window	<p>For information about how to add a server restart task, see “Create a Restart Task”.</p>
Choose Cluster page	From the Choose Cluster page, select the cluster from the drop-down list. After you select the cluster, you will see that the nodes listed in the Cluster Nodes table change accordingly. Select the servers to be restarted.
Set Start Time page	<p>From the Set Start Time page, select a start time for the task.</p> <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting the task to begin immediately upon completion of the wizard.</p>
Set Run Sequence page	<p>From the Set Run Sequence page, specify the sequence in which the restart is processed on the servers. You can change the sequence of steps by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step.</p> <p>Check the <b>Use Last Configured Run Sequence</b> check box if you want to reuse the previous sequence.</p> <p>By default, each node is sequenced into its own step. The Revert to Default button returns the steps to this original state.</p>
Review page	<p>The Review page provides a summary of the options you have selected in the previous steps. The nodes listed in the Nodes field are view-only; you cannot select them.</p> <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Server Restart Task](#), on page 64

## Readdress View

Setting	Description
Scheduled Tasks and History table	
Status	Provides information about the readdress task: <ul style="list-style-type: none"><li>• Successful—Indicates that the task has finished without errors</li><li>• Running—Indicates that the task is currently running</li><li>• Scheduled—Indicates that the task has not yet started</li><li>• Canceled—Indicates that the user has chosen not to run task</li><li>• Paused—Indicates that the task is in a paused state waiting for feedback</li><li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li><li>• Failed—Indicates that the task has stopped due to error</li></ul>
Start Time	Specifies the start time of the readdress task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the readdress cluster
Notes	Note that were added during the Review portion of the Add Readdress Task wizard

Setting	Description
Actions	<p>The following are the status and the corresponding actions:</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all nodes are available and that none of the specified new addresses are reachable.</li> <li>• Edit—Shows the Edit Readdress Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Edit—Shows the Edit Upgrade Task window. Allows you to edit the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Restarts task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p style="padding-left: 40px;">When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—This causes the task to restart and retry the last failed task action (the failed step or sub-step).</li> <li>• Resume—This causes the task to start at the next step (after the failed step or sub-step).</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available.</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	<p>Allows you to filter readdress tasks by status, by selecting one of the following options from the drop-down list:</p> <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—To show the tasks that are paused due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window.
Delete	Check the check box next to the task and click the Delete button at the top of the table. You can also click Delete under the Actions column for the task you wish to delete.
Add Readdress Task button	<p>Opens the Add Readdress Task wizard.</p> <p><b>Note</b> You can also open the Add Readdress Task wizard by selecting Edit in the Actions column for a particular readdress task.</p>
<p>Add Readdress Task window</p> <p>For information about how to Add a Readdress Task, see “Create a Readdress Task”.</p>	
Choose Cluster page	<p>From the Choose Cluster page, select the cluster from the drop-down list. Click View Nodes to the nodes associated with this cluster. The View UC Cluster Nodes dialog box opens, listing the nodes in a table that identifies the following:</p> <ul style="list-style-type: none"> <li>• Hostname</li> <li>• IP Address</li> <li>• Product</li> <li>• Role</li> </ul> <p>The View UC Cluster Nodes dialog box is not editable. Click Close to return to the Choose Cluster page.</p>
Enter New Hostnames/IP Addresses page	From the Enter New Hostnames/IP Addresses page, click Edit under the Actions column to open the Edit Hostname/IP Address dialog box. This dialog box allows you to enter a new hostname or IP address for the cluster nodes to be readdressed. You have the option of using DHCP or a static IP address.
Set Start Time page	<p>From the Set Start Time page, select a start time for the task.</p> <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting the task to begin immediately upon completion of the wizard.</p> <p>You can use this page to also enable the re-address option. Check the <b>Pause before network verification substeps to allow external changes</b> check box if you wish to introduce a pause between the re-address and the network change verification substeps upon changing the subnet or gateway. During this pause, you can make the necessary network changes to the virtual machine configuration, such as VLAN.</p> <p><b>Note</b> After you make the changes, resume the task to complete the verification.</p>

Setting	Description
Set Run Sequence page	<p>From the Set Run Sequence page, specify the sequence in which the readdress is processed on the servers. The sequence of the steps is changed by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step.</p> <p>Check the <b>Use Last Configured Run Sequence</b> check box if you want to reuse the previous sequence.</p> <p>By default, each node is sequenced into its own step. The Revert to Default button returns the steps to this original state.</p>
Review page	<p>The Review page provides a summary of the options you have selected in the previous steps. The nodes listed in the Nodes field are view-only; you cannot select them.</p> <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Readdress Task](#), on page 66

## Install View

Setting	Description
Scheduled Tasks and History table	
Status	<p>Provides information about the install task:</p> <ul style="list-style-type: none"> <li>• Successful—Indicates that the task has finished without errors</li> <li>• Running—Indicates that the task is currently running</li> <li>• Scheduled—Indicates that the task has not yet started</li> <li>• Canceled—Indicates that the user has chosen not to run task</li> <li>• Paused—Indicates that the task is in a paused state waiting for feedback</li> <li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li> <li>• Failed—Indicates that the task has stopped due to error</li> </ul>
Start Time	Specifies the start time of the install task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the install cluster
Notes	Notes that were added during the Review portion of the Add Install Task wizard

Setting	Description
Actions	<p>The following are the status and the corresponding actions:</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all the ESXi host is present, the VMs are in the correct state, and the .iso file to be used in the install is present.</li> <li>• Edit—Shows the Edit Upgrade Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Restarts task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p>When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—Retry the last failed step. This button causes the task to retry the last step that failed, and restart the task (the failed step).</li> <li>• Resume—Resumes the task at the next step (after the failed step). Use this option only if the failed step is non-essential, or if you have manually performed that step</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available.</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	<p>Allows you to filter install tasks by status, by selecting one of the following options from the drop-down list:</p> <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—To show the tasks that are paused due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window.
Delete	Click the checkbox next to the task and click the Delete button at the top of the table. You can also click Delete under the Actions column for the task you wish to delete.
Add Install Task button	<p>Opens the Add Installation Task wizard.</p> <p><b>Note</b> You can also open the Add Installation Task wizard by selecting Edit in the Actions column for a particular install task.</p>
<p>Add Installation Task window</p> <p>For information about how to add an installation task, see “Create an Install Task”.</p>	
Choose Installation Cluster page	From the Choose Cluster page, select the cluster from the drop-down list. After you select the cluster, you will see that the nodes listed in the Installation Cluster Nodes table change accordingly.
Choose Installation Files page	From the Choose Installation Files page, select the installation images to be installed on the staging cluster. The ISO images must be uploaded to the /install directory on the system sftp server for Cisco Prime Collaboration Deployment.
Set Start Time page	<p>From the Set Start Time page, select a start time for the task.</p> <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting the task to begin immediately upon completion of the wizard.</p>
Specify Installation Sequence page	<p>From the Specify Installation Sequence page, specify the sequence in which the installation is processed on the servers. You can change the sequence of steps by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step.</p> <p>By default, each node is sequenced into its own step.</p>
Review page	<p>The Review page provides a summary of the options you have selected in the previous steps. The nodes listed in the Nodes field are view-only; you cannot select them.</p> <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Install Task](#), on page 69

## Migrate View

Setting	Description
Scheduled Tasks and History table	
Status	Provides information about the migrate task: <ul style="list-style-type: none"><li>• Successful—Indicates that the task has finished without errors</li><li>• Running—Indicates that the task is currently running</li><li>• Scheduled—Indicates that the task has not yet started</li><li>• Canceled—Indicates that the user has chosen not to run task</li><li>• Paused—Indicates that the task is in a paused state waiting for feedback</li><li>• Paused due To Error—Indicates that the task is in a paused state due to an error in the system</li><li>• Failed—Indicates that the task has stopped due to error</li></ul>
Start Time	Specifies the start time of the migrate task
Last Status Report Time	Specifies the time at which the action was completed. The completed action may be a success or failure.
Cluster	Specifies the cluster being migrated.
Notes	Notes that were added during the Review portion of the Add Migration Task wizard

Setting	Description
Actions	<p>The following are the status and the corresponding actions:</p> <ul style="list-style-type: none"> <li>• Scheduled status: <ul style="list-style-type: none"> <li>• Run Validation Test—Runs a validation test to ensure that all nodes are available and that none of the specified new addresses are reachable. It also checks that the ESXi hosts that the VMs reside on are mounted. It also verifies that the iso file to be used is present.</li> <li>• Edit—Shows the Edit Upgrade Task window. Allows you to edit the selected task</li> <li>• Cancel Task—Cancels the selected task</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Canceled status: <ul style="list-style-type: none"> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Started status: <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused status: <ul style="list-style-type: none"> <li>• Resume—Restarts task at the next step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Start Task—Start task is present if the task is started manually. Time is not selected for this action</li> </ul> <p><b>Note</b> Start Task is applicable only if you select <b>Start task manually</b> option in the <b>Set Start Time</b> panel.</p> <p>When you select the task manually, the resume option is unavailable in the monitoring page.</p> <ul style="list-style-type: none"> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Paused due to Error: <ul style="list-style-type: none"> <li>• Retry—Retry the last failed step (the failed step or sub-step). This button causes the task to retry the last step that failed, and restart the task.</li> <li>• Resume—Resumes the task at the next step (after the failed step or sub-step). Use this option only if the failed step is non-essential, or if you have manually performed that step.</li> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Cancel Task—Cancels the selected task</li> </ul> </li> <li>• Successful status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available.</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> <li>• Failed status: <ul style="list-style-type: none"> <li>• View Details—Navigates to the monitoring page showing all the tasks available</li> <li>• Delete—Deletes the selected task permanently</li> </ul> </li> </ul>

Setting	Description
Show	<p>Allows you to filter migration tasks by status, by selecting one of the following options from the drop-down list:</p> <ul style="list-style-type: none"> <li>• Quick Filter—To filter the tasks based on the status</li> <li>• All—To show all the tasks available</li> <li>• Scheduled—To show the tasks that are scheduled</li> <li>• Canceled—To show the tasks that are canceled</li> <li>• Running—To show the tasks that are started</li> <li>• Paused—To show the tasks that are paused</li> <li>• Paused due To Error—To show the tasks that are paused due to an error in the system</li> <li>• Successful—To show the tasks that are successful</li> <li>• Failed—To show the tasks that failed</li> </ul>
Filter	Select a status and click Filter to set a search rule at the bottom of the search window.
Delete	Check the check box next to the task and click the Delete button at the top of the table. You can also click Delete under the Actions column for the task you wish to delete.
Add Migration Task button	<p>Opens the Add Migration Task wizard.</p> <p><b>Note</b> You can also open the Add Migration Task wizard by selecting Edit in the Actions column for a particular migrate task.</p>
<p>Add Migration Task window</p> <p>For information about how to add a migration task, see “Add Migration Task”.</p>	
Choose Source and Destination Clusters page	From the Choose Source and Destination Clusters page, select the source UC cluster from the drop-down list. After you select the source cluster, you select the destination cluster from the drop-down list and the nodes from the Node Mapping from Source to Destination Cluster table.
Choose Upgrade Files page	From the Choose Upgrade File page, select the upgrade file for each product being upgraded. You will only have the option of selecting files for the product type you selected on the Choose Cluster page.
Set Start Time page	<p>From the Set Start Time page, select a start time for the task.</p> <p><b>Note</b> The time specified is based on the Cisco Prime Collaboration Deployment server time, not the time zone of the selected cluster.</p> <p>You have the option of setting the start time for a specific time, starting the task manually, or setting the task to begin immediately upon completion of the wizard.</p>
Specify Migration Procedure page	<p>From the Specify Migration Procedure page, specify the sequence in which the migration is processed on the servers. You can change the sequence of the steps by clicking the up and down arrows of a particular step. You can also add or delete a step, or edit an existing step.</p> <p>By default, each node is sequenced into its own step. The Revert to Default button returns the steps to this original state.</p>
Review page	<p>The Review page provides a summary of the options you have selected in the previous steps. The nodes listed in the Nodes field are view-only; you cannot select them.</p> <p>You can add notes to the Notes field for future reference.</p>

### Related Topics

[Migration Task](#), on page 44

# Inventory View Elements

## Clusters

Setting	Description
<b>Clusters table</b>	
Cluster Name	Shows the available clusters
Product and Version	Shows the product for which the cluster is added along with its version
Nodes	Shows the number of nodes associated with the cluster
Cluster Type	Shows the cluster type, such as Discovered, New install, or Migration
Discovery Status	Shows the discovery status of a cluster. This field shows one of the following discovery statuses: <ul style="list-style-type: none"> <li>• Contacting</li> <li>• Discovering</li> <li>• Successful</li> <li>• Node Unreachable</li> <li>• Timeout</li> <li>• Internal Error</li> </ul>
Actions	Includes the following options: <ul style="list-style-type: none"> <li>• <b>Edit</b>—Edit an added new node that has not yet been installed</li> <li>• <b>Delete</b>—Delete an added new node that has not yet been installed</li> </ul>
Show	Allows you to filter cluster tasks by status, by selecting one of the following options from the drop-down list: <ul style="list-style-type: none"> <li>• All—To show all the available clusters</li> <li>• Discovered—To show the clusters that are scheduled</li> <li>• New Install—To show the cluster that newly installed</li> <li>• Migration—To show the clusters that are migrated</li> </ul>
Filter	Select a status and click <b>Filter</b> to set a search rule at the bottom of the search window.

Setting	Description
Discover Cluster button	Click this button so that Cisco Prime Collaboration Deployment communicates with the servers that are already running Unified Communications applications and adds that cluster information into the Cisco Prime Collaboration Deployment inventory
<p><b>Define Migration Destination Cluster</b></p> <p>For information on how to create a migration cluster, see the <a href="#">Create a Migration Cluster, on page 40</a>.</p>	
Specify Clusters page	<p>Enter details for the following fields to configure a destination cluster for a migration task:</p> <ul style="list-style-type: none"> <li>• <b>Source Cluster</b>—From the drop-down list, select a source UC cluster.</li> <li>• <b>View Nodes</b>—Click this link to view the available cluster nodes.</li> <li>• <b>Active Versions</b>—Shows the active versions of the source UC cluster.</li> <li>• <b>Destination Cluster Nickname</b>—Enter a nickname for the destination cluster.</li> <li>• <b>Destination Network Settings</b>—Choose one of the following options: <ul style="list-style-type: none"> <li>• <b>Use the source node network settings for all destination nodes</b>—Choose this option to retain the default network options.</li> <li>• <b>Enter new network settings for one or more destination nodes</b>—Choose this option to modify the default network settings or enter new network options.</li> </ul> </li> </ul> <p><b>Note</b> If you select the <b>Use the source node network settings for all destination nodes</b> option, same IP address appears for both the source node <b>NAT IP</b> and <b>Dest NAT IP</b> columns on the <b>Assign Destination Cluster Nodes</b> window. If you select the <b>Enter new network settings for one or more destination nodes</b> option, only source hostname appears and not the destination hostname on the <b>Assign Destination Cluster Nodes</b> window.</p>
Assign Destination Cluster Nodes page	<ul style="list-style-type: none"> <li>• <b>Source Cluster</b>—Displays the name of the source cluster.</li> <li>• <b>Destination Cluster</b>—Displays the name of the destination cluster.</li> <li>• <b>Assign Destination Cluster Nodes</b>—Click this button to associate destination virtual machines with nodes in the source cluster.</li> </ul> <p><b>Note</b> If DHCP is in use on your source node, the destination node is also configured to use DHCP, and you will have no option to change your network settings in this wizard.</p>

Setting	Description
Configure NTP/SMTP Settings	<p>Enter details for the following sections to configure NTP and SMTP to the migration nodes when the migration task is run:</p> <p><b>Network Time Protocol (NTP) Configuration</b> window—Enter IP address of at least one of the following fields:</p> <ul style="list-style-type: none"> <li>• <b>NTP Server 1</b></li> <li>• <b>NTP Server 2</b></li> <li>• <b>NTP Server 3</b></li> <li>• <b>NTP Server 4</b></li> <li>• <b>NTP Server 5</b></li> </ul> <p>(Optional) <b>Simple Mail Transfer Protocol (SMTP) Configuration</b> window</p> <ul style="list-style-type: none"> <li>• <b>SMTP Server</b>—Enter IP address of the SMTP server.</li> </ul>
Define DNS Settings	<p>(Optional) From the available hosts added along with the functions, check a node to configure DNS setting for the migration cluster nodes and click <b>Assign DNS Settings</b></p>
<p><b>Discover Cluster window</b></p> <p>For information on how to Discover a Cluster, see <a href="#">Discover a Cluster, on page 37</a>.</p>	
Cluster Access page	<p>Enter details in the following fields:</p> <ul style="list-style-type: none"> <li>• <b>Choose a Nickname for this Cluster</b>—Enter a nick name for the cluster.</li> <li>• <b>Hostname/IP Address of Cluster Publisher</b>—Enter either the host name or the IP address for the publisher node of the cluster.</li> <li>• <b>OS Admin Username</b>—Enter the OS administrator user name.</li> <li>• <b>OS Admin Password</b>—Enter the password for the OS administrator.</li> </ul> <p><b>Note</b>        Ensure that cluster password is less than 16 characters.</p> <ul style="list-style-type: none"> <li>• <b>Enable NAT</b>—Check this check box to enable NAT for the cluster.</li> </ul> <p><b>Note</b>        When you check the <b>Enable NAT</b> check box, the <b>NAT IP</b> column appears on the Cluster Discovery Progress page.</p>

Setting	Description
Cluster Discovery Progress page	<p>This page displays the status of cluster discovery in the following fields:</p> <ul style="list-style-type: none"> <li>• <b>Cluster Name</b>—Shows the cluster name along with the status message of the cluster discovery.</li> <li>• <b>Hostname</b>—Shows the host name.</li> <li>• <b>Contact Status</b>—Shows the one of the following statuses for cluster discovery: <ul style="list-style-type: none"> <li>• Contacting</li> <li>• Discovering</li> <li>• Successful</li> <li>• Node Unreachable</li> <li>• Timeout</li> <li>• Internal Error</li> </ul> </li> <li>• <b>Product</b>—Shows the product of the cluster.</li> <li>• <b>Active version</b>—Shows the version currently in use.</li> <li>• <b>Inactive version</b>—Shows the version that is currently not in use.</li> <li>• <b>NAT IP</b>—This column appears only if you check the <b>Enable NAT</b> check box on the Cluster Access page.</li> <li>• <b>Hardware</b>—Shows the hardware associated to the cluster.</li> </ul>
Cluster Role Assignment page	<p>This page displays the role assignments of cluster in the following fields:</p> <ul style="list-style-type: none"> <li>• <b>Hostname</b>—Shows the host name.</li> <li>• <b>Product</b>—Shows the product of the cluster.</li> <li>• <b>Functions</b>—Shows the different roles that are assigned to a particular node. For example Publisher, Primary TFTP, Secondary TFTP.</li> <li>• <b>SFTP Server</b>—Shows the location of the ISO files. By default the SFTP server is PCD.</li> <li>• <b>Edit Settings</b>—Allows to assign more roles or functionality to the node.</li> </ul>
<p><b>Define New UC Cluster window</b></p> <p>For information on how to install a new cluster, see the <a href="#">Add New Cluster for Fresh Install, on page 42</a>. After you click this button, a wizard appears that guides you to the installation process of a new UC cluster.</p>	
Specify Cluster Name window	<p><b>Choose the Nickname for this cluster</b>—Enter the cluster name</p>

Setting	Description
Add Virtual Machines window	<p>Enter details in the following fields:</p> <ul style="list-style-type: none"> <li>• <b>Add Node</b>—Check one or more functions for adding a node from the available check boxes.</li> <li>• <b>Notes</b>—(Optional) Add a nodes for the selected cluster.</li> <li>• <b>Virtual Machines</b>—Add a node from the available virtual machines.</li> </ul> <p><b>Note</b> The available VMs are sorted by name and by host. The details of virtual machines, such as VM Name, ESXi Host, and Power State, appear in this window.</p> <ul style="list-style-type: none"> <li>• <b>Show</b>—Allows you to filter virtual machine by status, by selecting options from the drop-down list.</li> <li>• <b>Network</b>—Select one of the following options: <ul style="list-style-type: none"> <li>• <b>Static IP address</b>—Enter the details for hostname, IP Address, Subnet Mask, Gateway, and NAT IP fields.</li> <li>• <b>Use DHCP with Reservations</b>—Enter the IP address that you have a reservation for on your DHCP server (associated with the MAC address for that VM) in addition to the hostname.</li> </ul> </li> <li>• <b>Products and Functions</b>—From the drop-down list, select a product. In the Functions section, check the appropriate function check boxes for your VM.</li> </ul> <p><b>Note</b></p> <ul style="list-style-type: none"> <li>• Check the <b>Publisher</b> check box for at least one node in the cluster that you have defined for each application type.</li> <li>• (Optional) Add a note about the functions that you have assigned in the <b>Notes</b> field below the <b>Publisher</b> field.</li> </ul> <ul style="list-style-type: none"> <li>• <b>Virtual Machines section</b>—Choose a VM for the selected node.</li> </ul>

Setting	Description
Configure Cluster Wide Settings window	<p>Enter details for the fields of the following sections:</p> <p><b>OS Administration Credentials</b></p> <ul style="list-style-type: none"> <li>• <b>Username</b>—Enter user name of the OS administrator.</li> <li>• <b>Password</b>—Enter password of the user name.</li> <li>• <b>Confirm Password</b>—Re-enter the same password that you entered in the <b>Password</b> field.</li> </ul> <p><b>Application Credentials</b></p> <ul style="list-style-type: none"> <li>• <b>Username</b>—Enter user name of the application user.</li> <li>• <b>Password</b>—Enter password of the user name.</li> <li>• <b>Confirm Password</b>—Re-enter the same password that you entered in the <b>Password</b> field.</li> </ul> <p><b>Security Password</b></p> <ul style="list-style-type: none"> <li>• <b>Password</b>—Enter the security password for the cluster.</li> <li>• <b>Confirm Password</b>—Re-enter the same password that you entered in the <b>Password</b> field.</li> </ul> <p><b>SMTP Settings (Optional)</b></p> <ul style="list-style-type: none"> <li>• <b>SMTP Server</b>—Enter the IP address of the SMTP server.</li> </ul> <p><b>Certificate Information</b></p> <ul style="list-style-type: none"> <li>• <b>Organization</b>—Enter the name of the organization of which the certificate is being used.</li> <li>• <b>Unit</b>—Enter the number of certificates being used.</li> <li>• <b>Location</b>—Enter the location where the certificate is being used.</li> <li>• <b>State</b>—Enter the state where the certificate is being used.</li> <li>• <b>Country</b>—From the drop-down list, select the country where the certificate is being used.</li> </ul>
Configure DNS Settings window	(Optional) From the available hosts added along with the functions, check a node to configure DNS setting for a node and click <b>Assign DNS Settings</b> .

Setting	Description
Configure NTP Settings	<p>To configure the Network Time Protocol, enter details of at least one NTP server in the following fields. If you are not using DNS, NTP server must be an IP address. If you are using DNS, NTP server can be an FQDN.</p> <ul style="list-style-type: none"> <li>• <b>NTP Server 1</b></li> <li>• <b>NTP Server 2</b></li> <li>• <b>NTP Server 3</b></li> <li>• <b>NTP Server 4</b></li> <li>• <b>NTP Server 5</b></li> </ul> <p><b>Note</b> It is recommended that you define at least IP addresses of two NTP servers</p>
Configure NIC Settings	<p>(Optional) Enter details for the following fields:</p> <ul style="list-style-type: none"> <li>• <b>Hostname, Functions, and MTU size column</b>—From the available servers, check the check box for a server.</li> <li>• <b>MTU Size</b>—Enter an MTU size between 552 and 1500 and click <b>Apply to Selected</b>.</li> <li>• <b>Apply to Selected</b>—Click this button to apply the MTU size for the selected host.</li> <li>• <b>Apply Default MTU</b>—Click this button to apply the default value of MTU size for the selected host.</li> </ul>
Configure Time Zones window	<p>Enter details for the following fields to specify the time zone for each cluster node:</p> <ul style="list-style-type: none"> <li>• <b>Region</b>—From the drop-down list, select the region for the cluster node.</li> <li>• <b>Time Zone</b>—From the drop-down list, select the time zone of the selected region.</li> <li>• <b>Apply to Selected</b>—Click this button to apply the time zone changes for each cluster node.</li> </ul>

## ESXi Hosts View

Setting	Description
<b>ESXi Hosts table</b>	
Hostname	Shows the ESXi host name.
IP Address	Shows the IP address of the ESXi host.
Description	Shows the description, if any, of the ESXi host.

Setting	Description
Actions	Includes the following options: <ul style="list-style-type: none"> <li>• <b>Edit</b>—Click this link to edit the ESXi host details.</li> <li>• <b>Delete</b>—Click this link to delete the ESXi host from the database.</li> </ul>
Add ESXi Host	Click this button to add an ESXi host in the database.
<b>Add ESXi Host</b> window	
Hostname/IP Address	Enter the host name of the IP address of the ESXi host.
Username	Enter the user name.
Password	Enter the password for the user.
Description	(Optional) Enter the description for the ESXi host.

## SFTP Servers and Datastore

Setting	Description
<b>SFTP Servers/Datastore</b> section	
<p>The Cisco Prime Collaboration Deployment server serves as a local SSH File Transfer Protocol or Secure File Transfer Protocol (SFTP) server that stores the ISO and COP files to be used by upgrade, fresh, install, and migrate tasks.</p> <p>For more information on SFTP Datastore, see <a href="#">SFTP Servers and Datastore, on page 123</a>.</p>	
Delete	Click this button to delete the selected SFTP server from the datastore.
Add Server	Click this button to add the selected SFTP server to the datastore.
Server IP	Shows the IP addresses of the available SFTP servers in the datastore.
Server Description	Shows the description added for the available SFTP servers.
Database Directory	Shows the directory path of the SFTP servers.
Status	Shows the status of the SFTP server. For example, Connected and Local.
Actions	Includes the following options: <ul style="list-style-type: none"> <li>• <b>Edit</b>—Click this link to edit the SFTP server details.</li> <li>• <b>Delete</b>—Click this link to delete the selected SFTP server from the datastore.</li> </ul>
<b>SFTP/Datastore Files</b> section	
Delete	Click this button to delete the ISO and COP files of the selected SFTP server from the datastore.

Setting	Description
Filename	Shows the available ISO and COP files of the SFTP servers.
Server IP	Shows the IP address of the SFTP servers.
Server Description	Shows the description added for the available SFTP servers.
Directory	Shows the directory name where the SFTP files of the SFTP servers are stored.
File Type	Shows the type of file, such as upgrade file and fresh install.
Copied On (local)	Shows the data, time, and time zone when the SFTP file is copied to the datastore.

## Administration View Elements

### Email Notification View

Setting	Description
<b>Notification Settings</b>	section
	For more information, see the <a href="#">Email Notification, on page 77</a> .

Setting	Description
Notifications	<p>Select one of the following options:</p> <ul style="list-style-type: none"> <li>• <b>Do not send email notification</b>—Choose this option if you do not wish to receive any email notification for errors or types of tasks. <ul style="list-style-type: none"> <li><b>Note</b> If you choose this option, all the fields of this section become non-editable.</li> </ul> </li> <li>• <b>Errors only - Send email only when there is an error</b>—Choose this option if you wish to receive email notifications for task event errors in the following states: <ul style="list-style-type: none"> <li>• Failed to Schedule</li> <li>• Failed</li> <li>• Failed to cancel</li> <li>• Paused on error</li> </ul> </li> <li>• <b>Standard - Send email when tasks start, pause, finish, or when there is an error</b>—Choose this option if you wish to receive email notifications when a task enters any of the following states: <ul style="list-style-type: none"> <li>• Scheduled</li> <li>• Failed to Schedule</li> <li>• Started</li> <li>• Successful</li> <li>• Failed</li> <li>• Canceled</li> <li>• Canceling</li> <li>• Failed to Cancel</li> <li>• Paused on Error</li> <li>• Paused</li> <li>• Paused – Required</li> </ul> </li> </ul>
Email Recipients	<p>Enter the email address of one or multiple recipients.</p> <p><b>Note</b> Separate multiple email addresses with a comma.</p>
Use TLS	<p>Check this check box so that Transport Layer Security (TLS) protocol ensures privacy or prevent tampering with the email between the application and the email recipients.</p>
<b>Mail server credentials</b> section	

Setting	Description
Username	Enter the user name of the mail server.
Password	Enter the password to log in to the mail server.
<b>Server Settings</b> section	
SMTP Server	Enter the IP address of the SMTP server.
Port	Enter the number of ports for the SMTP server.
Save	Click this button to save the changes you have made in this page.
Reset	Click this button to set the default values on this page.
Send Test Email	Click this button to send a test email to one or more recipients for the errors only and standard options.

## NAT Settings

Setting	Description
<b>PCD NAT Settings</b>	
For more information on network address translation, see the <a href="#">Network Address Translation Support, on page 27</a> .	
Hostname	Shows the host name of the server.
Private IP	Shows the IP address of the server that is in the private network.
NAT IP	Enter the NAT IP address.
Save	The NAT IP address is saved as an entry in a configuration file on Cisco Prime Collaboration Deployment. This entry is used when the application nodes try to contact Cisco Prime Collaboration Deployment.
Reset	(Optional) The NAT IP address is reset to the earlier saved NAT IP address.

## Disk Space Warning Level

Setting	Description
<b>Disk Space Warning Level Configuration</b>	
For details, see <a href="#">Disk Space Warning Level, on page 86</a> .	
Total Disk Space (GB)	Shows the total disk space on the server.
Available Disk Space (GB)	Shows the available disk space for use on the server.

Setting	Description
Warning Level Disk Space (GB)	Enter the disk space warning value. After entering this value, click the information link to check if the space value you entered is available for use on the server.
Save	Save the warning disk space value.
Reset	(Optional) Resets the page with the default values.

## Max Nodes Configuration

Setting	Description
Max Nodes	Enter the maximum nodes on the server.
Save	Save the maximum nodes value.
Reset	(Optional) Resets the page with the default values.

## Audit Log Configuration

Setting	Description
<b>Audit Level Settings</b> section	
Application Audit Event Level	From the drop-down list, choose one of the following options: <ul style="list-style-type: none"> <li>• <b>Info</b>—To view the audit event level as an information message.</li> <li>• <b>Warning</b>—To view the audit event level as a warning message.</li> <li>• <b>Debug</b>—To view the audit event level as a debug message.</li> <li>• <b>Error</b>—To view the audit event level as an error message.</li> </ul>
<b>Remote SysLog Settings</b> section	
Remote Syslog Server Name / IP	Enter the name of remote syslog server or the IP address for the audit logs to be logged in to this remote server.
<b>Local Audit Log Settings</b>	

Setting	Description
Enable Local Audit Log	<p>Check or uncheck this check box to enable or disable the local audit log.</p> <p><b>Note</b></p> <ul style="list-style-type: none"> <li>• When you check this field, the audit events are logged in the local server. When you uncheck this field, audit events are not logged in the local server. The audit events includes User ID, ClientAddress, Severity, EventType, ResourceAccessed, EventuStatus , AuditCategory, CompulsoryEvent, ComponentID, CorrelationID and Node ID.</li> <li>• When you check this field, the <b>Enable Log Rotation</b> field becomes active.</li> </ul>
Enable Log Rotation	<p>Check or uncheck this check box to enable or disable the log rotation.</p> <p><b>Note</b></p> <ul style="list-style-type: none"> <li>• You can configure this field if the <b>Enable Local Audit Log</b> field is enabled.</li> <li>• After you enable this field, you can configure the <b>Maximum No of Files</b>, <b>Maximum File Size(MB)</b>, and <b>Warning Threshold for Approaching Log Rotation Overwrite(%)</b> fields. When you uncheck the <b>Enable Local Audit Log</b> field, the default values of these fields are not applicable as they are not active.</li> </ul>
Maximum No of Files	<p>Enter an integer value for the <b>Maximum No of Files</b> field to configure the maximum number of files that can be created on the server.</p> <p>After you check the <b>Enable Log Rotation</b> field, you can configure the value for <b>Maximum No of Files</b> field. Once the number of files reaches the configured value, the log rotation process starts. In the log rotation process, all the log files are deleted and rewritten from the log file number 1.</p> <p><b>Note</b> The value for this field must be in the range of 1 to 5000.</p>

Setting	Description
Maximum File Size(MB)	<p>Enter a value for the <b>Maximum File Size (MB)</b> field to configure the maximum file size of each log that is created on the server.</p> <p><b>Note</b> The value for this field must be in the range of 1 to 10.</p>
Warning Threshold for Approaching Log Rotation Overwrite(%)	<p>Enter the warning threshold value for the <b>Warning Threshold for Approaching Log Rotation Overwrite(%)</b> field.</p> <p>After the configured warning threshold value is reached, an email notification is sent to users to take back up of the audit log files. These files are deleted or overwritten during log rotation.</p> <p><b>Note</b> The value for this field must be in the range of 1 to 100.</p> <p>For details, see the Email notification topic in the <i>Cisco Prime Collaboration Deployment Administration Guide</i>.</p>
Save	Click this button to save the changes you have made on this page.
Reset	Click this button to set the default values on this page.

## Customized Logon Message Configuration

Setting	Description
<b>Upload Customized Logon File</b>	
Upload File	Click the <b>Browse</b> button to browse to the location of file that includes the customized sign-on message.
Require User Acknowledgment	<p>Check or uncheck this check box to enable or disable user acknowledgment for the file that the user receives.</p> <p>If this field is enabled, users get an acknowledgment as an alert message on the Cisco Prime Collaboration Deployment sign-in page. This message appears after they sign out for the first time from the same web browser instance.</p>
Upload File	Click this button to upload the file with the customized sign-on message to the server. After you upload the file, a popup appears showing the file upload status.

Setting	Description
Delete	Click this button to delete the file with the customized sign-on message. After you delete the file, popup appears showing the file deletion status.

## Supported Release Matrix

This release of Cisco Prime Collaboration Deployment includes the **Supported Releases Matrix** window in the **Administration** menu. Use this matrix to view the supported and unsupported releases of the product, task type, and Cisco Prime Collaboration Deployment release that you choose.

Setting	Description
PCD Releases	From the drop-down list, choose one of the releases of Cisco Prime Collaboration Deployment. The available options are Release 12.6(1) up to the latest release.
Task Type	From the drop-down list, choose one of the following tasks to view the supported releases for a specific task: <ul style="list-style-type: none"> <li>• All</li> <li>• Migration</li> <li>• Install</li> <li>• Upgrade</li> <li>• Switch Version</li> <li>• Server Restart</li> <li>• Readdress</li> </ul>
Product Type	From the drop-down list, choose one of the following products: <ul style="list-style-type: none"> <li>• CUCM—Implies Cisco Unified Communications Manager.</li> <li>• IM&amp;P—Implies Instant Messaging and Presence services</li> <li>• CUC—Implies Cisco Unity Connection</li> <li>• UCCX—Implies Cisco Unified Contact Center Express</li> <li>• CER—Implies Cisco Emergency Responder</li> </ul>

Based on the values you choose for the **Supported Release Matrix** table, the values in **Supported Releases Table** appear for the **CUCM Task Type** column. This table shows the supported and unsupported releases of the product and the task type you choose.



## CHAPTER 7

# Cisco Prime Collaboration Deployment Configuration and Administration

---

- [Services, on page 131](#)
- [Limitations and Restrictions, on page 135](#)

## Services

After the installation of the Cisco Prime Collaboration Deployment platform, most services start automatically. You can configure services by setting service parameters for each service. If necessary, for example, for troubleshooting purposes, you may need to stop, start, or restart a service. You can perform these tasks by using the CLI on the Cisco Prime Collaboration Deployment platform.

### **Cisco Prime Collaboration Deployment Service**

This service supports the Cisco Prime Collaboration Deployment application interface. This service must be active for the Cisco Prime Collaboration Deployment application to work correctly. It is active by default.

### **Performance and Monitoring Services**

#### **Cisco Log Partition Monitoring Tool**

The Cisco Log Partition Monitoring Tool service supports the Log Partition Monitoring feature, which monitors the disk usage of the log partition on the Cisco Prime Collaboration Deployment platform by using configured thresholds and a polling interval.

#### **Cisco RIS Data Collector**

The Real-Time Information Server (RIS) maintains real-time information, such as critical alarms generated.

#### **Cisco AMC Service**

The Alert Manager and Collector (AMC) service allows you to retrieve real-time information that exists on the server.

#### **Cisco Audit Event Service**

The Cisco Audit Event Service monitors and logs any configuration change to the Cisco Prime Collaboration Deployment platform by a user or as a result of the user action.

### **SOAP-Log Collection APIs Service**

The Cisco SOAP-Log Collection APIs service allows you to collect log files and to schedule collection of log files on a remote SFTP server. Examples of log files that you can collect include syslog, core dump files, Cisco application trace files.

### **SOAP-Performance Monitoring APIs Service**

The Cisco SOAP-Performance Monitoring APIs service allows you to use performance monitoring counters for various applications through SOAP APIs; for example, you can monitor memory information per service and CPU usage.

## **Backup and Restore Services**

### **Cisco DRF Master**

The Cisco Disaster Recovery Framework (DRF) Master Agent service supports the DRF Master Agent, which works with the CLI to schedule backups, perform restorations, view dependencies, check status of jobs, and cancel jobs, if necessary. The Cisco DRF Master Agent also provides the storage medium for the backup and restoration process.

### **Cisco DRF Local**

The Cisco DRF Local service supports the Cisco DRF Local Agent, which performs the work for the DRF Master Agent. Components register with the Cisco DRF Local Agent to use the disaster recovery framework. The Cisco DRF Local Agent runs commands that it receives from the Cisco DRF Master Agent. Cisco DRF Local Agent sends the status, logs, and command results to the Cisco DRF Master Agent.

### **SFTP**

Cisco Prime Collaboration Deployment runs a Secure File Transfer Protocol (SFTP) server locally.

## **System Services**

### **CDP**

Cisco Delivery Protocol (CDP) advertises the voice application to other network management applications, so the network management application can perform network management tasks for the voice application.

### **Cisco Trace Collection Servlet**

The Cisco Trace Collection Servlet, along with the Cisco Trace Collection Service, supports trace collection and allows users to view traces. If you stop this service, you cannot collect or view traces on the Cisco Prime Collaboration Deployment platform.

For SysLog Viewer and trace and log collection, the Cisco Trace Collection Servlet and the Cisco Trace Collection Service must run on the server.

### **Cisco Trace Collection Service**

The Cisco Trace Collection Service, along with the Cisco Trace Collection Servlet, supports trace collection and allows users to view traces. If you stop this service, you cannot collect or view traces on the Cisco Prime Collaboration Deployment platform.

For SysLog Viewer and trace and log collection, the Cisco Trace Collection Servlet and the Cisco Trace Collection Service must run on the server.



---

**Tip** If necessary, to reduce the initialization time, we recommend that you restart the Cisco Trace Collection Service before restarting the Cisco Trace Collection Servlet.

---

## Platform Services

### Cisco Tomcat

The Cisco Tomcat service supports the web server.

### Cisco Tomcat Stats Servlet

The Cisco Tomcat Stats servlet collects the Tomcat statistics.

### Platform Administrative Web Service

The Platform Administrative Web service is a SOAP API that can be activated on Cisco Unified Communications Manager, Cisco Unified Presence, IM and Presence Service, Cisco Unified Contact Center Express, Cisco Unity Connection, or Cisco Emergency Responder systems, to allow the Cisco Prime Collaboration Deployment server to upgrade the system.

### SNMP Master Agent

This service, which acts as the agent protocol engine, provides authentication, authorization, access control, and privacy functions that relate to Simple Network Management Protocol (SNMP) requests.



---

**Tip** After you complete SNMP configuration in the CLI, you must restart the SNMP Master Agent service.

---

### MIB2 Agent

The Management Information Base (MIB2) Agent service provides SNMP access to variables, which are defined in RFC 1213, that read and write variables; for example, system and interfaces.

### Host Resources Agent

This service provides SNMP access to host information, such as storage resources, process tables, and installed software base. This service implements the HOST-RESOURCES-MIB.

### System Application Agent

This service provides SNMP access to the applications that are installed and running on the system. This service implements the SYSAPPL-MIB.

### Cisco CDP Agent

This service uses the Cisco Discovery Protocol to provide SNMP access to network connectivity information on the Cisco Prime Collaboration Deployment platform. This service implements the CISCO-CDP-MIB.

### Cisco Syslog Agent

This service supports gathering of syslog messages that various components generate. This service implements the CISCO-SYSLOG-MIB.

### Cisco Certificate Expiry Monitor

This service periodically checks the expiration status of certificates that the system generates and sends notification when a certificate gets close to its expiration date.

### Working with Services

To start, stop, activate, or restart services or to configure service parameters for services on the Cisco Prime Collaboration Deployment platform, you must use the CLI. You can start, stop, activate, or refresh only one service at a time.



---

**Note** When a service is stopping, you cannot start it until after the service is stopped. Also, when a service is starting, you cannot stop it until after the service is started.

---

The following services are activated by default after you install the Cisco Prime Collaboration Deployment platform.

- Cisco AMC Service
- Cisco Audit Event Service
- Cisco CDP
- Cisco CDP Agent
- Cisco Certificate Expiry Monitor
- Cisco DRF Local
- Cisco DRF Master
- Cisco Log Partition Monitoring Tool
- Cisco Platform Manager Service
- Cisco RIS Data Collector
- Cisco Syslog Agent
- Cisco Tomcat
- Cisco Tomcat Stats Servlet
- Cisco Trace Collection Servlet
- Host Resources Agent
- MIB2 Agent
- SNMP Master Agent
- System Application Agent

The following services are stopped by default after you install the Cisco Prime Collaboration Deployment platform.

- Cisco Trace Collection Service

- SOAP-Log Collection APIs
- SOAP-Performance Monitoring APIs



**Caution** Some changes to service parameters may cause system failure. We recommend that you do not make any changes to service parameters unless you fully understand the feature that you are changing or unless the Cisco Technical Assistance Center (TAC) specifies the changes.

The following table shows the commands that you need to work with services on the Cisco Prime Collaboration Deployment platform.

**Table 14: Service CLI Commands**

Task	Command
Display a list of services and service status	<b>utils service list</b>
Activate a service	<b>utils service activate</b>
Stop a service	<b>utils service stop</b> <i>servicename</i>
Start a service	<b>utils service start</b> <i>servicename</i>
Restart a service	<b>utils service restart</b> <i>servicename</i>

## Limitations and Restrictions

- Cisco Prime Collaboration Deployment is not a diagnostic tool. An error message appears on the task list page if a task fails; however, you should use your usual set of tools and procedures to diagnose and correct the problem.
- The SOAP services do not replace the existing OS Administration and CLI upgrade processes. You can still upgrade your servers by using the application GUIs or CLI commands. Cisco Prime Collaboration Deployment is another way to upgrade, restart, or switch versions on the application servers.
- No localization is available for Cisco Prime Collaboration Deployment. The localization is available in English only (including time and date formats).





## CHAPTER 8

# CLI Commands and Disaster Recovery System

- [CLI Commands on Cisco Prime Collaboration Deployment, on page 137](#)
- [CLI Commands for TLS Minimum Version Configuration, on page 141](#)

## CLI Commands on Cisco Prime Collaboration Deployment

The main functions of Cisco Prime Collaboration Deployment (such as creating migration, upgrade, and other tasks) are supported through the Cisco Prime Collaboration Deployment GUI interface. You can use the GUI interface to create a specific task and schedule the time to perform the task. The GUI interface also reports the status of tasks.

For other operations, such as upgrading the software on the Cisco Prime Collaboration Deployment server and performing a DRS backup, use the Cisco Prime Collaboration Deployment CLI, which is similar to the CLI on Cisco Unified Communications Manager Release 10.x.

Use the CLI on Cisco Prime Collaboration Deployment to perform the following tasks:

- View or get log files
- Administer a DRS backup device, and perform a data backup or restore
- Upgrade the Cisco Prime Collaboration Deployment software
- Change the hostname, IP address, or password on the Cisco Prime Collaboration Deployment
- Perform diagnostic commands on the Cisco Prime Collaboration Deployment system

The most common CLI operations and commands are for viewing logs and performing DRS backups.

### Getting Cisco Prime Collaboration Deployment Logs

When you troubleshoot problems on the Cisco Prime Collaboration Deployment server, it is often necessary to view the main application log.

CLI command: **file get activelog tomcat/logs/ucmap/log4j/\***

The Cisco Prime Collaboration Deployment main application log contains the following information:

- Representational state transfer (REST) requests from the browser
- Simple Object Access Protocol (SOAP) requests to UC servers
- Database requests
- Scheduler events (scheduled, started, failed, and so on)
- Specific job events (tasks, task actions, and nodes)
- Exceptions and errors

## DRS on Cisco Prime Collaboration Deployment

The Disaster Recovery System (DRS) can be administered and invoked from the Cisco Prime Collaboration Deployment CLI. DRS allows you to perform user-invoked data backups of the data on your Cisco Prime Collaboration Deployment (the server clusters you have discovered, and scheduled and completed tasks). You can also choose to set up regularly scheduled automatic backups. The DRS feature has the following functions:

- CLI commands for performing backup and restore tasks
- The ability to schedule backups ahead of time, or run backups manually immediately
- The ability to archive backups to a remote SFTP server

DRS restores its own settings (backup device settings and schedule settings) as part of the platform backup and restore.




---

**Important** While you restore your data, the hostname, server IP address, and Cisco Prime Collaboration Deployment software version on the machine to which you are restoring the data must be the same as they were on the server on which you performed the backup.

---

## DRS CLI Commands

Below is a list of the CLI commands that you can use to configure and perform backup and restore operations through DRS.

- **utils disaster\_recovery status <operation>** (An example of **operation** is Backup or Restore).
- **utils disaster\_recovery device list**
- **utils disaster\_recovery device add**
- **utils disaster\_recovery device delete**
- **utils disaster\_recovery schedule add**
- **utils disaster\_recovery schedule delete**
- **utils disaster\_recovery schedule enable**
- **utils disaster\_recovery schedule disable**
- **utils disaster\_recovery schedule list**
- **utils disaster\_recovery backup** —Starts a manual backup by using the features that are configured in the DRS interface.
- **utils disaster\_recovery restore** —Starts a restore, and requires parameters for backup location, filename, and features to restore.
- **utils disaster\_recovery show\_backupfiles**—Shows existing backup files.
- **utils disaster\_recovery cancel\_backup**
- **utils disaster\_recovery show\_registration**
- **utils disaster\_recovery show\_registration SERVER**—Shows the features that you need to back up. For example, if you want to back up Cisco Prime Collaboration Deployment, choose PCD from the feature list.

For more information, see the DRS documentation for Cisco Unified Communications Manager, at <http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-maintenance-guides-list.html>.

## Create a DRS Backup of the Server

### Before you begin

If you are using a location on your network to back up your Cisco Prime Collaboration Deployment, ensure the following points:

1. You must have access to an SFTP server to configure a network storage location. The Disaster Recovery system supports only SFTP servers that are configured with an IPv4 address or hostname/FQDN.
2. The account that you use to access the SFTP server must have write permission for the selected path.

You can also back up your Cisco Prime Collaboration Deployment to a local disk; however, this method is not recommended, because of the amount of space that is required on the Cisco Prime Collaboration Deployment disk to store the backup files.

### Procedure

- 
- Step 1** Add the backup device.  
Run the following command: **utils disaster\_recovery device add network**
- Example:**  
**utils disaster\_recovery device add network**
- Step 2** To verify that the device was set up correctly, run the following CLI command: **disaster\_recovery device list**.
- Step 3** Run a backup using the following command:  
**utils disaster\_recovery backup network PCD device\_name** where device\_name is the name of the backup device that was defined in Step 1.
- Example:**  
**utils disaster\_recovery backup network PCD device1**
- Step 4** Check the status of the backup using the following CLI command:  
**utils disaster\_recovery status backup**.
- Use this command to see the status of your backup. The backup is complete when Percentage Complete is 100, and all components show "SUCCESS."
- 

## Important Notes on Backup and Restore



- Note** When you restore your Cisco Prime Collaboration Deployment data, ensure that the Cisco Prime Collaboration Deployment software version that is installed on your server matches the version of the backup file that you want to restore.
-




---

**Note** When you perform a DRS restore operation to migrate data to a new server, you must assign the new server the identical IP address and hostname that the old server used. Additionally, if DNS was configured when the backup was taken, then the same DNS configuration must be present before you perform a restore operation.

---




---

**Note** We recommend that you perform a fresh installation of Cisco Prime Collaboration Deployment on your virtual machine before you restore the data.

---

## Restore a Backup to Cisco Prime Collaboration Deployment




---

**Note** This procedure is optional.

---

### Procedure

---

- Step 1** Because a fresh install of the VM is recommended before the restore, you will need to add a backup device, so the system can retrieve the files from there. Configure the backup device by using the **utils disaster\_recovery device add network** command.
- Example:**  
**utils disaster\_recovery device add network** device1 /backupdir/pcdbk 10.94.155.76 adminname 2  
 Specify the device from which you want to restore a backup file.
- Step 2** List the backup files by using the following CLI command: **utils disaster\_recovery show\_backupfiles**
- Example:**  
**admin: utils disaster\_recovery show\_backupfiles device1**  
 The **show\_backupfiles** command shows which backups are available to be restored. Backups are named by date and the time the backup was performed.
- Step 3** Start the restore operation by running the following CLI command: **utils disaster\_recovery restore network**
- Example:**  
**admin:utils disaster\_recovery restore network b7k-vmb031 2013-10-30-15-40-54 device1**  
 When you are prompted to enter the features to restore, enter **PCD**.  
 Enter the comma separated features you wish to restore. Valid features for server B7K-VMB031 are PCD:PCD.
- Step 4** Check the status of the restore by using the following CLI command: **utils disaster\_recovery status restore**.  
 While the restore process is running, you can check the status of the current restore job.

Do not administer any data on the Cisco Prime Collaboration Deployment server until the command shows as one hundred percent complete. This can take several minutes, depending on the amount of data that is being restored.

### What to do next

After you restore your data, perform a system restart on the Cisco Prime Collaboration Deployment server to initialize the database.

The Cisco Prime Collaboration Deployment server will lose contact with ESXi hosts during the reinstallation. You may have to add ESXi hosts back into Cisco Prime Collaboration Deployment after a restore operation.

## CLI Commands for TLS Minimum Version Configuration

For the minimum TLS version support control feature, following CLI commands have been added.

### set tls min-version

This command sets the minimum version of Transport Layer Security (TLS) protocol.



- Note**
- After you set the minimum TLS version, the system reboots.
  - Configure the minimum TLS version for each node.

**set tls min-version** *tls minVersion*

Syntax Description	Parameters	Description
	<i>tls</i> <i>minVersion</i>	Type one of the following options to set it as the minimum TLS version: <ul style="list-style-type: none"> <li>• 1.0</li> <li>• 1.1</li> <li>• 1.2</li> </ul>

**Command Modes** Administrator (admin:)

#### Usage Guidelines

##### Requirements

Command privilege level: 1

Allowed during upgrade: Yes

Applies to: Cisco Unified Communications Manager and IM and Presence Service on Cisco Unified Communications Manager

**Example**

```
admin: set tls min-version 1.2
```

This command will result in setting minimum TLS version to 1.2 on all the secure interfaces. If you have custom applications that makes secure connection to the system, please ensure they support the TLS version you have chosen to configure. Also, please refer to the Cisco Unified Reporting Administration Guide to ensure the endpoints in your deployment supports this feature.

```
*****
Warning: This will set the minimum TLS to 1.2 and the server will reboot.
*****
Do you want to continue (yes/no) ? yes
Successfully set minimum TLS version to 1.2
The system will reboot in few minutes.
```

**show tls min-version**

This command shows the minimum configured version of Transport Layer Security (TLS) protocol.

**show tls min-version****Command Modes**

Administrator (admin:)

**Requirements**

Command privilege level: 1

Allowed during upgrade: Yes

Applies to: Cisco Unified Communications Manager and IM and Presence Service on Cisco Unified Communications Manager

**Example**

```
admin:show tls min-version
Configured TLS minimum version: 1.0
```



## CHAPTER 9

# CLI Commands for EnhancedSecurityMode and FIPS Mode

---

- [CLI Commands for EnhancedSecurityMode, on page 143](#)
- [CLI Commands for FIPS Mode, on page 144](#)
- [User Account and Sign-in Attempts on CLI and Interface, on page 146](#)
- [Configure Remote Audit Logging for Platform Logs, on page 146](#)
- [Platform CLI Commands for Security in EnhancedSecurityMode, on page 147](#)

## CLI Commands for EnhancedSecurityMode

Use the following CLI commands for EnhancedSecurityMode:

- **admin:utils EnhancedSecurityMode**
- **utils EnhancedSecurityMode disable**
- **utils EnhancedSecurityMode enable**
- **utils EnhancedSecurityMode status**

## Configure EnhancedSecurityMode

An administrator can use this procedure on Cisco Prime Collaboration Deployment to configure EnhancedSecurityMode. When this mode is enabled, the following system enhancements are updated automatically:

- Stricter credential policy for password changes is implemented
- TCP becomes the default protocol for remote audit logging
- FIPS mode is enabled

### Procedure

---

- Step 1** Log in to the Command Line Interface.

- Step 2** Run the **utils EnhancedSecurityMode status** command to confirm whether Enhanced Security Mode is enabled.
- Step 3** To configure Enhanced Security Mode, run one of the following commands on a node:
- To enable this mode, run the **utils EnhancedSecurityMode enable** command.
  - To disable this mode, run the **utils EnhancedSecurityMode disable** command.

## CLI Commands for FIPS Mode

Use the following CLI commands for FIPS mode on Cisco Prime Collaboration Deployment:

- **utils fips enable**—Enable FIPS mode. For details, see the [Enable FIPS Mode, on page 144](#) procedure.
- **utils fips disable**—Disable FIPS mode. For details, see the [Disable FIPS Mode, on page 145](#) procedure.
- **utils fips status**—Provide the details whether FIPS mode is enabled or disabled on a server.



**Note** The disaster recovery system CLI commands are supported in FIPS mode. For details on these commands, see the CLI Commands and Disaster Recovery System chapter of the *Cisco Prime Collaboration Deployment Administration Guide* at <http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-maintenance-guides-list.html>.

## Enable FIPS Mode

You can enable the FIPS mode through CLI.



**Caution** Before you enable FIPS mode, we strongly recommend that you perform a system backup. If FIPS checks fail at start-up, the system halts and requires a recovery CD to be restored.

### Procedure

- Step 1** Start a CLI session.
- Step 2** In the CLI, enter **utils fips enable**

The following prompts appear:

```
admin:utils fips enable

Security Warning : The operation will regenerate certificates for

1) Tomcat
2) IPsec
```

```
Any third party CA signed certificates that have been uploaded for the above
components will need to be re-uploaded.
*****
This will change the system to FIPS mode and will reboot.
*****
Do you want to continue (yes/no) ?
```

**Step 3** Enter **yes**.

The following message appears:

```
Generating certificates...Setting FIPS mode in operating system.
FIPS mode enabled successfully.
*****
It is highly recommended that after your system restarts
that a system backup is performed.
*****
The system will reboot in a few minutes.
```

Cisco Prime Collaboration Deployment reboots automatically.

## Disable FIPS Mode

You can disable FIPS mode through the CLI using the following procedure:

### Procedure

**Step 1** Start a CLI Session.

**Step 2** In the CLI, enter **utils fips disable**

The following prompts appear:

```
admin:utils fips disable
Security Warning : The operation will regenerate certificates for
1)Tomcat
2)IPsec
Any third party CA signed certificates that have been uploaded for the above
components will need to be re-uploaded.
*****
This will change the system to NON-FIPS mode and will reboot.
*****
Do you want to continue (yes/no) ?
```

**Step 3** Enter **yes**.

Cisco Prime Collaboration Deployment reboots and is restored to non-FIPS mode.

**Note** Certificates and SSH key are regenerated automatically, in accordance with FIPS requirements.

## User Account and Sign-in Attempts on CLI and Interface

Following table lists the scenarios when a user signs in to the Cisco Prime Collaboration Deployment application or CLI and the result of sign in attempts:

User Sign-in Scenario	Result of Sign-in Attempt
Sign-in with the valid credentials	Sign-in is successful and the application home page is accessible
Sign-in with invalid credentials	Sign-in fails
Sign-in after exceeded number of attempts on the application	Account is locked after three consecutive unsuccessful attempts
Sign-in after exceeded number of attempts on the CLI	CLI sign-in fails due to locked account even though the user types in the correct password
Sign-in to the application after the lockout period expires	After 5 minutes of lockout period, the application is available for you to sign-in
Sign-in to CLI after the lockout period expires	After 5 minutes of lockout period expiry, the account gets unlocked and you can sign-in to the CLI
Sign-in to the application when the account is locked due to inactivity	Account gets locked due to inactivity of the session
Sign-in to the application after account lockout, which is caused due to inactivity, is resolved	Sign-in is successful

## Configure Remote Audit Logging for Platform Logs

Complete the following tasks to add remote audit logging support for platform audit logs, remote support logs, and csv files. For these types of logs, the FileBeat client and logstash server are used.

### Before you begin

Ensure that you have set up an external logstash server.

### Procedure

- Step 1** Configure the FileBeat client with the external logstash server details, such as IP addresses, ports, and file types. For procedure, see [Configure Logstash Server Information](#), on page 147.

- Step 2** Enable the FileBeat client for remote audit logging. For procedure, see [Configure the FileBeat Client, on page 147](#).
- 

## Configure Logstash Server Information

Use this procedure to configure the FileBeat client with the external logstash server information, such as IP address, port number, and downloadable file types.

### Before you begin

Make sure that you have set up your external logstash server.

### Procedure

---

- Step 1** Log in to the Command Line Interface.
- Step 2** Run the **utils FileBeat configure** command.
- Step 3** Follow the prompts to configure the logstash server details.
- 

## Configure the FileBeat Client

Use this procedure to enable or disable the FileBeat client for uploads of platform audit logs, remote support logs, and csv files.

### Procedure

---

- Step 1** Log in to the Command Line Interface.
- Step 2** Run the **utils FileBeat status** command to confirm whether the FileBeat client is enabled.
- Step 3** Run one of the following commands:
- To enable the client, run the **utils FileBeat enable** command.
  - To disable the client, run the **utils FileBeat disable** command.
- Step 4** Repeat this procedure on each node.

**Note** Do not run any of these commands on all nodes simultaneously.

---

## Platform CLI Commands for Security in EnhancedSecurityMode

When EnhancedSecurityMode is enabled, an administrator can restrict the following options to prevent unauthorized access:

- View audit log
- Download audit log
- Delete audit log
- Enable or disable audit demon

The administrator can restrict the above options by running the following platform CLI commands:

- **file view activelog**<audit log file name>
- **file get activelog** <audit log file name>
- **file delete activelog**<audit log file name>
- **file dump activelog**<audit log file name>
- **file tail activelog** <audit log file name>
- **file search activelog**<audit log file name><search string>
- **file view inactivelog** <audit log file name>
- **file get inactivelog** <audit log file name>
- **file delete inactivelog** <audit log file name>
- **file dump inactivelog** <audit log file name>
- **file tail inactivelog** <audit log file name>
- **file search inactivelog** <audit log file name><search string>
- **utils auditd enable**
- **utils auditd disable**
- **utils auditd status**

Where, <audit log file name> can be one of the following audit log files:

- /var/log/active/audit/AuditApp
- /var/log/active/audit/vos
- /var/log/inactive/audit/AuditApp
- /var/log/inactive/audit/vos




---

**Note** In a non-EnhancedSecurityMode, the group ownership is ccmsyslog when the permission is 640. However, as part of EnhancedSecurityMode requirement, the file permission is modified to 600 with file group ownership by root. Hence, by default, the files saved at the /var/log/active/syslog location are changed to the permission of 600 with the ownership to root.

---



# CHAPTER 10

## CTL Update

---

- [More Information, on page 149](#)
- [Bulk Certificate Management, on page 149](#)

## More Information



---

**Note** If you are performing a migration with network migration (where one or more hostnames or IP addresses change between the source and destination nodes), update the IP addresses or hostnames of destination nodes in your DNS server before you begin the migration task.

---

For information about performing a CTL update, see the “Security Basics” section in the .

## Bulk Certificate Management

Bulk certificate management must be performed manually on both source nodes and destination nodes. The source nodes and destination nodes must be up and running at this point. Phones are registered with the source nodes.

### Procedure

---

- Step 1** On the Destination Cluster Publisher, navigate to Cisco Unified Operating System Administration and choose **Security > Bulk Certificate Management**.
- Step 2** Define the Central Secure File Transfer Protocol (SFTP) server IP address, port, user, password, and directory.
- Step 3** Use the **Export** button to export all Trivial File Transfer Protocol (TFTP) certificates from the destination cluster to the central SFTP server.
- Step 4** On the Source Cluster Publisher, navigate to Cisco Unified Operating System Administration. Select **Security > Bulk Certificate Management**.
- Step 5** Define the Central SFTP server with same parameters that you used in Step 2.
- Step 6** Click **Export** to export all TFTP certificates from source cluster to the central SFTP server.

- Step 7** Click **Consolidate** to consolidate all the TFTP certificates on the central SFTP server. You can perform this step on either the source or destination cluster, using the Bulk Certificate Management interface.
- Step 8** On the Source cluster, click **Bulk Certificate Import** to import the TFTP certificates from the central SFTP server.
- Step 9** On the Destination cluster, click **Bulk Certificate Import** to import the TFTP certificates from the central SFTP server.
- Step 10** Use Dynamic Host Configuration Protocol (DHCP) option **150** to point the phones to the new destination cluster TFTP server.

Upon reset or power cycle, the phones will download the new destination cluster ITL file and attempt to authenticate the new Initial Trust List (ITL) file signature with the certificates in the existing ITL file.

No certificate in the existing ITL file can be used to authenticate the signature, so the phone requests the signer's certificate from the old Trust Verification Service (TVS) server on the source cluster.

The phone sends this request to the source cluster TVS service on TCP port 2445.

The bulk certificate exchange in Steps 1 through 9 provides the TVS service in the source cluster with the TFTP certificate on the destination cluster that signed the new ITL file.

TVS returns the certificate to the phone, which allows the phone to authenticate the signature and replace the old ITL file with the newly downloaded ITL file.

The phone can now download and authenticate the signed configuration files from the new destination cluster.

---



# CHAPTER 11

## Best Practices

---

- [Cluster Discovery, on page 151](#)
- [Upgrades, on page 151](#)
- [ESXi Host, on page 152](#)
- [Migration and Installation Virtual Machines, on page 152](#)
- [Premigration, on page 152](#)
- [Postmigration, on page 152](#)
- [Task Validation, on page 153](#)
- [Cisco Prime Collaboration Deployment Shutdown, on page 153](#)
- [Monitoring Tasks, on page 153](#)
- [Managing Files in the SFTP Datastore, on page 153](#)
- [Using Cisco Prime Collaboration Deployment with Clustering Over WAN , on page 154](#)
- [Sequence During Migration, on page 154](#)
- [Server Readdress, on page 154](#)
- [Fresh Install Publishers and Subscribers, on page 154](#)
- [Fresh Install of a Unified CM and IM and Presence Cluster , on page 154](#)
- [Email Notification, on page 155](#)
- [Test Email, on page 155](#)

## Cluster Discovery

During cluster discovery, a small Cisco Options Package (COP) file is installed on the servers that are being discovered. For this reason, ensure that before you initiate a discovery, no upgrades or COP file installations are in progress on the servers in the cluster that you want to discover.

## Upgrades

When you initiate an upgrade of an application server (Cisco Unified Communications Manager, IM and Presence Service, Cisco Unified Contact Center Express, Cisco Unity Connection, or Cisco Emergency Responder) from the Cisco Prime Collaboration Deployment Upgrade task, the upgrade works in the same manner as upgrades that are initiated by the Unified Communications application GUI or CLI. As a result, we recommend that you follow the same preupgrade procedures and postupgrade verifications as you would directly from the application server GUI.

## ESXi Host

Ensure that the virtual machines that you use for migrations or fresh installations reside on an ESXi host that was entered into the Cisco Prime Collaboration Deployment system. That ESXi host should not allow Distributed Resource Scheduler (DRS) or vSphere vMotion.

## Migration and Installation Virtual Machines

Always create virtual machines (VMs) for new clusters using the appropriate Open Virtual Appliance (OVA) for the unified communications application that you will install. Do not use an existing VM as a destination VM for migration (use a newly-created VM). After a failed migration, if Cisco Prime Collaboration Deployment had started to install the new VM, you must delete this VM and create a new one using the proper OVA.




---

**Note** If you have to configure a VMware in various ESXi host servers, ensure that you enter a unique name for ESXi host servers and avoid using the default name from OVA.

---

## Premigration

### Source Cluster

- We recommend that you run a full backup by using Distributed Resource Scheduler (DRS) on the cluster.

## Postmigration

Follow these postmigration best practices:

- Check endpoints
- Check database replication, for example:

```
admin:utils dbreplication runtimestate
```

```
Server Time: Tue Aug 1 15:10:52 IST 2023
```

```
Cluster Replication State: BROADCAST SYNC ended at: 2023-07-17-16-47
```

```
  Sync Result: SYNC COMPLETED on 753 tables out of 753
```

```
  Sync Status: All Tables are in sync
```

```
  Use CLI to see detail: 'file view activelog
```

```
cm/trace/dbl/20230717_164617_dbl_repl_output_Broadcast.log'
```

```
DB Version: ccm15_0_0_98100_154
```

```
Repltimeout set to: 300s
```

```
PROCESS option set to: 1
```

Cluster Detailed View from cucm-55 (2 Servers):

REPLICATION SETUP SERVER-NAME (RTMT) & Details ----- -----	IP ADDRESS	PING (msec)	DB/RPC/ DbMon?	REPL. QUEUE	Replication Group ID	
cucm-57 Setup Completed	10.77.32.57	0.163	Y/Y/Y	0	(g_3)	(2)
cucm-55 Setup Completed	10.77.32.55	0.016	Y/Y/Y	0	(g_2)	(2)

The following list shows the possible values for Replicate\_State:

- 0—Replication Not Started. Either no subscribers exist, or the Database Layer Monitor service is not running and has not been running since the subscriber was installed.
- 1—Replicates were created, but their count is incorrect.
- 2—Replication is good.
- 3—Replication is bad in the cluster.
- 4—Replication setup did not succeed.

## Task Validation

If a task is scheduled to start manually or start at a later time, the Validate button appears and you can run validation on the task manually. We recommend that you run the validation on a task before the start (you can run the validation anytime before the start), to identify problems such as missing virtual machines, communication issues, or missing ISO files. When the validation is run, a popup window opens with a list of validation problems. If no problems are found, the following message appears: “All validation tests passed.”

## Cisco Prime Collaboration Deployment Shutdown

For best results, to shut down the Cisco Prime Collaboration Deployment server, use the command **utils server shutdown**. Failure to do so can result in Network File System (NFS) mount issues on the ESXi hosts.

## Monitoring Tasks

Use the Monitoring GUI page to view the status of your tasks. Click the task in the left column, and the task details appear on the right. Each step in the task (export, install, and so on) appears in the Task Status table below the details section. Click the arrow next to any step to see additional details for that step. Some steps may have several task actions within them. Scroll down to see all the actions and their status.

## Managing Files in the SFTP Datastore

The SFTP datastore page shows the ISO and COP files that were transferred to the Cisco Prime Collaboration Deployment server through SFTP. To place a file on the Cisco Prime Collaboration Deployment server, for

use in a migration, install or upgrade task, use an SFTP client and log in as **adminsftp** (use the administrator password as your password).

When you connect to the Cisco Prime Collaboration Deployment server, upload ISO files to be used by a migration or install task into the `/fresh_install` folder. Upload COP files to the `/upgrade` folder.

After a task is complete, if the ISO is not needed for another task, we recommend that you delete the ISO file from the SFTP datastore to conserve space on your Cisco Prime Collaboration Deployment server. If there are too many ISO files in the SFTP datastore when the Cisco Prime Collaboration Deployment is upgraded or a DRS backup is restored, the Cisco Prime Collaboration Deployment server may run out of space.

## Using Cisco Prime Collaboration Deployment with Clustering Over WAN

A minimum bandwidth of 100 Mbps is recommended if the Cisco Prime Collaboration Deployment server and other Unified Communications application nodes are communicating over a WAN.

## Sequence During Migration

When you create a migration task, the default sequence is presented, which has one server in each install step. You can use the editing tools in the sequence screen to place more than one server in a step. For best results, include no more than six servers in any one step.

## Server Readdress

With the Server Readdress feature, the system inserts a forced pause after each server readdress. Verify that the server was successfully changed and that the phones reregistered before you continue to the next readdress step.

## Fresh Install Publishers and Subscribers

When a fresh install task (new UC cluster) includes more than one server, the Cisco Prime Collaboration Deployment system automatically installs the Unified Communications Manager publisher first, and then inserts a forced pause following the publisher installation. During the pause, you can go to the Unified Communications Manager GUI of the newly installed publisher and add the other cluster servers into the **System > Servers** GUI. After all the subscribers to be installed in this cluster (Unified Communications Manager subscribers, IM and Presence publishers and subscribers) are added to the Unified Communications Manager publisher GUI, the user can click the **Resume** button on the Cisco Prime Collaboration Deployment Monitoring page to resume the fresh install task.

## Fresh Install of a Unified CM and IM and Presence Cluster

When you create a fresh install with both Unified Communications Manager and IM and Presence Service nodes, you must indicate which IM and Presence Service server is the publisher. After the Unified

Communications Manager publisher install, the task pauses. This pause allows the subscriber install nodes to enter into the Unified Communications Manager Publisher (**System > Server** GUI page). The IM and Presence Service publisher must be the first IM and Presence server that is added to this list. This step ensures that the IM and Presence Service publisher is installed as the first node.

## Email Notification

If a task encounters an error, the task is paused to wait for user intervention. Also, some tasks pause automatically in the task sequence to allow for manual interaction. We recommend that you set up email notification (Standard option) before you run any tasks in order to be notified of pauses or errors that may require your attention when the task runs.

## Test Email

When setting up email notification, click the **Send Test email** button to verify that the Cisco Prime Collaboration Deployment mail system can send email to your mail server. Check that the test email was received. Perform this test before you run tasks.





## CHAPTER 12

# Cisco Prime Collaboration Deployment Troubleshooting

---

- [Increase Disk Space for Migrations, on page 157](#)
- [General Troubleshooting Issues, on page 158](#)
- [Errors Seen in View Log, on page 158](#)
- [Lock Errors, on page 161](#)
- [NFS Datastores, on page 162](#)
- [Pause States on Monitor Page, on page 162](#)
- [Scheduling, on page 162](#)
- [Server Connectivity, on page 163](#)
- [Task Failure Due to Restart, on page 163](#)
- [Task Scheduling, on page 171](#)
- [Task Timeouts, on page 172](#)
- [Upgrade Migration and Installation, on page 172](#)
- [Run a New Task When Current Task in Canceling State, on page 173](#)
- [Version Validity, on page 174](#)
- [ISO File Does Not Get Loaded Or Not Recognized During Migration, on page 175](#)

## Increase Disk Space for Migrations

If one Cisco Prime Collaboration Deployment server is used to migrate a large number of Unified Communications Manager servers concurrently, the Cisco Prime Collaboration Deployment disk can run low on space, and this can cause migration tasks to fail. If you plan to use a Cisco Prime Collaboration Deployment system to migrate several servers concurrently, you can use this procedure to increase the disk size.

### Procedure

---

- Step 1** Shut down the Cisco Prime Collaboration Deployment server by logging in to the Cisco Prime Collaboration Deployment CLI and entering the **utils system shutdown** command.
- Step 2** After the Cisco Prime Collaboration Deployment server shuts down, go to **ESXi host** and increase the disk size for the virtual machine on which the Cisco Prime Collaboration Deployment server resides.
- Step 3** Restart the Cisco Prime Collaboration Deployment server.

- Step 4** To view how much disk space is available on the Cisco Prime Collaboration Deployment server, run the CLI command **show status** on the Cisco Prime Collaboration Deployment server.
- 

## General Troubleshooting Issues

### View Step-By-Step Log of Events

Use the **View Log** buttons on the Monitoring dashboard to see a step-by-step log of Cisco Prime Collaboration Deployment events.

### Access Cisco Prime Collaboration Deployment Logs

Obtain additional details by accessing Cisco Prime Collaboration Deployment logs using CLI commands. For example:

```
file get activelog tomcat/logs/ucmap/log4j/*
```

### Check For Problems Before You Start a Task

Use the **Validate** button to check for problems before starting a task. When the validation process identifies problems, click the **View Log** button to see more detail.

### Node Information Mismatches

Some mismatches between node information that is stored in Cisco Prime Collaboration Deployment and the actual node can be fixed automatically (for example, active versions). Other information will require a rediscovery to correct the problem.

### Verify Communication Between Servers

Use the **network capture** CLI command to verify communication between servers (for example, to confirm that packets are being sent to and received by the correct ports).

## Errors Seen in View Log

The View Log button on the Monitoring dashboard can be used to see a step by step log of Cisco Prime Collaboration Deployment events during the task. When viewing the log, there may be events or errors that are shown. Some of the more common errors, and possible actions to correct those errors, are shown below:

### Node Connection and Contact Issues

#### Error messages:

- “The network diagnostic service indicates node {0} has a network issue. The network settings cannot be changed until the network issue is resolved.”
- “The node could not be located.”
- “The node could not be contacted. ”

#### Possible actions to correct node connection and contact issues:

- Check the network settings and firewall settings for the indicated node and ensure that the Cisco Prime Collaboration Deployment server can communicate with the node.
- Check to see if the node is powered off, if the node name is misspelled, or if the node is inaccessible.

### Other Connection Issues

#### Error message:

- “The switch version status could not be determined. Please manually verify that the switch version completed.”

#### Possible actions to correct issues:

During a switch version task, if the server does not respond in a fixed amount of time, this message may appear even if the task is successful. you see this error, log in to the CLI for the server that is not responding and run the **show version active** command to see if the switch version was successful. For example, a switch version on a Cisco Unified Contact Center Express server can take more than 60 minutes.

### Node Response

#### Error messages:

- “The node did not respond within the expected time frame.”
- “The upgrade service for node {0} did not send back the expected response. This is assumed to be a failure. However, this can also happen when network connectivity is temporarily lost. Please manually verify the upgrade status on node {0} before proceeding.”

#### Possible actions to correct issues:

These messages are usually seen during a task (install, upgrade, and so on), when the new node does not contact the Cisco Prime Collaboration Deployment server within a specified amount of time. For an upgrade, this time is 8 hours, so when one of these error messages appear, it may indicate that the task failed. However, these error messages can also indicate that there were network issues during the upgrade (or install) that prevented the server from contacting Cisco Prime Collaboration Deployment. For this reason, you see one of these messages, log in to the server that is not responding (using the CLI) and run the **show version active** command to see if the upgrade was successful.

### Unable to Mount Datastore

#### Error message:

- “Unable to mount datastore xxx\_NFS on ESXi host <hostname>.”

#### Possible actions to correct the issue:

This error occurs when your Network File System (NFS) Datastore has an issue. Datastore issues can occur when Cisco Prime Collaboration Deployment is shut down unexpectedly. When this error occurs, check the ESXi host and unmount the old NFS mount. Then delete and add back the ESXi host to Cisco Prime Collaboration Deployment.

### Unable to Add ESXi Host to Inventory

#### Error message:

- “Unable to add ESXi host xxxxxxxx.”

#### Possible cause:

This error may be caused by a networking issue with the vSwitch on the ESXi host.

**Possible actions to correct the issue:**

- Ping the host and verify connectivity by entering the following CLI command: **utils network ping hostname**.
- Verify that the license for the ESXi host is valid. A demo license is not supported.
- Be aware that you need root access to the ESXi host. Use the root username and password when adding ESXi host credentials.
- Be aware that if you are using network address translation (NAT), Cisco Prime Collaboration Deployment and all nodes in the clusters must be behind the same NAT to ensure successful communication between Cisco Prime Collaboration and the nodes.

**Unable to Power On Virtual Machine**

**Error message:**

- “Unable to power on the VM named xxx on ESXi host xxxxxxxx. ”

**Possible actions to correct issue:**

Check the ESXi host that the VM resides on. From the **Tasks and Events** tab, check the time stamp for when Cisco Prime Collaboration Deployment tried to power on the VM. Determine whether too many VMs are already on that host. If that is the case, you may need to power off a VM that is not being used for this cluster.

**The Power State of a Virtual Machine**

**Error message:**

- “The power state of VM xxxxx in ESXi host XX.XX.X.XX needs to be OFF. The task is now paused.”

**Possible actions to correct issue:**

VMs that are to be used in a destination cluster for a migration task, or for a new cluster installation, must be in the OFF state. If you receive this error message, check the named VM. If it is not off, power it off. Then, retry or resume the task.

**Username and/or Password Not Valid**

**Error message:**

- “ The username and/or password is not valid.”

**Possible actions to correct the issue:**

Correct the administrator name and password for this server in the cluster page. You can then rediscover this node.

**Platform Administrative Web Services (PAWS)**

**Error messages:**

- “The Platform Administrative Web Services (PAWS) is not available.”
- “ Unable to access node {0} via the Platform Administrative Web Services (PAWS) interface.”

**Possible actions to correct issues:**

Ensure that the server is reachable, and that the PAWS service is active on the node. When you use Cisco Prime Collaboration Deployment to perform an upgrade, switch version, or restart task on an application

server (for example, to upgrade a Unified Communications Manager server), the Platform Administrative Web Service on the application must be active. Otherwise, the Cisco Prime Collaboration Deployment server cannot communicate with the Unified Communications Manager application server.

#### **{0} VMs Named {1} Were Located on ESXi Host {2}**

##### **Error message:**

- “ {0} VMs named {1} were located on ESXi host {2}.”

##### **Possible actions to correct issue:**

Check that the virtual machine named still exists on the ESXi host. Sometimes VMs are moved to another ESXi host, and if this is the case, the ESXi host that holds the VM must be added into the Cisco Prime Collaboration Deployment server.

#### **Power State of VM {0} in ESXi Host {1} Needs to Be OFF**

##### **Error message:**

- “The power state of VM {0} in ESXi host {1} needs to be OFF.”

##### **Possible actions to correct the issue:**

In order for Cisco Prime Collaboration Deployment to be installed on or migrate to a VM, the power state of the target VMs must be OFF.

#### **CLI Command Timed Out**

##### **Error message:**

- “CLI command timed out for node {0}.”

##### **Possible actions to correct issue:**

Check for networking, connection, or password issues with the node. Also check to see if another operation was in progress (for example, a COP file install) during the time that the command timed out.

#### **Task Paused Due to Validation Issues**

##### **Error message:**

- “ Task paused due to validation issues”

##### **Possible actions to correct the issue:**

Before it runs a task, the Cisco Prime Collaboration Deployment server will run validation checks to ensure that VMs to be used are available, that the ISO file can be found, and so on. This message indicates that one or more of the validation checks failed. See the log file for more information about which validations failed.

## Lock Errors

Most products allow only one change at a time (for example, you cannot modify Network Time Protocol settings while an upgrade is in progress). If a request is made while the node is locked, then a lock message with the following information is displayed:

- The name of the resource that was locked

- The ID of the process that locked the resource
- The hostname of the node

You can typically wait a few minutes and try again. For more details, use the node CLI to identify the exact process based on the provided process ID and hostname.

## NFS Datastores

### Exceptions and Other NFS-Related Issues

Review the Cisco Prime Collaboration Deployment logs for any exceptions or other NFS-related issues.

### Use VMware vSphere

Use VMware vSphere to verify that NFS datastores are available.

### Unmount and Remount All Current Datastores

When you restart it, Cisco Tomcat unmounts all current datastores and attempts to remount them.

## Pause States on Monitor Page

### Task Is Waiting for Manual Intervention

Certain tasks, such as migration or readdress, pause at a point that human intervention may be required. In those tasks, the Cisco Prime Collaboration Deployment system inserts a Forced Pause. When the task reaches this point, the task is paused and a message appears on the Monitoring page. Perform manual steps as needed, and then click the **Resume** button when you are ready to resume the task.

### Task Paused Due to Validation Issues

When this message is displayed, click the **View log** link to view more detail on which validations failed.

### Task Paused Due to Task Action Failures

When this message is displayed, click the **View log** link to view more detail on which tasks failed.

## Scheduling

### Verify Scheduled Date

If a task was scheduled but did not start, verify the scheduled date.

### Validation Tests

When a task starts, Prime Collaboration Deployment runs a series of validation tests. A validation failure pauses the task.

### Determine Why a Task Has Been Paused

Use the **View Log** button to see why a task is paused (for example, validation failure, a requested or required pause, one or more nodes failed on a particular step, and so on).

### Canceled Tasks

Some steps cannot be canceled after they are started (for example, restarting a server). If you cancel the task, it remains in the Canceling state until the step is finished.

## Server Connectivity

### Verify Connectivity

Use the **utils network ping** and **traceroute** CLI commands to verify connectivity.

### Verify Forward and Reverse DNS Lookups

Use the **utils network host** CLI command to verify forward and reverse DNS lookups.

### Platform Administrative Web Services

Ensure that Platform Administrative Web Services are activated on nodes that are being upgraded, restarted, and switch versioned.

### Verify That Ports Are Open

Verify that the ports listed in the **Port Usage** guide are open (for example, verify that the NFS and SOAP call-back ports are not being blocked by other network devices).

## Task Failure Due to Restart

The success or failure of each of the following tasks depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the task. If connectivity to the servers is lost, or if the Prime Collaboration server reboots during a task, the task might show a failure even though it may have completed successfully.

## Installation Task Failure

### Problem

The success or failure of each step in the install task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the installation.

### Possible Cause

If the Prime Collaboration server reboots during the install task, the installation might show a failure, even though it may have completed successfully.

The following table describes the steps to identify if the task completed successfully on the application server, and, if it did not, how to recover from this type of failure.

### Solution

**Table 15: Example Deployment: Multinode Cluster Deployment**

If	Then
The failure occurs during installation on the first node	<ol style="list-style-type: none"> <li data-bbox="732 506 1479 537">1. You must create a new fresh-install task with the same cluster nodes.</li> </ol> <p data-bbox="773 552 1479 709"><b>Note</b> In the case of Unified Communications products such as Cisco Unified Communications Manager and IM and Presence Service, Cisco Prime Collaboration Deployment does not support an install task that installs a subsequent node separately from the cluster.</p> <ol style="list-style-type: none"> <li data-bbox="732 747 1479 842">2. Check the status of the VM on the ESXi host that is associated with the destination cluster. If any VMs were powered on and installed, delete those VMs and redeploy the OVA.</li> </ol> <p data-bbox="773 856 1479 919"><b>Note</b> For more information, see topics relating to install tasks.</p>
The installation is successful on the first node but fails on any of the subsequent nodes after Prime Collaboration Deployment loses connectivity	<ol style="list-style-type: none"> <li data-bbox="732 963 1479 1089">1. Log in to the failed Unified Communications VM node, such as Cisco Unified Communications Manager, and manually verify the installation status. For more information, see Unified Communications product documentation.</li> <li data-bbox="732 1108 1479 1234">2. Create a new install task with all new cluster nodes. You must restart the installation process by deleting all installed VMs, redeploying the recommended OVA to create new VMs, and creating a new install task.</li> </ol> <p data-bbox="773 1249 1479 1344"><b>Note</b> If VM names are changed from previous configuration, you must add a new fresh install cluster, create a new fresh install task, and then run the task.</p> <ol style="list-style-type: none"> <li data-bbox="732 1381 1479 1476">3. Check the status of the VM on the ESXi host that is associated with the destination cluster. If any VMs were powered on and installed, delete those VMs and redeploy the OVA.</li> </ol> <p data-bbox="773 1491 1479 1554"><b>Note</b> For more information, see topics relating to install tasks.</p>

## Upgrade Task Failure

### Problem

The success or failure of each step in the upgrade task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the upgrade.

### Possible Cause

If the Prime Collaboration server reboots during an upgrade task, the upgrade might show a failure even though the upgrade may have completed successfully.

The following table describes the steps to determine whether the task completed successfully on the application server and, if it did not, how to recover from this type of failure.

### Solution

**Table 16: Example Deployment: Multinode Cluster Deployment**

If	Then
The failure occurs during upgrade on the first node	<ol style="list-style-type: none"> <li data-bbox="963 625 1518 716">1. Check task status on the <b>Monitoring</b> page to see which steps were successful and which steps failed.</li> <li data-bbox="963 741 1518 926">2. Log in to the first Unified Communications VM node, such as Cisco Unified Communications Manager. Check the software version and upgrade status to verify whether this node was upgraded to a new version. For more information, see Unified Communications product documentation.</li> <li data-bbox="963 951 1518 1041">3. If the upgrade on the first node is successful, you can create a new upgrade task with the subsequent node.</li> <li data-bbox="963 1066 1518 1127">4. If the upgrade on the first node is unsuccessful, you can create a new upgrade task with all nodes.</li> <li data-bbox="963 1152 1518 1398">5. If the upgrade task was configured with automatic switch version, check the status of the active and inactive partitions on the Unified Communications product node. If the automatic switch version was unsuccessful on the Unified Communications product node, perform a switch version. For more information, see Unified Communications product documentation.</li> </ol> <p data-bbox="1003 1423 1518 1577"><b>Note</b> If the switch version is required, this must be done before you a new upgrade task with subsequent nodes with a new upgrade task that is configure with auto-switch version.</p> <p data-bbox="963 1612 1518 1732"><b>Note</b> If you create an upgrade task to install a COP file, verify COP-file installation status directly on the Unified Communications node.</p>

If	Then
<p>The upgrade is successful on the first node but fails on any of the subsequent nodes after Prime Collaboration Deployment loses connectivity</p>	<ol style="list-style-type: none"> <li data-bbox="920 281 1484 470">1. Log in to the failed Unified Communications VM node, such as Cisco Unified Communications Manager. Check the software version and upgrade status to verify whether this node was upgraded to a new version. For more information, see Unified Communications product documentation. <ul style="list-style-type: none"> <li data-bbox="964 491 1484 617"><b>Note</b> If the subsequent node shows the correct new version, you do not need to recreate an upgrade task on Prime Collaboration Deployment.</li> </ul> </li> <li data-bbox="920 638 1484 890">2. If the subsequent node shows the new version in the inactive partition, the old version in active partition, and the upgrade task was configured to switch version automatically, you must either perform the automatic switch version manually on the Cisco Unified Communications Manager node or use Prime Collaboration Deployment to create a switch version task.</li> <li data-bbox="920 911 1484 1058">3. If the upgrade task was configured with automatic switch version and the subsequent node does not show the version correctly, perform a switch version. See Unified Communications product documentation more detail.</li> </ol> <ul style="list-style-type: none"> <li data-bbox="920 1100 1484 1226"><b>Note</b> If you created an upgrade task to install a COP file, verify COP-file installation status directly on the Unified Communications node.</li> </ul>

## Migration Task Failure

### Problem

The success or failure of each step in the migration task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the migration.

### Possible Cause

If the Prime Collaboration server reboots during the migration task, the migration might show a failure even though it may have completed successfully.

### Solution

If the migration task fails after Prime Collaboration Deployment loses connectivity, we recommend that you restart the entire migration process. To restart the migration task, you must create a new task. If your deployment is a multinode cluster, follow this procedure:

1. Check the task status on the **Monitoring** page to find out which steps were successful and which steps failed.
2. If the source node was shut down, you must power on the node manually.



---

**Note** Repeat this step for all source nodes that were shut down.

---

3. Delete the failed migration task.
4. Delete the destination migration cluster that is associated with the failed migration task.



---

**Note** You do not need to delete the source cluster.

---

5. Check the status of the VM on the ESXi host that is associated with the destination cluster. If any VMs were powered on and installed, delete those VMs and redeploy the OVA.



---

**Note** For more information, see topics relating to migration tasks.

---

## Switch Version Task Failure

### Problem

The success or failure of each step in the switch version task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the switch version.

### Possible Cause

If the Prime Collaboration server reboots during the switch version task, the switch version might show a failure even though the switch version may have completed successfully.

The following table describes the steps to determine whether the task completed successfully on the application server, and, if it did not, how to recover from this type of failure.

**Solution****Table 17: Example Deployment: Multinode Cluster Deployment**

If	Then
The failure occurs during switch version on the first node	<ol style="list-style-type: none"> <li>1. Log in to the first Unified Communications VM node (for example, Cisco Unified Communications Manager) and manually check the software version in both the active and inactive partitions. For more information, see Unified Communications product documentation.</li> <li>2. If the first node still shows the old version in the active partition but the new version in the inactive partition, create a new switch version task with the same nodes on Prime Collaboration and run the task again.</li> </ol>
The switch version is successful on the first node but fails on any of the subsequent nodes after Prime Collaboration Deployment loses connectivity	<ol style="list-style-type: none"> <li>1. Log in to the subsequent Unified Communications VM node (for example, Cisco Unified Communications Manager). Check the software and switch version status to verify that the subsequent node is up and running with the correct version.</li> <li>2. If the subsequent node shows the correct new version in the active partition, you do not need to recreate a switch version task on Prime Collaboration Deployment.</li> <li>3. If the subsequent node shows the new version in the inactive partition and the old version in active partition, the switch version was not successful on the subsequent node. You can either perform a switch version manually on the subsequent node or create a new switch version task on the subsequent node on Prime Collaboration Deployment.</li> </ol>

## Readdress Task Failure

**Problem**

The success or failure of each step in the readdress task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster.

**Possible Cause**

If the Prime Collaboration server reboots during the readdress task, you may be notified of a failure even though the readdress may have completed successfully.

The following table describes the steps to determine whether the task completed successfully on the application server, and, if it did not, how to recover from this type of failure.

### Solution

**Table 18: Example Deployment: Multinode Cluster Deployment**

If	Then
The failure occurs during readdress on the first node	<ol style="list-style-type: none"><li data-bbox="961 499 1516 688">1. Log in to the first Unified Communications VM node (for example, Cisco Unified Communications Manager) and verify that network settings were successfully changed. For more information, see Unified Communications product documentation.</li><li data-bbox="961 709 1516 961">2. After you verify that network settings were successfully changed on the first node, create a new readdress task on the subsequent node on Prime Collaboration Deployment and run this task. If network settings were not successfully changed on the first node, create a new readdress task with both nodes on Prime Collaboration Deployment and run the task again.</li></ol>

If	Then
<p>The readdress task is successful on the first node but fails on any of the subsequent nodes after Prime Collaboration Deployment loses connectivity</p>	<ol style="list-style-type: none"> <li>1. Log in to the first Unified Communications VM node (for example, Cisco Unified Communications Manager) and verify that network settings were successfully changed. For more information, see Unified Communications product documentation..</li> <li>2. After verifying that network settings were successfully changed on the first node, you do not need to create a new readdress task on the first node on Prime Collaboration Deployment. However, you do need to create a new readdress task on the subsequent nodes. If network settings were not successfully changed on the first node, create a new readdress task with the first node and subsequent nodes on Prime Collaboration Deployment and run the new task.</li> <li>3. If network settings were successfully changed, update cluster discovery for this cluster to make sure that Prime Collaboration Deployment has the correct network settings. <ol style="list-style-type: none"> <li>a. Go to the <b>Clusters</b> screen and click the triangle to show the nodes in the cluster.</li> <li>b. Check the network settings to ensure that the Cluster Nodes table shows the new network settings (for example, hostname).</li> <li>c. If the correct network settings are not displayed, click the <b>Refresh Node</b> link for each node in the cluster.</li> </ol> </li> </ol>

## Server Restart Task Failure

### Problem

The success or failure of each step in the server restart task depends on the Prime Collaboration Deployment server being able to get a response from every server in the cluster during the server restart.

### Possible Cause

If the Prime Collaboration server reboots during server restart, the server restart might show a failure, even though the server restart may have completed successfully.

The following table describes the steps to determine whether the task completed successfully on the application server, and, if it did not, how to recover from this type of failure.

## Solution

**Table 19: Example deployment: Multi-node cluster deployment**

If	Then
The failure occurs during server restart on the first node	<ol style="list-style-type: none"> <li>1. Log in to the first Unified Communications VM node (for example, Cisco Unified Communications Manager) and manually check the status of the restart.</li> <li>2. If the first node did not get restarted, recreate a new server restart task with all nodes and run the task again.</li> </ol>
The server restart is successful on the first node but fails on any of the subsequent nodes after Prime Collaboration Deployment loses connectivity	<ol style="list-style-type: none"> <li>1. Log in to the second Unified Communications VM node (for example, Cisco Unified Communications Manager) and manually check the status of restart.</li> <li>2. If the subsequent node restarted successfully, there is no need to recreate a new server restart task. If the subsequent node did not restart, create a new server restart task on the subsequent node only.</li> </ol>

# Task Scheduling

## Task Scheduled but Not Started

If a task was scheduled but did not start, verify the scheduled date.

## Validation Failure

When a task starts, a series of validation tests are run. A validation failure pauses the task.

## Reasons for a Task Pause

Click the **View Log** button to see why a task was paused (for example, validation failure, a pause was requested or required,, one or more nodes failed on a particular step, and so on).

## Tasks That Cannot Be Canceled

Some tasks cannot be canceled once started (for example, restart of a server or installation of a server node). If the task is canceled, it remains in the Canceling state until the step is finished.

# Task Timeouts

## Manually Verify Results

All Cisco Prime Collaboration Deployment tasks have built-in timeouts ranging from 30 minutes to 10 hours, depending on the type of task and product. If Cisco Prime Collaboration Deployment does not receive the expected results within that time frame, Cisco Prime Collaboration Deployment signals an error, even if the actual process succeeded. Users must manually verify the results and ignore any false negatives.

## Readdress Times Out

During readdress, if a VLAN change is required, Cisco Prime Collaboration Deployment does not receive updates for the nodes. As a result, the readdress eventually times out even though the actual readdress process succeeded.

## Resource Issues Slowing Down the Nodes

Use VMware vSphere to verify that no resource issues are slowing down the nodes. Disk, CPU, and memory issues can cause slower than normal logins, which can cause connectivity timeout issues during cluster discovery.

## Network Congestion

Because large files are sent across the network during upgrades, installations, and migrations, network congestion can cause tasks to take longer than usual.

# Upgrade Migration and Installation

## Virtual Machine Does Not Boot

If a VM does not boot using the mounted install ISO during migration or installation, verify the VM boot order in the Basic Input/Output System (BIOS). We recommend that only freshly created VMs that use the official Cisco Open Virtualization Format (OVF) files.

## VM Cannot Be Located

If a VM cannot be located, make sure vMotion is turned off.

## Upgrade File List Is Blank

If the list of ISO files for upgrade is blank, the reason might be that one or more servers in the cluster you are upgrading have an existing upgrade that is stuck. The file list shows as blank because the Unified Communications Manager-side upgrade process was stuck. Therefore, no files are valid, because no upgrades can be done. If you attempt an upgrade from the application server CLI, you may see the message “The resource lock platform.api.network.address is currently locked.”

To resolve this problem, reboot your Unified Communications Manager server.

### Upgrade ISO or COP File Is Not Displayed in the Task Wizard

If an upgrade ISO or COP file is not displayed in the task wizard, verify that the file was uploaded into the correct directory on the Prime Collaboration Deployment Server. To confirm the location of the file, click open and close navigation button and choose the **Inventory > SFTP Servers and Datastore** menu option. The directory that is in use is usually listed at the top of the task wizard.

### Upgrade ISO File Must Be Valid for All Nodes

An upgrade ISO file must be valid for all nodes in the task in order to be listed in the wizard. If the upgrade ISO file is not listed, verify that the task contains the publisher or that the publisher was already upgraded.

### Release 10.x and Older Products

Most Release 10.x and older products report only generic upgrade and installation failure messages. Users must access the failed node directly and diagnose the problem by using traditional tools and processes that are specific to that product (for example, use the Unified Real-Time Monitoring Tool or the CLI to view upgrade logs).

## Run a New Task When Current Task in Canceling State

### Rerun Fresh Install Task

The following procedure provides the high-level steps for rerunning a new task when the current task is in the process of being canceled. For more detailed information, see topics relating to task management.

#### Procedure

- 
- Step 1** View the task log to verify the status of the most recent task.
- If the VM is powered on and the fresh install task is still in progress, power off the VM, delete it, and redeploy the OVA to create a new VM. You can use the same name for the new VM.
  - If the VM is powered off and the fresh install was not started on the VM, leave the VM powered off.
- Step 2** Check the cluster to verify if any nodes in the cluster were updated with the active version and discovery status.
- If any nodes were updated with the new version or discovery status, create a new cluster with a new name, including the same VMs and installation settings.
  - If any nodes in the cluster were not updated, reuse the cluster when recreating a fresh install task.
- Step 3** Create and run a new install task.
- 

### Rerun Migration Task

The following procedure provides the high-level steps for rerunning a migration task for the same source and destination clusters when the current migration task is in the process of being canceled. For more detailed information, see topics relating to task management.

## Procedure

---

- Step 1** View the task log to verify the status of the most recent task.
- If the VM is powered on and the migration task is still in progress on the destination VM, power off the destination VM, delete it, and redeploy the OVA to create a new destination VM. You can use the same name for the new VM.
  - If the VM is powered off and the migration was not started on the VM, leave the VM powered off.
- Step 2** Check the node status on the source cluster before running a new task.
- If the source node is powered off, power on the source node and make sure it is in a running state before rerunning a migration task.
  - In the case of network migration, the source node can remain powered on.
- Step 3** You do not need to rerun cluster discovery on the source node.
- Step 4** Check the destination cluster to ensure that no nodes were updated with active version or discovery status.
- If any nodes in the destination cluster were updated with the new version of application or discovery status, create a new migration destination cluster by giving it a new name with the same source cluster and select the same destination VM. If any nodes in the destination cluster have been updated with the new version of application or discovery status, create a new migration destination cluster by giving it a new name with the same source cluster and select the same destination VMs.
  - If any nodes in the destination cluster were not updated with the new version of application or discovery status, you may be able to reuse the migration destination cluster later when creating a new migration task. If this is not possible, recreate a migration destination cluster with a new name.
- Step 5** Create a new migration task with the same source cluster and new destination cluster.
- Step 6** Start running the new task.
- 

## Version Validity

Install or migrate Cisco Prime Collaboration Deployment if the version validity is **True** for the Restricted or Unrestricted version of Cisco Prime Collaboration Deployment.

*Table 20: Supported Tasks based on Version Validity*

From	To	Version Validity
Export Restricted (K9)	Export Restricted (K9)	True
Export Restricted (K9)	Export Unrestricted (XU)	False
Export Unrestricted (XU)	Export Restricted (K9)	True
Export Unrestricted (XU)	Export Unrestricted (XU)	False

# ISO File Does Not Get Loaded Or Not Recognized During Migration

When you create a migration task to upgrade and migrate a cluster to new virtual machines, the task extracts the information from the old servers and starts the virtual machines. In case, the ISO file either does not get loaded or is not recognized, perform the following steps:

1. On Cisco Unified Communications Manager virtual machine, verify the correct ESXi BIOS boot order of the Cisco Unified Communications Manager virtual machine. For example, CDROM, removeable devices, hard disk drive (HDD), and network boot from VMXNET3.
2. Verify the ESXi host of Cisco Unified Communications Manager virtual machine by using ESXi Foundation or Standard or higher.



---

**Note** Hypervisor edition does not enable ESXi APIs that Cisco Prime Collaboration Deployment requires.

---

3. Verify that Cisco Prime Collaboration Deployment has root access to ESXi host.
4. Verify that the NFS mount is stable.
  - If ISO file does not mount to virtual machine from NFS, check **ESXihost > config > storage (datastore) > storage (datastore)**.



---

**Note** If the datastore is inactive, you need to reconnect it.

---

- To force reconnection of NFS mount, through Cisco Prime Collaboration Deployment, remove the ESXi host and add it again. Then, rerun the migrate task.

