

Configurare i nomi di dominio UTF-8 (IDN) in 14.X

Sommario

[Introduzione](#)

[Requisiti](#)

[Componenti usati](#)

[Lingue supportate in 14.x per il supporto IDN](#)

[Lingue regionali indiane](#)

[Lingue europee/asiatiche](#)

[Formati supportati da IDN](#)

[Dove è supportato IDN?](#)

[Route SMTP](#)

[Domini DNS](#)

[Listener - RAT/HAT](#)

[Criteri posta in arrivo/in uscita - Mittente/destinatario](#)

[Tabella eccezioni](#)

[Elenchi indirizzi](#)

[Controlli di destinazione](#)

[Profili di rimbalzo](#)

[LDAP](#)

[Quarantena posta indesiderata locale](#)

[Verifica e risoluzione dei problemi](#)

[Informazioni correlate](#)

Introduzione

Questo documento descrive come configurare e utilizzare la nuova funzionalità IDN (International Domain Name) UTF-8 aggiunta a Secure Email Gateway (ESA) e Secure Email Cloud Gateway (CES) nel codice 14.x

Contributo di Anvitha Prabhu e Libin Varghese, Cisco TAC Engineer.

Requisiti

Cisco raccomanda la conoscenza dei seguenti argomenti:

Concetti e configurazione ESA

Componenti usati

Le informazioni di questo documento si basano su AsyncOS per ESA 14.0 e versioni successive.

Le informazioni discusse in questo documento fanno riferimento a dispositivi usati in uno specifico ambiente di emulazione. Su tutti i dispositivi menzionati nel documento la configurazione è stata ripristinata ai valori predefiniti. Se la rete è operativa, valutare attentamente eventuali conseguenze derivanti dall'uso dei comandi.

Lingue supportate in 14.x per il supporto IDN

Lingue regionali indiane

Hindi, Tamil, Telugu, Kannada, Marati, Punjabi, Malayalam, Bengali, Gujarati, Urdu, Assamese, Nepalese, Bengali, Bodo, Dogri, Kashmiri, Konkani, Maithili, Manipuri, Oriya, Sanscrito, Santali, Sindhi, Tulu.

Lingue europee/asiatiche

Francese, russo, giapponese, tedesco, ucraino, coreano, spagnolo, italiano, cinese, olandese, thai, arabo, kazako

Formati supportati da IDN

- Dominio IDN completo नअन्वतिअजी può essere मे ल को म अ न् वं ता या हा ज्जो त्. aprire, aprire, aprire@sempreeliminare segue. prevenire eliminare
- Dominio IDN parziale : .कोम , याहा.ज्जोत्
- Combinazione ASCII, IDN : test@जीमेल.कोम

Dove è supportato IDN?

Route SMTP

Passa a Rete -> Route SMTP -> Aggiungi route -> Aggiungi il dominio IDN -> Invia -> Commit

Monitor Mail Policies Security Services Network System Administration

Add SMTP Route

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

SMTP Route Settings

Receiving Domain: ? ज़ीमेल.कॉम

Destination Hosts:

Priority ?	Destination ?	Port	
0	10.1.1.1	25	Add Row
<i>(Hostname, IPv4 or IPv6 address.)</i>			

Outgoing SMTP Authentication: No outgoing SMTP authentication profiles are configured. See [Network > SMTP Authentication](#)

Note: DANE will not be enforced for domains that have SMTP Routes configured.

Cancel Submit

Domini DNS

È possibile aggiungere o modificare i domini IDN nei server DNS.

Passare a Rete -> DNS -> Modifica impostazioni -> **Aggiungi dominio IDN** in "sostituzioni server DNS alternativo"

Monitor Mail Policies Security Services Network System Administration

Edit DNS

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

DNS Server Settings

DNS Servers: Use these DNS Servers

Priority ?	Server IP	Add Row
0	10.0.201.2	
1	10.0.201.12	

Alternate DNS servers Overrides (Optional):

Domain(s)	DNS Server IP Address	Add Row
जीमिन.कॉम <i>i.e., example.com, example2.com</i>	10.1.1.4 <i>i.e., 10.0.0.3</i>	

Use the Internet's Root DNS Servers

Alternate DNS servers Overrides (Optional):

Domain	DNS Server FQDN	DNS Server IP Address	Add Row
<input type="text"/>	<input type="text"/>	<input type="text"/>	
<i>i.e., example.com</i>	<i>i.e., dns.example.com</i>	<i>i.e., 10.0.0.3</i>	

Interface for DNS Traffic: Change

Wait Before Timing out Reverse DNS Lookups:

Cancel Submit

NOTA:

-I domini IDN pubblici vengono risolti dal server DNS radice pubblico/Internet.

-Domini IDN locali: Nel server DNS locale creare file di zona con record in formato punycode equivalente a domini IDN [ad esempio: xn—2scrj9c.xn—2scrj9c.] per gestire la risoluzione dei nomi di dominio IDN locali.

Listener - RAT/HAT

Possiamo utilizzare il supporto IDN per:

- Listener in entrata/in uscita -> Aggiungi/Modifica domini IDN nel dominio predefinito
- HAT/RAT ->Aggiungi/Modifica domini IDN in HAT/RAT
- Importa/esporta tabelle HAT/RAT con IDN

Per configurare la tabella Accesso destinatari (RAT) con IDN, passare a **Criteri di posta elettronica** -> **Tabella Accesso destinatari (RAT)** e fare clic su **Aggiungi destinatario** -> **Aggiungi dominio IDN** -> **Invia** -> **Conferma**

Recipient Access Table Overview

Success — Recipient Access Table entry for "जीमेल.कोम" was added.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

Centralized Management Options

Overview for Listener: Incoming

Items per page 20

Add Recipient...

Clear All Entries

Import RAT...

Order	Recipient Address	Default Action	All Delete
1	humaaralab.com	Accept	<input type="checkbox"/>
2	doosralab.com	Accept	<input type="checkbox"/>
3	जीमेल.कोम	Accept	<input type="checkbox"/>
All Other Recipients		Reject	

Edit Order... Export RAT... Delete

Per configurare i gruppi di mittenti della tabella di accesso host (HAT) con domini IDN, passare a Criteri di posta -> Panoramica HAT -> Aggiungi nuovo gruppo di mittenti -> Invia e aggiungi mittenti con nome host IDN -> Invia -> Esegui commit

Sender Group: IDN_Support - Incoming

Success — Sender "जीमेल.कोम" was added.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

Centralized Management Options

Sender Group Settings

Name:	IDN_Support
Order:	9
Comment:	IDN Support
Policy:	ACCEPTED
SBRS (Optional):	Not in use
External Threat Feed (Optional): <i>For IP lookups only</i>	None
DNS Lists (Optional):	None
Connecting Host DNS Verification:	None Included

<< Back to HAT Overview Edit Settings...

Find Senders

Find Senders that Contain this Text: ?

Find

Sender List: Display All Items in List

Items per page 20

Add Sender...

Sender	Comment	All Delete
जीमेल.कोम	idn sender	<input type="checkbox"/>

<< Back to HAT Overview Delete

NOTA: È possibile seguire la stessa procedura per modificare qualsiasi gruppo di mittenti e

aggiungere i domini IDN.

Criteriai posta in arrivo/in uscita - Mittente/destinatario

Per configurare i criteri di posta in arrivo per la gestione di IDN, passare a **Criteriai di posta elettronica** -> **Aggiungi criterio** -> Fornisci nome criterio -> **Aggiungi utenti**

È possibile scegliere di utilizzare i domini IDN in Mittente/destinatario o provare una qualsiasi combinazione ->Invia ->Commit

Incoming Mail Policies

Mode --Cluster: ESA_BETA_CLUSTER

Change Mode...

> Centralized Management Options

Add User

- Any Sender
- Following Senders
- Following Senders are Not

Email Address:

@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

- Any Recipient
- Following Recipients

user@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Following Recipients are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Cancel

OK

Add Incoming Mail Policy

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Add Policy

Policy Name:
(e.g. my IT policy)

Insert Before Policy:

Users

Sender	Recipients	Edit	Delete
@नीमेल.कॉम	example@example.com	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

NOTA: È possibile seguire la stessa procedura per i criteri di posta in uscita.

Tabella eccezioni

Per aggiungere nomi di dominio IDN alla tabella delle eccezioni, passare a

Policy di posta -> Tabella eccezioni -> Aggiungi eccezione di verifica mittente -> Aggiungi domini IDN -> Invia -> Commit

Add Sender Verification Exception

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Sender Verification Exception

Exception:
(e.g.: user@example.com, user@, @example.com, @.example.com, @[1.2.3.4])

Order: (of 1)

Behavior: Allow
 Reject

SMTP Code:

SMTP Text:

Sender Verification Exception Table

Success — Entry was added

Mode —Cluster: ESA_BETA_CLUSTER

Change Mode...

Centralized Management Options

Find Sender Verification Exception

Search for Email Address: ?

Find

Sender Verification Exception Table

Add Sender Verification Exception...

Clear All Sender Verification Exceptions

Order	Exception	Behavior	SMTP Response	Delete
1	@जीमेल.कोम	Allow	N/A	

Elenchi indirizzi

Per aggiungere nomi di dominio IDN all'elenco indirizzi, passare a

Critero posta -> Elenco indirizzi -> Aggiungi elenco indirizzi -> Immettere i domini IDN nella casella -> Invia -> Conferma

Add Address List

Mode —Cluster: ESA_BETA_CLUSTER

Change Mode...

Centralized Management Options

New Address List Details

Address List Name: IDN-Support

Description: IDN-Support-test

- List Type:
- Full Email Addresses only
 - Domains only
 - IP Addresses only
 - All of the above

Addresses: जीमेल.कोम, @मिडिया.कोम, @मिडिया.कोम, @मिडिया.कोम e.g.: user@example.com, user@, @example.com, @[1.2.3.4], @.example.com

Cancel

Submit

Address Lists

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

▸ Centralized Management Options

Address Lists

[Add Address List...](#)

Address List Name	Description	Used for	Addresses	All <input type="checkbox"/> Delete
IDN-Support	IDN-Support-test		(3) ಅಭ್ಯಾಸ@ಯಾಹೂ.ಒಂ, @ಜಿಮೆಲ್.ಕೊಂ,...	<input type="checkbox"/>

[Delete](#)

Controlli di destinazione

Per aggiungere nomi di dominio IDN al controllo di destinazione, passare a

Policy di posta -> Controlli di destinazione -> Aggiungi destinazione -> Puoi aggiungere il nome di dominio IDN -> Invia -> Commit

Monitor Mail Policies Security Services Network System Administration

Add Destination Controls

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

▸ Centralized Management Options

Destination Controls

Destination:	<input type="text" value="ಜಿಮೆಲ್.ಕೊಂ"/>
IP Address Preference:	Default (IPv6 Preferred)
Limits:	Concurrent Connections: <input type="radio"/> Use Default (500) <input checked="" type="radio"/> Maximum of <input type="text" value="500"/> (between 1 and 1,000)
	Maximum Messages Per Connection: <input type="radio"/> Use Default (50) <input checked="" type="radio"/> Maximum of <input type="text" value="50"/> (between 1 and 1,000)
	Recipients: <input checked="" type="radio"/> Use Default (No Limit) <input type="radio"/> Maximum of <input type="text" value="0"/> per <input type="text" value="60"/> minutes <i>Number of recipients between 0 and 1,000,000,000 per number of minutes between 1 and 60</i>
	Apply limits: Per Secure Email hostname: <input checked="" type="radio"/> System Wide <input type="radio"/> Each Virtual Gateway <i>(recommended if Virtual Gateways are in use)</i>
TLS Support:	Default (None)
DANE Support:	<input type="text" value="Default (None)"/>
Bounce Verification:	Perform address tagging: <input checked="" type="radio"/> Default (No) <input type="radio"/> No <input type="radio"/> Yes <i>Applies only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.</i>
Bounce Profile:	Default <i>Bounce Profile can be configured at Network > Bounce Profiles.</i>

Note: DANE will not be enforced for domains that have SMTP Routes configured.

[Cancel](#) [Submit](#)

Destination Controls

Success — Your changes have been committed.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

▸ Centralized Management Options

Destination Control Table

Items per page 20

Domain ▲	IP Address Preference	Destination Limits	TLS Support	DANE Support ^	Bounce Verification *	Bounce Profile	All <input type="checkbox"/> Delete
doosralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
humaaralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
जिमेिल.कोम	Default	500 concurrent connections, 50 messages per connection, Default recipient limit	Default	Default	Default	Default	<input type="checkbox"/>
Default	IPv6 Preferred	500 concurrent connections, 50 messages per connection, No recipient limit	None	None	Off	Default	

[Add Destination...](#) [Import Table](#) [Export Table](#) [Delete](#)

* Bounce Verification settings apply only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.
^ DANE will not be enforced for domains that have SMTP Routes configured.

Global Settings

Certificate:	Client-Cert
Send an alert when a required TLS connection fails:	Enabled

[Edit Global Settings...](#)

Profili di rimbalzo

Il destinatario dei messaggi di rimbalzo e di avviso può essere configurato con il nome di dominio IDN in Profili di rimbalzo.

Passare a Rete -> Profili di rimbalzo -> Aggiungi profilo di rimbalzo -> Immettere il nome -> Configurare i valori per Profilo di rimbalzo -> Per destinatario per messaggi di rimbalzo e di avvertenza -> Selezionare **Indirizzo alternativo** ed è possibile scegliere di utilizzare l'indirizzo di dominio IDN.

Monitor Mail Policies Security Services Network System Administration

Add Bounce Profile

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

> Centralized Management Options

Add Bounce Profile

Profile Name:

Maximum Number of Retries: (between 0 and 10000)

Maximum Time in Queue: seconds (between 0 and 3000000)

Initial Time to Wait per Message: seconds (between 60 and 86400)

Maximum Time to Wait per Message: seconds (between 60 and 86400)

Hard Bounce and Delay Warning Messages: **Send Hard Bounce Messages:**

Use Default (Yes) Yes No

Use DSN format for bounce messages:

Use Default (Yes) Yes No

Message Composition

Message Subject:

Parse DSN "Status" field from bounce responses: Use Default (No) Yes No

Notification Template: *Bounce Notification Template can be defined at Mail Policies > Text Resources.*

Message Language	Template	Preview	Delete
Default	System Generated		

[Add Row](#)

Send Delay Warning Messages:

Use Default (No) Yes No

Message Composition

Message Subject:

Notification Template: *Bounce Notification Template can be defined at Mail Policies > Text Resources.*

Message Language	Template	Preview	Delete
Default	System Generated		

[Add Row](#)

Minimum Interval Between Messages: seconds

Maximum Number of Messages to Send:

Recipient for Bounce and Warning Messages:

Message sender

Alternate:

Use Domain Key Signing for Bounce and Delay Messages:

Use Default (No) Yes No

There is no signing profile matching bounce from address MAILER-DAEMON@_NOTSET_. Bounce messages will not be signed until you create appropriate signing profile.

[Cancel](#) [Submit](#)

LDAP

È ora possibile impostare le query di accettazione/raggruppamento LDAP con i nomi dei domini IDN come mostrato nell'immagine.

Edit User

Any Sender
 Following Senders
 Following Senders are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:
Query:

Group:

Any Recipient
 Following Recipients

(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

If one or more conditions match

LDAP Group:
Query:

Group:

Quarantena posta indesiderata locale

È possibile visualizzare la quarantena SPM locale in cui i nomi dei domini IDN vengono visualizzati nell'indirizzo e-mail/domini/oggetto dell'utente

Search

Note: For best performance your search should contain an envelope recipient.

Messages Received: Today Last 7 days Date Range: and

Where :

Envelope Recipient :

[Clear Search] 14 items found Search

Search Results Items per page 25

Displaying 1 — 14 of 14 items.


<input type="checkbox"/>	From	Envelope Recipient	To	Subject	Date	Size
<input type="checkbox"/>		anvitha@doosalab.com		[SUSPICIOUS MESSAGE] this is to test policy	10 Feb 2021 16:30 (GMT -06:00)	3.6K
<input type="checkbox"/>		अनअविता2@जीमेल.कॉम		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:49 (GMT -06:00)	7.3K
<input type="checkbox"/>		あなたは誰ですか2@ヤフー.com		this is japanese test 今は17時38分です	09 Feb 2021 21:37 (GMT -06:00)	3.5K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:18 (GMT -06:00)	3.4K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:13 (GMT -06:00)	7.6K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:11 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 17:02 (GMT -06:00)	4.7K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:00 (GMT -06:00)	5.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very மூலக்கூறு அண்டு பாவீசுதீவீ for both the countries.	09 Feb 2021 16:54 (GMT -06:00)	5.2K
<input type="checkbox"/>		anvitha@doosalab.com		this is a test	09 Feb 2021 16:01 (GMT -06:00)	3.3K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 15:49 (GMT -06:00)	8.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 15:41 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:53 (GMT -06:00)	5.0K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:47 (GMT -06:00)	3.9K

NOTA: La quarantena locale PVO mostra un comportamento simile alla quarantena della posta indesiderata.

Verifica e risoluzione dei problemi

1) I report su ESA e SMA (Secure Email e Web Manager) ora supportano IDN. Nei report è possibile visualizzare nomi utente/dominio/indirizzo di posta elettronica in formato IDN

Passa a Monitoraggio -> Utenti interni



2) In **Message Tracking** possiamo vedere il nome di dominio IDN e anche filtrare con i domini IDN / nomi utente / indirizzo email

Search

Available Time Range: 16 Jun 2020 18:00 to 12 Feb 2021 08:19 (GMT -06:00) Data in time range: 87.98% complete

Envelope Sender: Contains

Envelope Recipient: Begins With

Subject: Begins With

Message Received: Last Day Last Week Custom Range

Start Date: Time: and End Date: Time: (GMT -06:00)

Generated: 12 Feb 2021 08:21 (GMT -06:00) Export All... | Export..

Results

Items per page 20

Displaying 1 — 15 of 15 items.

1	11 Feb 2021 13:42:13 (GMT -06:00)	MID: 23579661	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: ಅನ್ನಿತಾ@ಯಾಕೂ, ಜೊತೆ				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very [redacted]				
LAST STATE: Message 23579661 to anvitha@humaaralab.com received remote SMTP respons:				
2	11 Feb 2021 10:13:55 (GMT -06:00)	MID: 23579651	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: ಅನ್ನಿತಾ@ಯಾಕೂ, ಜೊತೆ				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very [redacted]				
LAST STATE: Message 23579651 to anvitha@humaaralab.com received remote SMTP respons:				
3	09 Feb 2021 17:09:49 (GMT -06:00)	MID: 23570342	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: ಅನ್ನಿತಾ@ಯಾಕೂ, ಜೊತೆ				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very [redacted]				
LAST STATE: A new message 23570347 was generated to handle bounce of message 235703-				
4	09 Feb 2021 16:59:11 (GMT -06:00)	MID: 23570318	HOST: ESA1-EFT (10.0.202.17)	Show Details

3) Usare il comando CLI grep o tail per visualizzare "mail_logs" e vediamo i domini IDN nei log

Mon Feb 8 21:47:11 2021 Info: Start MID 23569633 ICID 148853
Mon Feb 8 21:47:11 2021 Info: MID 23569633 ICID 148853 From:

<@.>

Mon Feb 8 21:47:19 2021 Info: MID 23569633 ICID 148853 RID 0 To: <test@lab.com>
Mon Feb 8 21:47:52 2021 Info: MID 23569633 Subject 'Please read as this is very for both the countries.'
Mon Feb 8 21:47:52 2021 Info: MID 23569633 SDR: Domains for which SDR is requested: reverse DNS host: sample.host.com, helo: lab.com, env-from: ., header-from: Not Present, reply-to: Not Present
Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Consolidated Sender Reputation: Tainted, Threat Category: N/A, Suspected Domain(s) : lab.com. Youngest Domain Age: 3 months 29 days for domain: lab.com
Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Tracker Header :
87dSxFfNYdsiOahrXSUZFOrdpenKiF6J2uKiPf+SFKCtj52hNCpe6LDQ8UFAligNUDA7FsuXLvHTcaAtt6AKG4PWLpwEeo/dcIPBUOdxB48=
Mon Feb 8 21:47:53 2021 Info: MID 23569633 ready 605 bytes from

<@.>

Mon Feb 8 21:47:53 2021 Info: MID 23569633 matched all recipients for per-recipient policy DEFAULT in the inbound table
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim verdict using engine: CASE spam positive
Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: CASE spam positive
Mon Feb 8 21:47:53 2021 Info: ISQ: Tagging MID 23569633 for quarantine
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using McAfee CLEAN
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using Sophos CLEAN
Mon Feb 8 21:47:53 2021 Info: MID 23569633 antivirus negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 AMP file reputation verdict : SKIPPED (no attachment in message)
Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: GRAYMAIL negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Custom Log Entry: SDR Age is less than 1 Year
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Outbreak Filters: verdict negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Message-ID '<d35764\$mf971@esal.lab.com>'
Mon Feb 8 21:47:53 2021 Info: MID 23569633 queued for delivery
Mon Feb 8 21:47:53 2021 Info: New SMTP DCID 250225 interface 10.0.202.17 address 10.0.201.5 port 6025
Mon Feb 8 21:47:53 2021 Info: DCID 250225 STARTTLS command not supported
Mon Feb 8 21:47:53 2021 Info: Delivery start DCID 250225 MID 23569633 to RID [0] to offbox IronPort Spam Quarantine
Mon Feb 8 21:47:53 2021 Info: Message done DCID 250225 MID 23569633 to RID [0] (external quarantine)
Mon Feb 8 21:47:53 2021 Info: MID 23569633 RID [0] Response 'ok: Message 27293054 accepted'
Mon Feb 8 21:47:53 2021 Info: Message finished MID 23569633 done
Mon Feb 8 21:47:58 2021 Info: DCID 250225 close

Informazioni correlate

- [Cisco Email Security Appliance - Guide per l'utente](#)
- [Documentazione e supporto tecnico – Cisco Systems](#)