

# Cisco Security Advisory: IOS Heap-based Overflow Vulnerability in System Timers

Revision 1.0

2005 å¹' 11 æœ^ 2 æ—¥ 16:00 UTC (GMT)

å...¬é—æ—¥ 2005 å¹' 11 æœ^ 2 æ—¥ 16:00 UTC (GMT)

ç>®æ¬í

è!♦ç'

è®²å½“è£½å“♦

ãf'ãf¼ãf—ã, "ãf¼ãf♦ãf¼ãf•ãfãf¼ã♦«é-çã♦™ã, èfCEæ™-

è®³ç'

å½±éÝ:

ã,½ãf•ãf^ã,ã,§ã,cãf♦ãf¼ã,ãf§ãf³ã♦Šã,^ã♦³ã;®æf

ã;®æ£ã,½ãf•ãf^ã,ã,§ã,cã♦®å...¥æ‰c

å»žé♦;ç-

ã,♦æfå^ç””ã°ã¾ã♦”å...¬è;”

ã♦“ã♦®é€šçÝ¥ã♦®ã,¹ãf†ãf¼ã,;ã,¹: FINAL

æf...å±é...♦æ;í

æ>`æ—°å±¥æ`

ã,ã,¹ã,³ã,»ã,ãf¥ãf^ã,æ‰é †

è!♦ç',,

Cisco Internetwork Operating System (IOS)

ã♦«ã♦Šã♦,,ã♦|ãf'ãf¼ãf—ãf™ãf¼ã,¹ãf»ãf♦ãffãf•ã,;ãf¼ã, "ãf¼ãf♦ãf¼ãf•ãfãf¼ã♦®è,,†å½±æ€§ã♦

ã,ã,¹ã,³ã,~å•ä½œã♦®æfå½“æ€§ãf♦ã,§ãffã,~ã♦®ã,³ãf¼ãf‰ã, 'è½åŠ ã♦—ã♦Ýç,,;ã,Ýã♦®ã,½ãf•ã

æœ¬ã,çãf‰ãf♦ã,¤ã,¶ãf^ã~ä»¥ã,ã♦«ã♦|çç°è^ã♦å♦~èf½ã♦§ã♦™ã€,

<http://www.cisco.com/warp/public/707/cisco-sa-20051102-timers.shtml>

ã,ã,¹ã,³ã,~ã♦“ã♦®è,,†å½±æ€§ã,'å^ç””ã♦—ã♦Ýã,♦æfå^ç””ã°ã¾ã♦~çç°è^ã♦ã♦—ã♦|ã♦|ã♦

7 æœ^ã♦®Black Hat USA Conference

ã♦«ã♦Šã♦,,ã♦|æCE‡æ~ã♦•ã,CÉã♦Ýã»—ã♦®è,,†å½±æ€§ã♦«é-çé€£ã♦—ã♦|ã€♦ç¶™ç¶šç,,ã♦ã

IOS ã♦®å‰‰æ›ç,¹ã♦«ã♦¤ã,,ã♦|è~^è;°ã♦—ã♦|ã♦,,ã♦¾ã♦™ã€,Black Hat

USAã♦«ã♦|æCE‡æ~ã♦•ã,CÉã♦Ý IPv6 ã♦®è,,†å½±æ€§ã♦«é-çã♦—ã♦|ã♦~2005 å¹' 7

æœ^ 29

æ—¥ã♦«ç™øè;”ã♦•ã,CÉã♦Ýå^¥ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãf^ãf¼ã♦«ã,^ã♦£ã♦|å•♦éjCÉã,’è§Fæ±ºã♦—

æ—¥æœ¬è^äžä?«ã,^ä,«æf...å ±ä?—ä€?è<±è^äžä?«ã,^ä,«åŽÝæ-‡ä?®é?žå...-å¼?ä?^äç?»è ..³ä?§ä?ã,§é½-ä?Œä?ã,ã,å ’å ?^ä?«ã?—ä€?è<±è^äžåŽÝæ-‡ä?Œå,“å...^ä?—ä?³/4ä?™ã€,>

è©<sup>2</sup>å<sup>1/2</sup>“è£<sup>1/2</sup>å“◆?

æœ¬ã,¢ãf‰õãf?ã,¤ã,¶ãfãf¼ã?¬ã€?ã,·ã,¹ã,³ IOS

IOS

å, ·å, ³å, ³ IOS XR æœ¬å, çåf%oåf?å, å, å, åfåf½å?®, å½±eYå, å—å?å?å?å?å?>å, "å€,

"show version"

ã.ºãfžãjºãf%oã.'º@®Ýè;Œã♦—ã€♦ã.:ã.ºãftãf ãf♦ãfŠãf¼ã.'c"»é♦çã♦«è;ºçxºã♦—ã♦º3/4ã♦™ã€.

Cisco IOS ۱۲.۰(۳)T "Internetwork Operating System Software"

— “èj” çxº ã — ã ¾ ã ™ ã €, ã ã ® ã ™ ã ã ¾ Æ ã, ã «ã, ã f|ã f¼ ã, , ã ã Æ ã, «ã ff ã, ³ ã ® Æ

èì „ç¤ºã?•ã,Œ(å ‘å?^ã?«ã,^ã,Šæ”¹èŒã?•ã,Œã? | ã?„ã?¾ã?™)ã€?ç¶šã?„ã? | "Version"

IOS 1.0 CE; Cisco (IOS 1.0) Cisco

Ã¢®æ©Ý™ "show version"

ā, „ājzāj-āj‰āŒā? „āŒā, „ā€?ç·ºāŒā, *eij* „çººā, āŒ™ā, *a* ŒāŒā, ā, SāŒ¾āŒ™ā,

đ. Võ Văn Kiệt 34, TP. Hồ Chí Minh

Cisco Internetwork Operating System Software

IOS (tm) 3600 Software (C3640-I-M), Version 12.3(6), RELEASE SOFTWARE (fc3)

æ¬\_æ®æ¾æ¬æ®æ¬ æ·æ,¹æ,³è£½å“æ¬æ§ IOS æƒªæƒªæƒ¼æ,¹ 12.3(11)T3æ€æ¬æ,¤æƒ¡æƒ¼æ,¸æ®æ C3845-ADVIPSERVICESK9-M æ®æŒç“¹¼å“æ¬—æ®!æ„æ,æ®“æ®“æ,’çæ°æ®—æ®!æ„æ,æ®³/æ®™:

Cisco IOS Software, 3800 Software (C3845-ADVIPSERVICESK9-M), Version 12.3(11)T3,  
RELEASE=SOFTWARE (fc4)

Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2005 by Cisco Systems, Inc.

<http://www.cisco.com/warp/public/620/1.html>

“*ä*” “*ä*, *Œ*ä» *¥*å¤-*ä*” *®**ä*, ·*ä*, <sup>3</sup>*è*£*½*å“ “*ä*” «*ä*” *Š**ä*” „*ä*” | *æœ*-*ä*, *¢**ä*f%*o**ä*f” *ä*, *¤**ä*, *¶**ä*f<sup>a</sup>*ä*f<sup>½</sup>*ä*” *®*å½±é<sup>Y</sup>*ä*, ’*ä*”

äf'äf¹/₄äf—ä, <sup>a</sup>äf¹/₄äf? äf•äfäf¹/₄ä? «é-çä?™ ä, <èfŒæ™—

æœ¬ã, »ã, ãf¥ãfãf†ã, fã, cãf‰oãf♦ã, pã, ¶ãfãf¼ã♦—ã€♦ãfãf¼ãf—ã, °ãf¼ãf♦ãf¼ãf•ãfãf¼ã♦«é-çã, ã

RFC2828 ã♦§ã♦—è,, tå¼±æ€§ã,’

"ã,·ã,°ãftãf ãf‡ã, ¶ã, pãf³ã€♦å®ÝèE...ã€♦é♦<ç”“ã€♦ç®jç♦tã♦®æ¬ç,°ã, „å¼±ç,°ã♦Œã€♦ã,·ã,°ãftãf [ãŽÝæ-‡]ã€♦ã♦—å®šç¾Cã♦—ã♦|ã♦„ã♦¾ã♦™ã€,ã,·ã,°ãftãf ã, „ãf—ãfãf^ã,³ãf«ã♦«ã♦Šã♦’ã, <ç%

"exploits"

ã♦—ã♦|çÝ¥ã,%oã,Œã,<å¤šã♦♦ã♦®æ,°æ,,♦ã♦,ã,<ã,½ãf•ãf^ã,|ã,§ã,çã♦—ã€♦ç‰°å®šã♦®è,,t (counter-measure) ã♦Œã,^ã♦♦ä½¿ã,♦ã,Œã♦¾ã♦™ã€, ã,♦æ£å®ç”“ã♦®ãfšã, pãfãf¼ãf‰oã♦§è|ã,%oã,Œã,<1ã♦pã♦®å...,åž<çš,,ã♦^æ”»æ'fæ-¹æ³·ã♦—ã♦—ãf'ãf¼ãf—ãf™ãf¼ã,°ã, °ãf¼ãf♦ãf¼ãf•ãfãf¼ã♦—ãfãf¼ãf—ãfjãfçãf^ã♦®ã,ã♦«ã♦,ã,<ãf‡ãf¼ã,çæ§é€ ãfãf¼ãf—ãfjãfçãf^ã♦—ã€♦ç¾åœ”å®Ýè;Œã♦•ã,Œã♦|ã♦„ã,<ãf—ãfã,»ã,°ã♦[æ£f€ã, pãf§ã](#)

ã♦—ã♦®ã,çãf‰oãf♦ã, pã, ¶ãfãf¼ã♦§è—a~žã♦•ã,Œã♦Ýã,,ã♦®ã♦®ã,^ã♦tã♦«ã€♦ãf♦ãffãf•ã,|ã

è®³ç`°

Cisco Internetwork Operating System (IOS)

ã♦—é♦ éš"ã♦[æœçÝ¥ã](#)™ã, <ã♦“ã♦—ã, ^ã, Šã€♦ã,·ã,°ãftãf å†♦èµ·å•ã♦Œå¼·ã♦“ã♦“ã♦“ã♦

å¤šã♦♦ã♦®å‘å♦^ã,·ã,°ã,³ IOS

ã♦®ãfãf¼ãf—ãf™ãf¼ã,°ãf»ãf♦ãffãf•ã,¡ãf¼ã,°ãf¼ãf♦ãf¼ãf•ãfãf¼ã♦—ã€♦ã,·ã,°ãftãf ãfjãfçãf^ã♦®

"Check Heaps"

ãf—ãfã,»ã,°ã♦ŒæœçÝ¥ã

“ã♦“ã,Œã,%oã♦®æ”¹å—,ã♦«ã♦pã♦„ã♦|ã♦—ã€♦ã,·ã,°ãftãf ã,¡ã, pãfžãf¼å•ä½œã♦®æ£å½“æ€§ãf♦ã, Saffã, —ã, ‘å¼·å•ã

ã♦“ã,Œã,%oã♦®æ”¹å—,ã♦«ã♦pã♦„ã♦|ã♦—ã€♦ã,·ã,°ãftãf ã,¡ã, pãfžãf¼å•ä½œã♦®æ£å½“æ€§ãf♦ã, Saffã, —ã, ‘å¼·å•ã

å½±éÝ;

ã,·ã,°ã,³ IOSã,½ãf•ãf^ã,|ã,§ã,cã♦®ãfãf¼ãf—ãf™ãf¼ã,°ãf»ãf♦ãffãf•ã,¡ãf¼ã,°ãf♦ãf¼ãf•ãfãf¼è,,tå¼±æ€

ã,½ãf•ãf^ã,|ã,§ã,cãf♦ãf¼ã,ãf§ãf³ã♦Šã,^ã♦³ä;®æ£

ã,½ãf•ãf^ã,|ã,§ã,cã♦®ã,çãffãf—ã,°ãf—ãf¼ãf‰oã,'æœè”žã♦™ã,<éšã♦«ã♦—ã€♦<http://www.cisco.com/>ã♦Šã,^ã♦³ã♦♦ã,Œã»¥é™♦ã♦®ã,çãf‰oãf♦ã, pã, ¶ãf^ã,,å♦,ç...§ã♦—ã♦|ã€♦çŠ¶æ³♦ã♦“å®Œã,ã,½ãf^ãf¼ã,·ãf§ãf³ã,’å^æ-ã♦—ã♦|ã♦?ã♦?ã♦?ã♦?•ã♦,ã€,

ã»„ã»šã,Œã»®å`å»^ã,,ã€ã,çäffäf—ã,°äf—äf%äf%oã»™ã,æ©Ýå™..ã»«å»å`å`^tã»^äf;äfçäfã»  
æf...å±ã»Œä,æ~Žççºã»å`å`^ã»^äf—ã,·ã,¹ã,<sup>3</sup> Technical Assistance  
Centerï¼^TACï¼‰oã»«ã»Šã»ã»„å`^ã»>ã»ã»ã»ã»>ã»•ã»„ã€,

ã»¥ä,ã»®ã,·ã,¹ã,<sup>3</sup> IOS

ã,½äf•äf—ã,|ã,§ã,çä»®èj..ã»®å»„è;Œä»^äf—ã»^äf—ã»^äf—ã,·ã,æfæfæf%ä,¹äf^äf—ã,¤äf³ä€»äf—ã  
èf½å”ç¾ä,çºä—ã»^äf—ã»^äf—ã,·ã,æfæfæf%ä,¹äf^äf—ã,¤äf³ä»Œè,·tå¼±ã»§ã»„ã,·ã`^äf—ã  
i¼^æœ€å`^äf—ã»^äf—ã,Œä»Ýäfæfæf%ä,¹i¼‰oã»^äf—ã»^äf—ã,Œä»Œä»^äf—ã»^äf—ã,·ã`^äf—ã  
"Rebuild" and "Maintenance" å»®å`—ã»^  
çºä—ã»^äf—ã,Œä»^äf—ã,æfæfæf%ä,¹äf^äf—ã,¤äf³ä»§çºä—ã,Œä»Ýäfæfæf%ä,¹ä,·ã,Šå‰oã»^äf—ã,  
ä½ç”^äf—ã,æfæfæf%ä,¹ä»^äf—ã,·ã,çºä—ã»^äf—ã,Œä»Ýäfæfæf%ä,¹ä»¥é™ä»^äf—ã,·ã,çäffäf—ã  
"Rebuild" å»Šã,·ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã`^äf—ã  
"Maintenance"

ã»®ç”^äf—ã»^äf—ã,·ã,çºä—ã»^äf—ã,Œä»^äf—ã,æfæfæf%ä,¹äf^äf—ã,¤äf³ä»^äf—ã,·ã`^äf—ã  
<http://www.cisco.com/warp/public/620/1.html>

<b>Major Release</b>		<b>Availability of Repaired Releases</b>	
<b>Affected 12.0-Based Release</b>	<b>Rebuild</b>	<b>Maintenance</b>	
12.0	12.0(28d)		
12.0DA	Vulnerable; migrate to 12.2(12)DA9 or later		
12.0DB	Vulnerable; migrate to 12.3(14)T4 or later		
12.0DC	Vulnerable; migrate to 12.2(15)BC2i or later		
12.0S	12.0(28)S5		
	12.0(30)S4		
	12.0(31)S1		
12.0SC	Vulnerable; migrate to 12.2(15)BC2i or later		

12.0SL	Vulnerable; migrate to 12.0(31)S1 or later	
12.0SP	Vulnerable; migrate to 12.0(31)S1 or later	
12.0ST	Vulnerable; migrate to 12.0(31)S1 or later	
12.0SX	Vulnerable; contact TAC	
12.0SZ	Vulnerable; migrate to 12.0(31)S1 or later	
12.0T	Vulnerable; migrate to 12.1(27b) or later	
12.0W5	12.0(25)W5-27d	
	12.0(28)W5-30b	
	12.0(28)W5-32a	
12.0WC	12.0(5)WC13	
12.0XA	Vulnerable; migrate to 12.1(27b) or later	
12.0XB	Vulnerable; migrate to 12.1(27b) or later	
12.0XC	Vulnerable; migrate to 12.1(27b) or later	
12.0XD	Vulnerable; migrate to 12.1(27b) or later	
12.0XE	Vulnerable; migrate to 12.1(26)E3 or later	
12.0XF	Vulnerable; migrate to 12.1(27b) or later	
12.0XG	Vulnerable; migrate to 12.1(27b) or later	

12.0XH	Vulnerable; migrate to 12.1(27b) or later	
12.0XI	Vulnerable; migrate to 12.1(27b) or later	
12.0XJ	Vulnerable; migrate to 12.1(27b) or later	
12.0XK	Vulnerable; migrate to 12.2(31) or later	
12.0XL	Vulnerable; migrate to 12.2(31) or later	
12.0XM	Vulnerable; migrate to 12.1(27b) or later	
12.0XN	Vulnerable; migrate to 12.1(27b) or later	
12.0XQ	Vulnerable; migrate to 12.1(27b) or later	
12.0XR	Vulnerable; migrate to 12.2(31) or later	
12.0XS	Vulnerable; migrate to 12.1(26)E3 or later	
12.0XV	Vulnerable; migrate to 12.1(27b) or later	
<b>Affected 12.1-Based Release</b>	<b>Rebuild</b>	<b>Maintenance</b>
12.1	12.1(27b)	
12.1AA	Vulnerable; migrate to 12.2(31) or later	
12.1AX	Vulnerable; for c3750-ME, migrate to 12.2(25)EY3 or later. For c2970 and 3750, migrate to 12.2(25)SEB4, 12.2(25)SEC2, 12.2(25)SED or later.	
12.1AY	Vulnerable; migrate to 12.1(22)EA4a, 12.1(22)EA5a, 12.2(22)EA6 or later	

12.1AZ	Vulnerable; migrate to 12.1(22)EA4a, 12.1(22)EA5a, 12.2(22)EA6 or later	
12.1CX	Vulnerable; migrate to 12.2(31) or later	
12.1DA	Vulnerable; migrate to 12.2(12)DA9 or later	
12.1DB	Vulnerable; migrate to 12.3(14)T4 or later	
12.1DC	Vulnerable; migrate to 12.3(14)T4 or later	
12.1E	12.1(8b)E20	
	12.1(13)E17	
	12.1(23)E4	
	12.1(26)E3	
12.1EA	12.1(22)EA4a	12.1(22)EA6
	12.1(22)EA5a	
12.1EB	12.1(26)EB1	
12.1EC	Vulnerable; migrate to 12.2(15)BC2i or later	
12.1EO	12.1(20)EO3, available 11/30/05	
12.1EU	Vulnerable; migrate to 12.2(20)EU2 or later	
12.1EV	Vulnerable; migrate to 12.2(26)SV1 or later	

12.1EW	12.1(12c)EW4	
	12.1(13)EW4	
	12.1(19)EW3	
	12.1(20)EW4	
12.1EX	Vulnerable; migrate to 12.1(26)E3 or later	
12.1EY	Vulnerable; migrate to 12.1(26)E3 or later	
12.1EZ	Vulnerable; migrate to 12.1(26)E3 or later	
12.1T	Vulnerable; migrate to 12.2(31) or later	
12.1XA	Vulnerable; migrate to 12.2(31) or later	
12.1XB	Vulnerable; migrate to 12.2(31) or later	
12.1XC	Vulnerable; migrate to 12.2(31) or later	
12.1XD	Vulnerable; migrate to 12.2(31) or later	
12.1XE	Vulnerable; migrate to 12.1(26)E3 or later	
12.1XF	Vulnerable; migrate to 12.3(16) or later	
12.1XG	Vulnerable; migrate to 12.3(16) or later	
12.1XH	Vulnerable; migrate to 12.2(31) or later	
12.1XI	Vulnerable; migrate to 12.2(31) or later	

12.1XJ	Vulnerable; migrate to 12.3(16) or later
12.1XL	Vulnerable; migrate to 12.3(16) or later
12.1XM	Vulnerable; migrate to 12.3(16) or later
12.1XP	Vulnerable; migrate to 12.3(16) or later
12.1XQ	Vulnerable; migrate to 12.3(16) or later
12.1XR	Vulnerable; migrate to 12.3(16) or later
12.1XS	Vulnerable; migrate to 12.2(31) or later
12.1XT	Vulnerable; migrate to 12.3(16) or later
12.1XU	Vulnerable; migrate to 12.3(16) or later
12.1XV	Vulnerable; migrate to 12.3(16) or later
12.1XW	Vulnerable; migrate to 12.2(31) or later
12.1XX	Vulnerable; migrate to 12.2(31) or later
12.1XY	Vulnerable; migrate to 12.2(31) or later
12.1YA	Vulnerable; migrate to 12.3(16) or later
12.1YB	Vulnerable; migrate to 12.3(16) or later
12.1YC	Vulnerable; migrate to 12.3(16) or later
12.1YD	Vulnerable; migrate to 12.3(16) or later

12.1YE	Vulnerable; migrate to 12.3(16) or later	
12.1YF	Vulnerable; migrate to 12.3(16) or later	
12.1YH	Vulnerable; migrate to 12.3(16) or later	
12.1YI	Vulnerable; migrate to 12.3(16) or later	
12.1YJ	Vulnerable; migrate to 12.1(22)EA4a, 12.1(22)EA5a, 12.1(22)EA6 or later	
Affected 12.2-Based Release	Rebuild	Maintenance
12.2	12.2(12m)	
	12.2(17f)	
	12.2(23f)	
	12.2(26b)	
	12.2(27b)	
	12.2(28c)	
	12.2(29a)	12.2(31)
12.2B	Vulnerable; migrate to 12.3(14)T4 or later	
12.2BC	12.2(15)BC2i	
12.2BX	Vulnerable; migrate to 12.3(7)XI7, available 15-Nov-2005	

12.2BY	Vulnerable; migrate to 12.3(14)T4 or later	
12.2BZ	Vulnerable; migrate to 12.3(7)XI7, available 15-Nov-2005	
12.2CX	Vulnerable; migrate to 12.2(15)BC2i or later	
12.2CY	Vulnerable; migrate to 12.2(15)BC2i or later	
12.2CZ	12.2(15)CZ3, available 3-Nov-2005	
12.2DA	12.2(10)DA4	
	12.2(12)DA9	
12.2DD	Vulnerable; migrate to 12.3(14)T4 or later	
12.2DX	Vulnerable; migrate to 12.3(14)T4 or later	
12.2EU	12.2(20)EU2	
12.2EW	12.2(18)EW5	
	12.2(20)EW3	
12.2EWA	12.2(20)EWA3	
	12.2(25)EWA3	
	12.2(25)EWA4	
12.2EX		12.2(25)EX, available 03-Nov-2005

12.2EY	12.2(25)EY3	Migrate to 12.2(25)SED
12.2EZ	Vulnerable; migrate to 12.2(25)SEC2, 12.2(25)SED or later	
12.2FX		12.2(25)FX, available 07-Nov-2005
12.2FY		12.2(25)FY
12.2JA	Vulnerable; migrate to 12.3(7)JA1 or later	
12.2JK	12.2(15)JK5	
12.2MB	12.2(4)MB13c	
12.2MC	12.2(15)MC2e	
12.2S	12.2(14)S15	
	12.2(18)S10	
	12.2(20)S9	
	12.2(25)S6	
	12.2(30)S1, available 14-Nov-2005	
12.2SBC		12.2(27)SBC
12.2SE	12.2(25)SEB4	12.2(25)SED
	12.2(25)SEC2	

12.2SG		12.2(25)SG
12.2SO	12.2(18)SO4	
12.2SU	Vulnerable; migrate to 12.3(14)T4 or later	
12.2SV	12.2(26)SV1	
	12.2(27)SV1, available 15-Nov-2005	
12.2SW		12.2(25)SW4
		12.2(25)SW4a
12.2SX	Vulnerable; migrate to 12.2(17d)SXB10 or later	
12.2SXA	Vulnerable; migrate to 12.2(17d)SXB10 or later	
12.2SXB	12.2(17d)SXB10	
12.2SXD	12.2(18)SXD6	
12.2SXE	12.2(18)SXE3	
12.2SXF		12.2(18)SXF
12.2SY	Vulnerable; migrate to 12.2(17d)SXB10 or later	
12.2SZ	Vulnerable; migrate to 12.2(25)S6 or later	
12.2T	12.2(15)T17	

12.2TPC	12.2(8)TPC10a, available TBD	
12.2XA	Vulnerable; migrate to 12.3(16) or later	
12.2XB	Vulnerable; migrate to 12.3(16) or later	
12.2XC	Vulnerable; migrate to 12.3(14)T4 or later	
12.2XD	Vulnerable; migrate to 12.3(16) or later	
12.2XE	Vulnerable; migrate to 12.3(16) or later	
12.2XF	Vulnerable; migrate to 12.2(15)BC2i or later	
12.2XG	Vulnerable; migrate to 12.3(16) or later	
12.2XH	Vulnerable; migrate to 12.3(16) or later	
12.2XI	Vulnerable; migrate to 12.3(16) or later	
12.2XJ	Vulnerable; migrate to 12.3(16) or later	
12.2XK	Vulnerable; migrate to 12.3(16) or later	
12.2XL	Vulnerable; migrate to 12.3(16) or later	
12.2XM	Vulnerable; migrate to 12.3(16) or later	
12.2XN	Vulnerable; migrate to 12.3(16) or later	
12.2XQ	Vulnerable; migrate to 12.3(16) or later	

12.2XR	12.2(2)XR and 12.2(4)XR vulnerable, migrate to 12.3(16) or later	
	12.2(15)XR vulnerable; migrate to 12.3(7)JA1	
12.2XS	Vulnerable; migrate to 12.3(16) or later	
12.2XT	Vulnerable; migrate to 12.3(16) or later	
12.2XU	Vulnerable; migrate to 12.3(16) or later	
12.2XV	Vulnerable; migrate to 12.3(16) or later	
12.2XW	Vulnerable; migrate to 12.3(16) or later	
12.2YA	12.2(4)YA11, available TBD	
12.2YB	Vulnerable; migrate to 12.3(16) or later	
12.2YC	Vulnerable; migrate to 12.3(16) or later	
12.2YD	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YE	Vulnerable; migrate to 12.2(25)S6 or later	
12.2YF	Vulnerable; migrate to 12.3(16) or later	
12.2YG	Vulnerable; migrate to 12.3(16) or later	
12.2YH	Vulnerable; migrate to 12.3(16) or later	
12.2YJ	Vulnerable; migrate to 12.3(16) or later	

12.2YK	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YL	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YM	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YN	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YO	Vulnerable; migrate to 12.2(17d)SXB10 or later	
12.2YP	Vulnerable; migrate to 12.3(16) or later	
12.2YQ	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YR	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YS		12.2(15)YS
12.2YT	Vulnerable; migrate to 12.3(16) or later	
12.2YU	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YV	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YW	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YX	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YY	Vulnerable; migrate to 12.3(14)T4 or later	
12.2YZ	Vulnerable; migrate to 12.2(25)S6 or later	
12.2ZA	Vulnerable; migrate to 12.2(17d)SXB10 or later	

12.2ZB	Vulnerable; migrate to 12.3(14)T4 or later	
12.2ZC	Vulnerable; migrate to 12.3(14)T4 or later	
12.2ZD	12.2(13)ZD4	
12.2ZE	Vulnerable; migrate to 12.3(16) or later	
12.2ZF	Vulnerable; migrate to 12.3(14)T4 or later	
12.2ZG	Vulnerable; migrate to 12.3(8)YG3 or later for SOHO9x migrate to 12.3(2)XA5 or later for c83x	
12.2ZH	12.2(13)ZH8, available TBD	
12.2ZJ	Vulnerable; migrate to 12.3(14)T4 or later	
12.2ZL	Vulnerable; migrate to 12.3(4)XK4 or later for c17xx migrate to 12.4(3a) or later for c3200 migrate to 12.3(7)XR6 or later for ICS7750	
12.2ZN	Vulnerable; migrate to 12.3(14)T4 or later	
12.2ZP	Vulnerable; migrate to 12.3(14)T4 or later	
<b>Affected 12.3-Based Release</b>	<b>Rebuild</b>	<b>Maintenance</b>
12.3	12.3(3i)	
	12.3(5f)	
	12.3(6f)	

	12.3(9e)	
	12.3(10e)	
	12.3(12e)	
	12.3(13b)	
	12.3(15b)	12.3(16)
12.3B	Vulnerable; migrate to 12.3(14)T4 or later	
12.3BC	12.3(9a)BC7	
	12.3(13a)BC1	
12.3BW	Vulnerable; migrate to 12.3(14)T4 or later	
12.3JA	12.3(2)JA5	
	12.3(4)JA1	
	12.3(7)JA1	
12.3JK	12.3(2)JK1	
12.3JX	12.3(7)JX	
12.3T	12.3(7)T12	
	12.3(8)T11	
	12.3(11)T8	

	12.3(14)T4	
12.3TPC	12.3(4)TPC11a	
12.3XA	12.3(2)XA5, available TBD	
12.3XB	Vulnerable; migrate to 12.3(14)T4 or later	
12.3XC	12.3(2)XC4	
12.3XD	Vulnerable; migrate to 12.3(14)T4 or later	
12.3XE	12.3(4)XE4, available TBD	
12.3XF	Vulnerable; migrate to 12.3(14)T4 or later	
12.3XG	12.3(4)XG5	
12.3XH	Vulnerable; migrate to 12.3(14)T4 or later	
12.3XI	12.3(7)XI7, available 15-Nov-2005	
12.3XJ	Vulnerable; migrate to 12.3(11)YF4 or later	
12.3XK	12.3(4)XK4	
12.3XM	Vulnerable; migrate to 12.3(14)T4 or later	
12.3XQ	Vulnerable; migrate to 12.4(3a) or later	
12.3XR	12.3(7)XR6	

12.3XS	Vulnerable; migrate to 12.4(3a) or later	
12.3XU	Vulnerable; migrate to 12.4(2)T1 or later	
12.3XW	Vulnerable; migrate to 12.3(11)YF4 or later	
12.3XX	Vulnerable; migrate to 12.4(3a) or later	
12.3XY	Vulnerable; migrate to 12.3(14)T4 or later	
12.3YA	Vulnerable; migrate to 12.4(3a) or later for C828; migrate to 12.3(8)YG3 or later for SOHO9x, C83x	
12.3YD	Vulnerable; migrate to 12.4(2)T1 or later	
12.3YF	12.3(11)YF4	
12.3YG	12.3(8)YG3	
12.3YH	Vulnerable; migrate to 12.3(8)YI3 or later	
12.3YI	12.3(8)YI3	
12.3YJ	12.3(14)YQ3	
12.3YK	12.3(11)YK2	
12.3YQ	12.3(14)YQ3	
12.3YS	12.3(11)YS1	
12.3YT	12.3(14)YT1	

12.3YU	12.3(14)YU1	
<b>Affected 12.4-Based Release</b>	<b>Rebuild</b>	<b>Maintenance</b>
12.4	12.4(1b)	
	12.4(3a)	
12.4MR		12.4(2)MR1
12.4T	12.4(2)T1	
12.4XA		12.4(2)XA
12.4XB		12.4(2)XB, available 18-Nov-2005

## ÄÙ®Æ£Ã,½Ãƒ•Ãƒ^Ã,¡Ã,§Ã,¢Ã♦®Å...¥æ‰o<

Ã♦"å¥'ç„ã,'æœ‰oã♦™ã,[Ã♦Šå®¢æ§~](#)

Ã♦"å¥'ç„ã,'æœ‰oã♦™ã,[Ã♦Šå®¢æ§~](#)—ã♦—ã♦!ã♦ã♦ã♦ã♦•ã♦,,ã€,ã♦»ã♦..ã,“ã♦©ã♦@ã♦Šå®¢æ§~ã♦—ã€♦ã,·ã,¹ã,³ã♦®ãƒ—ã,½Ãƒ•Ãƒ^Ã,¡Ã,§Ã,¢Ã,»Ãƒ^Ã,¿Ãƒ¼ã♦<ã,%oå...¥æ‰oã♦™ã,[Ã♦"ã♦"ã♦](#)..ã♦©ã♦Šã♦?ã♦¾ã♦™ã€,

<http://www.cisco.com>.

ã,µf¼ãƒ‰oãƒ‘ãƒ¼ãƒ†ã,£ã♦®ã,µãƒ♦ãƒ¼ãƒ^ä¼šç¤¾ã,’ã♦"å^©ç””ã♦®ã♦Šå®¢æ§~

ã,·ã,¹ã,³ãƒ‘ãƒ¼ãƒ^ãƒŠãƒ¼ã€♦æ£è!♦è²©å£²ä»£ç♦†å°—ã€♦ã,µãƒ¼ãƒ“ã,¹ãƒ—ãƒãƒ♦ã,µãƒ€ãƒ¼ã♦ã♦©ã€♦ã,µãƒ¼ãƒ‰oãƒ‘ãƒ¼ãƒ†ã,£ã♦®ã,µãƒ♦ãƒ¼ãƒ^ä¼šç¤¾ã♦””ä»¥å‰o♦ã,çãffãƒ—ã,°ãƒ—ãƒ¼ãƒ‰oã♦«é-çã♦™ã,[Ã♦"æ””ã♦'ã,‘ã♦!ã♦ã♦ã♦ã♦•ã♦,,ã€,ã♦"ã♦®æ””æ](#)

ã,µf¼ãƒ“ã,¹å¥'ç„ã,’ã♦"å^©ç””ã♦Šã♦?ã♦,,ã♦Šå®¢æ§~

ã,·ã,¹ã,³ã♦<ã,%oç›’æŽ¥è³¼å...¥ã♦—ã♦Ýã♦©ã,·ã,¹ã,³ã♦®ã,µãƒ¼ãƒ“ã,¹å¥'ç„ã,’ã♦"å^©ç””ã♦,,ã♦Ýã♦

Technical Assistance

Center i¼ TAC i¼%oãšé€çµjå—ãš—ãš!ãšçäffäf—ãš,°ãš—ãšf i¼ãšf%oãš,'å...¥æ%o<ãš—ãš!ãš?ãš?ãš?ãš?ãš?•ãš  
TAC ãš®é€çµjå...^ãš—æ¬jãš®ãš”ãšŠãš,Šãš?Šãš?™ãš,

- +1 800 553 2447 i¼åŒ—ç±³å†...ãš<ã‰ãš®ãƒ•ãƒªãƒ¼ ãƒ€ã, ãƒãƒãƒ«i¼%oo  
ã€€
  - +1 408 526 7209 i¼åŒ—ç±³ä»¥å¤—ãš<ã‰ãš®æœ‰æ—™é€šè©±i¼%oo  
ã€€
  - é»»åšãƒ|ãƒ¼ãƒ«i¼š[tac@cisco.com](mailto:tac@cisco.com)  
ã€€

ç,,jæ-<sup>TM</sup>ã,çãffãf—ã,°ãf-ãf!<sup>1/4</sup>ãf%oã?@®å-<sup>3/4</sup>è±;ã?§ã?ã,ã,<ã?“ã?“ã,’ã?”è“<sup>1/4</sup>æ~žã?„ã?ÿã?ã?ÿã? URL ã,’ç?ÿã,%oã?>ã?|ã?ã?ã?ã?•ã?„ã?,ã€,  
ã,µãf?ãf!<sup>1/4</sup>ãf~å'ç’ã,ã?“ã?“ã?ç?„ã?§ã?ã?„ã?®ç?æ§~ã?«å-<sup>3/4</sup>ã?™ã,ç,ç,jæ-<sup>TM</sup>ã,çãffãf—ã,°ãf-ãf!<sup>1/4</sup>ãf%oã?@®å-<sup>3/4</sup>è±;ã?§ã?ã,ã,<ã?“ã?“ã,’ã?”è“<sup>1/4</sup>æ~žã?„ã?ÿã?ã?ÿã? çµç?“±ã?§ã?“è|?æ±,ã?„ã?ÿã?ã?ã?å?...è|?ã?ç?ç?ã?„ã,§ã?“<sup>3/4</sup>ã?™ã?,ã€,

ã,½ãf•ãf^ã,|ã,§ã,çã®ã,çãffãf—ã,ºãf-ãf¼ãf‰ã?«é-çã?—ã€? "psirt@cisco.com"  
ã,,ã?—ã?ã?ã?"security-alert@cisco.com"  
ã?«ã?Šå·?ã?„å?^ã,?ã?>ã?„ã?Ýã? ã?ã?ã?"ã? "ã? "ã? "é? æ...®ã?ã?ã? ã?•ã?„ã?,

ã•ã¾/4ã•-ã¾/4ã• ã€' ãžå'ã'ã®å' „åœ°ã®é»»è©±ç•ã•ã€' ã€' ã€' ãžã€' é»»å'ãf|ãf½/4ãf  
ã,çãf%oãf~ã,¹ã'ã'©ã'ã®ã€'ã' "ã'ã®ä»-ã'ã® TAC  
ã'ã®é€€çµ;ã...^æf...å'±ã'«ã'¤ã'„ã' |ã'~ã€'

<http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml>

— ã Š å ® ç æ ſ ~ ã ® C E ã , ã ã f ^ 3 ã , 1 ã f ^ ã f % 4 ã f « ã — ã Ÿ ã , Š ã € ♦ ã , µ ã f ♦ ã f % 4 ã f ^ ã , ' å — ã Ÿ ' ã Ÿ ã , Š ã ♦ Š ã Ÿ ã , < ã  
— ã Ÿ ã Ÿ ã ♦ ® ã , ^ ã Ÿ † ã Ÿ ^ ã , ½ ã f • ã f ^ ã , | ã , Š ã , ¢

<http://www.cisco.com/public/sw-license-agreement.html>

ã»«ã?ã,ã,[ã·ã,¹ã,³ã®ã,½ãf·ãf^ã,!ã,§ã,çãf@ã,¤ã,»ãf³ã,¹ã®æ?jé...ã?³/ã?Ýã?\\_http://www.cisco.com](http://www.cisco.com)

center/sw-usingswc.shtml © Cisco.com

å>žé◆?¿ç-

à̄žé◆¿ç-ã◆®åš¹æžœã◆-ã€◆ä◆Šå®çæs◆ã◆®çš¶æ³◆ä€◆ä½¿ç”◆èf½å“◆ä€◆äf◆äffäf^äf^äf%ä,ã◆®æ€§è³^ä,,çμ,,ç¹”ã◆®ç>®çš,,ã◆«ä¾◆å~ä◆—ã◆¾ä◆™ã€,å½±éY;èf½å“◆ä◆Œåµšç”◆®åµšæs~ä◆å±•é-[ã◆™ä,](#)å‰%◆ä◆«ä€◆å~³è±;ä◆”◆ä◆™ä,[ã◆äf◆äffäf^äf^äf%ä,](#)ã◆§é◆©ç”◆ä◆™ä,[ã◆žé◆¿ç-ã◆ä,](#)µäf%äf”ã,<sup>1</sup>äf—äfäf◆ä,¤äf€äf%ä,,ã,µäf◆äf%äf^çμ,,ç¹”ã◆«ä◆”ç>è«‡ã◆?ã◆ä◆•ã◆,,ã◆,

IOS æ®ã, çãffäf—ã, °äf—äf%oãæŒå¿...è | æã§ãæ™ã,

È,,†å¼±æ€§ã,’å^©ç”…ã™ã,<ã?«ã?¬ã€? <http://www.cisco.com/warp/public/707/cisco-sa-20050729-ipv6.shtml>

„**æ**♦«è „~è {°ã♦•ã,Œã,<ã,^ã♦†ã♦^ã^¥ã♦®è,,†å½±æ€§ã♦«å¾ã♦™ã,<æ”»æ'fæ%o<æ®µã♦®å~åœ „ã♦

ä, ◊æ£å^©ç”“ ä°<ä¾<ä♦ “ å...¬è; “

ã,·ã,¹ã,³ PSIRT

Mike Lynn © 2005 à 27 æ—¥ ã« Black Hat USA 2005 security confernce ã§  
IPv6

— Cisco security advisory

á “ á ® é € š ķ Ÿ á ® á , ¹ á š t á š ¼ á , ¿ á , ¹ : FINAL

å¾Œè¿°™[æf...å±é...ä¿¡ã® URL](#)

ã, 'çœ¢ç·¥ã—æ€æœ—ã, çãf%oãf¢ã, ãã, ¶ãf¤f1/4ã¢®è„è°å...å®¹ã¢«é-çã—ã¢|ã€¢ç„è‡¤ã¢æ,,¢è„³ã,'å®Ýæ-½ã¢—ã¢Ýå'å¢^ã¢«ã¢—ã€¢äºå®Ýè¤æ¤ã¢ã¢„ã¢—é‡¢è|¢ã¢äf...å±ã¢æ¢—ã¢ŒèjŒã, ¢ã,Œã,«ã¢—èf½æ€§ã¢Œã¢,ã,Šã¢¾ã¢™ã€,

æf...å ±é...◆?äξí

<http://www.cisco.com/warp/public/707/cisco-sa-20051102-timers.shtml>

- cust-security-announce@cisco.com
  - first-teams@first.org (includes CERT/CC)
  - bugtraq@securityfocus.com
  - cisco@spot.colorado.edu
  - cisco-nsp@puck.nether.net
  - full-disclosure@lists.grok.org.uk
  - comp.dcom.sys.cisco@newsgate.cisco.com

URL [æœ€](#)

æ-ºæf...å ±ã,'ã ?"ççºèª?ã ?,,ã ?Ýã ? ã ??ã ?"ã ? ..ã,'ã ?Šå<sup>ks</sup>ã,?ã ?,,ã ?Ýã ?—ã ?<sup>3/4</sup>ã ?™ã €,

æ>`æ-°å±¥æ'

# ã·ã,¹ã,³ ã,»ã,ãf¥ãfªãf†ã,£æ‰é †

ã€€

ã·ã,¹ã,³è£½å“♦ã«ã♦Šã♦’ã,«ã,ãf¥ãfªãf†ã,£ã♦®è,,†å¼±æ€§ã♦®å±å’Šã€♦ã,»ã,ãf¥ãfªãf†ã,£ã°æ  
ã♦³ã,·ã,¹ã,³ã♦«ã,‰ã,»ã,ãf¥ãfªãf†ã,£æf...å±ã,’å...¥æ‰é™ã,«ã♦Ýã,♦ã♦®ç™»éŒ²æ-¹æ³•ã♦«ã♦  
ã,³ãf-ãf¼ãf«ãf‰ãf-ã,¤ãf‰ã,|ã,§ãf-ã,µã,¤ãf^ã♦®

[http://www.cisco.com/en/US/products/products\\_security\\_vulnerability\\_policy.html](http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html)ã«ã,çã,¬ã,»ã,¹ã♦—ã♦|ã♦

ã♦”ã♦®ãfšãf¼ã,ã♦«ã♦¬ã,·ã,¹ã,³ã♦®ã,»ã,ãf¥ãfªãf†ã,£é€šçÝ¥ã«é-çã♦—ã♦|ãf;ãf†ã,£ã,çã♦Œå

<http://www.cisco.com/go/psirt>ã♦§ç°èª♦ã♦™ã,«ã♦”ã♦”ã♦Œã♦§ã♦ã♦¾ã♦™ã€,

---

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。