

# IOS

## HTTPã,µf¼ãfã,³ãfžãf³ãf%õã,ªãf³ã,ã,šã,ã,·ãf



ã,çãf%õãfã,ªã,¶ãfªãf¼ID : cisco-sa-20051201-http

[CVE-2005-3921](#)

â^ã...-é-ã—¥ : 2005-12-01 21:00

ãfãf¼ã,ãfšãf³ 2.0 : Final

CVSSã,¹ã,³ã,ç : [7.6](#)

ã>žéç- : No Workarounds available

Ciscoãfã,° ID : [CSCsc64976](#)

æ—¥æ-èªžã«ã,^ã,æf...ã ±ã-ã€è±èªžã«ã,^ã,ãžÿæ-ã€®éžã...-ã¼ã

æ!,è!?

show

bufferšã,³ãfžãf³ãf%õãã,%õã®ã†°ãšããã©ã€ããçš,,ã«ç"ÿæ^ããã,ã€ãÿã†°ãšãã«æ€çã..

HTTPã,µãf¼ãfãã«ã-ã€è,,†ã¼±æ€šãã€ã~ãœ"ã—ã¾ãã™ã€,ã"ã®HTMLã,³ãf¼ãf%õãã

ã,ã,¹ã,³ã-ã€ãã"ã®è,,†ã¼±æ€šãã«ã¾ãçœã™ã,ç,,ã,,ÿã,½ãfãfã,|ã,šã,çã,ã€è²ã½"ã™ã

ã"ã®ã,çãf%õãfã,ªã,¶ãfªãã-ã€<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20051201-http>ãšã...-é-ãã,ã€ã|ã,,ã¾ãã™ã€,

è²ã½"è£½ã"

ã"ã®ã,»ã,ã,·ãfšãf³ãã-ã€è²ã½"è£½ã"ã«é-ãã™ã,è³ç°ãã€æž²è¼%õãã,ã€ã

è,†ã¼±æ€šãã®ãã,ã,è£½ã"

ããã®ã,»ã,ãfãfãfãfã,£ã,çãf%õãfã,ªã,¶ãfªãã-ã€Cisco

IOSã,½ãfãfãfã,|ã,šã,çãfãf¼ã,ãfšãf³11.0 i½ž

12.4ã,ã®ÿè;ã€—ã€HTTPã,µãf¼ãfããã€æœ%õãš¹ã«ãã£ã|ã,,ã,ãã™ã¹ã|ã

HTTPã,µãf¼ãfãã¾ãÿã-HTTPã,»ã,ãfã,çã,µãf¼ãfããã€ã«ã¾ã,ã€ã|ã,,ã|ã,ã€æ

HTTPã,µãf¼ãfããã€ãfãfãfã,ªã,¹ãšã®ÿè;ã€ãã,ã€ã|ã,,ã,ãããã©ã†ãã<ã,çç°èãã™ã

ip http server statusã,³ãfžãf³ãf%õã" show ip http server secure

statusã,³ãfžãf³ãf%õã,ç™°è;ã€—ã|ã€æ-ã®ã,^ãã†ããã†°ãšã,æžçã—ã¾ãã™ã€,

<#root>

Router>

show ip http server status

HTTP server status: Enabled

<#root>

Router>

show ip http server status

HTTP server status: Disabled

æ¬;ã®ã€Œä;®æfæ,^ã;ã,½ãf•ãf^ã,|ã,šã,çã€ã,»ã,¯ã,·ãfšãf³ã«è~è¼%ã•ã,Œã,ãfãf¼ã, IOSã®ãfãf¼ã,ãfšãf³ã«ãã€è,,†ã¼±æ€šãŒã~ãœ¨ã™ã,ã,ã,Šã, è,,†ã¼±æ€šã,'ã«ã,"ãšã,,ãªã,,ã"ã¨ãŒçç°èãã•ã,Œãÿè£½ã"

Cisco IOS XR ã-è©²ã½"ã—ã¾ã>ã,"ã€,

Cisco

è£½ã"ãšç¼ãfã—ã|ã,,ã,ã,½ãf•ãf^ã,|ã,šã,çã,çç°èãã™ã,ããã-ã€ãfãfã,ãã, versionã,³ãfžãf³ãf%ã,'ç™°è;Œã—ã|ã,ã,¹ãftãfãfãfšãf¼ã,'è;¨çª°ã—ã¾ã™ã€Cisco IOSã,½ãf•ãf^ã,|ã,šã,çã-ã€ŒInternet network Operating System Softwareã€ã¾ãÿã-ã~ã«ã€ŒIOSã€ã¨è;¨çª°ãã,Œã¾ã™ã€,ã†°ãšã®æ¬;ã®æ¬;ãfãfã,ãã,¹ã«ã- show version

ã,³ãfžãf³ãf%ãŒãªã,,ãã€çç°ãªã,ã†°ãšãŒè;"ã•ã,Œã¾ã™ã€,

æ¬;ã®ã¾ã-ã€ŒIOSãfªãfªãf¼ã,¹2.3(6)ã,ã®ÿè;Œã—ã€ã,ããf³ã,¹ãf^ãf¼ãf«ã•ã,Œã|ã I-Mãšã,ã,ã,ã,¹ã,³è£½ã"ã,'çª°ã—ã|ã,,ã¾ã™ã€,

Cisco Internetwork Operating System Software  
IOS (tm) 3600 Software (C3640-I-M), Version 12.3(6), RELEASE SOFTWARE (fc3)

æ¬;ã®ã¾ã-ã€ŒIOSãfªãfªãf¼ã,¹2.3(11)T3ã,'ã®ÿè;Œã—ã€ã,ããfãf¼ã,ãããŒŒC3845- ADVIPSERVICESK9-Mã®è£½ã"ã,'çª°ã—ã|ã,,ã¾ã™ã€,

Cisco IOS Software, 3800 Software (C3845-ADVIPSERVICESK9-M), Version 12.3(11)T3, RELEASE SOFTWARE (f  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2005 by Cisco Systems, Inc.

Cisco IOS Software, 3800 Software (C3845-ADVIPSERVICESK9-M), Version 12.3(11)T3, RELEASE SOFTWARE (f  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2005 by Cisco Systems, Inc.

è©³ç´°

Cisco IOS

Web browser configuration for the 3800 series routers. The following command is used to configure the HTTP server:  
11.0.0.0 255.255.255.0

show

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
Cisco Bug ID [CSCsc64976](https://tools.cisco.com/bugsearch/bug/CSCsc64976)

([CSCsc64976](https://tools.cisco.com/bugsearch/bug/CSCsc64976)) configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

```
no ip http server
no ip http secure-server
```

HTTP WEB\_EXEC configuration for the 3800 series routers. The following command is used to configure the HTTP server:

12.3(14)T configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

1. show buffers configuration for the 3800 series routers. The following command is used to configure the buffers:  
HTTP server configuration for the 3800 series routers. The following command is used to configure the HTTP server:

<#root>

Router#

show ip http server session-module

HTTP server application session modules:

Session module Name	Handle	Status	Secure-status	Description
HTTP_IFS	1	Active	Active	HTTP based IOS File Server
HOME_PAGE	2	Active	Active	IOS Homepage Server
QDM	3	Active	Active	QOS Device Manager Server
QDM_SA	4	Active	Active	QOS Device Manager Signed Applet Server
WEB_EXEC	5	Active	Active	HTTP based IOS EXEC Server
IXI	6	Active	Active	IOS XML Infra Application Server
IDCONF	7	Active	Active	IDCONF HTTP(S) Server
XSM	8	Active	Active	XML Session Manager
VDM	9	Active	Active	VPN Device Manager Server
XML_Api	10	Active	Active	XML Api
ITS	11	Active	Active	IOS Telephony Service
ITS_LOCDIR	12	Active	Active	ITS Local Directory Search
CME_SERVICE_URL	13	Active	Active	CME Service URL
CME_AUTH_SRV_LOGIN	14	Active	Active	CME Authentication Server
IPS_SDEE	15	Active	Active	IOS IPS SDEE Server
tti-petitioner	16	Active	Active	TTI Petitioner

2. aj...el a a, affa, afSaf3afca, afYaf%af«a a@a fa, 'af^a, 'a1/2oeae^ a — a 3/4a TMa€, a "a ®

<#root>

Router#

configuration terminal

Router(config)#

```
ip http session-module-list exclude_webexec
    HTTP_IFS,HOME_PAGE,QDM,QDM_SA,IXI,IDCONF,XSM,VDM,XML_Api,
    ITS,ITS_LOCDIR,CME_SERVICE_URL,CME_AUTH_SRV_LOGIN,IPS_SDEE,tti-petitioner
```

3. af^afcaaf%af^a, af@a, af3af^a a, %oa a ®ç €ä; HTTPè | æ±, a, 'a‡ | ç tã TMa, <HTTP/HTTPSa,

<#root>

Router(config)#

ip http active-session-modules exclude\_webexec

Router(config)#

ip http secure-active-session-modules exclude\_webexec

Router(config)#

exit

4. `show ip http server session-module`

<#root>

Router#

`show ip http server session-module`

HTTP server application session modules:

Session module Name	Handle	Status	Secure-status	Description
HTTP_IFS	1	Active	Active	HTTP based IOS File Server
HOME_PAGE	2	Active	Active	IOS Homepage Server
QDM	3	Active	Active	QOS Device Manager Server
QDM_SA	4	Active	Active	QOS Device Manager Signed Applet Server
WEB_EXEC	5	Inactive	Inactive	HTTP based IOS EXEC Server
IXI	6	Active	Active	IOS XML Infra Application Server
IDCONF	7	Active	Active	IDCONF HTTP(S) Server
XSM	8	Active	Active	XML Session Manager
VDM	9	Active	Active	VPN Device Manager Server
XML_Api	10	Active	Active	XML Api
ITS	11	Active	Active	IOS Telephony Service
ITS_LOCDIR	12	Active	Active	ITS Local Directory Search
CME_SERVICE_URL	13	Active	Active	CME Service URL
CME_AUTH_SRV_LOGIN	14	Active	Active	CME Authentication Server
IPS_SDEE	15	Active	Active	IOS IPS SDEE Server
tti-petitioner	16	Active	Active	TTI Petitioner

HTTP server application session modules: IOS EXEC Server

Web EXEC Server

show ip http server session-module

show ip http server session-module

<http://www.cisco.com/go/psirt>

show ip http server session-module

show ip http server session-module

Technical Assistance

Center for Technical Assistance

show ip http server session-module

Cisco IOS show ip http server session-module



12.0SY	12.0(32)SY9a 12.0(32)SY3
12.0SZ	12.0(30)SZ4
12.0T	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0W	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0WC	12.0(5)WC14
12.0WT	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XA	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XB	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XC	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XD	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XE	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XF	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.0XG	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )
12.0XH	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.2</a> )

12.0XI	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XJ	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XK	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XL	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XM	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XN	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XQ	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XR	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XS	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.0XT	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.0XV	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
<b>Affected 12.1-Based Releases</b>	<b>First Fixed Release</b> ¼ä¿®æfã•ã,œãÿæœ€
12.1	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.1AA	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã-12.2)
12.1AX	è,,†â¼±æ€§ã,ã,Šãœœƒâ^ã®ä¿®æfã-12.2SE



12.1AY	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã <a href="#">12.1EA</a>
12.1AZ	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã <a href="#">12.1EA</a>
12.1CX	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã <a href="#">12.2</a> )
12.1DA	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã <a href="#">12.2DA</a>
12.1DB	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã <a href="#">12.2</a> )
12.1DC	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã <a href="#">12.2</a> )
12.1E	12.1(26)E8 12.1(27b)E1
12.1EA	12.1(22)EA7
12.1EB	è,,†â¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%ããfã,ãã,¶ãfã®ã€Eä¿®æfã^ã€ã,»ã,ã,ãfšãf³ã®æ%œ<é tã«ã¼"ã£ã!ã€ã,µãfããf¼ãf^ç
12.1EC	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã <a href="#">12.3BC</a>
12.1EO	12.1(19)EO6
12.1EU	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã <a href="#">12.2EWA</a>
12.1EV	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã <a href="#">12.2</a> )
12.1EW	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã <a href="#">12.2</a> )

12.1EX	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1EY	è,,†â¼±æ€§ã,ã,Šă€„ã”ã®ã,ćăf%ăfã,ă,ă,¶ăfăã®ă€Ĉă¿®ăfă, ă€ã,»ă,ă,ăfšăfăã®ă%ăé tă«ă¼”ăăă!ă€ă,ăăfăăf¼ăf^ć
12.1EZ	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1GA	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1GB	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1T	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XA	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XB	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XC	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XD	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XE	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XF	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XG	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XH	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )
12.1XI	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã <a href="#">12.2</a> )



12.1YB	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YC	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YD	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YE	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YF	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YH	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.2)
12.1YI	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ăfã@ã€Ĉä¿@æfã,^ã€ã,»ã,ã,ăfšăfă@æ%o<é tă«ă¼"ăĚă!ă€ã,μăfăăfăăf^ć
12.1YJ	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã@ä¿@æfã-12.1EA
<b>Affected 12.2-Based Releases</b>	<b>First Fixed Release</b> ã¿@æfã•ã,ĈăYæœ€
12.2	12.2(27c) 12.2(29b) 12.2(28d) 12.2(26c) 12.2(34)
12.2B	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.3)
12.2BC	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.3)

12.2BW	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2BX	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2BY	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2BZ	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2CX	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2CY	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2CZ	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.2S</a> )
12.2DA	12.2(10)DA7 12.2(12)DA11
12.2DD	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2DX	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3</a> )
12.2EW	è,,†â¼±æ€§ã,ã,Šã€æœƒå^ã®ä¿®æfã <a href="#">12.2EWA</a>
12.2EWA	12.2(25)EWA8 12.2(25)EWA6 12.2(25)EWA11
12.2EX	12.2(35)EX

12.2EY	12.2(37)EY
12.2EZ	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2FX	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2FY	è,,†â¼±æ€§ã,ã,Šã€,12.2SEGã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2FZ	è,,†â¼±æ€§ãã—
12.2IRA	è,,†â¼±æ€§ãã—
12.2IRB	è,,†â¼±æ€§ãã—
12.2IRC	è,,†â¼±æ€§ãã—
12.2IRD	è,,†â¼±æ€§ãã—
12.2IXA	è,,†â¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã <a href="#">12.2IXD</a>
12.2IXB	è,,†â¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã <a href="#">12.2IXD</a>
12.2IXC	è,,†â¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã <a href="#">12.2IXD</a>
12.2IXD	12.2(18)IXD1
12.2IXE	è,,†â¼±æ€§ãã—
12.2IXF	è,,†â¼±æ€§ãã—

12.2IXG	è,,†â¼±æ€§ãªã—
12.2IXH	è,,†â¼±æ€§ãªã—
12.2JA	è,,†â¼±æ€§ãª,ã,Š(æœƒă^ªª®ä¿®æfã <a href="#">12.3JA</a> )
12.2JK	è,,†â¼±æ€§ãª,ã,Š(æœƒă^ªª®ä¿®æfã <a href="#">12.3JK</a> )
12.2MB	è,,†â¼±æ€§ãª,ã,Š(æœƒă^ªª®ä¿®æfã <a href="#">12.3</a> )
12.2MC	12.2(15)MC2h
12.2S	12.2(14)S18 12.2(18)S13 12.2(25)S11 12.2(20)S13
12.2SB	12.2(31)SB3x 12.2(28)SB2 12.2(31)SB2
12.2SBC	è,,†â¼±æ€§ãª,ã,Šã€æœƒă^ªª®ä¿®æfã <a href="#">12.2SB</a>
12.2SCA	è,,†â¼±æ€§ãªªã—
12.2SCB	è,,†â¼±æ€§ãªªã—
12.2SCC	è,,†â¼±æ€§ãªªã—

12.2SE	12.2(35)SE
12.2SEA	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2SEB	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2SEC	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2SED	è,,†â¼±æ€§ã,ã,Šã€,12.2SEEã®ä»»æ,,ã®ãfãfãf¼ã,1ã«çš»è;C
12.2SEE	è,,†â¼±æ€§ãã—
12.2SEF	è,,†â¼±æ€§ãã—
12.2SEG	è,,†â¼±æ€§ãã—
12.2SG	12.2(25)SG2 12.2(31)SG1 12.2(31)SG
12.2SGA	12.2(31)SGA6 12.2(31)SGA 12.2(31)SGA3
12.2SL	è,,†â¼±æ€§ã,ã,Šã€,ã"ã®ã,çãf%ãfã,ã,¶ã,¶ãfãã®ã€€ä;@æfæ.ã ã€ã,»ã,ã,ãfãfãfã®æ%«é tã«ã¼"ã£ã ã€ã,µãfãf¼ãf^ç
12.2SM	12.2(29)SM2



12.2SO	12.2(18)SO7
12.2SQ	è,,†â¼±æ€§ãªãª—
12.2SRA	è,,†â¼±æ€§ãªãª—
12.2SRB	è,,†â¼±æ€§ãªãª—
12.2SRC	è,,†â¼±æ€§ãªãª—
12.2SRD	è,,†â¼±æ€§ãªãª—
12.2SRE	è,,†â¼±æ€§ãªãª—
12.2STE	è,,†â¼±æ€§ãªãª—
12.2SU	è,,†â¼±æ€§ãª,Š(æœƒâ^ªãª®ä¿®æƒãª <a href="#">12.4</a> )
12.2SV	12.2(29)SV3 12.2(29b)SV 12.2(27)SV5 12.2(28)SV2 12.2(29a)SV1
12.2SVA	è,,†â¼±æ€§ãªªãª—
12.2SVC	è,,†â¼±æ€§ãªªãª—
12.2SVD	è,,†â¼±æ€§ãªªãª—

12.2SVE	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.2SW	12.2(25)SW11
12.2SX	è,,†â¼±æ€§ã,ã,Š(æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.2SXF</a> )
12.2SXA	è,,†â¼±æ€§ã,ã,Š(æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.2SXF</a> )
12.2SXB	è,,†â¼±æ€§ã,ã,Šã€æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.2SXD</a>
12.2SXD	12.2(18)SXD7b
12.2SXE	12.2(18)SXE6b
12.2SXF	12.2(18)SXF15a 12.2(18)SXF5 12.2(18)SXF17a
12.2SXH	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.2SXI	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.2SY	è,,†â¼±æ€§ã,ã,Š(æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.2S</a> )
12.2SZ	è,,†â¼±æ€§ã,ã,Š(æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.2S</a> )
12.2T	è,,†â¼±æ€§ã,ã,Š(æœ€â <sup>^</sup> ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2TPC	12.2(8)TPC10b

12.2XA	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XB	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XC	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XD	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XE	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XF	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XG	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XH	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XI	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XJ	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XK	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XL	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XM	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã <sup>-</sup> <a href="#">12.3</a> )
12.2XN	è,,†â¼±æ€§ã <sup>a</sup> ã—
12.2XNA	è,,†â¼±æ€§ã <sup>a</sup> ã—



	<p>ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YD	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YE	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YF	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YG	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YH	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YJ	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YK	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YL	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>
12.2YM	<p>è,,†ã¼±æ€§ã,ã,Š(æœ€ã^ã®ãĴ®æfã 12.4)</p>
12.2YN	<p>è,,†ã¼±æ€§ã,ã,Šã€ã"ã®ã,ćãf%œãfã,ªã,¶ãfã®ã€Ā;@æfæ^ ã€ã,»ã,¯ã,·ãfšãf³ã®æ%œ&lt;é tã«ã¼"ãŁã ã€ã,µãfããf¼ãf^ç</p>

12.2YO	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YP	<p>è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä;@æfã-12.3)</p>
12.2YQ	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YR	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YS	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YT	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YU	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YV	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YW	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YX	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>
12.2YY	<p>è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ ã€ã,»ã,ã,ã,ãfšãfã@æ%ã&lt;é tã«ã¼"ãŁã!ã€ã,μãfããf¼ãf^ç</p>

12.2YZ	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZA	è,,†â¼±æ€§ã,ã,Šã€æœ€ă^ã@ã;@æfã 12.2SXD
12.2ZB	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZC	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZD	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZE	è,,†â¼±æ€§ã,ã,Š(æœ€ă^ã@ã;@æfã 12.3)
12.2ZF	è,,†â¼±æ€§ã,ã,Š(æœ€ă^ã@ã;@æfã 12.4)
12.2ZG	è,,†â¼±æ€§ã,ã,Š(æœ€ă^ã@ã;@æfã 12.4)
12.2ZH	12.2(13)ZH9
12.2ZJ	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZL	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç
12.2ZP	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä;@æfæ,^ã€ã,»ã,ã,ã,ãfšãf³ã@æ%o<é tã«ã¼"ãŁã ã€ã,μãfãf¼ãf^ç

12.2ZU	12.2(18)ZU2
12.2ZX	è,,†â¼±æ€§ã,ã,Šă€æœ€â^ã@ä¿@æfã <a href="#">12.2SB</a>
12.2ZY	è,,†â¼±æ€§ãã—
12.2ZYA	12.2(18)ZYA
<b>Affected 12.3-Based Releases</b>	<b>First Fixed Release</b> i¼^ä¿@æfã•ã,Œăÿæœ€
12.3	12.3(17c) 12.3(18)
12.3B	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã <a href="#">12.4</a> )
12.3BC	12.3(21)BC 12.3(17b)BC5
12.3BW	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã <a href="#">12.4</a> )
12.3EU	è,,†â¼±æ€§ã,ã,Šă€ã"ã@ã,ćăf%oãfã,²ã,¶ăfã@ă€Œä¿@æfã,ã€ã,»ã,ã,ăfšăfã@æ%o<é tã«ã¼"ãŁă!ă€ã,µăfăf¼ăf^ç
12.3JA	12.3(8)JA 12.3(7)JA3 12.3(2)JA6 12.3(4)JA2
12.3JEA	12.3(8)JEA





12.3XF	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćăf%oãfã,ăă,¶ăfã@ã€Ĉă,®ăfă,^ã€ã,»ã,ã,ăfšăfă@æ%o<é tã«ă¼"ăŁă!ă€ã,ăăfăăf¼ăf^ç
12.3XG	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3XI	12.3(7)XI9
12.3XJ	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.3YX)
12.3XK	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3XL	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4T)
12.3XQ	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3XR	12.3(7)XR7
12.3XS	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3XU	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4T)
12.3XW	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.3YX)
12.3XX	12.3(8)XX2d
12.3XY	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3XZ	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)
12.3YA	è,,†â¼±æ€§ã,ã,Š(æœĚă^ã@ăĴ®ăfă-12.4)

12.3YD	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YF	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.3YX</a> )
12.3YG	12.3(8)YG6
12.3YH	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YI	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YJ	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YK	12.3(11)YK3
12.3YM	12.3(14)YM10
12.3YQ	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YS	12.3(11)YS2
12.3YT	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3YU	è,,†â¼±æ€§ã,ã,Šã€æœƒå^ã®ä¿®æfã <a href="#">12.4XB</a>
12.3YX	12.3(14)YX8
12.3YZ	12.3(11)YZ2
12.3ZA	è,,†â¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æfã <a href="#">12.4T</a> )

Affected 12.4-Based Releases	First Fixed Release
12.4	12.4(7) 12.4(5c) 12.4(3g)
12.4GC	12.4(3g)GC
12.4JA	12.4(3g)JA
12.4JDA	12.4(3g)JDA
12.4JDC	12.4(3g)JDC
12.4JDD	12.4(3g)JDD
12.4JK	12.4(3g)JK
12.4JL	12.4(3g)JL
12.4JMA	12.4(3g)JMA
12.4JMB	12.4(3g)JMB
12.4JX	12.4(3g)JX
12.4MD	12.4(11)MD
12.4MDA	12.4(11)MDA

12.4MR	12.4(6)MR
12.4SW	è,,†â¼±æ€§ãªã—
12.4T	12.4(2)T6 12.4(6)T 12.4(4)T5
12.4XA	è,,†â¼±æ€§ãªã,Š(æœ€â^ªãª®ä¿®æ£ãª <a href="#">12.4T</a> )
12.4XB	12.4(2)XB6
12.4XC	12.4(4)XC6
12.4XD	12.4(4)XD4
12.4XE	è,,†â¼±æ€§ãªã—
12.4XF	è,,†â¼±æ€§ãªã—
12.4XG	è,,†â¼±æ€§ãªã—
12.4XJ	è,,†â¼±æ€§ãªã—
12.4XK	è,,†â¼±æ€§ãªã—
12.4XL	è,,†â¼±æ€§ãªã—
12.4XM	è,,†â¼±æ€§ãªã—

12.4XN	è,,†â¼±æ€§ãªã—
12.4XP	è,,†â¼±æ€§ãªã—
12.4XQ	è,,†â¼±æ€§ãªã—
12.4XR	è,,†â¼±æ€§ãªã—
12.4XT	è,,†â¼±æ€§ãªã—
12.4XV	è,,†â¼±æ€§ãªã—
12.4XW	è,,†â¼±æ€§ãªã—
12.4XY	è,,†â¼±æ€§ãªã—
12.4XZ	è,,†â¼±æ€§ãªã—
12.4YA	è,,†â¼±æ€§ãªã—
12.4YB	è,,†â¼±æ€§ãªã—
12.4YD	è,,†â¼±æ€§ãªã—
12.4YE	è,,†â¼±æ€§ãªã—
12.4YG	è,,†â¼±æ€§ãªã—
<p>â¼±éÿ¿ã,'â—ã'ã,&lt; 15.0  ãf™ãf¼ã,¹ã®ãfªãf¼ã,¹</p>	<p>First Fixed Release¼^ä¿®æãª•ã,œãÿæœœ</p>

<p>å½±éÿ;ã, 'å—ã'ã, &lt; 15.0 äf™äff¼ã, 'ã®äfaäfaäff¼ã, 'ã-ã,ã,Šã¾ã&gt;ã, "ã€,</p>	
<p>å½±éÿ;ã, 'å—ã'ã, &lt; 15.1 äf™äff¼ã, 'ã®äfaäfaäff¼ã, 'ã</p>	<p>First Fixed Releasei¼^ä;®æfã•ã,CEãÿæœ€</p>
<p>å½±éÿ;ã, 'å—ã'ã, &lt; 15.1 äf™äff¼ã, 'ã®äfaäfaäff¼ã, 'ã-ã,ã,Šã¾ã&gt;ã, "ã€,</p>	

## ä, æfã^©ç" " ä°<ä¾ã " å...-å¼ç™°è; "

ã"ã®è,,tä½±æ€šã-ã€Bugtraqäff¼äffäffä, °äfaä, 'äff-ä«å...-é-<ã•ã,CEã | ä,,ã¾ã™ä

ã"ã®è,,tä½±æ€šã,ç™°è | <ã-ã€æœ€ã^ã«å ±äŠã-ã | ä,,ãÿä ä,,ãÿiDefenseä

ã¾ãÿä€ä"ã®è,,tä½±æ€šã«å¾ã™ä, <å^ä®äf™ä, -äff-äff«ä«é-çã™ä, <æf...å ±ä, 'å...ä

Ltdã®Adrian

Pastoræ°ä«ä,,æ,,ÿè-ä,,ãÿä-ã¾ã™ä€å, å½¼ã®ç "ç©¶è«-æ-ãä-[Cisco

PSIRTäšä-ãä"ã®ä, çäff%øäffä, ää, ¶äffä«è ~è¼%øä•ã,CEã | ä,,ã, <è,,tä½±æ€šã®ä,](http://www.procheck04äšå...æ%ø<äšä¾ã™ä€</a>,</p>
</div>
<div data-bbox=)

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20051201-http>

## æ"¹è, å±æ'

Revision 2.0	2010å¹³æœ²29æ—¥	ã€CEä, ½äff•äff^ä, lä, šã, çäffäff¼ã, äffšäffä " ä;®æfããä, »ã, -ã, äffšä
äfaäff"ä, äffšäff³ 1.3	2009/10/22	ã€CEä. "ä. ä. läff-äffä. ääffä " å...-è; "ã€ä, 'æ>æ-°ä-ã€è:½äš ä
äfaäff"ä, äffšäff³ 1.2	2009å¹6æœ²19æ—¥	ã€GHTTP WEB_EXECä, äff¼äff"ä, 'ä®ç,, jðš¹ðCE-ãä, »ã, -ã, äffšäff³
äfaäff"ä, äffšäff³	2006å¹1æœ²14æ—¥	ä, çäff%øäffä, ää, ¶äffä, -äff-ä, äffäff^ä, 'è:½äš ä€,

1.1		
ãfãf“ã,ãfšãf³ 1.0	2005å¹¹2æœ¹1æ—¥	å^å>žå...-é-<ãfãfãf¼ã,¹

## å^©ç””è!ç´,,

æœ-ã,çãf%ãfã,ã,ã,¶ã,¶ãfãã-ç,,jäçè”¼ã@ã,,ã@ãã”ã-ã|ã”æãã¼ãã-ã|ãŠã,Šã  
æœ-ã,çãf%ãfã,ã,ã,¶ãfãã@æf...å±ãŠã,^ã³ãfãfãã,ã@ã½çç””ã«é-çã™ã,«è²-ã»ã@ã,€  
ã¼ããÿã€ã,ã,¹ã,³ã-æœ-ãf%ã,ãfãfãfããã@ãt...ã¹ã,‘ã°ãŠããã-ã«ã%ãæ’ã-ã  
æœ-ã,çãf%ãfã,ã,ã,¶ãfãã@è”~è:°ãt...ã¹ã«é-çã-ã|æf...å±é...ãçjã@ URL  
ã,çœçç•¥ã-ã€ããç<-ã@è»çè¼%ãã,,æ,,è”³ã,æ-½ã-ãÿã’ã^ã€ã½”ç¼ããçççççç  
ã”ã@ãf%ã,ãfãfãfãããããf...å±ã-ã€ã,ã,¹ã,³è£½ã”ã@ã,“ãfãf%ãf!ãf¼ã,¶ã,‘ã³¼è±jã



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。