

Cisco ... Denial of Service DoS/DDoS



... ID : cisco-sa-20080618-ips

[CVE-2008-2060](#)

... : 2008-06-18 16:00

... 1.0 : Final

CVSS... : 7.8

... : Yes

Cisco ... ID :

... ..

...

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20080618-ips>

... ..

..

... ..

Cisco

- 5.1(8)E2 Cisco IOS 5.x
- 6.0(5)E2 Cisco IOS 6.x

Cisco IPS `show version` output:

```

Cisco IOS Software (Data Family) (Data-384-M) IOS-384M (Data-384-M)
Copyright (c) 1986-2005 Cisco Systems, Inc. All rights reserved.
Compiled Mon 05/12/2009 15:56:00 PDT
Image filename: flash:ios384m-ips-384M.00000000.bin
System image file is flash:ios384m-ips-384M.00000000.bin

```

- 4235
- 4240
- 4250
- 4250SX *
- 4250TX
- 4250XL *
- 4255
- 4260
- 4270

* 4250SX `show version` output:

```

Cisco IOS Software (Data Family) (Data-384-M) IOS-384M (Data-384-M)
Copyright (c) 1986-2005 Cisco Systems, Inc. All rights reserved.
Compiled Mon 05/12/2009 15:56:00 PDT
Image filename: flash:ios384m-ips-384M.00000000.bin
System image file is flash:ios384m-ips-384M.00000000.bin

```

Cisco IPS

```

show version
Cisco IOS Software (Data Family) (Data-384-M) IOS-384M (Data-384-M)
Copyright (c) 1986-2005 Cisco Systems, Inc. All rights reserved.
Compiled Mon 05/12/2009 15:56:00 PDT
Image filename: flash:ios384m-ips-384M.00000000.bin
System image file is flash:ios384m-ips-384M.00000000.bin

```

<#root>

```

sensor#
show version

```

Application Partition:

Cisco Intrusion Prevention System, Version 6.0(4a)E1

```

Cisco IPS show version output:
Cisco IOS Software (Data Family) (Data-384-M) IOS-384M (Data-384-M)
Copyright (c) 1986-2005 Cisco Systems, Inc. All rights reserved.
Compiled Mon 05/12/2009 15:56:00 PDT
Image filename: flash:ios384m-ips-384M.00000000.bin
System image file is flash:ios384m-ips-384M.00000000.bin

```

å#°åŠ>ã❖®ã,åãƒãf©ã,åãƒ³
ãƒçãf¼ãf%00æ-†ã❖®ã,åãƒ³ã,¿ãf¼ãf•ã,šã,åã,¹ã,'çµ,,ã❖¿ã^ã,❖ã❖>ã❖¼ã❖—ã❖ÿã€,

<#root>

sensor#

show interfaces

...
MAC statistics from interface GigabitEthernet0/1
Interface function = Sensing interface
Description =
Media Type = TX
Missed Packet Percentage = 0

Inline Mode = Paired with interface GigabitEthernet0/0

...
MAC statistics from interface GigabitEthernet0/0
Interface function = Sensing interface
Description =
Media Type = TX
Missed Packet Percentage = 0

Inline Mode = Paired with interface GigabitEthernet0/1

è,,†ã¼±æ€šã,'ã❖«ã,"ã❖šã❖,,ã❖ªã❖,,ã❖"ã❖"ã❖œçç°èª❖ã❖•

Cisco æ¬;ã❖® IPS ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã❖-è,,†ã¼±ã❖šã❖-ã❖ªã❖,,ã❖šã❖™:

- 4210
- 4215
- SSM-AIP10
- SSM-AIP20
- SSM-AIP40
- AIM-IPS
- NM-CIDS
- IDSM2

Cisco IPS ãf❖ãf¼ã,ãfšãƒ³ 6.1(1)ã❖-è,,†ã¼±ã❖šã❖-ã❖ªã❖,,ã❖šã❖™ã€, Intrusion
Prevention System æ©ÿèf½ã❖"ã❖® Cisco IOS ã❖-è,,†ã¼±ã❖šã❖-ã❖ªã❖,,ã❖šã❖™ã€,
ã»-ã❖®ã,ã,¹ã,³è£½ã"ã❖«ã❖šã❖,,ã❖|ã€ã❖"ã❖®ã,çãf%00ãf❖ã,åã,¶ãfãã❖®ã½±éÿ¿ã,'ã❖—ã

æ''¹è",ã±ÿæ´

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。