

# Cisco Client Control Protocol



CVSS: 7.8  
Cisco ID :  
No Workarounds available

CVE-2010-0151

...

æ!,è!

Cisco Catalyst 6500... Cisco Firewall Services Module(FWSM) Skinny Client Control Protocol(SCCP) FWSM...  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAlert-20100217-fwsm>

è©²â½“è£½â“

è,,†â½±æ€šã,ã,è£½â“

SCCP... FWSM...  
skinny... service-policy | include

<#root>

fws#

show service-policy | include skinny

Inspect: skinny , packet 0, drop 0, reset-drop 0

CCCP, Skinny, ...

```

class-map inspection_default
  match default-inspection-traffic
!
policy-map global_policy
  class inspection_default
    ...
    inspect skinny
    ...
!
service-policy global_policy global

```

Cisco

FWSM, WS-SVC-FWM, ...

Cisco

Catalyst, ... show

module, ...

Cisco FWSM(WS-SVC-FWM-

1) ...

<#root>

switch>

show module

Mod	Ports	Card Type	Model	Serial No.
1	16	SFM-capable 16 port 1000mb GBIC	WS-X6516-GBIC	SAL06334NS9
2	6	Firewall Module	WS-SVC-FWM-1	SAD10360485
3	8	Intrusion Detection System	WS-SVC-IDSM-2	SAD0932089Z
4	4	SLB Application Processor Complex	WS-X6066-SLB-APC	SAD093004BD
5	2	Supervisor Engine 720 (Active)	WS-SUP720-3B	SAL0934888E

Mod	MAC addresses	Hw	Fw	Sw	Status
1	0009.11e3.ade8 to 0009.11e3.adf7	5.1	6.3(1)	8.5(0.46)RfW	Ok
2	0018.ba41.5092 to 0018.ba41.5099	4.0	7.2(1)	3.2(2)10	Ok
3	0014.a90c.9956 to 0014.a90c.995d	5.0	7.2(1)	5.1(6)E1	Ok
4	0014.a90c.66e6 to 0014.a90c.66ed	1.7		4.2(3)	Ok

[...]

æfã—ã,,ã,¹ãfãffãf^ã®å 'æ%œã,'çç°èªã—ãÿã¼CEã€show module <slot number>  
ã,³ãfžãf³ãf%œã,'ç™œè;CEã—ã|ã€ã®ÿè;CEã•ã,CEã|ã,,ã,½ãf•ãf^ã,|ã,šã,çã®ãfãf¼ã,,ã

<#root>

switch>

show module 2

Mod	Ports	Card Type	Model	Serial No.
2	6	Firewall Module	WS-SVC-FWM-1	SAD10360485

Mod	MAC addresses	Hw	Fw	Sw	Status
2	0018.ba41.5092 to 0018.ba41.5099	4.0	7.2(1)	3.2(2)10	Ok

[...]

ã,šã®ã¼ã—ã€FWSMãCEã,½ãf•ãf^ã,|ã,šã,çãfãf¼ã,,ãfšãf³3.2(2)10ã,'ã®ÿè;CEã—ã|ã

æ³¹¼šCisco IOSã,½ãf•ãf^ã,|ã,šã,çã®æœœèèç'ã®ãfãf¼ã,,ãfšãf³ãšã—ã€show  
moduleã,³ãfžãf³ãf%œã®å®°ãš>ã«ã,,ãfçã,,ãf¥ãf¼ãf«ã®ã,½ãf•ãf^ã,|ã,šã,çãfãf¼ã,,ãfšãf³ã  
module <slot number>ã,³ãfžãf³ãf%œã,'ã®ÿè;CEã™ã,ã¿...è|ã—ã—ã,ã,šã¼ã>ã,"ã€,

ã»æf³ã,¹ã,ªãffãfãf³ã,°ã,ã,¹ãftãf (VSS)ã,'ã½çç""ã—ã|ã€2ã°ã®ç%œç†Cisco  
Catalyst

6500ã,ãfãf¼ã,°ã,¹ã,ªãffãfãf³ã,¹ãªã®«-ç†ã»æf³ã,¹ã,ªãffãfãf³ã—ã—ã|ã«ã½œã•ã  
module switch

allã,³ãfžãf³ãf%œã,'ã½çç""ã—ã|ã€ã,¹ã,ªãffãfãf³ã—ã—ã,¹ã,ªãffãfãf³ã«ã±žã™ã,ã™ã¹ã  
module <slot

number>ã®å®°ãš>ã«ã¼ã¼ã|ã,,ã¼ã™ãCEã€VSSã†...ã®ã,,ã,¹ã,ªãffãfãf³ã®ãfçã,,ã

ã¼ãÿã—ã€show

versionã,³ãfžãf³ãf%œã,'ã½çç""ã—ã|ã€FWSMãã,ç'æž¥ãfãf¼ã,,ãfšãf³æf...ã±ã,'ã—ã¼—

<#root>

FWSM>

show version

[...]

Cisco Adaptive Security Device

Manager1^4^ASDMi^4%ã, 'ã!2ç'"ã—ã | äf±äfã, mã, 'ã, ç@;ç tã—ã | ä, ,,ã, <ã 'ã ^ã—ã€ã äfã  
ã, | ä, £äf³äf%ã, | ä@è; "ã€ãã¾ãYã ASDM  
ã, | ä, £äf³äf%ã, | ä@ã: | ä, Šã«ã, ½äf•äf^ã, | ä, Šã, çã@äfãf¼ã, äfŠäf³ã€è; "çºã•ã, €ã¾ã

FWSM Version: 3.2(2)10

è, †ã¼±æ€Šã, 'ã«ã, "ãŠã,,ãªã,,ã"ã "ã Ççç°èªã•ã, €ãYè¼ã"

Cisco ASA

5500ã, äfªãf¼ã, °é@ãçoeãžã, »ã, äf¥ãfªãftã, £ã, çãf—ãf@ã, mã, çãf³ã, 'ã—ã€ãã"ã@ã, çãf%ããfã  
ASA

5500ã, äfªãf¼ã, °é@ãçoeãžã, »ã, äf¥ãfªãftã, £ã, çãf—ãf@ã, mã, çãf³ã, 'ã«ã½±éYã, 'ã, Žã^ã, <ãã  
Security

Advisoryã€ã...-é-ã•ã, €ã | ä, ,,ã¾ã™ã€ã,ã"ã@ã, çãf%ããfãã, mã, ¶ãfªã—ã€ã [https://se  
sa-20100217-asa](https://se<br/>sa-20100217-asa)ãŠã...¥æ%ããŠãã¾ã™ã€ã,

Cisco ASA

5500ã, äfªãf¼ã, °é@ãçoeãžã, »ã, äf¥ãfªãftã, £ã, çãf—ãf@ã, mã, çãf³ã, 'ã, 'é™ãããã€ãã"ã@è,, †ã¼±æ

è@ç°

Cisco FWSMã—ã€Cisco Catalyst 6500ã, äfªãf¼ã, °ã, 'ã, mãffãfããŠã, ^ã³Cisco

7600ã, äfªãf¼ã, °ãf«ãf¼ã, çç'"ã@é«~é€Yãªçµ±ã^ãf•ã, | ä, mã, çã, | ä, @ãf¼ããf«ãfçã, äf¥ãf¼ããf«ãŠã

Cisco

FWSMã—ã€SCCPã, mãf³ã, 'ãfšã, \_ã, äfšãf³ã€€æoe%ãš¹ãªã 'ã^ã«ã€ã, æ£ãªSCCPãfãffã

ã"ã@è,, †ã¼±æ€Šã—é€séŽãf^ãf@ãf•ã, £ãffã, \_ã«ã, ^ã£ã | ä@ãçã¼ããã€èµã"ã•ã, C

ã"ã@ã•é;€ã—ã€Cisco Bug ID [CSCtb60485](https://www.cisco.com/c/en-us/security/advisories/bug_CSCtb60485.html)

(ç™€€ãfãf¼ã, ¶ã°, çç'"ã—ã | æ-±æ,ã€ã—ã,ã, €ã€Common Vulnerabilities and Exposures(CVE)IDã—ã | CVE-2010-

0151ã€ã%ã²ã, Šã½"ã | ä, %ãã, €ã | ä, ,,ã¾ã™ã€ã,



ä, æ£â^©ç™°èj

Cisco PSIRT

ãšã ã€æœ-ã, çãf%ãfã, ðã, ¶ãfã «è™°è¼%ã•ã, Çã |ã,,ã, <è,, †ã¼±æ£ãšã®ã, æ£â^©çã “ã®è,, †ã¼±æ£ãšã ã€ããšã®çæšãã®ã, µãf¼ãf”ã, 1ãfã, -ã,, “ã, 1ãf^ã®èš£æ±°ã,ã «ç™°è | <ã

# URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100217-fwsm>

æ”¹è,, å±¥æ´

ãfãf“ã, ãfšãf³ 1.0	2010å¹2æœ^17æ—¥	å^å>žã...-é-<ãfãfãf¼ã,¹
-----------------------	-----------------	-------------------------

å^©ç™°è!ç´,,

æœ-ã, çãf%ãfã, ðã, ¶ãfã ç,,iãž è™°¼ã®ã,,ã®ã “ã—ã |ã”æããã¼ã—ã |ãšã,šã€æœ-ã, çãf%ãfã, ðã, ¶ãfã®æf...å±ãšã, ^ã³ãfãf³ã, -ã®ã½ç™°ã «é-çã™ã, <è²-ã»ã®ã, €ã¼ã ÿã€ã, ·ã, 1ã, 3ã æœ-ãf%ã,ãfãfãfãf³ãf^ã®ã†...ã®1ã, ’ã^ãšãã—ã «ã%œ´ã—ãæœ-ã, çãf%ãfã, ðã, ¶ãfã®è™°è¿ã†...ã®1ã «é-çã—ã |æf...å±é...ãžã® URLã, çœç¥ã—ã€ããç<-ã®è»çè¼%ã,,,æ,, è³ã, ’æ-½ã—ã ÿã ´ã^ã€ã½”ç¼ã®Çç®;çãã “ã®ãf%ã,ãfãfãfãf³ãf^ã®æf...å±ã ã€ã,ã, 1ã, 3è£½ã”ã®, “ãf³ãf%ãf |ãf¼ã, ¶ã, ’ã³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。