

Jabber Extensible Communications Platform (Jabber XCP) Cisco Unified Presence XML DoS



CVE-2011-20110928-xcpcupsxml

[CVE-2011-3287](#)

Published: 2011-09-28 16:00

[CVE-2011-3288](#)

Updated: 2012-07-18 14:37

Version: 1.1 : Final

CVSS Score: 7.8

Workarounds: No Workarounds available

Cisco ID:

... (redacted text) ...

Summary

This vulnerability affects Jabber Extensible Communications Platform (Jabber XCP) and Cisco Unified Presence (Jabber XCP) on Cisco Unified Presence servers.

The vulnerability is caused by a buffer overflow in the XML parser of the Jabber XCP service. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) attack on the affected system.

The vulnerability is caused by a buffer overflow in the XML parser of the Jabber XCP service. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) attack on the affected system.

For more information, see the following link:

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110928-xcpcupsxml>

References

... (redacted text) ...

... (redacted text) ...

... (redacted text) ...

Cisco Unified Presence

8.5(4)ã,^ã,Šã%ã®ã™ã¹ã|ã®ãfãf¼ã,ãfšãf³ã®Cisco Unified

Presenceã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ãã|ãã,,ã,«è,,†ã¼±ã€šã®

Jabber XCPãŠã,^ã³JabberNowã,çãf—ãf©ã,ãã,çãf³ã,¹

æ¬;ã®Jabber

XCPã,½ãf•ãf^ã,|ã,šã,çãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã

ãfãf¼ã,ãfšãf³	ãf"ãf«ãf%
2.X	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
3.X	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
4.X	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
5.0	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
5.1	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
5.2	ã™ã¹ã ã®ãfãf¼ã,ãfšãf³ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ãfãã«è"è¼%ãã,ã,ã
5.4	5.4.0.27581 ã,^ã,Šã,,ã%
5.8	5.8.1.27561 ã,^ã,Šã,,ã%

æ³"¼šã"ã,ãã,%ãã®ã,½ãf•ãf^ã,|ã,šã,çãfãf¼ã,ãfšãf³ã,ãã®Yè;ãã—ã|ãã,,ã,ã,JabberNowã,çãf³ã,¹

Cisco Unified Presenceã,½ãf•ãf^ã,|ã,šã,çãfãf¼ã,ãfšãf³ã®çç°èª

ã®Yè;ãã,ã®Cisco Unified

Presenceã,½ãf•ãf^ã,|ã,šã,çã®ãfãf¼ã,ãfšãf³ã,'çç°èªãã™ã,ãã«ã-ãã,³ãfžãf³ãf%ããf©ã,

version activeã,³ãfžãf³ãf%ãã,'ç™°è;ãã—ã¾ã™ãã€,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。