

# Cisco ASA

5500ã, ·ãfªãf¼ã, °é ©ã¿œãž<ã, »ã, ãf¥ãfªãftã, £ã, Ç

## Catalyst

6500ã, ·ãfªãf¼ã, °ASAã, µãf¼ãf"ã, ¹ãfçã, ãf¥ãf¼ã



ã, çãf%ãfã, µã, ¶ãfªãf¼ãID : cisco-sa-

20121010-asa

ã^ã...-é-æ—¥ : 2012-10-10 16:00

ãfãf¼ã, ãfšãf³ 1.0 : Final

CVSSã, ¹ã, ³ã, ç : 9.0

ã>žé¿ç- : No Workarounds available

Cisco ãfã, ° ID : [CSCtr27522](#) [CSCtr27521](#)

[CSCtr21376](#) [CSCtw84068](#) [CSCtr27524](#)

[CSCtr63728](#) [CSCtr21359](#) [CSCtz04566](#)

[CSCtr21346](#)

[CVE-2012-](#)

[4662](#)

[CVE-2012-](#)

[4661](#)

[CVE-2012-](#)

[4663](#)

[CVE-2012-](#)

[4643](#)

[CVE-2012-](#)

[4659](#)

[CVE-2012-](#)

[4660](#)

æ—¥æœ-èªžã«ã, ^ã, <æf...ã ±ã-ã€è<±èªžã«ã, ^ã, <ãŽÿæ-†ã®éžã...-ã¼ã

æi, èi

Cisco ASA

5500ã, ·ãfªãf¼ã, °é ©ã¿œãž<ã, »ã, ãf¥ãfªãftã, £ã, Çãf—ãf©ã, µã, çãf³ã, ¹(ASA)ãŠã, ^ã³Cisco

Catalyst

6500ã, ·ãfªãf¼ã, °ASAã, µãf¼ãf"ã, ¹ãfçã, ãf¥ãf¼ãf«(ASASM)ã-ã€æ-ªã®è,, tã¼±æ€šã®ã½±éÿã,

- DHCPãf;ãfçãfªã%²ã, Šã½"ã|ã®DoSè,, tã¼±æ€š
- SSL VPNèª è"¼ã®DoSè,, tã¼±æ€š
- SIPã, µãf³ã, ¹ãfšã, -ã, ·ãfšãf³ãf;ãf†ã, £ã, çã, çãffãf—ãf†ãf¼ãf^ã«ãŠã'ã, <DoSè,, tã¼±æ€š
- DCERPCã, µãf³ã, ¹ãfšã, -ã, ·ãfšãf³ãfãffãf•ã, ªãf¼ãfãf¼ãfãfãf¼ã®è,, tã¼±æ€š
- DCERPCã, µãf³ã, ¹ãfšã, -ã, ·ãfšãf³ã«é-çã™ã, <DoSè,, tã¼±æ€š2ã»¶

ã"ã, Çã, %ã®è,, tã¼±æ€šã-ãªã,,ã«ç<-ç«ã—ã|ã,,ã¾ã™ã€ã,ã,,ãšã, Çãã<ã®è,

ã"ã, Çã, %ã®è,, tã¼±æ€šã®ã,,ãšã, Çãã<ãÇä, æfã^©ç"ãã, Çã, <ã"ã€èª è"¼ã



asa@asa> show dhcpd state

```
ASA> show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

Cisco

```
ASA> show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

```
ciscoasa# show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

Cisco

```
ASA> show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

```
ciscoasa# show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

asa@asa> show dhcpd state

```
ASA> show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

Catalyst

```
6500> show dhcpd state
Context Configured as DHCP Server
Interface inside, Configured for DHCP SERVER
```

DHCP relay state

```
ASA> show dhcp relay state
Context Configured as DHCP Relay
Interface outside, Configured for DHCP RELAY SERVER
Interface inside, Configured for DHCP RELAY
```

Catalyst

```
6500> show dhcp relay state
Context Configured as DHCP Relay
Interface outside, Configured for DHCP RELAY SERVER
Interface inside, Configured for DHCP RELAY
```

## SSL VPN

ASA, 1/2 af af a, | a, Sa, ca « a 1/2 e Y a, 'a, Z a ^ a, < a 1/2 ae Sa Ce a, a, Sa 3/4 a TM a €, IPsec VPN a, u af 1/4 af a € IPsec/L2TP VPN a, u af 1/4 af a € a 3/4 a Y a IKEv2 AnyConnect VPN a, u af 1/4 af a € a | e a Sa a, Ce a Y Cisco ASA a, 1/2 af af a, | a, Sa, ca a 1/2 e Y a, 'a — a a 3/4 a a, " a €, a a @ e, t a 1/2 ae Sa a a S a | TM a a € af a, 1 af af a, 1 a, 'a — a j a — a Y a a a a « af af a, - af 1/4 a a, Ce a, a Y a, a € Cisco ASA a, 1/2 af af a, | a, Sa, ca a a € af af f af - af a, a, a af — a, af Sa f a, 'a, u af af 1/4 af a — a a a, „ AAA a a 1/2 e Y a, 'a — a a, a a « a a € Cisco ASA a, 1/2 af af a, | a, Sa, ca SSSL VPN a, 'ae ce % a S a a a — a € AAA af af f af - af a, a, a af — a, af Sa f a Ce ae ce % a S a a a a a f a

c 3/4 a ce a € ae - j a @ AAA a, a af f af a, ca f f af — a challenge a, a af — a, af Sa f a, 'ae ce % a S a a a — a

1. af a, p af t a, f af - RSA SecurID i 1/4 SDI a a, a 1/4 a a, Ce a, i 1/4 % : SecureID a, u af 1/4 af a Ce af | af 1/4 a, | a < a, % a @ af
2. RADIUS a Sa, ^ a 3 TACACS + e a e 1/4 af af f af - af a, i 1/4 S AAA a, u af 1/4 af a Ce a € e a e 1/4 a, e
3. RADIUS a 3/4 a Y a LDAP a a, ^ a, < Active Directory af a, 1 af af 1/4 af % a c @ j c t a €, a a a @ a ' a a € Cisco ASA a, 1/2 af af a, | a, Sa, ca a a € Active Directory a Sa @ e a e 1/4 a « a ... ^ c « a a € a | af | af 1/4 a, | af a, 1 af af 1/4 af % a @ a % a e ' a, a @

### Cisco

ASA a, 1/2 af af a, | a, Sa, ca S a, u af af 1/4 af a a, Ce a | a, a, a a a a @ a — a @ AAA e a e 1/4 ae - 1 a 1/4 LAN Manager (NTLM) a Sa, ^ a 3 Kerberos e a e 1/4 af — af af a, 3 af « a a © a a a a a @ e, t a 1/2 ae

### Cisco ASA a, 1/2 af af a, | a, Sa, ca SSSL

VPN a Ce ae ce % a S a a a a a a | a, a, a a a a @ a t a a, c c o e a a a TM a, a a « a a a show running-config webvpn a, 3 af z af f a % a, ' a 1/2 c a — a | a € a a a a a a a, 1 a p a @ a, p af a, c af 1/4 af a, Sa, p a, 1 a VPN a Ce ae ce % a S a a a a a a | a, a, a a a a, c c o e a a a — a 3/4 a TM a €, ae - j a @ a 3/4 a a VPN a Ce ae ce % a S a a a a a a | a, a, < Cisco ASA a, 1/2 af af a, | a, Sa, ca, c p a — a | a, a 3/4 a TM a €,



**show service-policy inspect**

sip, 3ãfžãf³ãf%ã, 'ã½ç'ã—ã¼ã™ã€, æ¬ã@ã¼ã—ã€SIPã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€æœ%ã  
ASAã, ½ãf·ãf^ã, |ã, šã, çã, 'çºã—ã|ã,,ã¼ã™ã€,

```
ciscoasa# show service-policy | include sip
Inspect: sip , packet 67, drop 0, reset-drop 0
```

æ³'¼šSIPã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€Ïèf½ã—ãfãf·ã, ©ãf«ãf^ãšæœ%ãš¹ã«ãªã£ã|ã,,ã€

DCERPCã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€ãfãf·ã, |ã, ªãf¼ãfãf¼ãfãf¼ã@è,, †ã¼±æ€šã" DCER

Cisco

ASAã, ½ãf·ãf^ã, |ã, šã, çã—ã€DCERPCã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€æœ%ãš¹ã«ãªã£ã|ã,,ã€

DCERPCã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€æœ%ãš¹ã«ãªã£ã|ã,,ã, <ã©ã†ãã, 'ççºèªã€

**show service-policy | include**

dcerpcã, 3ãfžãf³ãf%ã, 'ã½ç'ã—ã¼ã™ã€, æ¬ã@ã¼ã—ã€DCERPCã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€æœ%ã  
ASAã, ½ãf·ãf^ã, |ã, šã, çã, 'çºã—ã|ã,,ã¼ã™ã€,

```
ciscoasa# show service-policy | include dcerpc
Inspect: dcerpc, packet 0, drop 0, reset-drop 0
```

æ³'¼šDCERPCã, ðãf³ã, 1ãfšã, -ã, ·ãfšãf³ã€—ãfãf·ã, ©ãf«ãf^ãšæœ%ãš¹ã«ãªã£ã|ã,,ã€

ã®Ïè;æã, ½ãf·ãf^ã, |ã, šã, çããfãf¼ã, ãfšãf³ã®ã^ãã^¥

è,, †ã¼±æ€šã



è©³ç°

æ¬;ã®ã,»ã,ã,ãfšãf³ãšã€ããã,Āãžã,Āã®è,,t¼±æ€šã«é-ćã™ã,è¿½ăš æf...ă ±ă,ć°

**DHCPã;ãfçãfª°ă²ă,Šă½“ã |ã®DoSè,,t¼±æ€š**

DHCPã “ã-ã€ã,µãf-ãfãffãf^ãfžã,¹ã,ã»ããã® IP  
ã,ćãf%ãf-ã,¹ã€ãf†ãf•ã,©ãf«ãf^ã,²ãf¼ãf^ã,|ã,šã,ªã€DNSã,µãf¼ãfã€WINS  
ã,µãf¼ãfã® IP  
ã,ćãf%ãf-ã,¹ãªã©ã®è “ãšãfãf©ãf;ãf¼ã,¿ã,èªª•çš,,ã«ãfã,¹ãf^ã«ã»~ã,žã™ã,ããŸã,ã

Cisco  
ASAã,½ãf•ãf^ã,|ã,šã,çã-ã€DHCPã,µãf¼ãfã¼ãŸã-DHCPã,ãf©ã,ªã,ćãf³ãf^ã “ã-ã-ã |ã  
ASAãĀã,µãf¼ãfã “ã-ã |ãª½œã-ã |ã,,ã,ã^ã€Cisco  
ASAã,½ãf•ãf^ã,|ã,šã,ćã-DHCPã,ãf©ã,ªã,ćãf³ãf^ã «ãfãffãf^ãf^ãf¼ã, “ã®šãfãf©ãf;ãf¼ã,¿ã,ć

**Dynamic Host Configuration**

Protocol(DHCP)ã,µãf¼ãfæ©Ÿèf½ã®ã®Ÿè£...ã«ã-ã€èè “¼ã•ã,Āã |ã,,ãªã,,ãfãfćã  
æ³¼šã “ã®è,,t¼±æ€šã-ã€é€šéžãfãf©ãf•ã,£ãffã,ã “è²ă½“ãf†ãfã,ªã,¹ã®ã |ã®ã

ã “ã®è,,t¼±æ€šã-ã€Cisco Bug ID [CSCtw84068](#)(

[ç™»éĀf!ãf¼ã,¶ã°,ć””\)ã “ã-ã |æ-ªæ,ãĀ-ã•ã,Āã€Common Vulnerabilities and  
Exposures\(CVE\)IDã “ã-ã |CVE-2012-  
4643ãĀã²ă,Šă½“ã |ã,°ã,Āã |ã,,ã¼ã™ã€,](#)

**SSL VPNè “¼ã®DoSè,,t¼±æ€š**

Cisco ASAã,½ãf•ãf^ã,|ã,šã,çã«ã-2ç®é;žã®SSL  
VPNãĀã«ã¼ã,Āã |ã,,ã¼ã™ã€,SSL  
VPNã-ã€ã¼æ¥ãfªã,½ãf¼ã,¹ã,ã®ãfãfćãf¼ãf^ã,ćã,ã,»ã,¹ç”ã®ãftã,ãfžãfã,ãf¼ãšã

- ã,ãf©ã,ªã,ćãf³ãf^ãf-ã,¹SSL  
VPNã-ã€Webãf-ãf©ã,|ã,¶ã “Javaã,³ãf³ãfãf¼ãfãf³ãf^ã,ã»ã-ã |ã€é»ããf;ãf¼
- AnyConnect SSL VPN Clientã€,

ãfªãfçãf¼ãf^ã

SSL

VPN challenge- response

VPN ASA AnyConnect

ASA IPsec VPN IKEv2 AnyConnect SSL VPN

ASA IPSEC/L2TP VPN IKEv2

AnyConnect Cisco

ASA IPsec

ASA IPv4

Cisco Bug ID CSCtz04566

Common Vulnerabilities and Exposures (CVE) CVE-2012-4659

ASA IPsec

SIP DoS

Internet Engineering Task

Force Initiation Protocol

Description Protocol (SDP) ASA SIP DoS

Cisco

ASA SIP DoS

ASA IPv6

ASA IPsec









â€“ CSCtr21376ãŠă,^ã³CSCtr21346	7.1	Not affected
	7.2	Not affected
	8.0	Not affected
	8.1	Not affected
	8.2	Not affected
	8.3	8.3i¼^2.25i¼‰
	8.4	8.4i¼^2.5i¼‰
	8.5	8.5i¼^1.13i¼‰
	8.6	Not affected

**æŽ·âŸ·ãfãfãf¼ã,¹**

æŸ¼ã®èj”ã«ã€ã™ã¹ã|ã®æŽ·âŸ·ãfãfãf¼ã,¹ã,çºã—ã¼ã™ã€ã”ã,Ĉã,%ã®

ãf¼ã,ãfãf¼ãfãf¼ã,¹	æŽ·âŸ·ãfãfãf¼ã,¹
7.0	7.2i¼^5.8i¼‰
7.1	7.2i¼^5.8i¼‰
7.2	7.2i¼^5.8i¼‰
8.0	8.0i¼^5.28i¼‰
8.1	8.1i¼^2.56i¼‰
8.2	8.2i¼^5.33i¼‰
8.3	8.3i¼^2.34i¼‰
8.4	8.4i¼^4.5i¼‰
8.5	8.5i¼^1.14i¼‰
8.6	8.6i¼^1.5i¼‰

**ã,½ãfãfã,ã,šã,çã®ãfĈã,|ãf³ãfãf¼ãf‰**

Cisco ASAã,½ãfãfã,ã,šã,çã™ã€Software

Center(Cisco.com)ã<ã,%ãfĈã,|ãf³ãfãf¼ãf‰ãšãã¼ã™ã€,

<http://www.cisco.com/cisco/software/navigator.html>





## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。