

# Cisco Unified Communications Manager Unified Serviceability CSRF @ Medium



Product: Cisco-SA-[CVE-2013-20130626](#)-CVE-2013-3397 [CVE-2013-3397](#)  
Published: 2013-06-26 19:56  
Version: 1.0 : Final  
CVSS: [4.3](#)  
Workarounds: No Workarounds available  
Cisco ID: [CSCuh10298](#)

Summary: A remote Denial of Service (DoS) vulnerability exists in Cisco Unified Communications Manager (CUCM) Unified Serviceability. An attacker can exploit this vulnerability to cause a denial of service by sending a specially crafted request to the Unified Serviceability interface.

## Details

Cisco Unified Communications Manager (CUCM) Unified Serviceability is a web-based interface used for monitoring and managing the CUCM system. It is accessible via the Unified Serviceability interface.

The vulnerability is located in the Unified Serviceability interface. An attacker can exploit this vulnerability by sending a specially crafted request to the Unified Serviceability interface.

The vulnerability is a Denial of Service (DoS) vulnerability. An attacker can exploit this vulnerability to cause a denial of service by sending a specially crafted request to the Unified Serviceability interface.

The vulnerability is a Denial of Service (DoS) vulnerability. An attacker can exploit this vulnerability to cause a denial of service by sending a specially crafted request to the Unified Serviceability interface.

## References

Additional information is available in the following references:  
Bug ID: [CSCuh10298](#)

Severity: Medium

Product: Cisco Unified Communications Manager (CUCM) Unified Serviceability

Version: 1.0 : Final

ä»-ã@ã,ã,1ã,³è£½ã“ã«ãŠã,,ã|ã”ã@ã,ćăf%ooăfã,ă,ă,ăăă@ã½±éÿã,ã—ã’ã,

## ã>žéç-

ä»Šã¼Āã@ã,ćăffăf—ăf†ăf¼ăf^ă,,ăf^ăf^ăf¼ă,1ă«ãăă,,ã|ã-ă€ăf™ăf³ăf€ăf¼ă«é£çµjã

ä,ã©ã^æ€äçjã...fã,,èãè~ã•ã,Āã|ã,,ã^ã,,é€äçjã...fã<ã,%ooã@é»ãăfjăf¼ăf<ăfj

ã,~ăfã,1ã,ă,ăăf^ăf^ã,~ã,,ã,1ăf^ăf^ã,©ăf¼ă,,ã,šăf^ã(CSRF)æ”»æ’fă”æ½œăœ”çš,,ã^ç.©ă’Āæ-1æ³•ã@èĀ  
ã,~ăfã,1ã,ă,ăăf^ăf^ã,~ã,,ã,1ăf^ăf^ã,©ăf¼ă,,ã,šăf^ã@è,,...ă”ăf™ă,~ăf^ăf<ă«ãăă,,ã|ã€ã,ã,ă,ç..

ã½±éÿã,ã—ã’ã,ã,ã,1ăftăfã,ć:£è|~ã™ă,ã“ã”ã,æŽ”ă¥”ã—ã¼ă™ă€,

## äç@æ£æ,^ãçã,½ăf•ăf^ã,|ã,šã,ć

ã,½ăf•ăf^ã,1ã,šã,ă@æ’æ-°ăf—ăfã,°ăf©ăfã-ă^©ç””ăšãăăă¼ă>ã,“ã€,

## ä,æ£ă^©ç””ă°<ă¼ăã”ă...-ă¼ăç™°èj”

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ooã-ă€æœ-ã,ćăf%ooăfã,ă,ă,ăăă«è”~è¼%ooã•ã,Āã|ã,,ã,è,,†ã½±æ€šã

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/Cisco-SA-20130626-CVE-2013-3397>

## æ”¹è”,ă±Ÿæ’

ăfăf¼ă,ăfšăf³	è-æ~Ž	ã,»ã,~ã,ăfšăf³	ã,1ăf†ăf¼ă,çã,1	æ—Ÿă~
1.0	ă^ç%oo^ăf^ăf^ăf¼ă,1	é©ç””ă-	Final	2013ă¹6æœ^26æ—Ÿ

## ă^©ç””è!ç’,,

æœ-ã,ćăf%ooăfã,ă,ă,ăăă-ç,,jãçè”¼ă@ã,,ã@ã”ã—ã|ã”æăăă¼ăă—ã|ãŠă,Šă€  
æœ-ã,ćăf%ooăfã,ă,ă,ăăă@æf...ă±ăŠă,^ă³ăf^ăf^ă,~ã@ă½çç””ă«é-ćă™ă,è²-ă»ã@ă,€  
ă¼ăăŸă€ã,ã,1ã,³ă-æœ-ăf%ooă,ăfăfjăf³ăf^ã@ă†...ă@1ă,ã^ăŠăăă—ã«ă%ooæ’ă—ã  
æœ-ã,ćăf%ooăfã,ă,ă,ăăă@è”~èç°ă†...ă@1ă«é-ćă—ã|æf...ă±é...äçjã@ URL

ã,çœç•¥ã—ã€å~ç<-ã®è»çè¼%ã,,æ,,è`³ã,'æ-½ã—ãÿå´å^ã€å½"ç³¼ãŒç®;ç  
ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å±ã¯ã€ã,ã,¹ã,³è£½å"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。