

# Multiple Vulnerabilities in the Cisco WebEx Recording Format and Advanced Recording Format Players

Advisory ID: cisco-sa-20130904-webex

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130904-webex>

æ—¥æœ¬è^žã«ã, ^ã, <æf...å ±ã—ã€♦è<±è^žã«ã, ^ã, <åŽÝæ-‡ã♦®é♦žå...¬å¼♦ã♦^ç»è ..³ã♦§ã♦, ã, §

## Revision 1.0

For Public Release 2013 September 4 16:00 UTC (GMT)

---

ç>®æ¬í

è!♦ç„  
è®²å½“è£½å“♦  
è®³ç°  
è,,†å¼+æ€§ã, ^ã, ^ã, cè®³ç°  
å½+éÝ;  
ã,½ãf•ãf^ã, !ã, §ã, c ãf♦ãf¼ã, ãf§ãf^ã♦§ã, ^ã♦^ã; ®æE  
å›žé♦;ç-  
ã; ®æfæ, ^ã♦;ã, ½ãf•ãf^ã, !ã, §ã, cã♦®å...¥æ%o<  
ã, ♦æfå^ç””ã°<ã¾<ã♦”å...¬å¼♦ç™oè;”  
ã♦”ã♦®é€šçÝã♦®ã, ^ãf†ãf¼ã, ;ã, ^i¼šFINAL  
æf...å ±é...♦æ;í  
æ`æ-°å+Yæ`  
ã, ^ã, ^ã, ^ã, »ã, ãfYãf^ã, fæ%o<é †

---

è!♦ç„

Cisco WebEx Recording Formatï¼^WRFi¼‰Player ã♦§ã, ^ã♦^3 Advanced Recording Formatï¼^ARFi¼‰Player ã♦«ã€♦ãf♦ãffãf•ã, ;  
ã, ^ãf¼ãf♦ãf¼ãf•ãfãf¼ã, ^å¼•ã♦;èµ·ã♦”ã♦™è, ^å¼±æ€§ã♦Œè¤‡æ•°å~åœ ”ã♦—ã♦^3/4ã♦™ã€, ã♦”ãf| ^ãf¼ã, ¶ã♦®ã, ;ã, ^ãf†ãf ã, §ã♦§ã»»æ, ;ã♦®ã, ^ãf¼ãf‰oã, ^å®Ýè;Œã♦™ã, ;ã♦”ã♦”ã♦Œå‡—èf½ã♦”

ã♦”ã,Œã,‰oã♦®ãf—ãf¬ãf¼ãf¤ãf¼ã—ã€♦ã, ^ãf³ãf©ã, ;ãf³ä¼šè°ã♦®å♦, åŠ è€...ã♦«ã, ^ã♦£ã♦| ^ã, ^3  
WebEx  
ä¼šè°ã♦®å†...å®^ã, ^å†♦ç”Ýã♦™ã, ;ã, ^ãf—ãf^ã, ±ãf¼ã, ;ãf§ãf³ã♦§ã♦™ã€, ãf| ^ãf¼ã, ¶ã♦Œ  
WebEx ã, µãf¼ãf♦ã♦»ã♦, ^ã, ^ãf¬ã, ^ãf¼ãf‡ã, ^ãf³ã,  
ãf•ã, ;ã, ^ãf»ã♦»ã, ^ã, ^ãf³ã, ^ãf^ãf»ã♦•ã,Œã♦^3/4ã♦™ã€,

ã,·ã,¹ã,³ã“æ€è©²å½“af♦af¼ã,ãf§ãf³ã® Cisco WebEx Business Suite  
ä½šè°ã,µã,¤ãf^ã€♦Cisco WebEx 11 ä½šè°ã,µã,¤ãf^ã€♦Cisco WebEx Meetings  
Serverä€♦Cisco WebEx WRF ã♦Šã,^ã³ ARF Player  
ã,’ã,çãffãf—ãf‡af¼ãf^ã—ã€♦ã,Šè”~ã♦®è,,tå½±æ€§ã«å¬¾å¿œã—ã♦|ã♦,ã♦¾ã♦™ã€,  
ã,·ã,¹ã,³ã“ã♦”ã,Œã,%oã♦®è,,tå½±æ€§ã«å¬¾å¿œã™ã,ã♦Yã,♦ã♦®ç,,jå,,Yã,½ãf•ãf^ã,|ã,§ã,ç  
ã,çãffãf—ãf‡af¼ãf^ã,’æ♦ã¾ã♦—ã♦|ã♦,ã♦¾ã♦™ã€,ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã♦—ã€♦æ

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130904-webex>

## è©²å½“è£¹/₂å“?

è,,tå½±æ€§ã♦Œèª♦ã,♦ã,%oã,Œã,<è£¹/₂å“?

ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã♦§å...¬é-<ã♦•ã,Œã,è,,tå½±æ€§ã«å¬¾å¿œã™ã,Cisco WebEx WRF Player ã♦Šã,^ã³ Cisco WebEx ARF Player ã♦«å½±éY;ã,’ä,Žã♦^ã¾ã♦™ã€,Cisco WebEx Business Suiteï¼^WBS27 ã♦Šã,^ã³ WBS28ï¼%oã€♦Cisco WebEx 11ã€♦Cisco WebEx Meetings Server ã♦®ä»¥ä,ã♦«ç¤ºã♦™ã,¬ãf©ã,¤ã,çãf³ãf^  
ãf”ãf«ãf%oã♦—ã€♦ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã♦§èª¬æ~žã♦™ã,è,,tå½±æ€§ã♦®ã♦†ã♦|ã€♦å°  
1 ã♦¤ä»¥ä,Šã♦®è,,tå½±æ€§ã♦®å½±éY;ã,’å—ã♦’ã¾ã♦™ã€,

- Cisco WebEx Business Suiteï¼^WBS28ï¼%oã♦®  
T28.8ï¼^28.8ï¼%oã,^ã,Šå%o♦ã♦®ã,¬ãf©ã,¤ã,çãf³ãf^ ãf”ãf«ãf%o
- Cisco WebEx Business Suiteï¼^WBS27ï¼%oã♦®  
T27LDSP32EP16ï¼^27.32.16ï¼%oã,^ã,Šå%o♦ã♦®ã,¬ãf©ã,¤ã,çãf³ãf^ ãf”ãf«ãf%o
- Cisco WebEx 11 ã♦® 1.2  
SP6ï¼^1.2.6.0ï¼%oã,^ã,Šå%o♦ã♦®ãf♦af¼ã,ãf§ãf³ã♦”ã€♦T28.8ï¼^28.8ï¼%oã,^ã,Šå%o♦ã♦®ã  
ãf”ãf«ãf%o
- Cisco WebEx Meetings Server ã♦® T27L10NSP32\_ORION111  
ã,^ã,Šå%o♦ã♦®ã,¬ãf©ã,¤ã,çãf³ãf^ ãf”ãf«ãf%o

Cisco WebEx ä½šè°ã,µ,¤ãf^ã♦§è©²å½“ã♦™ã,ãf♦af¼ã,ãf§ãf³ã® WebEx ã,¬ãf©ã,¤ã,çãf³ãf^  
ãf”ãf«ãf%oã♦Œã®Yè,Œã♦•ã,Œã♦|ã♦,ã,ã♦[Ã](#)©ã♦†ã♦[Ã](#),’ç¤ºèªã♦™ã,ã♦”ã♦—ã♦|ã€♦[ã,µf♦ãf¼ãf^] ã♦[Ã](#)‰ [ãf€ã,|ãf³ãf^f¼ãf‰ ã,»ã,¬ã,·ãf§ãf³ã♦”é€²ã♦çã¾ã♦™ã€,WebEx ã,¬ãf©ã,¤ã,çãf³ãf^  
ãf”ãf«ãf%oã♦®ãf♦af¼ã,ãf§ãf³ã♦”ã€♦ãf§ãf¼ã,å♦³ã♦”ã♦,ã,ã,ã,µf♦ãf¼ãf^  
ã,»ãf³ã,çãf¼ã♦”ã♦¤ã,ã♦|ã♦]ã♦®ã,ã♦”ç¤ºã♦•ã,Œã♦|ã♦,ã♦¾ã♦™ã€,è©³ç’°ã♦”ã€♦ã€Œã,½ãf•ãf^ã,|ã,§ã,ç  
ãf♦ãf¼ã,ãf§ãf³ã♦Šã,^ã¾ã^æ£ã♦ã,’ã,ç,...§ã♦—ã♦|ã♦,ã♦,ã♦,ã♦,ã♦,ã♦,ã♦,ã,ã€,

ã♦¾ã♦Yã€♦Cisco WebEx Meeting ã,¬ãf©ã,¤ã,çãf³ãf^ã♦[Ã](#)‰ Cisco WebEx Meeting  
ã,¬ãf©ã,¤ã,çãf³ãf^ã♦®ãf♦af¼ã,ãf§ãf³æf...å±ã♦”ã,çã,¬ã,»ã,¹ã♦™ã,ã♦”ã♦”ã,ã♦§ã,ã♦¾ã♦™ã,ã♦”ã♦  
ã♦Šã,^ã³ Linux ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã♦§ Cisco WebEx Meeting  
ã,¬ãf©ã,¤ã,çãf³ãf^ã♦®ãf♦af¼ã,ãf§ãf³æf...å±ã,ç¤ºèªã♦™ã,ã♦”ã♦”ã€♦[Help]>[About]

æ³·í¹/4šã,½áf•áf^ã,¡ã,§ã,çã◊®è‡·å·õ,çãffáf—áf#áf¹/4áf^ã,‘á◊—ä¿já◊—ä◊|ã◊„ã◊“ã◊„å’å◊^ãé◊è,†  
ã,µáf◊áf¹/4áf^ã◊«ã◊Šå·◊ã◊„å◊^ã,◊ã◊>ã◊◊ã◊ ã◊•ã◊„ã◊,

è,†å¼±æ€§ã?Œèª?ã,?ã,%oã,Œã?ªã?,,è£½å“?

—ã»—ã?®ã,·ã,¹ã,³èF½å“♦ã?«ã?Šã?„ã?|ã?“ã?®è„†å½±æ€§ã?®å½±éÝ;ã,’å?—ã?‘ã,<ã?®,ã?®ã?—

è©³çº

Cisco WebEx Business Suite<sup>1/4</sup> WBS<sup>1/4</sup> % ä¼šè°ã, ãf<sup>1/4</sup> f“ã, <sup>1</sup>ã Šã, <sup>^</sup>ã <sup>3</sup> Cisco WebEx 11  
ã Šã –ã€ Cisco WebEx  
ã Šã “ã, <sup>^</sup>ã Œã ! ç®|ç Šã •ã, œã, <sup>^</sup>ã Œã, <sup>1</sup>ã f<sup>^</sup> åž<sup>^</sup>ã fžã f«ã f Šã f|ã f‡ã, œã, çä¼šè°ã, <sup>1</sup>½ã f<sup>^</sup>ã f¥ã f<sup>1/4</sup>ã, <sup>·</sup>ã f§ã f<sup>3</sup>ã Šã  
WebEx Meetings Server ã Šã –ã€ ã Šã Šå®çæ§~ã Šã ®ã f—ã f©ã, ã f™ã f<sup>1/4</sup>ã f<sup>^</sup>  
ã, –ã f©ã, ! ã f%oã Šã fã, <sup>1</sup>ã f<sup>^</sup> å Šã èf<sup>1/2</sup>ã Šã ã fžã f«ã f Šã f|ã f‡ã, œã, çä¼šè°ã, <sup>1</sup>½ã f<sup>^</sup>ã f¥ã f<sup>1/4</sup>ã, <sup>·</sup>ã f§ã f<sup>3</sup>ã Šã <sup>TM</sup>ã

ARF æ¢ ¨ WRF æƒ•ã,¡ã,¤ãf«å½¢å¼¢æ¢ ¨ã€¢ WebEx  
æ¼šè°ã,µã,¤ãf“æ¢ ¨éŒ²ã¢•ã,Œã¢ Ýã€¢ã¢¾ã¢ Ýã¢ ¨ã,¤ãf³ãf©ã,¤ãf³æ¼šè°ã¢®å¢,åŠ è€...ã¢®  
WebEx  
æ¼šè°ã¢®ãf¬ã,³ãf¼ãf‡ã,£ãf³ã,ºå†...å®¹ã,‘ä¿¢å~ã¢™ã,‹ã¢Ýã,¢ã¢«æ½¿ç”¨ã¢•ã,Œã¢¾ã¢™ã€,

Cisco WebEx ARF Player ãšã, ^ã³ Cisco WebEx WRF Player ãšã-ã€ã¢WebEx ãšã®ARF ãšã“  
WRF ãf-ã, ^ãf¼ãf‡ã, ãfãf³ã, ° ãf•ã, jã, ãfãf«ï¼^ æçjå¼µåãšãŒ .arf ãšã, ^ã³ .wrf  
ãšã®ãf•ã, jã, ãfãf«ï¼%oãšã®å†ã¢ç”Ýãšã“ç“é›†ãšã«ä½ç”ãšã•ã, Æã, <ã, Çãf—ãf³ã, ±ãf¼ã, ·ãf§ãf³ãšãŒ™

Cisco WebEx WRF Player ãš,ãš³ Cisco WebEx ARF Player ãš-ã€šf'ãf¼ã,¶ãšŒ WebEx  
ä½šè°ã,µã,¤ãf'ãš«ãš,ã,<ãf-ã,³ãf¼ãftã,£ãf³ã,°  
ãf•ã,¡ã,¤ãf«ãš«ã,çã,-ã,»ã,¹ãš™ã,<ãš“è‡å·•ãš§ã,¤ãf³ã,¹ãf'ãf¼ãf«ãš•ã,Œãš¾ãš™i¼^ã,¹ãf'ãf¤ãf¼ãf  
<http://www.webex.com/play-webex-recording.html>  
ãš«ã,‰õã,çãf—ãf¤ã,±ãf¼ã,·ãf§ãf³ã,'ãf¤ã,|ãf³ãfãf¼ãf%õãš—ãš|æ‰õ<å·•ãš§ã,¤ãf³ã,¹ãf'ãf¼ãf«ãš™ãf•ã,¡ã,¤ãf«ã,‘å†ç”Ýãš™ã,<ãš“ãš”ã,,ãš§ãš§ãš¾ãš™ã€,

Cisco WebEx ARF Player ãščãšč™ãšč | ãšč® Cisco WebEx ä½šè°ã, µã, þãf^  
 ã, ãf©ã, þã, þãf³ãf^i½^WBS27ã€¢WBS28ã€¢WebEx11i½%oã „ã€¢Cisco WebEx Meetings  
 Server ã, ãf©ã, þã, þãf³ãf^ãšä½ç”“ãšãšãšãš³/ãšč™ã€, Cisco WebEx WRF Player  
 ãščãščCisco WebEx WBS 27 ãščŠã, ^ãšč³ WBS28 ä½šè°ã, µã, þãf^  
 ã, ãf©ã, þã, þãf³ãf^ãšãš®ãšä½ç”“ãšãšãšã€Cisco WebEx 11 ã,, Cisco WebEx  
 Meetings Server ã, ãf©ã, þã, þãf³ãf^ãšãšä½ç”“ãšãšãš³/ãšč»ã, “ã€,

æ¬;ãšč®è;“ãšç«ã€¢ãš“ãšč®ã, þãf%oãf^ã, þã, ¶ãf^ãšç«ãš, ã, è,, tå½±æ€§ã«å%o²ã, Šå½“ãšč | ã, %oã, CE  
 Cisco Bug ID ãšč Common Vulnerabilities and Exposuresi½^CVEi½%oID  
 ã, 'çººãš—ãš³/ãšč™ã€,

Title	CVE ID	Cisco Bug IDs
Cisco WebEx ARF Player Memory Corruption Vulnerability	CVE-2013-1115	CSCue74118, CSCub28371, CSCud23401 and CSCud31109
Cisco WebEx ARF Player Heap Corruption Vulnerability	CVE-2013-1116	CSCue74147 and CSCub28383
Cisco WebEx WRF Player Exception Handler Corruption Vulnerability	CVE-2013-1117	CSCuc27639
Cisco WebEx WRF Player Stack Buffer Overflow Vulnerability	CVE-2013-1118	CSCuc27645
Cisco WebEx WRF Player JPEG DHT Index Memory Corruption Vulnerability	CVE-2013-1119	CSCuc24503

ãšč“ã, CEã, %oãšč®è,, tå½±æ€§ãščCEã, þæ£å^©ç”“ãšč•ã, CEã, <ãšč“ãš“ãš£ãšč|ã€¢ãf—ãf—ãf¹/4ã  
 ã, þãf—ãf^ã, ±ãf¹/4ã, ·ãf§ãf^ãščCEç’æ¢¢ãš—ãščÝã, Šã€¢å’å¢^ãš“ã, ^ãš£ãšč|ãšč—ãf^ãfçãf¹/4ãf^ãšč

ãšč“ã, CEã, %oè,, tå½±æ€§ã, 'ã, þæ£å^©ç”“ãšč™ã, <ãšč“ãš“ãšãš—ãf—ãf¹/4ãf^ãf¹/4  
 ã, þãf—ãf^ã, ±ãf¹/4ã, ·ãf§ãf^ãšč|ãšč, þæ£ãšč^a ARF ãf•ã, ;ã, þãf«ãš³/ãščÝãšč—WRF  
 ãf•ã, ;ã, þãf«ã, 'é—ãščå’...è|ãščCEã, ã, Šãš³/ãšč™ã€, æ”»æ’fè€...ãšč—ã€¢ãf|ãf¹/4ã, ¶ãšč“ã, þæ£ã  
 ãf•ã, ;ã, þãf«ã, 'ç’æŽ¥æ¢¢ãš³/ãšč™ã, <½^é»ãščãf¹/4ãf«ã, 'å^©ç”“ãšč™ã, <ãšč“ãšč|ãšč®i½%oãšč<ã€¢ãf|ãšč  
 Web

ãf§ãf¹/4ã, ãščç§»å<ãšč•ãšč>ã, <ãšč“ãš“ãšã, þæ£ã, çã, —ã, »ã, 'è©|ãšč|ãš³/ãšč™ã€, WebEx  
 ä½šè°ãšč“åšč, åšãš—ãšč|ãšč, ;ã, <ãf|ãf¹/4ã, ¶ãšč“ã, ^ãš£ãšč|ãšč“ã, CEã, %oãšč®è,, tå½±æ€§ãščCEå½•ãšč

è,†å¼±æ€§ã,¹ã,³ã,¢è©³ç’°

Common Vulnerability Scoring

CVSS

Score: 1/4% Ša. ^a. c. 3/4c. Š. ¶. C. •. a. 3/4. a. 1. a. 3. a. c. 1/4. ^T. emporal

Score: 14% |  | Time: 00:00

Score: 14%, 'c(R) - åf°ä - ä€? è‡°è«ä? ®äf? äffäf'äf'äf½ä, - ä? «ä? Šä? 'ä, è„tå¼+æ€§ä? ®å½±éÝ

ã.:ã.¹ã.³ã.²-æ-íã.®ãf<sup>a</sup>ãf<sup>3</sup>ã.-ã.¤§ CVSS

“é-ç™, è;½åŠ æf...å±ã,’æ♦♦ä¾æ—ã♦!ã„ã♦ä¾ã™ã€.

<http://www.cisco.com/web/about/security/intelligence/cyss-qandas.html>

CVSS è  $\sqrt{f^2 + \frac{1}{4}(\alpha - 1)^2}$ , dove  $f$  è la probabilità di esecuzione,  $\alpha$  è il fattore di severità e  $\beta$  è il fattore di mitigazione.

<http://tools.cisco.com/security/center/cvssCalculator.x>

## Cisco WebEx ARF Player Memory Corruption Vulnerability CSCue74118, CSCub28371, CSCud23401 and CSCud31109

### **Calculate the environmental score of ,**

CVSS Base Score - 9.3

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Medium	None	Complete	Complete	Complete

## CVSS Temporal Score - 7.3

Exploitability	Remediation Level	Report Confidence
Proof-of-Concept	Official-Fix	Confirmed

**Cisco WebEx ARF Player Heap Corruption Vulnerability  
CSCue74147 and CSCub28383**

**Calculate the environmental score of and**

CVSS Base Score - **9.3**

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Medium	None	Complete	Complete	Complete

CVSS Temporal Score - **7.3**

Exploitability	Remediation Level	Report Confidence
Proof-of-Concept	Official-Fix	Confirmed

**Cisco WebEx WRF Player Exception Handler Corruption Vulnerability  
CSCuc27639**

**Calculate the environmental score of**

CVSS Base Score - **9.3**

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Medium	None	Complete	Complete	Complete
<b>CVSS Temporal Score - 7.3</b>					
Exploitability		Remediation Level		Report Confidence	
Proof-of-Concept		Official-Fix		Confirmed	

<b>Cisco WebEx WRF Player Stack Buffer Overflow Vulnerability</b> <b>CSCuc27645</b>					
<b>Calculate the environmental score of</b>					
<b>CVSS Base Score - 9.3</b>					
Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Medium	None	Complete	Complete	Complete
<b>CVSS Temporal Score - 7.3</b>					
Exploitability		Remediation Level		Report Confidence	
Proof-of-Concept		Official-Fix		Confirmed	

# Cisco WebEx WRF Player JPEG DHT Index Memory Corruption Vulnerability CSCuc24503

### **Calculate the environmental score of**

CVSS Base Score - 9.3

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Medium	None	Complete	Complete	Complete

CVSS Temporal Score - 7.3

Exploitability	Remediation Level	Report Confidence
Proof-of-Concept	Official-Fix	Confirmed

å1/2±éY;

ã◆“ã◆®ãf‰ã,ãf¥ãf|ãf³ã~ã◆Sè~æ~Žã◆•ã,Œã◆|ã◆„ã,<è,†å¼±æ€‰ã◆Œæ,ºç””ã◆•ã,Œã,<ã◆”ã€?ã,çãf—ãfã,±ãf¼ã,·ãfSãf³ã◆Œã,~ãf©ãffã,·ãf¥ã◆™ã,<ã◆~èf½æ€‰ã◆Œã◆,ã,Šã◆¾ã◆™ã€,ã◆¾ã◆Ýã,çãf—ãf³ã,±ãf¼ã,·ãfSãf³ã,’å®Ýè;Œã◆—ã◆|ã◆„ã,<ãf¹4ã,¶ã◆®æ”Œé™ã◆,ã,’ä½;ç””ã◆—ã◆|ã◆”ã€?

ä, ½ ä, f•äf^ä, !ä, §ä, c äf ♦ äf¹¼ä, äf§äf³ä ♦ Šä, ^ä ♦ ³ä; ®æf

<http://www.cisco.com/go/psirt/> Cisco Security Advisories, Responses, and Notices

Technical Assistance

ã, <sup>è</sup>~ã, ã, ®, ã, f, ©, ã, , ã, C, ã, f, ã, f, ^, ã, f, "ã, f, «, ã, f, %, ã, ®, Cisco WebEx Business Suite, WBS27  
ã, Š, ã, , ^, ã, ®, <sup>3</sup>, WBS28, %, ã, ®, Cisco WebEx 11

- Cisco WebEx Business Suite<sup>1/4</sup> WBS28<sup>1/4</sup>‰®  
T28.8<sup>1/4</sup>^28.8<sup>1/4</sup>‰»¥é™♦ã♦®ã,¬ãf©ã,¤ã,çãf<sup>3</sup>ãf^ ãf"ãf«ãf‰
  - Cisco WebEx Business Suite<sup>1/4</sup> WBS27<sup>1/4</sup>‰®  
27.32.16<sup>1/4</sup>T27LDSP32EP16<sup>1/4</sup>‰»¥é™♦ã♦®ã,¬ãf©ã,¤ã,çãf<sup>3</sup>ãf^ ãf"ãf«ãf‰
  - Cisco WebEx 11 1.2.6.0<sup>1/4</sup>^1.2 SP6<sup>1/4</sup>‰® T28.8<sup>1/4</sup>^28.8<sup>1/4</sup>‰»¥é™♦ã♦®ãf"ãf«ãf‰

© Cisco Systems, Inc. 2010 Cisco Confidential

- Cisco WebEx Meetings Server ® T27L10NSP32\_ORION111  
ä»¥é™ ◊ã®ã, “ãf©ã,¤ã,¢ãf³ãf^ ãf”ãf«ãf‰

Cisco WebEx WRF Player  
Microsoft Windows, Apple Mac OS X, Linux  
Cisco WebEx ARF Player  
Cisco WebEx WRF Player  
Cisco WebEx ARF Player  
Cisco WebEx WRF Player  
Cisco WebEx ARF Player  
<http://www.webex.com/play-webex-recording.html>

## Microsoft Windows

æœ¬ã, çäf‰ãf♦ã, þã, ¶ãfªã♦Sèª~žã♦•ã,Œã♦|ã♦,,ã,«è,,tå½æ€§ã♦«å¬¾å¿œä♦™ã,«ä♦Ýã,♦ã€♦Windows  
 Windows äf—äf©äffäf^äf•ã,©äf½äf ã♦§ã♦~5 ã♦þã♦®äf€ã,þãfŠãfÝäffã,~äf¤äf³ã,~  
 äf©ã,þãf—äf©äfªi¼^DLLi¼‰ã♦Œæ›~æ—ä♦•ã,Œã♦|ã♦,,ã♦¾ã♦™ã€,ã♦♦ã,Œã,%oã♦®äf•ã,;ã,þãf»  
 Files¥WebEx¥Record Playback äf•ã,©äf«äf€ã♦¾ã♦Ýã♦~C:¥Program Files  
 (x86)¥Webex¥Record Player äf•ã,©äf«äf€ã♦«ä♦,ã,Šã♦¾ã♦™ã€,DLL  
 ä♦®äf♦äf½ã,þãfŠãf³ç•å♦•ã♦®çÇ°èª♦ã♦~ã€♦Windows ã,~ã,~ã,~äf—äfäf½äf©ã♦S Record  
 Playback äf¤äf,~äf¤~ã,~äf^äf¤ã,~é—<ã♦♦ã€♦äf•ã,;ã,þãf«ä♦♦ã,~äf³ã,~äf¤äffã,~ä♦—ä♦| [  
 äf—äfäf‘äf†ã,;] ã,~é♦,æŠžã♦—ä♦¾ã♦™ã€,[ äf—äfäf‘äf†ã,;] ä♦® [ äf♦äf½ã,þãfŠãf³]  
 ä♦¾ã♦Ýã♦~[ è©³ç°] ã,~äf—ä♦«äf©ã,þãf—äf©äf¤  
 äf♦äf½ã,þãfŠãf³ã♦®è©³ç°ã♦Œè;~ç¤°ã♦•ã,Œã♦|ã♦,,ã♦¾ã♦™ã€,ä»¥ä,«ä♦®è;~ä♦«ä♦~ä€♦å♦,  
 DLL  
 ä♦®æœ€å^♦ã♦®ä¿®æ£äf♦äf½ã,þãfŠãf³ã♦Œè~~è¼‰ã♦•ã,Œã♦|ã♦,,ã♦¾ã♦™ã€,ã,þãf³ã,~äf^äf

Product	Client Build	Cisco DLL Filename	DLL File Versions
WBS27	27.32.16	Atas32_Lite.dll	1027,1232,1016,2201
WBS27	27.32.16	atpdmod.dll	2029.1232.1116.2300
WBS27	27.32.16	atas32.dll	1027,1232,1016,2200
WBS27	27.32.16	atjpg60.dll	1027,1232,1016,2200
WBS27	27.32.16	atdl2006.dll	1027,1232,1016,2200
WBS27	27.32.16	atprtsc.dll	2029.1232.1116.2300
WBS27	27.32.16	atprtses.dll	2029.1232.1116.2300
WBS27	27.32.16	nbrpd.dll	2029.1232.1116.2300
WBS28	28.8	atas32_lite.dll	28,0800,0112,1105
WBS28	28.8	atas32.dll	28,0800,0012,1105
WBS28	28.8	atdl2006.dll	1028,1208,1100,0500
WBS28	28.8	atjpg60.dll	2028,1208,1100,500
WBS28	28.8	atpdmod.dll	2028.1208.1100.2300
WBS28	28.8	atprtsc.dll	2028.1208.1100.2300
WBS28	28.8	atprtses.dll	2028.1208.1100.2300
WBS28	28.8	nbrpd.dll	2028.1208.1100.2300
Cisco WebEx 11	28.8	atas32_lite.dll	28,0800,0012,1105
Cisco WebEx 11	28.8	atas32.dll	28,0800,0012,1105
Cisco WebEx	28.8	atdl2006.dll	1028,1208,1100,0500

11			
Cisco WebEx 11	28.8	atjpg60.dll	2028,1208,1100,500
Cisco WebEx 11	28.8	atpdmod.dll	2028.1208.1100.2300
Cisco WebEx 11	28.8	atprtsc.dll	2028.1208.1100.2300
Cisco WebEx 11	28.8	atprtses.dll	2028.1208.1100.2300
Cisco WebEx 11	28.8	nbrpd.dll	2028.1208.1100.2300
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	atpdmod.dll	2029.1332.400.1703
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	nbrpd.dll	2029.1332.400.1703
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	pdcvt.dll	2029.1332.400.1703
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	atprtses.dll	2029.1332.400.1703
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	atprtsc.dll	2029.1332.400.1703

# Apple Mac OS X

Apple Mac OS

—[Info.plist](#)

Product	Client Build	Cisco DLL Filename	DLL File Version
WBS27	27.32.16	as.bundle	1210.24.2732.16
WBS27	27.32.16	asplayback.bundle	1210.24.2732.16
WBS27	27.32.16	atas.bundle	1210.24.2732.16
WBS27	27.32.16	nbrpd.bundle	1211.15.2732.16
WBS27	27.32.16	pd.bundle	1211.15.2732.16
WBS28	28.8	as.bundle	1211.5.2808.0
WBS28	28.8	asplayback.bundle	1211.5.2808.0
WBS28	28.8	atas.bundle	1211.5.2808.0
WBS28	28.8	nbrpd.bundle	1211.20.2808.0
WBS28	28.8	pd.bundle	1211.20.2808.0
Cisco WebEx 11	28.8<	as.bundle	1211.5.2808.0
Cisco WebEx 11	28.8	asplayback.bundle	1211.5.2808.0
Cisco WebEx 11	28.8	atas.bundle	1211.5.2808.0
Cisco WebEx 11	28.8	nbrpd.bundle	1211.5.2808.0
Cisco WebEx 11	28.8	pd.bundle	1211.5.2808.0
Cisco WebEx Meetings Server	T27L10NSP32_ORION111	nbrpd.bundle	1308.01.2732.202

Linux

Â?Linux

ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã♦§ã♦—ã€♦æœ-ã,çãf‰oãf♦ã,¤ã,¶ãf^ã♦§èª—æ~Žã♦•ã,Œã♦|ã♦,,ã,«,†ã♦¤ã♦®å...±æœ‰oã,ºãf-ã,ã,§ã,—ãf^ã♦Œã,çãffãf—ãf‡ãf¼ãf^ã♦•ã,Œã♦|ã♦,,ã♦¾ã♦™ã€,ã♦“ã,Œã♦¾/.webex directory  
ã♦«ã♦,ã,§ã♦¾ã♦™ã€,å...±æœ‰oã,ºãf-ã,ã,§ã,—ãf^ã♦®ãf♦ãf¼ã,ãf§ãf³ç·ªå♦•ã♦—ã€♦ ls  
ã,ºãfžãf³ãf‰oã♦§ãf•ã,£ãf-ã,—ãf^ãf^  
ãf^ã,¹ãftã,£ãf³ã,ºã,’å®Ýè;Œã♦—ã♦|ççºèªã♦§ã♦?ã♦¾ã♦™ã€,ãf♦ãf¼ã,ãf§ãf³ç·ªå♦•ã♦—

. SO

æ<sup>ç</sup>å<sup>½</sup>ã<sup>®</sup>ã<sup>®</sup>å<sup>¾</sup>Œã, ã<sup>®</sup>«è<sup>”</sup>è<sup>¼</sup>%oã<sup>®</sup>•ã,Œã<sup>®</sup>|ã<sup>®</sup>,ã<sup>®</sup>¾ã<sup>®</sup>™ã€,ä»¥ä,ã<sup>®</sup>®èj<sup>”</sup>ã<sup>®</sup>«ã<sup>®</sup>—ã€<sup>®</sup>å<sup>®</sup>,ã<sup>®</sup>...  
WebEx Meetings Server ã<sup>®</sup> Linux  
ã<sup>®</sup>—ãf©ã,¤ã,çãƒãf^ã<sup>®</sup>§ã<sup>®</sup>—ã,µaf<sup>®</sup>ãf<sup>½</sup>ã<sup>®</sup>•ã,Œã<sup>®</sup>“ã<sup>®</sup>Ýã,ã<sup>®</sup>€<sup>®</sup>ã<sup>®</sup>“ã<sup>®</sup>®è£½å“ã<sup>®</sup>ã<sup>®</sup>—èj<sup>”</sup>ã<sup>®</sup>«

Product	Client Build	Cisco DLL File Name	DLL File Version
WBS27	27.32.16	libatdv.so	922700067
WBS27	27.32.16	libnbrdv.so	1.0.27.23
WBS27	27.32.16	NBR Player AS	1.29.27.23
WBS27	27.32.16	WRF player AS	1.29.27.28
WBS28	28.8	libatdv.so	922800010
WBS28	28.8	libnbrdv.so	1.0.28.19
WBS28	28.8	NBR Player AS	1.0.28.18
WBS28	28.8	WRF player AS	1.0.28.19
Cisco WebEx 11	28.8	libatdv.so	922800010
Cisco WebEx 11	28.8	libnbrdv.so	1.0.28.19
Cisco WebEx 11	28.8	NBR Player AS	1.0.28.19
Cisco WebEx 11	28.8	WRF player AS	1.0.28.19

## å<sup>®</sup>žé<sup>®</sup>¿ç-

ã<sup>®</sup>“ã<sup>®</sup>®ã,çãƒ%oã<sup>®</sup>ã,¤ã,¶ãfã<sup>®</sup>«è<sup>”</sup>è<sup>¼</sup>%oã<sup>®</sup>•ã,Œã<sup>®</sup>|ã<sup>®</sup>,ã<sup>®</sup>,†å<sup>½</sup>æ€§ã<sup>®</sup>«å<sup>®</sup>¾ã<sup>®</sup>™ã,ã<sup>®</sup>žé<sup>®</sup>¿ç-ã<sup>®</sup>  
<http://support.webex.com/support/downloads.html> ã<sup>®</sup>«ã<sup>®</sup>,ã<sup>®</sup> Meeting Services Removal  
Tooli<sup>½</sup>Microsoft Windows ã<sup>®</sup>|ãf<sup>½</sup>ã,¶ã<sup>®</sup>®å<sup>®</sup> å<sup>®</sup>™ï<sup>¼</sup>%oã<sup>®</sup>¾ã<sup>®</sup>Ýã<sup>®</sup>— Mac Cisco-WebEx  
Uninstalleri<sup>½</sup>Apple Mac OS X  
ã<sup>®</sup>|ãf<sup>½</sup>ã,¶ã<sup>®</sup>®å<sup>®</sup> å<sup>®</sup>™ï<sup>¼</sup>%oã,‘å<sup>®</sup>“ç”“ã<sup>®</sup>—ã<sup>®</sup>|ã€<sup>®</sup>ã<sup>®</sup>™ã<sup>®</sup>1ã<sup>®</sup>|ã<sup>®</sup>® WebEx  
ã<sup>®</sup>,½ãf•ãf<sup>½</sup>ã,‘ã,§ã,çã,’ã,‘ãftãf ã<sup>®</sup>«ã,‰oå<sup>®</sup>Œå...“ã<sup>®</sup>«å<sup>®</sup>%oŠé<sup>®</sup>¤ã<sup>®</sup>™ã,ã<sup>®</sup>“ã<sup>®</sup>“ã<sup>®</sup>Œã<sup>®</sup>§ã<sup>®</sup>¾ã<sup>®</sup>

Linux ã<sup>®</sup>¾ã<sup>®</sup>Ýã<sup>®</sup>— UNIX ã<sup>®</sup>f<sup>½</sup>ã,‘ã<sup>®</sup>®ã,‘ã,‘ãftãf ã<sup>®</sup>«ã,‰oã<sup>®</sup>® WebEx

ã<sup>®</sup>,½ãf•ãf<sup>½</sup>ã,‘ã,§ã,çã<sup>®</sup>®å<sup>®</sup>%oŠé<sup>®</sup>¤ã<sup>®</sup>—ã<sup>®</sup>

<https://support.webex.com/MyAccountWeb/knowledgeBase.do?root=Tools&parent=Knowledge&articleId=WBX28>

ã<sup>®</sup>«ã<sup>®</sup>,ã<sup>®</sup> WebEx ã<sup>®</sup>Šãf—ãffã,

ã<sup>®</sup>f<sup>½</sup>ã,‘ã<sup>®</sup>®ãf~ãf«ãf—è<sup>”</sup>æ<sup>®</sup>ã<sup>®</sup>«è<sup>”</sup>è<sup>¼</sup>%oã<sup>®</sup>•ã,Œã<sup>®</sup>Ýæ%oé tã<sup>®</sup>«å<sup>®</sup>¾“ã<sup>®</sup>£ã<sup>®</sup>|èjŒã<sup>®</sup>tã<sup>®</sup>“ã<sup>®</sup>

ä<sup>®</sup>æ£æ,‘ã<sup>®</sup>¿ã,½ãf•ãf<sup>½</sup>ã,‘ã,§ã,çã<sup>®</sup>®å...¥æ%o<sup>®</sup>

Ã“Ã¢®Ã„»Ã„¬Ã„;Ã€ÃƒÃ„¬Ã€Cisco WebEx Meetings Server  
Ã€½Å“Ã¢®Ã„¬Ã€,Ã„½±æ€§Ã„¬Ã€Cisco WebEx Business Suite  
Ã„µÃƒ½Ãƒ“Ã„¹Ã„«Ã€©ç”Ã„•Ã„ŒÃ„¾Ã„™Ã€,

Cisco WebEx WRF Player Cisco WebEx ARF Player

ã?®è©²å½"ãf?ãf¼ã,ãfsãf³ã,'ã,çãffãf—ãf‡ãf¼ãf^ã?—

Business Suite WBS27 3

WBS28i¼‰ã,µãf¼ãf“ã,¹ã,’ã◆“ä½¿ç”“ã◆®ã◆Šå®çæ§~ã◆®å¤§å◆Šã◆~ã€◆ã◆“ã◆®ã,çäffäf-

Customer Success

æ...å½“è...ã◆«é€£çµ¡ã◆—ã◆|ã€◆ã,çäffäf—ã,ºãƒ—ãƒ%øã◆®è”^ç”»ã,’å§<ã,◆ã,<ã◆”ã◆”ã◆CEå...  
WebEx 11

ā,μāf%āf"ā,¹ā,'ā??"ā½ç"”ā?®ā?™ā?¹ā?|ā?®ā?Śā®çæs~ā?¬ā€?ā?"ā?®ā,çäffäf—äftäf%äf"

Cisco WebEx Meetings Server

ã,çäffäf—äf‡äf¼äf^ä,'ç,,jå,Ýä?ßæ?♦ä¾/ä?—ä? | ä? „ä? ¾ä?™ä€,ä,½äf•äf^ä,|ä,§ä,çä?®å°Zå...¥  
äf—äfäf?ä,¤äf€äf¼ä?“ä?“ç,è«‡ä?„ä?Ýä? ä? ?ä? „ä€?ä,½äf•äf^ä,|ä,§ä,çä?®äf•ä,Fäf¼äf?ä.  
ä,»äffäf^ä?®ä°æ?æ€ä?Šä,^ä?³ä?Šä®çæä?ä?®äf?äffäf^äf^-äf¼ä,-ç°åçä?®ç‰¹æœ‰ä?®

è³ªå•♦ã„è¿½åŠ ã♦®ã,µãƒ♦ãƒ¼ãƒ^ã♦Œå¿...è|♦ã‡ªå`å‡^ã€♦ã‡¾ã♦Ýã♦¬ãf•ã,£ãƒ¼ãf%oãf♦ãffã  
WebEx ã,ºãfãƒ¼ãf♦ãf« ã,µãƒ♦ãƒ¼ãf^ ã,µãƒ¼ãf”ã,¹ã♦Šã,^ã♦³ãftã,¬ãf<ã,«ãf«  
ã,µãƒ♦ãƒ¼ãf^ã♦¾ã♦Šã♦Šå•♦ã‡„å‡^ã,♦ã‡>ã♦♦ã♦ã♦•ã‡„ã€,ã♦ã♦ã♦®éš>ã♦¬ã€♦  
<http://support.webex.com/support/support-overview.html> ã♦«ã,çã,¬ã,>ã,¹ã♦™ã,<ã♦<ã€♦+1-866-229-  
3239 ã♦¾ã♦Ýã♦¬ +1-408-435-7088

„é€çµjä „ä•ä „ä€ç, ç<sup>3</sup>å›½ä» ¥å¤-ä «åœ „ä½ä®å ’å ä ^ä -ä€ä

<http://support.webex.com/support/phone-numbers.html>

ã,½äf•äf^ã,|ã,§ã,cã♦®å°Zå...¥ã,'èŒã♦†å%o♦«ã♦Så®çæS~ã♦®äf;äf³äftäfSäf³ã,¹

ãf—ãfãfãfã, ãfãf€ãf¼ã «ã?»ç, è«‡ã, „ã? Ýã, †ã?ã?ã?«ã€?ã, ½ãf•ãf?ã, |ã, sã, cã?®ãf?ã, fãf½ãf?ã, ã, »ãffãf?ã?®ã°æ?»æ€§ã?Sã, ^ã?³ã?Så®cæ§~ã?®ãf?ãffãf?ãf?ãf½ã, ~ç?°åçfã?«ç‰¹æœ‰ã?®

[http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN\\_.html](http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN_.html)

æ◊«è„~è¼‰oæ◊®æ·æ,¹æ,³æ◊®æ,½æf•æf^æ, | æ,§æ,ç

ã,½ãf•ãf^ã,|ã,§ã,çã®ã,çãffãf—ã,ºãf-ãf¼ãf‰ã«é-çã—ã€psirt@cisco.com  
ã,,ã—ã—ã—ã—security-alert@cisco.com

ā,ãf<sup>1/4</sup>āf“ā,¹å¥‘ḉ,,ã,’ā¤”ā^©ç””ā¤®ã¤Šå®çæs~

ã»“ã»®ã,»ã,~ã,~ã·ãƒ§ã·ã»~ã»Cisco WebEx Meetings Server  
è£½å“ã»ã»®è,†å¼±æ€§ã»«ã»®ã»¿é»©ç”“ã»•ã,Œã»¾ã»™ã»

[Cisco.com](http://www.cisco.com/cisco/software/navigator.html) Cisco® Software Navigator  
ã¢<ã,‰ã,çäffäf—ã,ºãf¬ãf%‰ã,'å...¥æ‰¤ã¢—ã¢!ã¢ã¢ã¢ã¢·ã¢„ã€,ã¢»ã¢”ã,“ã¢©ã¢®ã¢Šå®çæ§~ã¢—ã¢éšå„ã¢®ã,çäffäf—ã¢ftãf%äf~ã¢äf¢äf£äf¢äf«ã¢[ã¢](http://www.cisco.com/cisco/software/navigator.html),‰ã,çäffäf—ã,ºãf¬ãf%‰ã

ā,āf<sup>1/4</sup>āf%oāf‘āf<sup>1/4</sup>āf†ā,£ā♦®ā,μāf♦āf<sup>1/4</sup>āf^ā<sup>1/4</sup>šç¤<sup>3/4</sup>ā,’ā♦”å^©ç””ā♦®ā♦Så®çæ§~

ã»“ã»®ã»»ã, -ã, -ãf§ã-ã»“ã»Cisco WebEx Meetings Server  
è£½å“♦ã»®è, †å¼±æ€§ã»«ã»®ã»¿é♦©ç””ã»•ã, ©ã»¾ã»™ã»

ä, ·ä, ¹ä, ³ä ſäf¹äf¹äf^äfŠäf¹äf€? æfè! ?è²©äf²ä»Fç? tå°—ä€?ä, µäf¹äf"ä, ¹  
äf—äfäf?ä, xäf€äf¹äf?ä?ä?©ä€?ä, µäf¹äf%oäf¹äf¹äftä, Fä?®ä, µäf?äf¹äf^ä/4šç¤¾ä? ä»¥ä%o?ä

å̄žé?¿ç-ã„ä;®æ£ã?®åŠ¹æžœå?—ã€?ä½¿ç”“ã—ã?|ã?„ã,<è£½å?“ã€?ãf?ãffäf^ãf~ãf¼ã,—  
ãf^ãf?ãfã,ãf¼ã€?ãf?ãf©ãf•ã,ãfãffã,“ã?®æ€§è³aã„çµ,ç¹”ã?®ç›®çš,ã?“ã?©ã?“é-çã?™ã,<ã?Š  
ãf—ãfãf?ã,¤ãf€ãf¼ã„ã,µãf?ãf¼ãf?“ä½çµ³/4ã?“ã?“ç¢°èª?ã?“ã?“ã?“ã?“ã?,

ã,þf¹/₄ãf“ã,¹å¥‘ç‘,,ã,“ã?“å^©ç”“ã?§ã?“ã?„ã?Šå®çæ§~

ã“ã®ã,»ã,¬ã,·ãf§ãf³ã®¬ã€Cisco WebEx Meetings Server  
è£½å“♦ã®è,†å½±æ€§ã«ã®ã?¿é♦©ç”“ã®•ã,Œã?¾ã?™ã€,

Technical Assistance Center i 1/4 TAC i 1/4 % o ã «é€çµã — ã | ã, çãffãf — ã, °ãf—ãf i 1/4ãf % o  
ã, ½ãf•ãf^ã, | ã, çã, çã, 'å... ¥æ%o<ã — ã | ã ? ? ã ? ã ? •ã ? „ã,

- +1 800 553 2447 i<sup>1/4</sup>åŒ—ç±³ã¢œ<ã‰œ®ç„jæ—™é€šè©±i<sup>1/4</sup>‰
  - +1 408 526 7209 i<sup>1/4</sup>åŒ—ç±³ã»¥å¤—ã¢œ<ã‰œ®æœ‰œ—™é€šè©±i<sup>1/4</sup>‰
  - E æƒ¡æƒ<sup>1/4</sup>æƒ«i<sup>1/4</sup>stac@cisco.com

[http://www.cisco.com/en/US/support/tsd\\_cisco\\_worldwide\\_contacts.html](http://www.cisco.com/en/US/support/tsd_cisco_worldwide_contacts.html)

ä, ♀æ£å^©ç"“ ä°ä¾ä“ å...-å¼♀ç™øèí”

# Cisco Product Security Incident Response

Microsoft Vulnerability Research

Vulnerability	Reporter
Cisco WebEx ARF Player Memory Corruption Vulnerability	MSVR
Cisco WebEx ARF Player Heap Corruption Vulnerability	MSVR
Cisco WebEx WRF Player Exception Handler Corruption Vulnerability	MSVR
Cisco WebEx WRF Player Stack Buffer Overflow Vulnerability	MSVR
Cisco WebEx WRF Player JPEG DHT Index Memory Corruption Vulnerability	iDefense

— “ ”

á â ã ® é € š ç Ÿ ¥ ã ® ã , ¹ ã f t ã f ¼ ã , ã , ¹ ï ¼ š FINAL

æœ̄-ā, cãf%oãf ♦-ā, ã, ¶ãf<sup>a</sup>ā ♦-ç, jǣ{♦-è ¼ā ♦®ā,,ā ♦®ā ♦-”ā ♦—ā ♦|ā ♦"æ ♦? ♦ä¾»ā ♦—ā ♦|ā ♦Šā, Šā€

å¾Œè·°å™ã, <æf...å±é...ä¿jä® URL  
ã,’çœä¿ç·¥ã—ä€ä¿æœ¬ã, Çãf‰oãfä¿ã, ¶ãfãä®è”~è·°å†...å®¹ãä«é-Çãä—ãä| åä¿ç·¬ã®è»Ç

æf...å ±é...◆?äξí

ã»“ã®ã,çãf%oãfã,¤ã,¶ãfãã®æ¬jã®ãfããfã,¬ã«ã®,ã, Cisco Security Intelligence Operations ã«æŽ²è¼%oã•ã,Œã?¾ã™ã€,

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130904-webex>

„Cisco PSIRT PGP“

äfjäf%äf«ä♦§é...♦ä¿jä♦•ä,CÆä?|ä?„ä?¾ä?™ä€,

- [cust-security-announce@cisco.com](mailto:cust-security-announce@cisco.com)
  - [first-bulletins@lists.first.org](mailto:first-bulletins@lists.first.org)
  - [bugtraq@securityfocus.com](mailto:bugtraq@securityfocus.com)
  - [vulnwatch@vulnwatch.org](mailto:vulnwatch@vulnwatch.org)
  - [cisco@spot.colorado.edu](mailto:cisco@spot.colorado.edu)
  - [cisco-nsp@puck.nether.net](mailto:cisco-nsp@puck.nether.net)
  - [full-disclosure@lists.grok.org.uk](mailto:full-disclosure@lists.grok.org.uk)

æœ¬ã,¢ãf%oãf♦ã,¤ã,¶ãfªã♦«é-¢ã♦™ã,<ã»Šã³¼Œã♦®æ’æ-°ã♦¬ Cisco.com

æ «æž² è¼‰ • ã, € ã ¾ ã™ ã € ãƒ ãƒ½ ãƒª ãƒ³ ã, °

URL [http://www.abc.com](#),

æ>`æ-°å±¥æ'

Revision 1.0	2013-September-04	Initial public release.
--------------	-------------------	-------------------------

ã,·ã,¹ã,³ ã,»ã,ãf¥ãfªãf†ã,fæ‰o<é †

[http://www.cisco.com/en/US/products/products\\_security\\_vulnerability\\_policy.html](http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html)

ã, 'å, ç...§ã—ã | ã ? ã ? ã ? •ã „ã €, ã ? "ã ? ® Web

äfšäf¼ä, ä◊«ä◊¬ä€◊ä, ·ä, ¹ä, ³ä◊®ä, »ä, äf¥äfªäftä, £

ã.çãf%oãf?ã.¤ã.¶ãfã?«é-çã?—ã? | ãf;ãftã.£ã.çã

ã»ããf%ãftã. f ã.çãf%oãf ã.øã.¶ãfaã ã€ ã http://www.cisco.com/go/psirt/

وَمِنْهُمْ مَنْ يَرْجُوا أَنَّا نَهْكِمُ عَنْهُمْ فَلَا يَأْتُونَا مُؤْمِنِينَ

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。