

Cisco IOS XEã,½ãf•ãf^ã,|ã,§ã,cã®Network Address

Translationï¼^NATï¼>ãf♦ãffãf^ãfï¼ã,¬ã,cã



ã,çãf‰ãf♦ã,¤ã,¶ãf^ãf%ID : cisco-sa-
20150923-iosxe

[CVE-2015-6282](#)

å^♦å...¬é-[æ—¥](#) : 2015-09-23 16:00

ãf♦ãf%ID,ãf‰ãf³ 1.0 : Final

CVSSã,¹ã,³ã,c : [7.1](#)

å»žé♦¿ç- : No Workarounds available

Cisco ãf♦ã,° ID : [CSCut96933](#)

æ—¥æœ¬è^zã♦«ã,^ã,<æf...å ±ã♦¬ã€♦è<±è^zã♦«ã,^ã,<åZÝæ-‡ã♦®é♦zå...¬å¼♦ã

æ!,è!♦

Cisco ASR 1000ã,·ãf^ãf%ID,ºã€♦Cisco ISR 4300ã,·ãf^ãf%ID,ºã€♦Cisco ISR

4400ã,·ãf^ãf%ID,ºã€♦ã♦Šã,^ã♦³Cisco Cloud Services 1000vã,·ãf^ãf%ID,ºãf«ãf%ID,¿ç” Cisco IOS
XEã,½ãf•ãf^ã,|ã,§ã,cã®ãf♦ãffãf^ãfï¼ã,¬ã,cãf‰ãf¬ã,¹ã¤‰æ♦>(NAT)ã♦Šã,^ã♦³ãfžãf«ãf♦ãf-

ã♦“ã♦®è,,†å¼±æ€§ã♦¬ã€♦NATã♦Šã,^ã♦³MPLSå‡|ç♦†ã,’å¿...è|♦ã♦”ã♦™ã,<IPv4ãf^ã,±ãffãf^ã♦ã♦

IOS

XEãf‡ãf♦ã,¤ã,¹ã♦«ã,^ã♦£ã♦|å‡|ç♦†ã♦•ã,Œã,<IPv4ãf^ã,±ãffãf^ã,’é€♦æ¿jã♦™ã,<ã♦”ã♦”ã♦§ã€♦

ã,·ã,¹ã,³ã♦¬ã♦”ã,Œã,%oã♦®è,,†å¼±æ€§ã♦«å¬¾å‡|ã♦™ã,<ã,½ãf•ãf^ã,|ã,§ã,cã,cãffãf—ãf‡ãf%ID,^ã,

ã♦“ã♦®ã,cãf‰ãf♦ã,¤ã,¶ãf^ã♦¬ã€♦æ¬jã♦®ãf^ãf³ã,¬ã,^ã,ŠçÇ°è^ã♦ã♦§ã♦ã♦³¾ã♦™ã€,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20150923-iosxe>

æ³”íš2015å¹’9æœ^23æ—¥ã♦®Cisco IOSã♦Šã,^ã♦³IOS

XEã,½ãf•ãf^ã,|ã,§ã,cã,»ã,ãf¥ãf^ãftã,Œã,cãf‰ãf♦ã,¤ã,¶ãf^ãf♦ãf³ãf‰ãf«å...¬é-[æ—¥](#)”ã♦”ã♦”ã♦3ã♦¤ã

Security

Advisoryã♦Œå♦«ã♦³¾ã,Œã♦|ã♦,,ã♦³¾ã♦™ã€,ã♦™ã♦¹ã♦|ã♦®ã,cãf‰ãf♦ã,¤ã,¶ãf^ã♦¬ã€♦Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,cã♦Šã,^ã♦³Cisco IOS

XEã,½ãf•ãf^ã,|ã,§ã,cã♦®è,,†å¼±æ€§ã♦«å¬¾å‡|ã♦—ã♦|ã♦,,ã♦³¾ã♦™ã€,å€[ã](#)...ã♦®å...¬é-[æ—¥](#)”ã♦”ã♦”ã♦

Event Response: September 2015 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publication™,

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_sep15.html

€©²å¹½“€£¹½å“◆?

è, † å ¼ ± æ € § ã ® ã , ã , « è £ ½ å “ ?

Cisco IOS

XEä,½äf•äf^ä,|ä,§ä,cä?«ä♦¬ä€♦NAT♦Šä,^ä♦³MPLSä,µäf%4äf"ä,¹ä,'å¿...è|♦ä♦..ä♦™ä,<IPv4äfä,±

æ♦“ã♦®è„†å½±æ€§ã♦Œä,♦æ£å^©ç”“ã♦•ã,Œä,<å♦-èf½æ€§ã♦Œä♦,ã,<ã♦®ã♦-ã€♦IPv4
ã,ç¶™ãƒã,±ãffãƒ^ã♦®ã♦¿ã♦§ã♦™ã€,è©²å½“ãƒ‡ãƒ♦ã,¤ã,¹ã,’å®›å...^ã♦“ã♦™ã,<ãƒã,±ãffãƒ^ã♦¾
IP-6

Cisco IOS

XEä,½äf•äf~ä,|ä,§ä,cä♦®e `` å®šä♦§NATä♦Œæœ‰oåŠ¹ä♦«ä♦„ä♦Fä♦|ä♦„ä,<ä♦<ä♦©ä♦†ä♦<äip nat insideä,³äfžäf³äf‰oå♦¾ä♦Ýä♦_ ip nat

natā °ā fā fā f'4ā f♦āf«ā.³āf³āf♦ā.āfā.®āf¥āf—āf'4ā.āfsāf³ā ³afzāf³āf%oā ♦CEè °ā ®Rkā ♦«ā°ā°ā°ā ♦ā ♦—ā ♦

NAT

show running-config | include ip

natā,³ãfžāf³ãf%ooã, 'ä½ç”ã◊™ã, <ã◊ “ã€◊NATã◊Œè “å®šã◊«å~åœ “ã◊?™ã, <ã◊<ã◊@ã◊†ã◊<ã,’ç°

```
asr1000#show running-config | include ip nat
ip nat inside
ip nat outside
ip nat pool test 192.168.0.1 192.168.0.254 netmask 255.255.255.0
ip nat outside source list 1 pool test
```

å†ºåŠ›ãŒç©ºãŒ®å‘åŒ^ã€Œç‰¹åŒšãŒ®ãƒ‡ãƒŒã,¤ã,¹ãŒ§å®Ÿè¡ŒãŒ•ã,ŒãŒ|ãŒ„ã,Cisco
IOS

XEā,½āf•āf^ā, | ā, ūā, čāfāāfāāf¹/₄ā,¹ā?«ā?¬è, †ā¼±æ€ ūā?¬ā?, ā, ūā?³/₄ā?>ā, "ā€, å†°åŠ,ā?Œç©ºā? ūā?

Cisco IOS

mpls ipa,³*fžäf³äf‰äŒå~åœ”ä—ä|ä„ä,<åž...è|äŒä,ä,ŠäŒ^{3/4}ä™ä€,*

NAT

```
asr1000#show running-config | include mpls ip  
mpls ip
```

- **mpls ip** æ,³æfžæf³æf‰æŒæ€Œè“å®šæŒ®ip nat
outsideæ,³æfžæf³æf‰æŒ”åŒæŒæ„æ,¤æf³æ,¿æf¹4æf•æ,§æ,¤æ,¹æ,ŠæŒ«å~åœ“æŒ™æ,〈æŒæŒŒæŒ†æ
 - **ip nat**
insideæ,³æfžæf³æf‰æŒå^¥æŒ®æ,¤æf³æ,¿æf¹4æf•æ,§æ,¤æ,¹æŒ®è“å®šæŒ«å~åœ“æŒ™æ,〈æŒæŒŒæŒ

æ¬;ã? ®ä¾/ã? „ã€? è„†å½±æ€§ã? ®ã? ,ã, [”] å®šã,’çºã? —ã? | ã? „ã? ¾ã? ™ã€,

```
<#root>

asr1000# show running-config interface
!
interface GigabitEthernet0/0
    no shutdown
    ip address 10.86.194.60 255.255.254.0
        ip nat inside

    !
interface GigabitEthernet0/1
    no shutdown
    ip address 10.10.4.200 255.255.0.0
        ip nat outside
        mpls ip
```

!

è,,†å¼±æ€§ã,’å♦«ã,”ã♦§ã♦,,ã♦ªã♦,,ã♦”ã♦”ã♦CEçÇºèª♦ã♦•ã,CÆã♦ÝèF½å”♦

Cisco

IOSã,½ãf•ãf^ã,!ã,§ã,çã♦”ã€♦ã♦”ã♦®è,,†å¼±æ€§ã♦®å½±éÝ;ã,’å♦—ã♦’ã♦¾ã♦>ã,”ã€,

Cisco IOS

XRã,½ãf•ãf^ã,!ã,§ã,çã♦”ã€♦ã♦”ã♦®è,,†å¼±æ€§ã♦®å½±éÝ;ã,’å♦—ã♦’ã♦¾ã♦>ã,”ã€,

Cisco NX-

OSã,½ãf•ãf^ã,!ã,§ã,çã♦”ã€♦ã♦”ã♦®è,,†å¼±æ€§ã♦®å½±éÝ;ã,’å♦—ã♦’ã♦¾ã♦>ã,”ã€,

ä»—ã♦®ã,·ã,¹ã,³èF½å”♦ã♦«ã♦Šã♦,,ã♦|ã€♦ã♦”ã♦®ã,Çãf‰ãf♦ã,¤ã,¶ãfã♦®å½±éÝ;ã,’å♦—ã

è@³ç'

Cisco ASR 1000ã,.ãfªãf¼ã,ºã€♦Cisco ISR 4300ã,.ãfªãf¼ã,ºã€♦Cisco ISR

4400ã,.ãfªãf¼ã,ºã€♦ã♦Šã,^ã♦³Cisco Cloud Services 1000vã,.ãfªãf¼ã,ºãf«ãf¼ã,¿ç” Cisco IOS

XEã,½ãf•ãf^ã,!ã,§ã,çã♦®ãf♦ãffãf^ãf¼ã,^ã,Çãf‰ãf–ã,¹å¤‰æ♦>(NAT)ã♦Šã,^ã♦³ãfžãf«ãf♦ãf—

ã♦”ã♦®è,,†å¼±æ€§ã♦”ã€♦NATã♦Šã,^ã♦³MPLSå†|ç♦†ã,’å¿...è|♦ã♦”ã♦™ã,*IPv4ãf*ã,±ãffãf^ã♦CE

IOS

XEãf‡ãf♦ã,¤ã,¹ã♦«ã,^ã♦Eã♦|å‡|ç♦†ã♦•ã,CÆã,*IPv4ãf*ã,±ãffãf^ã,’é€♦äçjã♦™ã,<ã♦”ã♦”ã♦§ã€♦

ã♦”ã♦®è,,†å¼±æ€§ã♦”ã€♦Cisco Bug ID [CSCut96933](#)(
ç™»éŒ2ãf|ãf¼ã,¶å°,ç””)ã♦”ã♦—ã♦|æ-‡æ›åŒ-ã♦•ã,CÆã€♦Common Vulnerabilities and
Exposures(CVE)IDã♦”ã♦—ã♦|CVE-2015-

6282ã♦CEå‰²ã,Šå½”ã♦|ã,‰ã,CÆã♦|ã♦”ã♦¾ã♦™ã€,

å>žé◆?¿ç-

ä;®æ£æ, ^ã♦¿ã, ½ãƒ•ãƒ^ã, |ã, §ã, ¢

[Cisco Security Advisories, Responses, and Alerts](http://www.cisco.com/guide/cisco-security-advisories-responses-and-alerts)

ã,çãf%ä,«ã,¤äf-ä,,ã€♦å¾Œç¶šã♦®ã,çãf%oäf♦ä,¤ã,¶äf-ä,`å♦,ç...§ã♦—ä♦!`å¾µå®³ã♦®å♦`èf½æ
ä,½äf-äf¥äf%ä,·äf§äf³ä,’ççºèª`ä♦—ä♦!`ä♦`ä♦`ä♦`ä♦`ä♦`ä♦,·ä♦,·ä♦,

Technical Assistance

Center i ¼ ^TAC i ¼ % o ã „ ã ♦ — ã ♦ ♦ ã ♦ — å ¥ ç „ ã ♦ — ã ♦ | ã ♦ „ ã , < ã f j ã f ³ ã f t ã f Š ã f ³ ã , ¹ ã f — ã f ã f ♦ ã „ ã f € ã f ¼ ã ♦ „

Cisco IOS XE 1.2af•af^a,|a,§a,c

Cisco IOS

XEä½äƒ•äƒ^ä,|ä,§ä,cä♦~ä€♦ä♦“ä♦®ä,Cäf‰oäf♦ä,¤ä,¶äf^ä♦«è~”è¼‰oä♦•ä,Cä♦|ä♦,„ä,<è,,†å¼±æ+

Cisco IOS XE, ½ af•af˜, |, §, ¢ af˜ af˜ f¹/₄, ¹ af˜ “ Cisco

IOS 12.0(15)S, Cisco IOS

[Cisco IOS XE](#)

3Sāf^aāf^aāf^{f/4}ā, 1āf^Zāf^{1/4}āf⁺ā€?ā, 'å? , ç...§ā? —ā? | ā? ? ā? ā? •ā? , , ā€,

Cisco IOS XE a,½af•af^a, a,§a,c af^af^af¹/₄a, ¹	æ“æ®æ,çæf%oæfæ,æ,¶æfææ®æœ€å^ææ®ææfæfæf¹/₄æ, ¹
2.x.x	è,,†å¹/₄±æ€§æ,ã,Šã€♦3.10.6Sä»¥é™♦æ«ç§»è;Œæ—æ ã♦ã♦ã♦ã♦•ã♦,,ã€,
3.x.xS	è,,†å¹/₄±æ€§æ,ã,Šã€♦3.10.6Sä»¥é™♦æ«ç§»è;Œæ—æ ã♦ã♦ã♦ã♦•ã♦
3.10.xS	3.10.6S
3.11.xS	è,,†å¹/₄±æ€§æ,ã,Šã€♦3.13.3Sä»¥é™♦æ«ç§»è;Œæ—æ ã♦ã♦ã♦ã♦•ã♦,,ã€,
3.12.xS	è,,†å¹/₄±æ€§æ,ã,Šã€♦3.13.3Sä»¥é™♦æ«ç§»è;Œæ—æ ã♦ã♦ã♦ã♦•ã♦,,ã€,
3.13.xS	3.13.3S
3.14.xS	è,,†å¹/₄±æ€§æ,ã,Šã€♦3.15.1Sä»¥é™♦æ«ç§»è;Œæ—æ ã♦ã♦ã♦ã♦•ã♦,,ã€,

3.15.xS	3.15.1S
3.16.xS	è,,†å¼±æ€§ã♦^—

ä,♦æ£å^©ç”“äº<ä¾<ä♦”å...¬å¼♦ç™oèi”

Cisco Product Security Incident Response

Teami¼PSIRTi¼ooã♦—ã€♦æœ¬ã,çäf%oãf♦ã,¤ã,¶ãfã♦«è”~è¼%oã♦•ã,Cæã♦!ã♦,,ã,<è,,†å¼±æ€§ã♦
ã♦”ã♦®è,,†å¼±æ€§ã♦—ã,µãf♦ãf¼ãf^
ã,±ãf¼ã,¹ã♦®è§æ±°ã,ã♦«ç™oè!<ã♦•ã,Cæã♦¾ã♦—ã♦¥ã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20150923-iosxe>

æ”¹è”,å±¥æ‘

ãf^ãf“ã, „ãf§ãf³ 1.0	2015å¹`9æœ^23æ—¥	å^♦å›žå...¬é¬<ãf^ãf^1/4ã,¹
-------------------------	------------------	----------------------------

å^©ç”“è!♦ç’„

æœ¬ã,çäf%oãf♦ã,¤ã,¶ãfã♦—ç,,jä¿♦è”¼ã♦®ã,,ã♦®ã”ã♦—ã♦!ã♦”æ♦♦ä¾>ã♦—ã♦!ã♦!ã♦Šã,Šã
æœ¬ã,çäf%oãf♦ã,¤ã,¶ãfã♦®æf...å±ã♦Šã,^ã♦³ãf^ãf³ã,—ã♦®ä½¿ç”“ã♦«é-çä♦™ã,<è²¬ã»»ã♦®ã,€
ã♦¾ã♦¥ã€♦ã,·ã,¹ã,³ã♦—æœ¬ãf%oã,ãf¥ãf^ãf^ã♦®å†...å®¹ã,’äº^åŠã♦^—ã♦«å¤‰æ’ã♦—ã♦
æœ¬ã,çäf%oãf♦ã,¤ã,¶ãfã♦®è”~è;°å†...å®¹ã♦«é-çä♦—ã♦!æf...å±é...♦ä¿jã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç<-ã♦®è»çè¼%oã,,æ,,♦è”³ã,’æ-½ã♦—ã♦¥å`å♦^ã€♦å½“ç¤¾ã♦Œç®¡ç♦
ã♦”ã♦®ãf%oã,ãf¥ãf^ãf^ã♦®æf...å±ã♦—ã€♦ã,·ã,¹ã,³è£½å“♦ã♦®ã,“ãf^ãf%oãf!ãf¼ã,¶ã,’å”¾è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。