

Cisco é © åžœåž<ã,»ã,ãf¥ãfªãftã,£

ã,çãf—ãf©ã,ªã,çãf³ã,¹ã ®ãf•ãfãf¼ä½œæ^

Denial of

Servicei¼^DoSi¼%ã ®è,,tã¼±æ€š



ã,çãf%ãfã,ªã,¶ãfªãf¼ID : cisco-sa-20180418-asa2

[CVE-2018-0228](#)

ã^ã...-é- \llcorner æ—¥ : 2018-04-18 16:00

æœ€gæ>æ-°æ—¥ : 2018-04-23 16:41

ãfãf¼ã,ãfšãf³ 1.1 : Final

CVSSã,¹ã,³ã,ç : [8.6](#)

ã>žéç- : Yes

Cisco ãfã,° ID : [CSCvf63718](#)

æ—¥æœ-èªã«ã,^ã,<æf...ã ±ã-ã€è<±èªã«ã,^ã,<ãŽYæ-ã®éžã...-ã¼ã

æi,èi

Cisco é © åžœåž<ã,»ã,ãf¥ãfªãftã,£

ã,çãf—ãf©ã,ªã,çãf³ã,¹¼^ASAi¼%ã®ã...¥ãšãfãfãf¼ä½œæ^æ©Yèf½ã®è,,tã¼±æ€šã«ã,^ã,š

CPU ã, 100 ã®ã¼ç"çŽãã,ã"ã,šæ~ãã•ããæ€è²ã½"ã,ã,¹ãftãfãš Denial of Servicei¼^DoSi¼%çš¶ã...ã,ã¼ããèµãã"ã™ãèf½æ€šã€ãã,ã,šã¼ã™ã€,

ã"ã®è,,tã¼±æ€šã-ã€ã»-ã®ã,ã,¹ãftãfãf—ãfã,»ã,¹ã€CPU

ã,µã,ªã,ãf«ã«ã¼ã,€ã,ãã"ã"ã,ã'ãžéçã™ã,ãt...éf"ã,½ãfãf^ã,ã,šã,ç

ãfãfã,ã®ã,é€©ã†ãªã†çtã«èµãã—ã¼ã™ã€ãã"ã,€ã«ã,^ã€ã!CPU

CPU

ã€è«~ã¼ç"çŽãã"ãªã,ãèèf½æ€šã€ãã,ã,šã¼ã™ã€,æ"æ'fè€...ã-ã€æ,ªæ,ã®

IP

ãfã,±ãffãfã®ã®%ã®šã—ãYã,¹ãfãfãf¼ãfã,é€ãžã™ã,ãã"ã"ãšã€è²ã½"ãfãf

CPU

ãfã,½ãf¼ã,¹ã,æžæ,ããã,ãã"ã"ã€ãèf½ã«ãªã,šã€çµæžœã"ã—ã!

DoS

çš¶ã...ã€ã¼ããèµãã"ã•ã,€ããfãfãã,ªã,¹ã,é€éçãŽã™ã,ãfãfãfã,£ãfã,ã€ã€

IPv4ã¼ãYã-IPv6

ã®ãã,ãšã,€ã®ã...¥ãšãfãfãfã,£ãfã,ãã«ã,ã½ãã!ã-ã¼ã,šã¼ã™ã€,

ciscoasa#

show version | include Version

Cisco Adaptive Security Appliance Software Version

9.4(4)

Device Manager Version 7.4(1)

Cisco Adaptive Security Device

Manager 1.4^ASDM 1.4%ã, 'ä 1/2 ç'''ã—ã | äf†äfã, mã, 1ã, 'ç®;ç—ã | ä,,ã, < 'ä^ã—ã€—ãfã
ã, | ä, £ãf³ãf%ã, | ä€ã—ã³ã—ã—ã Cisco ASDM
ã, | ä, £ãf³ãf%ã, | ä®å: | ä, Šã«ã, 1/2ãfãf^ã, | ä, Šã, ç
ãfããfãf¼ã, 1ã€—ã€ç®;ç—ã—ã, Çã—ã³ã—ã™ã€,

Cisco Firepower ä,ã,1ãf†ãf ä,1/2ãfãf^ã,|ã,Šã,ç äfããfãf¼ã,1ã®å^ãå^Ÿ

ãf†ãfã, mã, 1ã, ŠãŠã®Ÿè;Çã—ã, Çã | ä,,ã, < Cisco Firepower ä,ã,1ãf†ãf
ã, 1/2ãfãf^ã, | ä, Šã, ç
ãfããfãf¼ã, 1ã—ã€—ç®;ç—ã—ã€...ã—ãÇãf†ãfã, mã, 1ã«ãfã, °ã, mãf³ã—ã | ä€CLI ä\$
show version

ã,³ãfžãf³ãf%ã, 'ä 1/2 ç'''ã™ã, <ã—ã—ã—ã«ã, ^ã, Šçç°è^ã—ã—ã—ã—ã³ã—ã™ã€, æ¬ã—ã«ã—ããããf
6.2.0
ã, 'ä®Ÿè;Çã—ã | ä,,ã, <ãf†ãfã, mã, 1ã®å,³ãfžãf³ãf%ãå°ãŠ>ä¼ã, 'ç®;ç—ã—ã³ã—ã™ã€,

<#root>

>

show version

```
-----[ ftd ]-----  
Model : Cisco ASA5525-X Threat Defense (75) Version  
6.2.0  
  
(Build 362)  
UUID : 2849ba3c-ecb8-11e6-98ca-b9fc2975893c  
Rules update version : 2017-03-15-001-vrt  
VDB version : 279  
-----
```

è,†ã¼±æ€šã, 'ã«ã, "ãŠã,,ãªã,,ã—"ã—ã—ãÇçç°è^ã—ã—ã, Çã—ãŸè£½ã"

ä»-ã®ã,ã,1ã,³è£½ã"ã«ãŠã,,ã | ä€ã—ã—ã®ã, çãf%ããfã, mã, ¶ãfãã®å½±éŸ;ä, 'ä—ã

æœ-ã,çãf%ãfã,ã,ã,ãfã-ç,,jãç`¼ã@ã,,ã@ã`ã-ã|ã"æ?ä¾ã-ã|ãŠã,Šã
æœ-ã,çãf%ãfã,ã,ã,ãfã@æf...ã±ãŠã,^ã³ãfããfã,ã@ã½ç"ã«é-çã™ã,«è²-ã»ã@ã,€
ã¾ãÿãã,ã,ã,ã,ãæœ-ãf%ãã,ãfããfããfããã@ãt...ã@¹ã,ã°ãŠããã-ã«ã%ãæ'ã-ã
æœ-ã,çãf%ãfã,ã,ã,ãfã@è`~èç°ãt...ã@¹ã«é-çã-ã|æf...ã±é...ãçjã@ URL
ã,çœç•¥ã-ã€ããç<-ã@è»çè¼%ã,,,æ,,è`³ã,æ-½ã-ãÿã'ã^ã€ã½"ç¾¾ãÇç@çç
ã"ã@ãf%ãã,ãfããfããfããfããæf...ã±ã-ã€ã,ã,ã,ã,³è£½ã"ã@ã,ãããf%ããf!ãf¼ã,ã,ã³¼è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。