

Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

IP

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of

Service (DoS)



Cisco Firepower 2100 Denial of Service (DoS) vulnerability in Cisco Firepower 2100

[CVE-2018-0230](#)

Published: 2018-04-18 16:00

Final

CVSS Score: 8.6

No workarounds available

Cisco ID: [CSCv91098](#)

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of

Cisco Firepower 2100 Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Cisco Firepower Threat

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of

Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

Denial of Service (DoS) vulnerability in Cisco Firepower 2100

ã, çãf—ãf©ã, mã, çãf³ã, 1ã Šã, ^ã ³ Cisco

ã, μãf¼ãf"ã, 1 çμ±ã ħžãf«ãf¼ã, žã Sã@Yë;CEã•ã, CEã |ã,ã, Cisco FTD

ã, ½ãf•ãfã, |ã, Sã, çã «ã ħ½±éYžã, 'ã, Žã ħãã,,ã "ã "ã "ã, çç°èª, ^ã žã Šã™ã€,ã ¾ãã

2100 ã, ãfãf¼ã, °ã,»ã,ãfãfãfãfã,£ã, çãf—ãf©ã, mã, çãf³ã, 1ã Šã@Yë;CEã•ã, CEã |ã,ã, Cisco

Cisco é ©ã žceãžã,»ã,ãfãfãfãfãfã,£

ã, çãf—ãf©ã, mã, çãf³ã, 1¼^ASAI¼%ã, ½ãf•ãfã, |ã, Sã, çã «ã ħ½±éYžã, 'ã, Žã ħãã,,ã "ã "ã "ã, çç°èª

ã>žé žç-

ã "ã @è,, tã¼±æ€Sã «ã ¾ã‡ |ã™ã,ã>žé žç-ã ħã,ã, Šã¾ãã>ã, "ã€,

ã ž ©æ£æ, ^ã žã, ½ãf•ãfã, |ã, Sã, ç

ã, ã, 1ã, ¾ã ħã "ã @ã, çãf%ãfã, mã, ¶ãfãã «è "è¼%ãã•ã, CEã Yë,, tã¼±æ€Sã «ã ¾ã‡ |ã™ã,ç,,

ãfãf¼ã,ãfSãf³ã "ãfã,£ãf¼ãfãf£

ã,»ãffãfãã «ã¾ã—ã |ã @ã žã "ãªã,Šã¾ãã™ã€,ãããã @ã, ^ã tãªã,½ãf•ãfã, |ã, Sã,

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã¾ãYã€ã Šã@çæs~ã CEã,½ãf•ãfã, |ã, Sã, çã, 'ãfã, |ãfãfãf¼ãf%ãã Šããã,ãã @ã ħã€ã,

ã, çãffãf—ã, °ãf-ãf¼ãf%ãã Šã™ã€,ç,,ã,,Yã @ã,»ã,ãfãfãfãfã,£ã, ½ãf•ãfã, |ã, Sã, ç

ã, çãffãf—ãfãf¼ãfã ħã, ^ã £ã |ã€ã Šã@çæs~ã «æ-°ã—ã,,ã, ½ãf•ãfã, |ã, Sã, ç

ãf©ã, mã,»ãf³ã, 1ã€èž½ãŠã, ½ãf•ãfã, |ã, Sã, çãfã,£ãf¼ãfãf£

ã,»ãffãfããã¾ãYã ħãfã,,ãf£ãf¼ãfãfã,ãfSãf³

ã, çãffãf—ã, °ãf-ãf¼ãf%ãã «ã¾ã™ã,æ " ©é™ã ħã CEã»ã, Žã•ã, CEã,ã "ã "ã ħã,ã, Šã¾ãã

ã, ½ãf•ãfã, |ã, Sã, çãã @ã, çãffãf—ã, °ãf-ãf¼ãf%ãã, 'ææœè "Žã™ã, <és>ã «ã ħã€ã [ã,ã, 1ã, ¾ã @ã,»ã,ãf

Security Advisories and Alerts[¼%]

ãfšãf¼ã,,ã Šã...¥æ%ãã Šãããã,ã,ã, 1ã, ¾è£½ã "ã @ã, çãf%ããfã, mã, ¶ãfãã, 'ã ŠæœYçš,,ã «ã,ç

ã, ½ãfãfãfã,ãfšãf³ã, 'çç°èªã—ã |ãããããããã,,ã€,

ã,,ã Šã, CEã @ã 'ã ħã,,ã€ã, çãffãf—ã, °ãf-ãf¼ãf%ãã™ã,ãfãfãã, mã, 1ã «ãã ħããfãfãã

Technical Assistance

Center[¼^TACi¼%ã,,ã—ãããã ħã¥'ç,,ã—ã |ã,,ã,ãfãfãfãfãfãfŠãf³ã, 1ãf—ããfãã, mãfãf¼ãã

ã,μãf¼ãf"ã, 1ãY'ç,,ã, 'ã"ã ħç" ħãŠããã,,ã Šã@çæs

ã, ã, 1ã, ¾ã ħã, %ç'æŽ¥è¾ã...¥ã—ã Yã CE Cisco Service Contract

ã, 'ã"ã ħç" ħã,,ã Yããã,,ã |ã,,ãªã,,ã 'ã ħããã¾ãYã€ã,μãf¼ãf%ããfãf¼ãfã,£ãf™

POSãã,ã, %ã...¥æ%ãã Šããããªã,,ã ħã ħã ħã€ã Cisco TAC

ã «é£çμjã—ã |ã, çãffãf—ã, °ãf-ãf¼ãf%ãã, 'ã...¥æ%ãã—ã |ãããããããã,,ã€,

<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。