


# Cisco Unified Communications

## Manager LDAP Authentication Bypass



Cisco-SA-20180418-ucm1

[CVE-2018-0267](#)

20180418-ucm1

Published: 2018-04-18 16:00

Version: 1.0 : Final

CVSS Score: 5.5

Workarounds: No workarounds available

Cisco ID: [CSCvf22116](#)

Authentication Bypass in Cisco Unified Communications Manager LDAP

### Summary

Cisco Unified Communications

Manager Web Services Authentication Bypass

The vulnerability allows an attacker to bypass authentication in Cisco Unified Communications Manager Web Services.

The vulnerability is located in the authentication module of the Cisco Unified Communications Manager Web Services.

The vulnerability is caused by a flaw in the authentication logic of the Cisco Unified Communications Manager Web Services.

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180418-ucm1>

### Impact

Authentication Bypass

The vulnerability allows an attacker to bypass authentication in Cisco Unified Communications Manager

Web Services, which can lead to unauthorized access to sensitive information.

CVSS Score: 5.5

The vulnerability is located in the authentication module of the Cisco Unified Communications Manager Web Services.

The vulnerability is caused by a flaw in the authentication logic of the Cisco Unified Communications Manager Web Services.

# ã>žé❖¿ç-

ã❖"ã❖®è,,†ã¼±æ€šã❖«ã³¼ã†|ã❖™ã,ã>žé❖¿ç-ã❖-ã❖,ã,šã❖¾ã❖>ã,"ã€,

# ä¿®æ£æ, ^ã❖¿ã, ½ãf•ãf^ã, |ã,šã,ç

ä¿®æ£æ, ^ã❖¿ã, ½ãf•ãf^ã, |ã,šã,ç

ãfªãfªãf¼ã, 1ã❖®è©³ç´ã❖«ã❖ªã❖,,ã❖|ã❖-ã€❖æœ-ã,çãf%ããf❖ã,ªã,¶ãfªã,šéf´ã❖® Cisco Bug ID ã,ã❖,ç...šã❖❖ã❖ã❖•ã❖,,ã€,

ã,½ãf•ãf^ã,ã,šã,çã❖®ã,çãffãf-ã,°ãf-ãf¼ãf%ãã,æªœè´žã❖™ã,«ésã❖«ã❖-ã€❖[ã,ã,1ã,3ã❖®ã,»ã,ãf Security Advisories and Alerts[¼%]

ãfšãf¼ã,ã❖šã...¥æ%ã❖šã❖❖ã,ã,ã,1ã,3è£½ã"❖ã❖®ã,çãf%ããf❖ã,ªã,¶ãfªã,ã®šæœÿçš,,ã❖«ã❖,çã,½ãfªãf¼ã,ãfšãf³ã,çç°èªã❖-ã❖|ã❖❖ã❖ã❖•ã❖,,ã€,

ã❖,,ã❖šã,çã❖®ã´ã^ã,,ã€❖ã,çãffãf-ã,°ãf-ãf¼ãf%ãã❖™ã,ãfªãf❖ã,ªã,1ã❖«ã❖❖ã^†ã❖ªãfªãfçã Technical Assistance

Center[¼TACi¼%ã,,ã❖-ã❖❖ã❖-ã¥´ç´,,ã❖-ã❖|ã❖,,ã,ãfªãf³ãfªãfšãf³ã,1ãf-ãfãf❖ã,ªãf€ãf¼ã❖«

# ä,❖æ£ã^©ç"´ã°<ã¾<ã❖´ã...-ã¼❖ç™°èj´´

Cisco Product Security Incident Response

Team[¼PSIRTi¼%ã❖-ã€❖æœ-ã,çãf%ããf❖ã,ªã,¶ãfªã❖«è´´è¼%ã❖•ã,çã❖|ã❖,,ã,«è,,†ã¼±æ€šã❖❖

# ã†°ã... ,

æœ-è,,†ã¼±æ€šã❖-ã€❖ã,ã,1ã,3ã†...éf´ã❖šã❖®ã,»ã,ãfªãfªãfªã,£ãfªã,1ãf^ã❖«ã,^ã❖£ã❖|ç™°è|<ã❖•ã,çã❖¾ã❖-ã❖ÿã€,

# URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180418-ucml>

# æ"¹è´´,ã±¥æ´

ãf❖ãf¼ã,ãfšãf³	èª-æž	ã,»ã,ã,ãfšãf³	ã,1ãfªãf¼ã,¿ã,1	æ-¥ã»´
1.0	ã^ã>žã...-é-ãfªãfªãf¼ã,1	-	Final	2018 ã¹´ 4 æœ^ 18 æ-¥

# ã^©ç"´è|❖ç´´,,

æœ-ã,çãf%ããf

ã,ã,¶ã,¶ãfãã ç,,jäç è ¼ã Òã,,ã Òã ã —ã |ã "æ ä¼ã —ã |ã Šã,Šã€ã,,ã <ã æœãã,çãf%ããfãã,¶ã,¶ãfãã Òæf...ã ±ã Šã,^ã ³ãfããfãã,ã Òã½ç "ã «é-çã™ã,«è²-ã»ã Òã,€ã ¾ã ÿã€ãã,ã,¹ã,³ã æœããf%ãã,ãfããf;ãf³ãf^ã Òãt...ã Ò¹ã,'ã^ã Šããã —ã «ã%ãæ'ã —ã æœãã,çãf%ããfãã,¶ã,¶ãfãã Òè ~èç°ãt...ã Ò¹ã «é-çã —ã |æf...ã ±é...ã äçjã Ò URLã,çœ ç•¥ã —ã€ãã ç<ã Òè»çè¼%ãã,,æ,,è ³ã,'æ-½ã —ã ÿã 'ã ^ã€ã½"ç¾¾ã Æç®ççãã "ã Òãf%ãã,ãfããf;ãf³ãf^ã Òæf...ã ±ã ã€ãã,ã,¹ã,³è£½ã"ã Òã,,ãf³ãf%ããf;ãf¼ã,¶ã,'ã ¾è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。