

Cisco IOS XE

ã,½ãf•ãf^ã,|ã,§ã,cã♦®è^a♦?è^“½ã€♦?è^a♦?å♦?¬ã€♦?ã
ã,³ãf½ãf%oå®Ýè;Œã♦®è,,†å½±æ€\$



ã,cãf%oãf♦ã,¤ã,¶ãf^a^f½ID : cisco-sa-

[CVE-2018-](#)

20180606-aaa

[0315](#)

å^♦å...¬é-æ-¥ : 2018-06-06 16:00

æœ€gæ>`æ-°æ-¥ : 2018-06-08 13:55

ãf♦ãf½ã,ãf§ãf³ 1.1 : Final

CVSSã,¹ã,³ã,c : [9.8](#)

å›žé♦?ç- : No workarounds available

Cisco ãf♦ã,° ID : [CSCvi25380](#)

æ—¥æœ¬è^ažã♦«ã,^ã,<æf...å ±ã♦¬ã€♦è<±è^ažã♦«ã,^ã,<åŽÝæ-‡ã♦®é♦žå...¬å½♦ã

æ!,è!?

Cisco IOS XE

ã,½ãf•ãf^ã,|ã,§ã,cã♦®è^a♦?è^“½ã€♦?è^a♦?å♦?¬ã€♦?ã,^ã?³ã,cã,«ã,|ãf³ãftã,£ãf³ã,°i½^AAAi½%oã,»ã,ãf
ã,µãf½ãf^ã,¹ã♦®è,,†å½±æ€\$ã♦«ã,^ã,Šã€♦?è^a♦?è^“½ã?•ã,Œã♦?|ã?„ã?„ã?„ãf?c?ãf½ãf^ã?®æ”»æ
Denial of Serviceï½^DoSi½%oçŠ¶æ...ã?«é™¥ã,«å?¬èf½æ€\$ã?Œã?„ã,Šã?¾ã?™ã€,

ã?“ã?®è,,†å½±æ€\$ã?¬ã€?è®²å½“ã,½ãf•ãf^ã,|ã,§ã,cã?Œãfã,°ã,¤ãf³è^a♦?è^“½æ™,ã?«å®Ýè;Œã?™
DoS çŠ¶æ...ã?«é™¥ã,«å?¬èf½æ€\$ã?Œã?„ã,Šã?¾ã?™ã€,

ã,·ã,¹ã,³ã?¬ã?“ã?®è,,†å½±æ€\$ã?«å?¾ã?|ã?™ã,«å,½ãf•ãf^ã,|ã,§ã,cã,çãffãf—ãf?ãf½ãf^ã,'ãf?ãf?ãf½

ã?“ã?®ã,cãf%oãf♦ã,¤ã,¶ãf^a?¬ã€?æ¬ã?®ãf?ãf³ã,¬ã,^ã,Šç?°è^a?ã?§ã?„ã?¾ã?™ã€,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180606-aaa>

è®²å½“è£½å“?

è,,†å½±æ€\$ã?®ã?„ã,<è£½å“?

ã?“ã?®è,,†å½±æ€\$ã?¬ã€?Cisco IOS XE ã,½ãf•ãf^ã,|ã,§ã,c?ãf?ãf?ãf½ã,¹ Fuji 16.7.1
ã?¾ã?Ýã?¬ Fuji 16.8.1 ã,‘å®Ýè;Œã?—ã€?ãfã,°ã,¤ãf³è^a♦?è^“½ã?« AAA
ã,‘ä½¿ç”“ã?™ã,«ã,^ã?†è^“å®šã?•ã,Œã?|ã?„ã,·ã,¹ã,³
ãf?ãf?ã,¤ã,¹ã?«å½±éÝ?ã,’å?Šã?¼ã?—ã?¾ã?™ã€,

AAA è·å®šä♦®ç¢°è¤♦

ãf‡äf♦ã,¤ã,¹ã♦Œäfã,ºã,¤äf³è¤♦è „¼ã♦« AAA
ã,'ä½¿ç”“ã♦™ã,<ã,^ã♦†è „å®šä♦•ã,Œä♦|ã♦,,ã,<ã♦<ã♦©ã♦†ã♦<ã♦«ã♦¤ã♦,,ã♦|ã♦—ã♦—ã♦ç®¡
ã♦§ show running-config | include aaa authentication
loginã,³äfžäf³äf‰oã,’å®Ÿè;Œä♦—ã♦³/ã♦™ã€,

<#root>

Router#
show running-config | include aaa authentication login

aaa authentication login default local
Router#

ãf‡äf♦ã,¤ã,¹ã♦Œäfã,ºã,¤äf³è¤♦è „¼æ™,ã♦« AAA
ã,'ä½¿ç”“ã♦™ã,<ã,^ã♦†è „å®šä♦•ã,Œä♦|ã♦,,ã,å `å ♦^ã€♦ã♦ã♦®ã,³äfžäf³äf‰oã♦®å‡ºåŠ>ã♦
aaa authentication login
ã,³äfžäf³äf‰oã♦ã♦Šã,^ã♦³è¤♦è „¼äf³ã,¹äf³ã♦®å♦♦ç§ã♦®è „å®šå€¤í¼^å‰♦è¤°ã♦®ä³/
defaulti¼‰oã♦Šã,^ã♦³è¤♦è „¼æ—¹æ³·i¼^å‰♦è¤°ã♦®ä³/ã♦§ã♦—
locali¼‰oã♦Œä♦«ã♦³/ã,Œä♦|ã♦,,ã♦³/ã♦™ã€,

show running-config | include aaa authentication

loginã,³äfžäf³äf‰oã♦§ã‡ºåŠ>ã♦Œè;”ã♦•ã,Œä♦^ã♦,,ã,`å ♦^ã€♦äf‡äf♦ã,¤ã,¹ã♦—ã♦—ã♦ç®¡
Cisco IOS XE å,½äf•äf³ã,|ã,§ã,c äf³äf³äf¹/ã,¹ã♦®å`¤å`¥

ãf‡äf♦ã,¤ã,¹ã,§ã♦§ã®Ÿè;Œä♦•ã,Œä♦|ã♦,,ã,Cisco IOS XE å,½äf•äf³ã,|ã,§ã,c
ãf³äf³äf¹/ã,¹ã♦—ã♦ç®¡ç♦†è¤...ã♦Œäf‡äf♦ã,¤ã,¹ã♦«äfã,ºã,¤äf³ã♦—ã♦|ã♦|ã♦CLI
ã♦§ show version å,³äfžäf³äf‰oã,’å®Ÿè;Œä♦—ã♦è¤;”ç¤ºã♦•ã,Œä,|ã,·ã,¹äftäf
ãf♦äf§äf¹/ã,’å♦,ç...§ã♦™ã,<ã♦“ã♦“ã♦«ã,^ã,§ç¢°è¤♦ã♦§ã♦|ã♦³/ã♦™ã€,äf‡äf♦ã,¤ã,¹ã♦
Cisco IOS XE å,½äf•äf³ã,|ã,§ã,cã,’å®Ÿè;Œä♦—ã♦|ã♦,,ã,`å ♦^ã€♦ã,·ã,¹äftäf
ãf♦äf§äf¹/ã«ã€ŒCisco IOS Softwareå♦ã€♦ã€ŒCisco IOS XE
Softwareå♦ã♦^ã♦©ã♦®äftäf,ã,¹äf³ã♦Œè¤;”ç¤ºã♦•ã,Œä♦³/ã♦™ã€,

æ¬|ã♦«ã€♦Cisco IOS XR å,½äf•äf³ã,|ã,§ã,c äf³äf³äf¹/ã,¹ 16.2.1

ã♦Œå®Ÿè;Œä♦•ã,Œä♦|ã♦,,ã♦|ã€♦ã,¤äf³ã,¹äf³äf¹/ã«ã♦•ã,Œä♦|ã♦,,ã,<ã,¤äf³äf¹/ã,¸å♦‡ºã♦
CAT3K_CAA-UNIVERSALK9-M

ã♦§ã♦,ã,<ãf‡äf♦ã,¤ã,¹ã♦§ã♦®ã,³äfžäf³äf‰oã♦®å‡ºåŠ>ä³/ã,’ç¤ºã♦—ã♦³/ã♦™ã€,

<#root>

ios-xe-device#

show version

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2016 by Cisco Systems, Inc.
Compiled Sun 27-Mar-16 21:47 by mcpree

Cisco IOS XE 1.2.1f•f^a,|a,§a,¢

[Cisco IOS and NX-OS Software Reference Guide](#),
Cisco Systems, Inc., 2010.

è, †å¼±æ€§ã,’å“«ã, “ã§ã¢„ã¤ã¢„ã““ã¢Œç¢°è¤ã¢•ã,Œã¢Ýè£½å“¢

ã?“ã?®ã,çãf‰oãf?ã,¤ã,¶ãf?ã?®è,,†å¼±æ€§ã?®ã?ã,«è½å“?ã,»ã,¬ã,·ãf§ã?ã?«è”~è¼‰oã?•ã

ã, ·ã, ¹ã, ³ã,  ã, “ã, ®è,, †å¼±æ€§ã, Cisco IOS XE

è©³çºº

„ā”“ā”®è,,fā½±æ€§ā” “ā€”ā,µaf”āf½af”ā”•ā,Œa”|ā”„ā,«à»»æ,,”ā”® tty

â>zç·sâ? «e?©ç” “â?•â,Œa? | â?„â,[< AAA](#)

ñäfä, °ä, þäf³è^a ðè "½ä ð«å½±éÝ¿ä, 'ä, Zä ð^ä ð³/4ä ð™ä€, ä ð"ä, CEä ð«ä ð-ä€ ðä, ³äf³ä, ½äf¹¾äf«

äf♦äf%äf~i¼^CTYi¼‰å›żç·šã♦e£e£œåS©i¼^AUXi¼‰äf♦äf%äf~å›żç·šã€♦ä»®æf³ç«~æœ«i¼^VTYi¼‰
ttyi¼^TTYi¼‰å›żç·šã♦£å♦«ä♦¾ä,£ä♦¾ä♦™ä€,

— IPv4 — IPv6

ã?®ã?©ã?¡ã,%oã?§ã,,ä,æ£å^©ç”“ã?Œå?“èf½ã?§ã?™ã€,

Ã¢“Ã¢®È, †å¼±æ€§Ã¢“Ã¢®È©²å½“Ã¢, ½Ã¢f·Ã¢f^Ã¢, |Ã¢, §Ã¢, ¢Ã¢® Web UI

ã?®ãfã, °ã, ¶ãf³èª?è „¼ã?«ã?¬å½±éŸ¿ã?—ã?¾ã?>ã, “ã€,

å>žé◆?¿ç-

$\tilde{a}f \ddagger \tilde{a}f$

◊ã,¤ã,¹æŽ¥ç¶šã«ã€æ—ççÝ¥ã®ä¿jé½ã•ã,Œã,<äf‡äfã,¤ã,¹ã®ã¿ã,'è"±å—ã™ã,
 vty ã,¢ã,—ã,»ã,¹
 ã,—ãf©ã,¹ã,'é©ç"“ã”“ã§ã€ç®jç†è€...ã—ä¿jé½ã•ã,Œã,<ã,½äf½ã,¹ã®ã¿ã
 vty çµŒç"±ã§ãf‡äfã,¤ã,¹ã«ã,¢ã,—ã,»ã,¹ã§ã¿ã,«ã,^ã†è"å®šã§ã¿ã¾ã™ã€,
 æ¬jã®ä¾ã—ã€ 192.168.1.0/24 ãfãffäf^äf-äfãffä,—ãŠã,^ã³ IP ã,¢ãf‰äf-ã,¹ 172.16.1.2
 ã<æ<ã,%ooã® vty ã,¢ã,—ã,»ã,¹ã,'è"±å—ã—ã€ã<æã®ä»-ã®å‘æ‰€ã<æã,%ooã® vty
 ã,¢ã,—ã,»ã,¹ã,'æ<æ'å |ã™ã,

```

Router(config)# access-list 1 permit 192.168.1.0 0.0.0.255
Router(config)# access-list 1 permit host 172.16.1.2
Router(config)# line vty 0 4
Router(config-line)# access-class 1 in
  
```

ã,çäf½äfÝäfŠãf«ã,µf½äfæŽ¥ç¶šçµŒç"±ã§æŽ¥ç¶šã«ã,Œã,<ã,³äf³ã,½äf½äf«
 ãfãf½äf½äf¾ã—Ýä—AUX ãfãf½äf^ã«ã§ã„ã |ã—ã€ã,çäf½äfÝäfŠãf«
 ã,µäf½äfã§ vty ã,¢ã,—ã,»ã,¹
 ã,—ãf©ã,¹ãŒè"å®šã«ã,Œã„ã,«ã”“ã,’ç¤ºæ—ã |ã„ã—ã€ã„ã,æŽ¥ç¶šã
 ãfãf½äf½äf¾ã—Ýä—AUX ãfãf½äf^ã«ã§ã„ã |ã—ã€ãåžç·šã§ no exec
 command
 ã,’å®Ýè;Œã—ã |ã€ã—ã®äf½äf^ã,ã®äf,çä,—ã,»ã,¹ã,'é~²ã„ã§ã—ã®äf

```

Router(config)# line aux 0
Router(config-line)# no exec
  
```

ã,µfãf½äf^ã™ã,<ç«—æœ«åžç·šæ•°ã—ã,·ã,¹ã,³
 äf—äf©äffäf^äf·ã,©äf½äf ã«ã,^ã®äf |ç°äf³ã,<ã®äfÝä,çæ€ç®jç†è€...ã—äf‡äfã,¤ã,¹è"å®
 vty
 åžç·šçŒç"±ã§ã®äf‡äfã,¤ã,¹ã,ã®äf^äf©äf·ã,£äffä,—å™ã«ã§ã„ã |ã—ã€ãã,ã,
ãf«ãf½äf,ã® Telnetã€ã,³äf³ã,½äf½äf«ãfãf½äf^äfæäfã,ã®äfŠã,^ã³ AUX
ãfãf½äf^ã®äfã,¹äf—äf½äf‰è"å®šã¾ã,`ã„ç...šã—ã |ã„ã—ã€ã„ã,æ

ä;®æ£æ,^ã¿ã,½äf•äf^ã,|ã,§ã,C

ã,·ã,¹ã,³ä—ã“ã®äf,çäf‰äfã,¤ã,¶äfæ“è"“è½‰ä•ã,Œã®Ýè,,†å½±æ€§ã«å—¾å‡|ã™ã,<ç„j
 äfãf½äf,ãf§ãf^äf“äf·ã,£äf½äf®äf®
 ã,»äffäf^äf“å—¾ã—ã |ã®äfæ—ã“ã“äf³ã,Šã¾äf™ã€,ã®äf®äf,^ã®äf^äf·ã,|ã,§ã,

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

Security Advisories and Alerts

ãfšãf¼ã, ã◆ã...¥æ‰%<ã◆ã◆ã, <ã, ·ã, ³ã, ²Èf½å“◆ã◆®ã, Cãfº
ã, ½ãfºãf¥ãf¼ã, ·ãfSãf³ã, 'ççºèª◆ã◆—ã◆ | ã◆?ã◆ã◆ ã◆•ã◆,,ã€,

Technical Assistance

ã,ã¶f^{1/4}ãf“ã,¹å¥‘ç’,,ã,’ã♦”å^©ç”“ã♦§ã♦ªã♦,,ã♦Šå®çæ§~

© 2005 Cisco Systems, Inc. All rights reserved. Cisco Confidential

ã, 'ã ◊ "å^©ç" .. ã ? „ã ? ÿ ã ? ã ? „ã ? | ã ? „ã ? ^ã ? „å ' å ? ^ã € ? ã ? ¾ ã ?

POS ආශ්‍රාම්‍ය පෙනීමේදී Cisco TAC

ã♦«é€çµ;ã♦—ã♦ | ã,çãffãf—ã,ºãf—ãf¼ãf%oã,'å...¥æ%o<ã♦—ã♦ | ã

<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ä;®æfæ, ^ã◊¿ãfªãfªãf¼ã, 1

„Cisco IOS XE 16.9.1“³

æœ^ã◆«ãƒºãƒ°ãƒ¼ã,¹ã°^å®šã◆® Cisco IOS XE ã,½ãƒ•ãƒ°ã,|ã,§ã,¢ ãƒ°ãƒ°ãƒ¼ã,¹ Fuji 16.8.2
ã◆§ã¿®æ£ã◆•ã,Œã,<ã°^å®šã◆§ã◆™ã€,

ã♦Šå®çæñ~ã♦Œ Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,çã♦Šã,^ã♦³ IOS XE

ã,½ãf•ãf^ã,|ã,§ã,çã♦®è,,†å¼±æ€ñã♦«ã,^ã,<ä¾µå®³ã♦®å♦¬èf½æ€ñã,'å^æ-ã♦™ã,<ã♦Ýã,♦ã€♦ã,Cisco IOS Software Checker

ãf,,ãf½ãf«ã,'æ♦♦ä¾»ã♦—ã♦|ã♦,,ã♦¾ã♦™ã€,ã♦“ã♦®ãf,,ãf½ãf«ã,'ä½ç””ã♦™ã,<ã♦”ã€♦ç‰¹å®ãf^ãf^ãf½ã,¹ã♦«è©²å½”ã♦™ã,<ã,·ã,¹ã,³ã,»ã,ãf¥ãf^ãftã,£

ã,çãf‰ãf♦ã,¤ã,¶ãf^ã€♦ã♦Šã,^ã♦³å♦„ã,çãf‰ãf♦ã,¤ã,¶ãf^ã♦§è^æ~žã♦•ã,Œã♦|ã♦,,ã,<è,,†å¼±

Fixedã€♦ï¼‰oã,’ç‰¹å®šã♦§ã♦ã♦¾ã♦™ã€,ã♦¾ã♦Ýè©²å½”ã♦™ã,<ã,`å^ã♦^ã€♦ã♦ã♦®ãf^ãf^

First Fixedã€♦ï¼‰oã,’ç‰¹å®šã♦§ã♦ã♦¾ã♦™ã€,

ã♦“ã♦®ãf,,ãf½ãf«ã,'ä½ç””ã♦—ã♦|æ¬jã♦®ã,¿ã,¹ã,¬ã,'å®Ýè;Œã♦§ã♦ã♦¾ã♦™ã€,

• ãf‰oãf^ff^f—ãf€ã,|ãf³

ãf;ãf<ãf¥ãf½ã♦«ã,%oãf^ãf^ãf½ã,¹i½^èæ•°å♦¬i¼‰oã,’é♦,æŠžã♦™ã,<ã♦<ã€♦å^tæž♦å¬¾è±jã,ã,·ã,¹ãftãf ã♦«ã,%oãf•ã,¡ã,¤ãf^ã,‘ã,çãff^f—ãf^f½ãf‰oã♦—ã♦|ã€♦æœç’çã,’é-<åS<ã♦™ã,<ã,

• show version ã,³ãf^f^f^f‰oã♦®å‡ºåŠ>ã,’ãf,,ãf½ãf«ã♦§è§æž♦ã♦™ã,<

• ã,«ã,¹ã,¿ãf^f,¤ã,ºã♦—ã♦Ýæœç’çi¼^é♦žåž»ã♦«å...¬é-<ã♦•ã,Œã♦Ýã♦™ã♦¹ã♦|ã♦®ã,·ã,¹ã,³ã,»ã,ãf¥ãf^ãftã,£

ã,çãf‰oãf♦ã,¤ã,¶ãf^ã,’æœç’çå¬¾è±jã♦«å...¥ã,Œã♦Ýã,Šã€♦ç‰¹å®šã♦®ã,çãf‰oãf♦ã,¤ã,¶ã

ãf^ãf^ãf½ã,¹ã♦Œã€♦å...¬é-<ã♦•ã,Œã♦|ã♦,,ã,<ã,·ã,¹ã,³ã,»ã,ãf¥ãf^ãftã,£ã,çãf‰oãf♦ã,¤ã,¶ãf^ã♦®ã

[IOS Software Checker](#),’ä½ç””ã♦™ã,<ã♦«ã€♦æ¬jã♦®ãf•ã,£ãf½ãf«ãf‰oã♦«Cisco

IOS,½ãf•ãf^ã,|ã,§ã,çã♦¾ã♦Ýã♦¬Cisco IOS

XEã,½ãf•ãf^ã,|ã,§ã,çãf^ãf^ãf½ã,¹(ã♦Ýã♦”ã♦^ã♦°ã€♦15.1(4)M2ã,,3.1.4S)ã,’å...¥åŠ>ã♦—ã♦¾ã♦™ã€,

ä,♦æfå^ç””ä°<ã¾ã♦”å...¬å¼ç™oèi”

Cisco Product Security Incident Response

Teami¼PSIRTi¼‰oã¬ã€♦æœ¬ã,çãf‰oãf♦ã,¤ã,¶ãf^ã♦«è””è¼‰oã♦•ã,Œã♦|ã♦,,ã,<è,,†å¼±æ€ñã♦

å‡ºå...,

ã♦“ã♦®è,,†å¼±æ€ñã♦¬Cisco TAC

ã,µãf♦ãf½ãf^ã,±ãf½ã,¹ã♦®è§æ±°ã,ã♦«ç™oè|<ã♦•ã,Œã♦¾ã♦—ã♦Ýã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180606-aaa>

æ”¹è”,å±¥æ’

ãf♦ãf%4ã,ãf§ãf³	è^æ~Ž
1.1	ã♦“ã♦®è,,†å¼±æ€§ã♦” IPv4 ã♦¾ã♦¥ã♦” IPv6 ã♦®ã♦©ã♦¡ã,%oã♦§ã,,ã,♦æ£å^©ç”“ã♦Œå♦”èf½ã♦”ã♦“ã♦”ã,’è½åŠ ã€,vty ACL ã♦®è”å®šå’æ‰€ã,’ç‰¹å®šã€♦ã♦Šã,^ã♦ ³ no exec command ã♦®ä½ç”“ã♦®è©³ç’°ã,’è½åŠ ã€,
1.0	å^♦å›žå...¬é-<ãfªãfªãf%4ã, ¹

å^©ç”“è!♦ç’,,

æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦”ç„¡ä¿♦è”½ã♦®ã,,ã♦®ã♦”ã♦—ã♦|ã♦”æ♦♦ä¾ã♦—ã♦|ã♦Šã,Šã€
æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦®æf...å±ã♦Šã,^ã♦³ãfªãf³ã,¬ã♦®ä½ç”“ã♦«é-çã♦™ã,<è²-ä»»ã♦®ä,€
ã♦¾ã♦¥ã€♦ã,·ã,¹ã,³ã♦”æœ¬ãf‰oã,ãf¥ãf¡ãf³ãf^ã♦®å†...å®¹ã,’äº^å’Šã♦”ã♦—ã♦«å¤‰æ»’ã♦—ã♦
æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦®è”“è¿ºå†...å®¹ã♦«é-çã♦—ã♦|æf...å±é...♦ä¿¡ã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç<-ã♦®è»çè½‰oã,,æ,,♦è”³ã,’æ-½ã♦—ã♦¥å’å♦”ã€♦å½”ç¤¾ã♦Œç®¡ç?
ã♦“ã♦®ãf‰oã,ãf¥ãf¡ãf³ãf^ã♦®æf...å±ã♦”ã€♦ã,·ã,¹ã,³è£½å”♦ã♦®ã,“ãf³ãf‰oãf!ãf%4ã,¶ã,’å”¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。