


```
show running all | inc nxapi
```

```
feature nxapi
  nxapi http port 443
  no nxapi http
  no nxapi sandbox
```

```
.
.
.
```

Cisco NX-OS

```
CLI show version
```

```
Cisco NX-OS 7.3(2)D1(1)
Cisco Nexus Operating System (NX-OS) Software
TAC support: http://www.cisco.com/tac
Documents: http://www.cisco.com/en/US/products/ps9372/tsd_products_support_series_home.html
Copyright (c) 2002-2017, Cisco Systems, Inc. All rights reserved.
The copyrights to certain works contained in this software are
owned by other third parties and used and distributed under
license. Certain components of this software are licensed under
the GNU General Public License (GPL) version 2.0 or the GNU
Lesser General Public License (LGPL) Version 2.1. A copy of each
such license is available at
http://www.opensource.org/licenses/gpl-2.0.php and
http://www.opensource.org/licenses/lgpl-2.1.php
Software
  BIOS:          version 2.12.0
  kickstart:     version 7.3(2)D1(1)
  system:        version
```

```
<#root>
```

```
nxos-switch#
```

```
show version
```

```
<#root>
```

```
Cisco Nexus Operating System (NX-OS) Software
TAC support: http://www.cisco.com/tac
Documents: http://www.cisco.com/en/US/products/ps9372/tsd_products_support_series_home.html
Copyright (c) 2002-2017, Cisco Systems, Inc. All rights reserved.
The copyrights to certain works contained in this software are
owned by other third parties and used and distributed under
license. Certain components of this software are licensed under
the GNU General Public License (GPL) version 2.0 or the GNU
Lesser General Public License (LGPL) Version 2.1. A copy of each
such license is available at
http://www.opensource.org/licenses/gpl-2.0.php and
http://www.opensource.org/licenses/lgpl-2.1.php
Software
  BIOS:          version 2.12.0
  kickstart:     version 7.3(2)D1(1)
  system:        version
```

```
7.3(2)D1(1)
```

```
.
.
.
```


Nexus 3500 [CSCvc73177](#)

| Cisco NX-OS ã,½ãf•ãf^ã,ã,šã,¢ ãf^ãf^ãf^ã,¹ | ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿æfãf^ãf^ãf^ã,¹ | First Release Vulnerability Description the Col of Adv |
|--|--|---|
| 6.0 | 6.0(2)A8(5) | 7.0(3)I |
| 7.0.3 | 7.0(3)I7(2) | 7.0(3)I |

Nexus 2000ã€5500ã€5600ã€6000 ã,ãf^ãf^ã,°ã,¹ã,ãfãf^ãf^ã,¹ [CSCve40911](#)

| Cisco NX-OS ã,½ãf•ãf^ã,ã,šã,¢ ãf^ãf^ãf^ã,¹ | ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿æfãf^ãf^ãf^ã,¹ | First Release Vulnerability Description the Col of Adv |
|--|--|---|
| 6.0 | è,,†ã¼±æ€šãªã— | 7.3(3)N |
| 7.0 | è,,†ã¼±æ€šãªã— | 7.3(3)N |
| 7.1 | è,,†ã¼±æ€šãªã— | 7.3(3)N |
| 7.2 | è,,†ã¼±æ€šãªã— | 7.3(3)N |
| 7.3 | 7.3(3)N1(1) | 7.3(3)N |

Nexus 7000 ãŠã,^ã³ 7700 ã,ãf^ãf^ã,°ã,¹ã,ãfãf^ãf^ã,¹ [CSCve40903](#)

| Cisco NX-OS ã,½ãf•ãf^ã,ã,šã,¢ ãf^ãf^ãf^ã,¹ | ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿æfãf^ãf^ãf^ã,¹ | First Release Vulnerability Description the Col of Adv |
|--|--|---|
| 6.2 | è,,†ã¼±æ€šãªã— | 8.1(2) ã³¼ã 8.2(1) |
| 7.2 | ã¼±éÿã,ã,Šã€, çš»è;€ | 8.1(2) |

| | | |
|-----|-----------------------|--------------------------|
| | | ã ¾ã 8.2(1) |
| 7.3 | 7.3.2D1 | 8.1(2) ã ¾ã 8.2(1) |
| 8.0 | å½±éÿ;ã,ã,Šã€, çš»è;€ | 8.1(2) ã ¾ã 8.2(1) |
| 8.1 | 8.1.2 | 8.1(2) ã ¾ã 8.2(1) |
| 8.2 | è,,†å½±æ€§ãªã— | 8.2(1) |

ä, æ£å^©ç"" ä°<ã¾ã " å...-å½ç™°èj"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ã Šã ¯ã€ æœ-ã, çãf%ããfã, ðã, ¶ãfãã «è ~è¼%ãã •ã, €ã |ã, ã, <è,, †å½±æ€

å†°å...,

ã"ã®è,, †å½±æ€§ã ¯ã€ Cisco TAC ã®ã, µãfãf¼ãf^
ã, ±ãf¼ã, †ã®è§£æ±°ã,ãã«ç™°è|ãã, €ã¾ã—ãÿã€,

URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180620-nxos-nxapi>

æ"¹è", å±ÿæ´

â€"â€"

| Version | Description | Section |
|---------|--|----------------------|
| 1.2 | ãfªãfªãf¼ã, †ãfžãffãf"ãf³ã, ° ãfjã, çãf‡ãf¼ã, ç¼¼è£½ã " å±žæ€§ã, »ãffãf"i¼%ãã, 'æ>´æ-°ã€, | |
| 1.1 | MDS ãf—ãf©ãffãf^ãf•ã, ©ãf¼ãfã®ãž®æ£æ, ^ã çãfªãfªãf¼ã, †ã, 'æ>´æ-°ã€, | ãç@æ£æ, ^ã çã, ½ãf•ã |
| 1.0 | ã^ã>žã...-é-ãfªãfªãf¼ã, † | |

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。