

ã,¹ã,¿ãf³ãf%ã,çãfãf³ NX-OS

ãfçãf¹⁄⁴ãf%ã Sã•ä½œã™ã, Cisco Nexus

9000 ã,·ãfªãf¹⁄⁴ã,° ã,¹ã,ªãffãfã®

Tetration Analytics

ã,¨ãf¹⁄⁴ã,ã,šãf³ãf^ã«ãŠã'ã,«ä»»æ,,ã®



ã,çãf%ãfã,ªã,¶ãfªãf¹⁄⁴ID : cisco-sa-

20190306-tetra-ace

ã^ã...-é-«æ—¥ : 2019-03-06 16:00

ãfãf¹⁄⁴ã,ãfšãf³ 1.0 : Final

CVSSã,¹ã,³ã,ç : 7.8

ã»žéç- : No workarounds available

Cisco ãfã,° ID : CSCvh21898

[CVE-2019-](#)

[1618](#)

æ—¥æ-èªžã«ã,^ã,«æf...ã ±ã-ã€è«èªžã«ã,^ã,«žÿæ-†ã®éžã...-ã¹⁄⁴ã

æ!,è!

ã,¹ã,¿ãf³ãf%ã,çãfãf³ NX-OS ãfçãf¹⁄⁴ãf%ã Sã•ä½œã™ã, Cisco Nexus 9000 ã,·ãfªãf¹⁄⁴ã,°

ã,¹ã,ªãffãfã® Tetration Analytics

ã,¨ãf¹⁄⁴ã,ã,šãf³ãf^ã«ãŠã'ã,«è,,†ã¹⁄⁴±æ€Sã«ã,^ã,Šã€èªè¨¹⁄⁴ã•ã,Çãÿãfãf¹⁄⁴ã,«ãf«æ»æ'fè

ã¨ã-ã-ã|ã»æ,,ã®ã,³ãf¹⁄⁴ãf%ã,¹ã®ÿè;ÇãSããã,ã,^ã†ã«ãªã,Šã³⁄⁴ã™ã€,

ã"ã®è,,†ã¹⁄⁴±æ€Sã-ã€æ¨©é™ã®è¨ã®šãÇä,é©ã†ãšãã,ã,ã"ã¨ã«èµ·ã»ã

ãf·ã,ªãfãã,ç¹⁄²®ãæãã^ã,ã"ã¨ã«ã,^ã,Šã€ãã"ã®è,,†ã¹⁄⁴±æ€Sã,ã,¨ã,¹ãf-ãfã,ªã

ã,·ã,¹ã,³ã-ã"ã®è,,†ã¹⁄⁴±æ€Sã«ã³⁄⁴ã†|ã™ã,ã,½ãf·ãf^ã,|ã,šã,çã,çãffãf-ãf†ãf¹⁄⁴ãf^ã,¹ãfªãf³ãf

ã"ã®ã,çãf%ãfã,ªã,¶ãfªã-ã€æ-ªã®ãfªãf³ã,^ã,^ã,šççªªãSããã³⁄⁴ã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190306-tetra-ace>

ã"ã®ã,çãf%ãfã,ªã,¶ãfªã-ã€ã¹' 3

æœ^ã«ã...-é-ãã,Çãÿã€Cisco FXOS ãŠã,^ã³ NX-OS

ã,½ãf·ãf^ã,|ã,šã,çã®ã,ã,ãfªfªãfªã,£ã,çãf%ãfã,ªã,¶ãfª

ãfãf³ãf%ãf«ã®ä,€éf¨ãSã™ã€,ã"ã®ãfãf³ãf%ãf«ã®ä,ã«ã-ã€²6

ã»¶ã®è,,†ã¹⁄⁴±æ€Sã«é-çã™ã,« 25 ä»¶ã®ã,¹ã,³ã,ªã,ãfªfªãfªã,£

ã,çãf%ãfã,ªã,¶ãfªãÇã«ã³⁄⁴ã,Çã|ã,,ã³⁄⁴ã™ã€,ã,çãf%ãfã,ªã,¶ãfªã®ã®Çã...¨ã

Publication

è©²á½“è£½á“

è,†á¼±æ€§ã®ã,ã,è£½á“

ã“ã®è,,†á¼±æ€§ã¬ã€Cisco NX-OS

ã,½ãf•ãf^ã,|ã,šã,çã®è,,†á¼±æ€§ã®ã,ã,ãfãfãfãfã,¹ã,¹ã@ÿè;CEã™ã,ã,ã,ã,ãf³ãf%ã,çã

NX-OS ãfçãfãfãf%ã® Cisco Nexus 9000 ã,ãfãfãfã,°

ã,¹ã,ããfãfãã«ã½±éÿã,¹ã,žã^ã¾ã™ã€,

è,,†á¼±æ€§ãCEã~ãoe”ã™ã,ç Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,ç

ãfãfãfãfã,¹ã«ããã,,ã,|ã¬ããã“ã®ã,çãf%ãfã,ãã,¶ããã®ããCEã;®æfæ,^ã;ã,½ã

æ³†¼šFeature

AnalyticsãCEæoe%ãš¹ã«ãããfã|ã,,ã,è©²á½“ãfãfãfã,ãã,¹ã®ã;ãCEè,,†á¼±æ€§ã

feature CLI

ã,³ãfžãf³ãf%ã,¹ã@ÿè;CEãšãã¾ã™ã€,æ¬ã®ã¾ã¬ãããã“ã®æ©ÿèf½ãCEæoe%ã

N9K-A# show feature

Feature Name	Instance	State
analytics	1	disabled

Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,çãfãfãfãfã,¹ã®ã^ãã^¥

ç®;ç†è€...ã¬ãããfãfãfã,ãã,¹ã® CLI ãš show version

ã,³ãfžãf³ãf%ã,¹ã½ç””ã™ã,ããã”ã”ã«ã,^ããfã|ãããfãfãfã,ãã,¹ãšã@ÿè;CEã•ã,CEã|ã

Cisco NX-OS

ã,½ãf•ãf^ã,|ã,šã,çã®ãfãfãfãfã,¹ã,¹ãfã,šãfã,¬ãšãã¾ã™ã€,ãfãfãfã,ãã,¹ãCE

Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,çãfãfãfãfã,¹ 7.0(3)I5(1)

ã,¹ã@ÿè;CEã—ã|ã,,ã,ã,¹ã^ããã,³ãfžãf³ãf%ã®ã†°ãšã¾ã¬ã¬ã®ã,¹ããfãã«ãã,š

```

nxos-switch# show version
Cisco Nexus Operating System (NX-OS) Software
TAC support: http://www.cisco.com/tac
Copyright (C) 2002-2016, Cisco and/or its affiliates.
All rights reserved.
The copyrights to certain works contained in this software are
owned by other third parties and used and distributed under their own

```

licenses, such as open source. This software is provided "as is," and unless otherwise stated, there is no warranty, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. Certain components of this software are licensed under the GNU General Public License (GPL) version 2.0 or GNU General Public License (GPL) version 3.0 or the GNU Lesser General Public License (LGPL) Version 2.1 or Lesser General Public License (LGPL) Version 2.0. A copy of each such license is available at <http://www.opensource.org/licenses/gpl-2.0.php> and <http://opensource.org/licenses/gpl-3.0.html> and <http://www.opensource.org/licenses/lgpl-2.1.php> and <http://www.gnu.org/licenses/old-licenses/library.txt>.

Software

BIOS: version 07.57
NXOS: version 7.0(3)I5(1) [build 7.0(3)I5(0.9)]
BIOS compile time: 06/29/2016
NXOS image file is: bootflash:///nxos.7.0.3.I5.0.9.bin
NXOS compile time: 8/1/2016 23:00:00 [08/02/2016 00:30:32]

<http://www.cisco.com/cisco/en/products/switches/products/nexus2000series.html>

<http://www.cisco.com/cisco/en/products/switches/products/nexus3000series.html>

<http://www.cisco.com/cisco/en/products/switches/products/nexus5000series.html>

- FirePOWER 2100 <http://www.cisco.com/cisco/en/products/switches/products/nexus2100series.html>
- FirePOWER 4100 <http://www.cisco.com/cisco/en/products/switches/products/nexus4100series.html>
- Firepower 9300 <http://www.cisco.com/cisco/en/products/switches/products/nexus9300series.html>
- MDS 9000 <http://www.cisco.com/cisco/en/products/switches/products/nexus9000series.html>
- Nexus 1000V Switch for Microsoft Hyper-V
- Nexus 1000V Switch for VMware vSphere
- Nexus 2000 <http://www.cisco.com/cisco/en/products/switches/products/nexus2000series.html>
- Nexus 3000 <http://www.cisco.com/cisco/en/products/switches/products/nexus3000series.html>
- Nexus 3500 <http://www.cisco.com/cisco/en/products/switches/products/nexus3500series.html>
- Nexus 3600 <http://www.cisco.com/cisco/en/products/switches/products/nexus3600series.html>
- Nexus 5500 <http://www.cisco.com/cisco/en/products/switches/products/nexus5500series.html>
- Nexus 5600 <http://www.cisco.com/cisco/en/products/switches/products/nexus5600series.html>
- Nexus 6000 <http://www.cisco.com/cisco/en/products/switches/products/nexus6000series.html>
- Nexus 7000 <http://www.cisco.com/cisco/en/products/switches/products/nexus7000series.html>
- Nexus 7700 <http://www.cisco.com/cisco/en/products/switches/products/nexus7700series.html>
- Nexus 9000 <http://www.cisco.com/cisco/en/products/switches/products/nexus9000series.html>
- Nexus 9500 R <http://www.cisco.com/cisco/en/products/switches/products/nexus9500series.html>

Cisco Nexus 3500, Cisco NX-OS 3500, Cisco NX-OS 3500

Cisco NX-OS 3500, Cisco NX-OS 3500, Cisco NX-OS 3500

[Cisco MDS 9000 Series Switches](#)

[VMware vSphere 5.5 Patch 3](#)

[Cisco Nexus 3000 Series Switches](#)

[Cisco Nexus 5000 Series Switches](#)

[Cisco Nexus 5500 Series Switches](#)

[Cisco Nexus 6000 Series Switches](#)

[Cisco Nexus 7000 Series Switches](#)

[Cisco Nexus 9000 Series Switches](#)

[Cisco Nexus 9000 Series Switches](#)

Cisco UCS 6100, Cisco NX-OS 6100, Cisco NX-OS 6100

Cisco NX-OS 6100, Cisco NX-OS 6100, Cisco NX-OS 6100

Security Advisory: Cisco NX-OS 6100

Cisco Product Security Incident Response

Team: Cisco Product Security Incident Response Team

Summary

A vulnerability was discovered in Cisco NX-OS 6100. The vulnerability allows an attacker to execute arbitrary code on the device.

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190306-tetra-ace>

CVSS

Version	Base Score	Severity	Vector String	Impact
1.0	9.8	Critical	AV:N/AC:L/AU:N/C:C/I:N/S:N	High

References

Cisco Security Advisory: Cisco NX-OS 6100

æœ-ã, çãf%ãfã, ðã, ¶ãfãã Òæf...ã ±ã Šã, ^ã³ãfããfã, ¯ã Òã½ç""ã «é-çã™ã, <è²-ã»ã Òã, €
ã¼ã Yã€ã, ã, ¹ã, ³ã ¯æœ-ãf%ã, ãfãfãfãfãã Òãt...ã Ò¹ã, 'ã^ã Šããã —ã «ã%ãæ'ã —ã
æœ-ã, çãf%ãfã, ðã, ¶ãfãã Òè~è:°ãt...ã Ò¹ã «é-çã—ã | æf...ã ±é...ã äjã Ò URL
ã, çœ ç•¥ã —ã€ãã ç<-ã Òè»çè¼%ã,,,æ,, è³ã, /æ-½ã —ã Yã 'ã ^ã€ã½"ç¼ãã Ąççççç
ã"ã Òãf%ã, ãfãfãfããfãã Òæf...ã ±ã ¯ã€ã, ã, ¹ã, ³è½ã"ã Òã, "ãf³ãf%ãf!ãf¼ã, ¶ã, 'ã³¼è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。