

Cisco IOS XE

ã,½ãf•ãf^ã,|ã,§ã,çã◆sç™°è|<ã◆•ã,Œã◆ÿã,³ãfžãfã,³ãf³ã,ã,§ã,ã,ãfšãf³ã◆®è,,†ã¼±æ€š



ã,çãf%ãf◆ã,³ã,¶ã,¶ãf³ãf¼ID : cisco-sa-20190327-iosxe-cmdinj

[CVE-2019-1755](#)

â^◆ã...-é-<ã-Ÿ : 2019-03-27 16:00

ãf◆ãf¼ã,ãfšãf³ 1.0 : Final

CVSSã,1ã,³ã,ç : [6.5](#)

ã>žé◆ç- : No workarounds available

Cisco ãf◆ã,° ID : [CSCvi36824](#)

æ—Ÿææ-èªžã◆«ã,^ã,<æf...ã ±ã◆ã€è<±èªžã◆«ã,^ã,<ãžÿæ-†ã◆®é◆žã...-ã¼◆ã◆

æ!,è!◆

Cisco IOS XE ã,½ãf•ãf^ã,|ã,§ã,çã◆® Web

ã,µãf¼ãf"ã,¹ç@;ç◆†ã, "ãf¼ã,ã,šãf³ãf"i¼^WSMAi¼%æ©ÿèf½ã◆«ã◆«ã◆¾ã,Œã,<è,,†ã¼±æ€šã◆«ã,^ã

15 ã◆®ãf|ãf¼ã,¶ã◆ "ã◆—ã◆|ã»æ,,◆ã◆® Cisco IOS

ã,³ãfžãf³ãf%ã,ã@ÿè;Œã◆šã◆◆ã,ã◆-èf½æ€šã◆Œã◆,ã,šã◆¾ã◆™ã€,

ã◆"ã◆®è,,†ã¼±æ€šã◆-ã€ã¼±éÿçã,ã◆—ã◆'ã,<ã,½ãf•ãf^ã,|ã,§ã,çã◆šãf|ãf¼ã,¶æŒã†ã@šã◆®ã...

æ"»æ'fè€...ã◆-ã€ç'ã¼Ÿã◆ã,Œã◆ÿ HTTP

è|◆æ±,ã,è©²ã½"ã,çãf—ãfã,±ãf¼ã,ãfšãf³ã◆«é€◆äçã◆™ã,<ã◆"ã◆ "ã◆«ã,^ã,šã€◆è,,†ã¼±æ€šã,ã

ã, "ã,ã,ã,ãf—ãfã,³ãf^ã◆«æ^◆ãšÿã◆™ã,<ã◆ "ã€◆æ"»æ'fè€...ã◆-ã¼±éÿçã,ã◆—ã◆'ã,<ãf†ãf◆ã,³ã,ã

ã,ã,1ã,³ã◆-ã◆"ã◆®è,,†ã¼±æ€šã◆«ã¼ã†|ã◆™ã,<ã,½ãf•ãf^ã,|ã,§ã,ç

ã,çãffãf—ãf†ãf¼ãf^ã,'ãf³ãf³ãf¼ã,1ã◆—ã◆¾ã◆—ã◆ÿã€,

ã◆"ã◆®è,,†ã¼±æ€šã◆«ã¼ã†|ã◆™ã,<ã>žé◆ç-ã◆-ã◆,ã,šã◆¾ã◆ã,ã€,

ã◆"ã◆®ã,çãf%ãf◆ã,³ã,¶ã,¶ãf³ãf-ã€æ-ã◆®ãf³ãfã,ã,^ã,šçç°èªã◆šã◆◆ã◆¾ã◆™ã€,

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190327-iosxe-cmdinj>

ã◆"ã◆®ã,çãf%ãf◆ã,³ã,¶ã,¶ãf³ãf-ã€2019 ã' 3 æœ^ 27 æ—Ÿã◆«ã...-é-<ã-Ÿ Cisco

IOS ã,½ãf•ãf^ã,|ã,§ã,çã◆šã,^ã³ IOS XE ã,½ãf•ãf^ã,|ã,§ã,ç

ãf³ãf³ãf¼ã,1ã◆®ã,»ã,ãfŸãf³ãf†ã,£ã,çãf%ãf◆ã,³ã,¶ã,¶ãf³ã

ãf◆ãf³ãf%ãf«ã◆®ã,€éf"ã◆šã◆™ã€ã,ã◆"ã◆®ãf◆ãf³ãf%ãf«ã◆«ã◆-ã€19

ã»¶ã◆®è,,†ã¼±æ€šã◆«é-çã◆—ã◆| 17 ã»¶ã◆®ã,ã,1ã,³ã,»ã,ãfŸãf³ãf†ã,£

Cisco IOS XE 16.2.1

ios-xe-device#
show version
Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version Denali 16.2.1, RELEASED FOR FIELD, Copyright (c) 2016 by Cisco Systems, Inc. Compiled Sun 27-Mar-16 21:47 by mcpre

Cisco IOS XR 16.2.1
CAT3K_CAA-UNIVERSALK9-M
Cisco IOS XR Software, Version Denali 16.2.1, RELEASED FOR FIELD, Copyright (c) 2016 by Cisco Systems, Inc. Compiled Sun 27-Mar-16 21:47 by mcpre

```
<#root>  
ios-xe-device#  
show version
```

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version Denali 16.2.1, RELEASED FOR FIELD, Technical Support: http://www.cisco.com/techsupport Copyright (c) 1986-2016 by Cisco Systems, Inc. Compiled Sun 27-Mar-16 21:47 by mcpre

Cisco IOS XE 16.2.1
[Cisco IOS and NX-OS Software Reference Guide](#)

16.2.1
Cisco IOS XR 16.2.1
Cisco NX-OS 16.2.1

❖ 25-

ã❖"ã❖®è,,†ã¼±æ€šã❖«ã³¼ã†|ã❖™ã,ãžé❖2ç-ã❖-ã❖,ã,šã❖¾ã❖ã,"ã€,

ä;®æ£æ, ^ã❖2ã, ½ãf•ãf^ã, |ã,šã,ç

ã,ã,1ã,¾ã❖-ã❖"ã❖®ã,çãf%ãã❖ã,ã,¶ã,¶ãã❖«è~è¼%ã❖•ã,CEã❖ÿè,,†ã¼±æ€šã❖«ã³¼ã†|ã❖™ã,ãç,,
ã,çãffãf—ãf†ãf¼ãf^ã,'æ❖❖ã¾ã❖—ã❖|ã❖,,ã❖¾ã❖™ã€,
ã❖šã®çæš~ã❖CEã,ããf³ã,1ãf^ãf¼ãf«ã❖—ã❖ÿã,šã,μãf❖ãf¼ãf^ã,'ã❖—ã❖ã❖ÿã,šã❖šã❖❖ã,ã❖®ã
ãf❖ãf¼ã,,ãfšãf³ã❖ãf•ã,£ãf¼ãf❖ãf£
ã,»ãffãf^ã❖«ã³¼ã❖—ã❖|ã❖®ã❖2ã❖ã❖ãã,šã❖¾ã❖™ã€,
ã❖❖ã❖®ã,^ã❖†ã❖ã,½ãf•ãf^ã,|ã,šã,ç
ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,ã,ããf³ã,1ãf^ãf¼ãf«ã€ãf€ã,|ãf³ãfãf¼ãf%ãã™ã,ãã€ãã¾ã❖ÿã❖-ã€ãã
ãf©ã,ãã,»ãf³ã,1ã❖®æ❖jé...ã❖«ã¾ã"ã❖†ã❖"ã❖ã❖«ã❖CEæ,,ã❖—ã❖ÿã❖"ã❖ã❖«ã❖ã,šã❖¾ã❖

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã❖¾ã❖ÿã❖€ã❖šã®çæš~ã❖CEã,½ãf•ãf^ã,|ã,šã,çã,'ãf€ã,|ãf³ãfãf¼ãf%ããšã❖❖ã,ã❖®ã❖-ã€ãã,ã
é€šãã,ã€ã❖ã❖"ã,CEã❖-ã»ãã%ã❖è³¼ã...ã❖—ã❖ÿã,½ãf•ãf^ã,|ã,šã,çã❖®ãfjãf³ãf†ãfšãf³ã,1
ã,çãffãf—ã,°ãf-ãf¼ãf%ããšã❖™ã€, ç,,ã,ÿã❖®ã,»ã,ãfããfãf†ã,£ã,½ãf•ãf^ã,|ã,šã,ç
ã,çãffãf—ãf†ãf¼ãf^ã❖«ã,^ã❖£ã❖|ã€ãã❖šã®çæš~ã❖«æ-°ã❖—ã❖,,ã,½ãf•ãf^ã,|ã,šã,ç
ãf©ã,ãã,»ãf³ã,1ã€ãè¼½ãšã,½ãf•ãf^ã,|ã,šã,çãf•ã,£ãf¼ããf❖ãf£
ã,»ãffãf^ã€ã❖¾ã❖ÿã❖-ãfjã,,ãf£ãf¼ãfããfãã,ãfšãf³
ã,çãffãf—ã,°ãf-ãf¼ãf%ãã«ã³¼ã❖™ã,ãæ"©é™ã❖ã❖CEã»ã,žã❖•ã,CEã,ã❖"ã❖ã❖-ã❖ã,ã,šã❖¾ã❖

ã,½ãf•ãf^ã,1ã,šã,çã❖®ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,'ææœè~žã❖™ã,«éšãã❖«ã❖-ã€ã❖Cisco Security
Advisories and Alerts

[ãfšãf¼ã.](#)ã❖šã...ãæ%ãã❖šã❖❖ã,ã,ã,1ã,¾ãè£½ã"ã❖®ã,çãf%ããf❖ã,ã,¶ã,¶ãã❖,ã®šæœÿçš,,ã❖«ã❖,ç
ã,½ãfããfããf¼ã,,ãfšãf³ã,'ççèªã❖—ã❖|ã❖❖ã❖ã❖ã❖ã❖,,ã€,

ã❖,,ã❖šã,CEã❖®ã'ã❖^ã,,ã€ãã,çãffãf—ã,°ãf-ãf¼ãf%ãã™ã,ããf†ãf❖ã,ã,1ã❖«ã❖❖ã^†ã❖ããfjãfçãã
ã,❖æ~žã❖ªç,1ã❖«ã❖ãã❖,,ã❖|ã❖-ã€ã❖Cisco Technical Assistance
Centeri¼TACi¼%ãã,,ã❖—ã❖❖ã❖-ããç'„ã❖—ã❖|ã❖,,ã,ããfjãf³ãf†ãfšãf³ã,1
ãf—ãfãf❖ã,ããf€ãf¼ã❖«ã❖šã•ãã❖,,ã❖^ã,ã❖ã❖ã❖ã❖ã❖ã❖ã❖,,ã€,

ã,μãf¼ãf"ã,1ãŸ'ç',ã,'ã❖"ã^©ç""ã❖šã❖ãã❖,,ã❖šã®çæš~

ã,ã,1ã,¾ã❖ã,ã,ãç'æžŸèè³¼ã...ã❖—ã❖ÿã❖CEã,ã,1ã,¾ã❖®ã,μãf¼ãf"ã,1ãŸ'ç',ã,ã❖"ã^©ç""ã❖,,ã❖ÿã❖
ãf™ããfãf€ãf¼ã❖ã,ã,ãèè³¼ã...ã❖—ã❖ÿã❖CEã;®æ£æ,^ã❖2ã,½ãf•ãf^ã,|ã,šã,çã,'è³¼ãã...ã...^ã❖ã,ã,ã
TACã❖«é€šççjã❖—ã❖|ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,'ã...ãæ%ãã❖—ã❖|ã❖❖ã❖ã❖ã❖ã❖,,ã€,

<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,,jã,,ÿã,çãffãf—ã,°ãf—ãf¼ãf%ã®ã³æ±jèf½ã"ãSã,ã,ã"ã"ã,è"¼æ~žã—ã|ã,,ãÿã
URL ã,ã"ç"æ,,ããããããããã,ã€,

Cisco IOS ãŠã,^ã³ IOS XE ã,½ãfãf^ã,|ã,Sã,ç

Cisco IOS ã,½ãfãf^ã,|ã,Sã,çãŠã,^ã³ IOS XE

ã,½ãfãf^ã,|ã,Sã,çã®è,,tã¼±æ€Sã«ã,^ã,ã¼µã®³ã®ã³èf½æ€Sã,ã^æã—ãSããã,ã,ã^ãtã€

[Cisco IOS Software Checker](#)

ãf,,ãf¼ãf«ã,æã¾ã—ã|ã,,ã¾ã™ã€,ã"ã®ãf,,ãf¼ãf«ã«ã,^ã,Šã€ç%ã¹ã®šã®ã,½ã
ãfããfãf¼ã,¹ã«è²ã½"ã™ã,ã,ã,¹ã,³ã,»ã,ãfããfããfã,£

ã,çãf%ããfã,ã,ã,ãfãã€ãŠã,^ã³ã,ã,çãf%ããfã,ã,ã,ãfããSè~ãžãã,ã,ã€ã|ã,,ã,è,,tã¼±
Fixedã€i¼%ã,ç%ã¹ã®šãSãã¾ã™ã€,

ã¾ãÿè²ã½"ã™ã,ã'ã^ã€ããã®ãfããfãf¼ã,¹ã«è—çã™ã,ã™ã¹ã|ã®ã,çãf%
First Fixedã€i¼%ã,ç%ã¹ã®šãSãã¾ã™ã€,

ã"ã®ãf,,ãf¼ãf«ã,ã½çç"ã—ã|æ¬ãã,ã,ã,¹ã,ã,ã®ÿè;ãŠãã¾ã™ã€,

- ãf%ããfãfãf—ãf€ã,|ãf³
ãfã,¹ãfãã,ã,ãããããf¼ã,¹ã¼è±æ°ã®i¼%ã,é,æŠžã™ã,ãããã€ã^tæžã³æ±jã"ã
ã,ã,¹ãfãããã,ã,ã,ããããfã,ã,çãffãf—ãfãf¼ãf%ã—ã|ã€ææçççã,é—ãšãã™ã,ã
- show version** ã,³ãfžããf%ã®ã³ãŠã,ãf,,ãf¼ãf«ãSèS£æžã™ã,ã
- ã,«ã,¹ã,çãfžã,ã,ã—ãÿææçççi¼ééžãžã«ã...è—ããã,ã,ã€ãÿã™ã¹ã|ã®ã,ã,¹ã,³
ã,»ã,ãfããfããfã,£
ã,çãf%ããfã,ã,ã,ãfãã,ææçççã³æ±jã«ã...ã,ã,ã€ãÿã,Šã€ç%ã¹ã®šã®ã,çãf%ããfã,ã,ã,ã

ãfããfãf¼ã,¹ãã€ã...è—ããã,ã,ã,¹ã,³ã,»ã,ãfããfããfã,£

ã,çãf%ããfã,ã,ã,ãfãã®ã,,ãšã,ã€ãã«è²ã½"ã™ã,ãããã€ããtããã,ççè²ããã™ã,ããã
ã® [Cisco IOS Software Checker](#) ã,ã½ççç"ã™ã,ããããã»ã,ãã®ãfã,£ãf¼ãf«ãf%ãã

Cisco IOS ã,½ãfãf^ã,|ã,Sã,çã¾ãÿãÿ Cisco IOS XE ã,½ãfãf^ã,|ã,Sã,ç

ãfããfãf¼ã,¹ã¼ãÿã"ã³ã€15.1(4)M2ã€3.13.8S

ããã€i¼%ã,ã...ããšã—ã¾ã™ã€,

ççèã

ãfããfã,ã,ããããŠã—ã€Cisco IOS

ã,½ãfãf^ã,|ã,Sã,çã®ãfã,Sãffã,ã«ã—ã€çµæžæã—ã€é~ã,ã,ãfããfããfã,£ã,ã®ã½
(ã,µãf¼)

ã¾ãÿãÿã³æ±jã,ã,ã¼±æ€Sã«ã®ãçãããã€ã¾ã,ã¾ã|ã,,ã¾ã™ã€,
ã€ã,é—ãã®SIR è,,tã¼±æ€Sã®çµæžæã,ãã,ããã—ã€Cisco.comã®

Cisco IOS ã,½ãfãf^ã,|ã,Sã,çããã,Sãffã,«ãf¼ã,ã½ççç"ã—ã|ã€[Impact Rating]ãf%ããfã
ãffãf—ãf€ã,|ãf³ãfã,¹ãfã® [ã,é—i¼^Mediumi¼%]

ã¼ãÿã€ã,ã,¹ã³ãæœ-ãf%ã,ãfãfjãf³ãf^ã®ãt...ã®¹ã,'ã^ã'šãªã—ã«ã%ãæ'ã—ã
æœ-ã,çãf%ãfã,ã,ã,ãfã®è"~è¿ãt...ã®¹ã«é-çã—ã|æf...ã±é...ã¿jã® URL
ã,çœç•ã—ã€ããç<-ã®è»çè¼%ã,,æ,,è"³ã,'æ-½ã—ãÿã'ã^ã€ã½"ç¼ã¼ãŒç®jç
ã"ã®ãf%ã,ãfãfjãf³ãf^ã®æf...ã±ãæ-ã,ã,¹ã,³è½ã"ã®ã,"ãf³ãf%ãf|ãf¼ã,ã,ã³¼è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。