



```
Router# sh running-config | section interface GigabitEthernet0/24
interface GigabitEthernet0/24
 vrf forwarding Mgmt-intf
 ip address 192.168.1.1 255.255.255.0

ip access-group 100 in
```

```
Router# show running-config | section interface
GigabitEthernet0/24
 interface GigabitEthernet0/24
  vrf forwarding Mgmt-intf
  ip address 192.168.1.1 255.255.255.0
```

</root>

Router#

```
Router# sh running-config | section interface GigabitEthernet0/24
```

```
interface GigabitEthernet0/24
 vrf forwarding Mgmt-intf
 ip address 192.168.1.1 255.255.255.0
```

```
ip access-group 100 in
```

## Cisco IOS XE 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1

```
Router# show version
Cisco IOS XE 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
show version
Cisco IOS XE 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
Cisco IOS XE 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
Software Copyright © 1986-2016 by Cisco Systems, Inc.
```

```
Router# show version
Cisco IOS XR 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
```

```
Router# show version
Cisco IOS XR 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
CAT3K_CAA-UNIVERSALK9-M
```

```
Router# show version
Cisco IOS XR 16.2.1, 16.2.1, 16.2.1, 16.2.1, 16.2.1
```

</root>

ios-xe-device#

```
ios-xe-device# show version
```

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, RELEASED FOR TECHNICAL SUPPORT  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2016 by Cisco Systems, Inc.

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S  
 Cisco IOS XE 3.6S, 3.6S, 3.6S  
 Cisco IOS XE 3.6S, 3.6S, 3.6S  
 Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco NX-OS

Cisco IOS XE 3.6S, 3.6S, 3.6S

### 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

Cisco Bug ID

CSCvk47405

Cisco Bug ID

CSCvm97704

### 3.6S

Cisco IOS XE 3.6S, 3.6S, 3.6S

```
!
! Create the Access Control List
!
ip access-list standard Mgmt-Int-ACL
  remark *** Allow Trusted Hosts ***
  permit 192.168.0.1
  remark *** Deny all Others ***
  deny any
!
! Applied the ACL to the VTY lines
!
line vty 0 4
  access-class Mgmt-Int-ACL in
!
```





å†°å...

ã"ã®è,,tå¼±æ€šã Cisco TAC

ã,µãfãf¼ãf^ã,±ãf¼ã,¹ã®è£æ±°ã,ã«ç™°è|ã•ã,Æã¾ã—ãÿä€,

### URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190327-mgmtacl>

æ”¹è,å±Yæ´

ãfãf¼ã,ãfšãf³	èª-æž	ã,»ã,ã,ãfšãf³	ã,¹ãf¹ãf¼ã,¿ã,¹	æ—Yä»~
1.0	å^å>žå...-é-ãfãfãf¼ã,¹	-	Final	2019 å¹´ 3 æœˆ 27 æ—Y

å^©ç”¹è!ç´,,

æœ-ã,çãf%ãfã,µã,¶ãfãç,,iäçè”¼ã®ã,,ã®ã”ã—ã|ã”æã¾ã—ã|ãšã,šã€æœ-ã,çãf%ãfã,µã,¶ãfã®æf...å±ãšã,^ã³ãfãfã,ã®½ç””ã«é-çã™ã,è²-ã»ã®ã,ã¾ãÿä€ã,ã,¹ã,³ã-æœ-ãf%ã,ãfãfãfãfã®å†...ã®¹ã,’ã^å’šãã—ã«ã%æ’ã—ãæœ-ã,çãf%ãfã,µã,¶ãfã®è”~èç°å†...ã®¹ã«é-çã—ã|æf...å±é...ãçjã® URL  
ã,çœç•Yã—ã€åç¬ã®è»çè¼%ã,,,æ,,è”³ã,’æ-½ã—ãÿä´å^ã€å¼”ç¾ãÆç®ççã”ã”ã®ãf%ã,ãfãfãfãfã®æf...å±ã-ã€ã,ã,¹ã,³è£½ã”ã®ã,”ãfãf%ãf!ãf¼ã,¶ã,å³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。