

Cisco Unified Communications Manager

Denial of Service (DoS) Vulnerability in Cisco Unified Communications Manager



Cisco Security Advisory ID : cisco-sa-

[CVE-2019-](#)

20190417-ucm-dos

[1837](#)

Published : 2019-04-17 16:00

Product : Final

CVSS Score : [5.3](#)

Workarounds : No workarounds available

Cisco Advisory ID : [CSCvo08315](#)

Denial of Service (DoS) Vulnerability in Cisco Unified Communications Manager

Summary

A Denial of Service (DoS) vulnerability exists in Cisco Unified Communications Manager

version 11.5(2) through 11.5(2) SR10. The vulnerability is located in the UDS API

and can be exploited via the GUI or the UDS API.

The vulnerability is caused by a buffer overflow in the UDS API. An attacker can send a request to the UDS API that causes a buffer overflow, which results in a denial of service.

The vulnerability is located in the UDS API

and can be exploited via the GUI or the UDS API.

The vulnerability is caused by a buffer overflow in the UDS API.

An attacker can send a request to the UDS API that causes a buffer overflow, which results in a denial of service.

The vulnerability is located in the UDS API and can be exploited via the GUI or the UDS API.

The vulnerability is caused by a buffer overflow in the UDS API.

An attacker can send a request to the UDS API that causes a buffer overflow, which results in a denial of service.

The vulnerability is located in the UDS API and can be exploited via the GUI or the UDS API.

The vulnerability is caused by a buffer overflow in the UDS API.

An attacker can send a request to the UDS API that causes a buffer overflow, which results in a denial of service.

The vulnerability is located in the UDS API and can be exploited via the GUI or the UDS API.

The vulnerability is caused by a buffer overflow in the UDS API.

References

[Cisco Security Advisory: Cisco Unified Communications Manager Denial of Service \(DoS\) Vulnerability](#)

ã"ã®è,,†ã¼±æ€šã Cisco Unified Communications Manager i¼^çµ±ä,€ã•ã,Œãÿ
CMi¼%ã«ã½±éÿã,ä,žã^ã¾ã™ã€, è²ã½"ã™ã,ã,½ãf•ãf^ã,|ã,šã,ç
ãfãfãf¼ã,1ã«ã»ã„ã|ã®æf...ã ±ã«é-çã—ã|ã-ã€ãã"ã®ã,çãf%ããfã,ãã,¶ã,¶ã
Cisco ãfã,° ID ã,ã,ç...šã—ã|ã,ãã•ã„ã€,

è,,†ã¼±æ€šã,ã«ã,"ãšã„ãªã„ã"ã"ã"ãçç°èªãã•ã,Œãÿè£½ã"

ã"ã®ã,çãf%ããfã,ãã,¶ãfãã®è,,†ã¼±æ€šãŒã~ãce"ã™ã,è£½ã"ã®ã,»ã,ã,ãfšãfãã«ãf

è³ç°

æ-1æ³ã®è³ç°ã-æ-ã®ãfãfã,ãš Cisco DB

ã,¶f¼ãf"ã,1ã,ãfãfãfãfã«ã,ãfãf¼ãfã—ã†é-ã™ã,è|ã»ã'ã,ã"ã"ã"ãŒãšããã¾

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-callmanager/213558-database-communication-error-a-cisco-db.html>

ãžéç-

ã"ã®è,,†ã¼±æ€šã«ã¾ã†|ã™ã,ãžéç-ã-ã„ã,šã¾ã»ã,ã€,

ã®ææ,ãçã,½ãf•ãf^ã,|ã,šã,ç

ã®ææ,ãçã,½ãf•ãf^ã,|ã,šã,ç

[ãfãfãf¼ã,1ã®è³ç°ã«ã»ã„ã|ã-ã€ãæ-ã,çãf%ããfã,ãã,¶ãfã,šéf"ã® Cisco Bug ID ã,ã,ç...šããããã•ã„ã€,](https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-callmanager/213558-database-communication-error-a-cisco-db.html)

ã,½ãf•ãf^ã,|ã,šã,çã®ã,çãfãfã—ã,°ãf-ãf¼ãf%ã,ãæœè"žã™ã,èšã«ã-ã€ Cisco Security Advisories and Alerts

[ãfšãf¼ã,ãšã...ãæ%ãšããã,ã,ã,1ã,³è£½ã"ã®ã,çãf%ããfã,ãã,¶ãfã,ã®šæœÿçš„ã«ã,ç,ã,½ãfãfãf¼ã,ãfšãfã,çç°èªã—ã|ãããããã•ã„ã€,](https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-callmanager/213558-database-communication-error-a-cisco-db.html)

ã„ãšã,Œã®ã'ã^ã„ã€ã,çãfãfã—ã,°ãf-ãf¼ãf%ã™ã,ãfãfãã,ã,1ã«ããã^ããfãfããã,ãæ~žãªç,1ã«ã»ã„ã|ã-ã€ Cisco Technical Assistance Center i¼^TACi¼%ã„ã—ãããã'ãç„ã—ã|ã„ã,ãfãfãfãfãšãfã,1ãf—ãfãfã,ããfãf¼ã«ãšã•ãã„ã^ã,ãã»ãããããã•ã„ã€,

ã,ãææã^ç"ã°ã¾ãã"ã...ã¼ç™°èi"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ãšã-ã€ãæœ-ã,çãf%ããfã,ãã,¶ãfãã«è~è¼%ãã,Œã|ã„ã,è,,†ã¼±æ€šã

ã†°ã...,

ã"ã®è,,t¼±æ€šã-ã€Cisco TAC ã®ã,µãfãf¼ãf^
ã,±ãf¼ã,¹ã®èš£æ±°ä,ã«ç™ºè|,ã•ã,Æã¾ã—ãÿã€,

URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190417-ucm-dos>

æ”¹è”,å±¥æ´

â€”

ãfãf¼ã,ãfsãf³	èª-æ~Ž	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,¿ã,¹	Date
1.0	ã^ã>žã...-é-<ãfªãfªãf¼ã,¹		æœ€çç%oo^	2019-April-17

ã^©ç”è|ç´,,

æœ-ã,çãf%ooãfã,ã,ã,¶ã,¶ãfªãç,,jã¿è”¼ã®ã,,ã®ã”ã—ã|ã”æãã¾ãã—ã|ãšã,šã€
æœ-ã,çãf%ooãfã,ã,ã,¶ã,¶ãfªã®æf...å±ãšã,^ã³ãfªãf³ã,ã®ã½¿ç””ã«é-çã™ã,<è²-ã»ã®ã,€
ã¾ãÿã€ã,ã,¹ã,³ã-æœ-ãf%ooã,ãfªãf;ãf³ãf^ã®ãt...ã®¹ã,’ã^ãšãªã—ã«ã%ooæ´ã—ã
æœ-ã,çãf%ooãfã,ã,ã,¶ã,¶ãfªã®è”~è¿°ãt...ã®¹ã«é-çã—ã|æf...å±é...ã¿jã® URL
ã,¿œçç¥ã—ã€ãã~ç<-ã®è»çè¼%ooã,,,æ,,è”³ã,’æ-½ã—ãÿã´ã^ã€ã½”ç¾¾ãÆç®jç
ã”ã®ãf%ooã,ãfªãf;ãf³ãf^ã®æf...å±ã-ã€ã,ã,¹ã,³è£½ã”ã®ã,“ãf³ãf%ooãf|ãf¼ã,¶ã,’ã¾è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。