

Cisco IOS XE 1/2, 3, 9 Flexible NetFlow 9

High Severity CVE-2020-3221



Cisco-SA-[iosxe-fnfv9-dos-HND6Fc9u](https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-iosxe-fnfv9-dos-HND6Fc9u)

[CVE-2020-3221](https://www.cisco.com/cisco/web/cisco-security-center/cve-2020-3221)

Published: 2020-06-03 16:00

Version: 1.0 : Final

CVSS: 8.6

Workarounds: No workarounds available

Cisco ID: [CSCvo68398](https://cisco.com/cisco/web/cisco-security-center/cisco-sa-cscvo68398)

Summary: A Denial of Service (DoS) vulnerability exists in Cisco IOS XE 1/2, 3, 9 Flexible NetFlow 9. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) condition on the affected device.

Details

Cisco Catalyst 9800 1/2, 3, 9 Flexible NetFlow 9. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) condition on the affected device.

Control and Provisioning of Wireless Access

Points: CAPWAP Flexible NetFlow 9. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) condition on the affected device.

Additional information: This vulnerability affects Cisco IOS XE 1/2, 3, 9 Flexible NetFlow 9. An attacker can exploit this vulnerability to cause a Denial of Service (DoS) condition on the affected device.

For more information, see the advisory at <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-iosxe-fnfv9-dos-HND6Fc9u>

Published: 2020 6 3 16:00

Version: 1.0 : Final

CVSS: 8.6

Workarounds: No workarounds available

Cisco ID: [CSCvo68398](https://cisco.com/cisco/web/cisco-security-center/cisco-sa-cscvo68398)

profile

<#root>

ios-xe#

show running-config | section flow|wireless profile

flow monitor

fm

record

rec

wireless profile policy

default-policy-profile

ipv4 flow monitor

fm input

no shutdown

æ³I¼šãf•ãfãf¼ãfçãf<ã,¿ãÇEã±°ãŠ>i¼^ã€CEã±°ãŠ>ã€i¼%ãf^ãf©ãf•ã,£ãffã,ã®ã¿ã¼ãÿã

è,,†ã¼±æ€šã,'ã«ã,"ãšã,,ãªã,,ã"ã"ãÇçç"èªã•ã,CEãÿè½ã"

ã"ã®ã,çãf%ãfã,ã,ã,¶ãfã®è.,†ã¼±æ€šã®ã,ã,«è½ã"ã,»ã,ã,ãfšãf³ã«è~è¼%ãã

ã,ã,ã,ã³ãã"ã®è,,†ã¼±æ€šãCEä»¥ã,ã®ã,ã,ã,ã³è½ã"ã«ãã½±éÿã,ã,ãŽã^ã

- Catalyst 9300 ã¼ãÿã 9800 ã,ãfãf¼ã,°ã,ã,ããffãfç"" Catalyst 9800 çµ,,ã¿è¼¼ã¿ãfã,ããfãf-ã,¹ã,³ã³ãf^ãfãf¼ãf©ã,½ãf•ãf^ã,|ã,šã,ç
- IOS ã,½ãf•ãf^ã,ã,šã,ç
- IOS XR ã,½ãf•ãf^ã,ã,šã,ç
- NX-OS ã,½ãf•ãf^ã,ã,šã,ç
- ãfã,ããfãf-ã,¹ LAN ã,ã³ã³ãf^ãfãf¼ãf©i¼^WLCi¼%ã,½ãf•ãf^ã,ã,šã,ç

ã,½ãf•ãf^ã,|ã,šã,çã@è,,tã¼±æ€šã«ã,^ã,ã¼µã®³ã®ã-èf½æ€šã,'ã^æ-ãšããã,ã,^ãtã€

Cisco Software Checker

ã,'æã¼ã—ã|ã,,ã¼ã™ã€ã"ã®ãf,,ãf¼ãf«ã«ã,^ã,šã€ç%¹ã®šã®ã,½ãf•ãf^ã,|ã,ã,»ã,ãfãfãfãfã,£

ã,çãf%øããfã,ãã,¶ãfãããšã,^ã³ã,,ã,çãf%øããfã,ãã,¶ã,¶ãfããšã-æ~žã•ã,£ã|ã,,ã,è,,tã¼±æ
Fixedã€i¼%øã,'ç%¹ã®šãšããã¼ã™ã€,ã¼ã¼ãÿè©²ã½"ã™ã,ã'ã^ã€ãããã®ãfãfã
First Fixedã€i¼%øã,'ç%¹ã®šãšããã¼ã™ã€,

ãšã@çæš~ã-ãCisco Software Checker

[ã,½ãf•ãf^ã,|ã,šã,çã@è,,tã¼±æ€šã«ã,^ã,ã¼µã®³ã®ã-èf½æ€šã,'ã^æ-ãšããã,ã,^ãtã€](#)

- ã,½ãf•ãf^ã,|ã,šã,çã 1ãã»ã¼ãšãã®ãfããfãfãfã,ã,'é,æšžã—ã¼ã™ã€,
- ç%¹ã®šã®ãfããfãfãfã,ãã®ãfãã,ãfãã,ããã,€ .txt
ãfã,ã,ããf«ã,ã,çãfãfãf—ãfãfãfãf%øãã™ã,ç
- **show version** ã,¾ãžãf³ãf%øãã®ã†°ãšã,'ã...ãšãã™ã,ç

ææçç'çã,'é-ãšãã—ãÿã¼£ãšã€šã€ãã™ã¹ã|ã®ã,ã,ã,ã,»ã,ã,ãfãfãfãfã,£
ã,çãf%øããfã,ãã,¶ãfãããç%¹ã®šã®ã,çãf%øããfã,ãã,¶ã,¶ãfãã€ãã¼ãÿã-æœæ-°ã®ã...-é-çã

ãšã@çæš~ã-ãæ-ãã®ãfãã,çãfãfãã,ã'ã½ç"ã—ã|ã€Cisco IOSã¼ãÿã-ãIOS

XEã,½ãf•ãf^ã,|ã,šã,çãfããfããfã,¹(ãÿãããã°ã€15.1(4)M2ã,,3.13.8S)ã,'ã...ãšãã™ã,ãã"ã"

Security

Advisoryã®ã½±éÿã,ã—ã'ã,ããããããããããã,ççèªãã™ã,ãã"ã"ã,,ãšãããã¼ã™ã

ãfããfãã,çãfããfããšã-ãCisco Software Checkerãçµæžœãã-ãSecurity Impact

[Ratingi¼^SIRi¼%øã£ã€£ã€ããšã€ãã¼ãÿã-ã€ã€ã~ã€ãã®è,,tã¼±æ€šããã'ãã£ãã«](#)

SIR è,,tã¼±æ€šãçµæžœã,ãã«ã,ããããã-ãCisco.comã«ãã,ã,ç Cisco Software
Checker ã,ã½ç"ã—ã|ã€ææçç'çã,ã,ã,ã,ã,ãfãã,ãã,ãã™ã,ãã"ã"ã,,ãšãããã¼ã™ã

[ã½±éÿã®è©ã¼ãi¼^Impact Ratingi¼%ø]

ã®ã,ãããã,ã,ããf%øããfãfãfã—ãfãã,ãfããã,ãfãã® [ãé-"i¼^Mediumi¼%ø]

ãfãã,šãfãã,ãfœããfãã,ã,ã,ã,ãããã«ã—ã¼ã™ã€,

Cisco IOS XE ã,½ãf•ãf^ã,|ã,šã,çããfããfããfã,ãã" Cisco IOS ã,½ãf•ãf^ã,|ã,šã,çã

ãfããfããfãã,ãã®ãfããfããfãããã,ãã«ãããã,,ãã|ã-ãCisco IOS XE

ã,½ãf•ãf^ã,|ã,šã,çã®ãfããfããfãã,ãã«ãçœã~ã|ã€Cisco IOS XE 2 Release

[Notesã€ãã€ã€Cisco IOS XE 3S Release Notesã€ãããã¼ãÿã-ã€Cisco IOS XE 3SG](#)

[Release Notesã€ã,ã,ç...šã—ã|ããããããããã,,ã€,](#)

ã,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。