

Cisco IOS

XE, 1/2 f f a, l a, s a, c a @ IO x a, 2 a, 1 a f a, . a, s a f « a SSD a f a f 1/4 a f a, 1 a f s a f 1/4 a, 1 a z e . c % 0 0 1 a e ~ # a



a, c a f % a f a, m a, f a f 1/4 ID : cisco-sa-iox- [CVE-2020-3396](#)

usb-guestshell-WmevScDj
a a ... e e a e y : 2020-09-24 16:00

a f a f 1/4 a, a f s a f 1.0 : Final

CVSS a, 1 a, 3 a, c : [6.8](#)

a z e z e : No workarounds available

Cisco a f a, ID : [CSCvr50406](#)

a e y a e e a z a « a, ^ a, < a e f ... a a z a e e e a z a « a, ^ a, < a z y a e f a @ e z a ... a 1/4 a

a e i, e i

Cisco IOS XE, 1/2 f f a, l a, s a, c a @ a f a f a, a, m a f a e f 1/2 a USB 3.0 Solid State Drive (SSD) a f a, j a, m a f a, . a, 1 a f t a f a e, t a 1/4 a e s a « a, ^ a, s a e e e 1/4 a . a, C e Y c % 0 0 c t

SSD a, a % 0 0 s e m a a e a a a % 0 0 c e a a, 3 a f a f t a f s a a z e a, a e a f a, j a, m a f a, . a, 1 a f t a f a

a a e, t a 1/4 a e s a a USB 3.0

SSD a f a f 1/4 a, a e a t ... e f a f a f a f a f a f a, a f a a a z a a a a . a, C e | a, a a a, a Y a 3.0 SSD a, a a, s a a a a e a a y a a f a f a, m a, 1 a, a 1/2 z e a a | USB 3.0

SSD a, s a a f a, j a, m a f a, a % 0 0 a e a a a Y a a % 0 0 s e m a a a e a a ... f a a f a f a, m a, 1 a « USB 3.0

SSD a, a t a e C e a ... y a a a a a a s a a a e, t a 1/4 a e s a, a, a e a a c a a a a, a e f 1/2 a e

a, . a, 1 a, 3 a a a e, t a 1/4 a e s a a a a a a a a, 1/2 f f a, l a, s a, c a, c a f f a f a f a f 1/4 a f a, a f a f a f

a a a a, c a f % a f a, m a, f a f a a e a j a a f a f a, a, ^ a, s c c e a a s a a a a a a a e, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-iox-usb-guestshell-WmevScDj>

e 2 a 1/2 e f 1/2 a

e, t a 1/4 a e s a a a, a e f 1/2 a

Cisco Catalyst 9300, Cisco Catalyst 9500, IOx, USB 3.0 SSD, Cisco IOS XE, Cisco

Cisco

Cisco

à

à

3.0 SSD

IOx, USB 3.0 SSD

IOx, USB 3.0 SSD

app-hosting

list

<#root>

Device#

show app-hosting list

App id	State
guestshell	RUNNING

USB 3.0

SSD

USB 3.0

SSD

inventory | include usbflash*

CLI

<#root>

9300#

show inventory | include usbflash*

NAME: "

Technical Assistance Center
Cisco IOS Software Checker

Cisco IOS Software Checker

Cisco IOS Software Checker

Enter the IOS version and architecture of the device.

[Cisco Software Checker](#)

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

First Fixed Version

[Cisco Software Checker](#)

Enter the IOS version and architecture of the device.

- Enter the IOS version and architecture of the device.
- Enter the IOS version and architecture of the device.
- **show version** command output

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

[Cisco Software Checker](#)

[Security Impact Rating](#)

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Enter the IOS version and architecture of the device.

Cisco IOS XE 3S Release Notes Cisco IOS XE 3SG Release Notes

Team 1 PSIRT

Cisco Product Security Incident Response

Team 1 PSIRT

URL

Victor Kamensky

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-iox-usb-guestshell-WmevScDj>

Table

Version	Product	Severity	Category	Published
1.0	Cisco IOS XE 3S	Critical	Final	2020-SEP-24

URL

Team 1 PSIRT

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。