

Cisco IOS

XE, 1/2 f^f^a, la, sa, ca @ NETCONF Sa, ^a^3 RE



cafa%af a, ma, f^a^f^4 ID : cisco-sa-aaa- [CVE-2021-1619](#)
Yx47ZT8Q
a^ a...-e-ae-¥ : 2021-09-22 16:00
af^af^a, af^s^f^3 1.0 : Final
CVSSa, 1a, 3a, c : [9.8](#)
a>ze zç- : Yes
Cisco af^a, ° ID : [CSCvt53563](#)

ae-¥ae-e^a^za «a, ^a, caef...a ±a^ -a€€ è±e^za «a, ^a, a^ZYae-#a @ é za...-a^4 a

ae!, è!

Cisco IOS

XE, 1/2 f^f^a, la, sa, ca @ è è 1/4 a€€ è ±a^ -a€€ a, ca, «a, | af^af^ta, fa^fa, °(AAA)ae©Yèf^1/2 a @ è, ta^1/4 ±a

- è©^2 a^1/2 “af^f^af a, ma, 1a @ è à@sa @ a, maf^a, 1af^af^4 af^a€€ ae” a^1/2 ceaf^a^3 a^4 a^Y a^ -a^%o Sé™
- af^j^af^ca^fa @ ç ^ae a^ a, a^1/4 a^ a^ èµ a^ a^ -a€€ è©^2 a^1/2 “af^f^af a, ma, 1a @ sa, maf^4 af^a, 1ae^a^ |

a^ a^ @ è, ta^1/4 ±a€€ sa^ -a€€ a^ ae€YàCE-a^ a, CE a^ | a^, a^ a^ a^, a^%o ae^ a^ «èµ a^ a^ -a^ 3/4 a^

a, a, 1a, 3a^ -a^ a^ @ è, ta^1/4 ±a€€ sa^ «a^ 3/4 a^ | a^™ a, a, 1/2 f^f^a, | a, sa, ca, ç affaf -af^f^af^4 af^a, af^a^af^f^

a^ a^ @ a, ç af^%o af^ a, ma, | af^a^ -a€€ ae-j a^ @ af^a^fa, -a, ^a, Šçç^e^a^ a^ sa^ a^ a^ 3/4 a^™ a€, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-aaa-Yx47ZT8Q>

a^ a^ @ a, ç af^%o af^ a, ma, | af^a^ -a€€ Cisco IOS a^ Sa, ^a^3 IOS

XE, 1/2 af^f^a, | a, sa, ca, »a, af^fa^af^ta, fa, ç af^%o af^ a, ma, | af^af^ af^3 af^%o af^ «a...-e-ae @ 2021 a^1^9 aece^ a
[Response: September 2021 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publication a€€ a, a^ ç...sa^ -a^ | a^ a^ a^ a^ a^ a^ a^ a^ a^.](#)

è©^2 a^1/2 “èf^1/2 a^”

è, ta^1/4 ±a€€ sa^ @ a^, a, èf^1/2 a^”

a^ a^ @ è, ta^1/4 ±a€€ sa^ -a€€ èf^a^3 a^ ç af^4 af^%o a^ 3/4 a^Y a^ -a, 3af^af^af^af^4 af^©af^ç af^4 af^%o a^ sa
IOS XE, 1/2 af^f^a, | a, sa, ç a^ Sa, ^a^3 Cisco IOS XE SD-
WAN, 1/2 af^f^a, | a, sa, ç a^ «a^1/2 ±e^Y ç a, a, za^ a^ a^ 3/4 a^™ a€, a^ © a^ j a, %o a, a^1/2 ç” a^™ a, ç a^ a^ a, a,

- [AAA]
- NETCONF RESTCONF
- enable password without enable secret

è,,†ã¼±æ€§ã€¢Eã~åœ¨ã™ã, Cisco

ã,½ãf•ãf^ã,|ã,Sã,çãfãfãf¼ã,1ã«ã¤¤ã„ã|ã¯ã€ã¤ã“ã¤ã¤ã,çãf%ãã¤ã,¤ã,¶ãfãã¤ã€CEã

æ³i¼šã,1ã,¿ãf³ãf%ãã,çãfãf³ã¤ãCisco IOS XE SD-

WANãfãfãf¼ã,1ã,¤ãfjãf¼ã,ã¯ã€ã¤ãf|ãfãfãf¼ã,µãf«Cisco IOS

XEã,½ãf•ãf^ã,|ã,Sã,çãfãfãf¼ã,1ã¤ã¯ã^¥ã¤ã¤ã„ã¤ã¤ãšã™ã€SD-

WANæ©ÿèf½ã,»ãffãf^ã¯ã€IOS

XEã,½ãf•ãf^ã,|ã,Sã,çãfãfãf¼ã,17.2.1rä»¥é™ã¤ã¤ã¤ãf|ãfãfãf¼ã,µãf«Cisco IOS

XEã,½ãf•ãf^ã,|ã,Sã,çãfãfãf¼ã,1ã«æœ€ã^ã¤ã«çµ±ã¤ã^ã¤ã•ã,CEã¼ã¤ã—ãÿã€è³ç°ã«ã

SD-WANã...¥é-€ã,¬ã,¤ãf%ãã¤ã¤ã¤ã€Cisco IOS

[XEãfãfãf¼ã,17.2.1rä»¥é™ã¤ã¤ã¤ã,¤ãfã,1ãfãf¼ãã¤ã¯ã,çãffãf—ã,°ãf-ãf¼ãf%ãã¤ã¤ã¤ã¤ã»ã,ã](#)

ãf†ãfã,¤ã,1èãšã¤ã¤ãçç°èª

ãf†ãfã,¤ã,1ã«è,,†ã¼±æ€§ãã€¢Eã~åœ¨ã™ã,«èãšã¤ã¤ã¤ã,ã,«ã¤ã¤ã©ã¤ãã¤ã,çç°èªã¤ã™ã

AAAèãšã¤ã¤ãçç°èª

ãf†ãfã,¤ã,1ãSAAAèªè¼ã€¢Eèãšã¤ã¤ã•ã,CEã|ã„ã,ãã¤ãã¤ã©ã¤ãã¤ãã,çç°èªã¤ã™ã,ãã

running-config | include aaa authentication

loginã,³ãfžãf³ãf%ãã,'ç™°è;CEã—ã¼ã™ã€ã,æ¬ãã«ã¼ã,çç°ã—ã¼ã™ã€

```
<#root>
```

```
Router#
```

```
show running-config | include aaa authentication login
```

```
aaa authentication login default local group example
```

```
Router#
```

NETCONFšã,^ã³RESTCONFèãšã¤ã¤ãçç°èª

ãf†ãfã,¤ã,1ãNETCONFã¼ãÿã¯ãRESTCONFã€¢Eèãšã¤ã¤ã•ã,CEã|ã„ã,ãã¤ãã¤ã©ã¤ãã¤ãã,ãã

running-config | include netconf|restconfã,³ãfžãf³ãf%ãã,'ã½ç”ã—ã¼ã™ã€

```
<#root>
```

Router#

```
show running-config | include netconf|restconf
```

```
netconf-yang
```

```
restconf
```

Router#

```
enable secret 7 00010B07094B0703
```

```
enable password 7 00010B07094B0703
```

```
show running-config | include enable
```

```
enable password 7 00010B07094B0703
```

```
show running-config | include enable password
```

<#root>

Router#

```
show running-config | include enable password|secret
```

```
enable password 7 00010B07094B0703
```

Router#

```
enable secret 7 00010B07094B0703
```

```
enable password 7 00010B07094B0703
```

```
show running-config | include enable
```

```
enable password 7 00010B07094B0703
```

```
show running-config | include enable password
```

- IOS enable secret 7 00010B07094B0703
- IOS XR enable secret 7 00010B07094B0703
- Meraki enable secret 7 00010B07094B0703
- NX-OS enable secret 7 00010B07094B0703

enable secret 7 00010B07094B0703

```
enable secret 7 00010B07094B0703
```

[Guide to Harden Cisco IOS Devices](#)

```
enable secret 7 00010B07094B0703
```


URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-aaa-Yx47ZT8Q>

æ''¹è'',å±¥æ´

ãfãf¼ã,ãfšãf³	èª~æŽ	ã,»ã,ã,ãfšãf³	ã,¹ãfãf¼ã,¿ã,¹	æ—¥ä»~
1.0	å^å>žå...-é-ãfãfãf¼ã,¹	-	Final	2021 å¹´ 9 æœˆ 22 æ—¥

å^©ç''è!ç´,,

æœ-ã,çãf%ãfã,ã,ã,ãfããç,,jäçèè¼ã@ã,,ã@ãããã—ã|ãæããã¼ãã—ã|ãŠã,Šã€
æœ-ã,çãf%ãfã,ã,ã,ãfãã@æf...å±ãŠã,^ã³ãfãfãã,ã@ã½çç''ã«é-çã™ã,«è²-ã»ã@ã,€
ã¼ãããã€ã,ã,ã,ã³ããæœ-ãf%ãã,ãfãfãfãfãã@ãt...ã@¹ã,'ã°ãŠãããã—ã«ã%ãæ'ã—ã€
æœ-ã,çãf%ãfã,ã,ã,ãfãã@è~èç°ãt...ã@¹ã«é-çãã—ã|æf...å±é...ãçãã@ URL
ã,çœçç¥ã—ã€ããççããã»çè¼%ãã,,æ,,è³ã,'æ-½ãã—ããã'ãã€ã½"çã¼ãã€çççççç
ããã@ãf%ãã,ãfãfãfãfãã@æf...å±ããã,ã,ã,ã¹ã,³è£½ã"ã@ã,,ãfãf%ããf!ãf¼ã,ã,ãã¼è±ãã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。