

Cisco DNA Center

High Severity CVE-2021-1265



Cisco Security Advisory ID : cisco-sa-dnacid-OfeeRjcn

[CVE-2021-1265](#)

Published : 2021-01-20 16:00

Last Updated : 2021-01-26 14:34

Version : 1.1 : Final

CVSS Score : [7.7](#)

Workarounds : No workarounds available

Cisco ID : [CSCvr85371](#)

High Severity CVE-2021-1265: Cisco DNA Center Remote Code Execution Vulnerability

Summary

Cisco DNA Center [CVE-2021-1265](#), a remote code execution vulnerability, affects versions 2.1.1.0 through 2.1.1.1.

The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

API
The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

API
The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-dnacid-OfeeRjcn>

References

[Cisco Security Advisory: Cisco DNA Center Remote Code Execution Vulnerability](#)

The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

The vulnerability is located in the `api` endpoint, which is used for managing the device configuration. The vulnerability is caused by a flaw in the `api` endpoint, which allows an attacker to execute arbitrary code on the affected device.

ä»¥é™ äšäžæŁä•ä,Œä | ä„,ä¼ä™ä€,

* é™ äšæ ä¼>äfaäfaäfa,1

Cisco DNA Center ä¬ä€ DNA Center ISO

ä,äfaäfaä,äŒä—äfaä,äfaä,1äfaäfaäfaä«ä•ä,ŒäŸšŸŸä...<äšä,ä,1ä,3ä<ä,%è³¼ä...¥ä™ä,<ä°, Cloud ä<ä,%ä,äfaä,1äfaäfaäfaä«ä™ä,<ä"ä" äŒäšäää¼ä™ä€,Cisco.com ä® Software Center ä<ä,%ä¬äfaä,|äfaäfaäfaä%äšäää¼ä>ä,"ä€,Cisco DNA Center ä,½äfaäfaä,|ä,šä,čä®ä>äšäfaäfaäfaä,1ä«ä,čäfaäfaä—ä,°äfaäfaäfaä%ä™ä,<ä«ä¬ää,½äfaäfaä Center ä,čäfaäfaä—ä,°äfaäfaäfaä%ä,¬ä,äfaäfaä€ä,ä,č...šä—ä|äääää•ä„ä€.

ä,äfaä^©ç" ä°ä¼<ä¬ä" ä...¬ä¼ç™°èj"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ä¬ä€äæ¬ä,čäfaäfaäfaä,ä,äfaä«è~è¼%ä•ä,Œä | ä„,ä,<è,,tä¼±æ€šä

ä†°ä... ,

ä"ä®è,,tä¼±æ€šä¬ä€ät...éf" ä,»ä,äfaäfaäfaä,äfaä,1äfaä®äŸæ¬ä,ä«ä€ä,ä,1ä,3ä® Prbudas Varadarajan ä«ä,^äfaä | ç™°è | <ä•ä,Œä¼ä—äŸä€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-dnacid-OfeeRjcn>

æ"¹è",ä±¥æ´

| äfaäfaä,äfaäfaä³ | èª¬æž | ä,»ä,¬ |
|------------------|---|-------------------------------|
| 1.1 | æœ€ä^äšžæŁäfaäfaä,äfaäfaä, 2.1.2.0 äšä¬äªä 2.1.1.0 ä«äžæŁ | ä€Œè,,tä¼±æ€šä®ä,ä,<è¼½ä"ä€ää |
| 1.0 | ä^äžä...¬é¬äfaäfaäfaä,1 | - |

ä^©ç"è!ç",,

æœ¬ä,čäfaäfaä,ä,ä,äfaä¬ç,,jäžèè¼ä®ä,,ä®ä"ä—ä | ä"æää¼ä—ä | äšä,šä€ æœ¬ä,čäfaäfaä,ä,ä,äfaä®æf...ä±äšä,^ä³äfaäfaä,¬ä®ä¼çç" ä«ä«¬äšä™ä,<è²¬ä»ä®ä, ä¼ääŸäŸä,ä,1ä,3ä¬æœ¬äfaä,äfaäfaäfaäfaä®ät...ä®1ä,ä°äšäªä—ä«ä%æ´ä—ä æœ¬ä,čäfaäfaä,ä,ä,äfaä®èèè¼äät...ä®1ä«ä¬ä—ä | æf...ä±è...äžjä® URL

ã,çœç•¥ã—ã€å~ç<-ã®è»çè¼%ã,,æ,,è`³ã,'æ-½ã—ãÿå´å^ã€å½"ç³¼ãŒç®;ç
ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å±ã¯ã€ã,ã,¹ã,³è£½å"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¼è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。