


# Cisco IOx Application

## Environment



CVSS : cisco-sa-iox- [CVE-2021-](#)

pt-hWGcPf7g

[1385](#)

Published : 2021-03-24 16:00

Last modified : 2021-03-30 22:12

Version : 1.1 : Final

CVSS : [6.5](#)

Workarounds : No workarounds available

Cisco ID : [CSCvx21776](#) [CSCvw64810](#)

[CSCvx21783](#)

Summary text in red font, partially obscured.

Issue details header.

Issue description paragraph 1.

Issue description paragraph 2.

Issue description paragraph 3.

Issue description paragraph 4.

Issue description paragraph 5.

Issue description paragraph 6.

Reference link: <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-iox-pt-hWGcPf7g>

Section header for affected products.

Section header for affected products.

Affected products list paragraph 1.

Affected products list paragraph 2.

Product Name	Version Range	Severity
IOS	15.8(3) to 15.8(3)S	15.8(3)S
IOS	15.8(3) to 15.8(3)S	15.8(3)S
CGR 1000	1.9 to 1.9A	1.9A

ã,•ã,¹ã,³è¹/²â“◆	ã,•ã,¹ã,³ã,¹/²ãf•ãf^ã,¹ã,§ã,ç	
	ãf—ãf©ãffãf^ãf•ã,©ãf¹/4ãf ãf•ã,¹ãf¹/4ãfã,¹ã,§ã,ç	
IC3000 ç”£æ¥ç””ã,³ãf³ãf”ãf¥ãf¹/4ãf†ã,£ãf³ã,° ã,²ãf¹/4ãf^ã,¹ã,§ã,ç	ç”£æ¥ç””ã◆®ã,³ãf³ãf”ãf¥ãf¹/4ãf†ã,£ãf³ã,° ã,²ãf¹/4ãf^ã,¹ã,§ã,çã,¹/²ãf•ãf^ã,¹ã,§ã,ç	æœ€ã
Cisco IOS XEã,¹/²ãf•ãf^ã,¹ã,§ã,çã,¹ã@ÿè;CEã◆™ã,ãf†ãf◆ã,çã,¹	IOS XEã,¹/²ãf•ãf^ã,¹ã,§ã,ç	16.11.

è,†ã¹/²æœ€§ã◆CEã~ãœ”ã◆™ã,ã,ã,¹ã,³ã,¹/²ãf•ãf^ã,¹ã,§ã,çãfããfãf¹/4ã,¹ã◆®è©³ç’ã◆«ã◆çã◆„ã◆|ã  
æœ€ã,ã@CEã...ã◆§æœ€æ-°ã◆®æf...ã±ã◆«ã◆çã◆„ã◆|ã◆-ã€ã◆ã◆”ã◆®ã,çãf%ããfã,çã,¹ãfã  
IDã◆®è©³ç’ã,»ã,ã,ãf§ãf³ãf,¹ã,ç...§ã◆—ã◆|ã◆ã◆ã◆ã◆•ã◆„ã€,

### Cisco IOxã,çãf—ãf^ã,±ãf¹/4ã,ãf§ãf³ãf>ã,¹ãf†ã,£ãf³ã,°ç’ããçfã◆®è©•ã³/4;

æ¬|ã◆®ã,µãf-ã,»ã,ã,ãf§ãf³ãf,¹ã¹/²ç””ã◆—ã◆|ã€ã◆ãf†ãfã,çã,¹ã◆«Cisco  
IOxã,çãf—ãf^ã,±ãf¹/4ã,ãf§ãf³ãf>ã,¹ãf†ã,£ãf³ã,°ç’ããçfã◆CE”ã@§ã◆ã,CEã◆|ã◆„ã,ã<ã◆ã◆©ã◆†ã

### Cisco 809ã◆§ã,^ã◆³829ç”£æ¥ç””ã,µãf¹/4ãf”ã,¹çµ±ã◆^ãžãf«ãf¹/4ã,ç

Cisco

IOxã,çãf—ãf^ã,±ãf¹/4ã,ãf§ãf³ãf>ã,¹ãf†ã,£ãf³ã,°ç’ããçfã◆CEãf†ãfã,çã,¹ã◆§æœ€%ããš¹ã◆«ã◆ã◆£ã◆  
iox host list detail | include OS statusã,³ãfžãf³ãf%ã,¹ã@ÿè;CEã◆—ã◆³/4ã◆™ã€,

Cisco

IOxã,çãf—ãf^ã,±ãf¹/4ã,ãf§ãf³ãf>ã,¹ãf†ã,£ãf³ã,°ç’ããçfã◆CEæœ€%ããš¹ã◆«ã◆ã◆£ã◆|ã◆„ã,ãf†ãfã,ã,

```
<#root>
```

```
Router#
```

```
show iox host list detail | include OS status
```

```
OS status:
```

```
RUNNING
```

ã◆”ã◆®ã,³ãfžãf³ãf%ã◆CEã~ãœ”ã◆—ã◆ãã◆„ã’ã◆^ã€ã◆ã◆³/4ã◆ÿã◆-OS  
statusãf•ã,£ãf¹/4ãf«ãf%ã◆«RUNNINGã◆”èj”çµãã◆ã,CEã◆ãã◆„ã†ããš¹ã◆CEç”ÿæ^ã◆ã,CEã,ã’ã

### Cisco CGR 1000ã,³ãf³ãf”ãf¥ãf¹/4ãf^ãfçã,ãf¥ãf¹/4ãf«

IOXæ©ÿèf½ã®ã,1ãftãf¼ã,ã,1ã,çç°èªã™ã,ã«ã™ã€show iox host list detail | include IOX

Serverã™ã€æ¬ã®ã¼ã«çªã™ã,^ã†ã«ã€CLIã,³ãžãf³ãf%ã,ã®ÿè;ã—ã|ã

<#root>

CGR1000#

show iox host list detail | include IOX Server is running

IOX Server is running. Process ID: 305

CGR1000#

Cisco IC3000ç”æ¥ç”ã,³ãf³ãf”ãf¥ãf¼ãf†ã,£ãf³ã,°ã,²ãf¼ãf^ã,ã,§ã,ª

Cisco IC3000 Industrial Compute Gatewayãšã™ãCisco

IOXæ©ÿèf½ã€ãf†ãf•ã,©ãf«ãf^ãšæœ%ããš¹ã«ãªã£ã|ã„ã¼ã™ã€,

IOXæ©ÿèf½ã®ã,1ãftãf¼ã,ã,1ã,çç°èªã™ã,ã«ã™ã€æ¬ã®ã¼ã«çªã™ã,^ã†ã«ã€

iox summary CLIã,³ãžããf³ãf%ã,ã½ç”ã—ã¼ã™ã€,

<#root>

ic3k#

show iox summary

IOx Infrastructure Summary:

-----

eid: IC3000-2C2F-K9+FOC2227Y304

pfm: IC3000-2C2F-K9

s/n: FOC2227Y304

images: Lnx: 1.0.1., IOx: 1.7.0:r/1.7.0.0:fc6e9cf

boot: 2018-09-17 17:37:55

time: 2018-09-18 18:07:28

load: 18:07:28 up 1 day, 29 min, 0 users, load average: 0.32, 0.11, 0.02

memory: ok, used: 481/7854 (6%)

disk: ok, used: /:270305/338869 (79%), /software:57272/87462892 (0%)

process: warning, running: 4/5, failed: sshd

networking: ok

logs: ok, errors: caf (0)

apps: ok,

Cisco IOS XEã½ãf•ãfã,ã,§ã,ã,ã½çç”ã™ã,ã,ã,1ã,³ãf—ãf©ãffãf^ãfã,©ãf¼ãf

IOxã,ãf—ãfã,±ãf¼ã,ãfšãf³ãfã,1ãf†ã,£ãf³ã,°

ã,ªãf³ãf•ãf©ã,1ãf^ãf©ã,ãfãfãã™ã€ãf†ãf•ã,©ãf«ãf^ãšæœ%ããš¹ã«ãªã£ã|ã„ã¼ã™ã€,

Cisco IOS XE, 1/2 \*af^a, la, sa, ca S Cisco

I O x a, c a f — a f a a, ± a f 1/4 a, . a f s a f a f a, 1 a f t a, e a f a, ° c ' o a c f a, ' e © . a 3/4 a ™ a, a « a a € a e - j a © 2 a ¢ a

a, " a f — a, . a f s a f 1 : s h o w i o x - s e r v i c e a, 3 a f z a f 3 a f % o a © R a 1/2 c "

Cisco

I O x a e © Y e f 1/2 a © a, 1 a f t a f 1/4 a, i a, 1 a, ' c c ° e a a ™ a, a « a a e - j a © a 3/4 a « c ¢ a ™ a, ^ a t a «

i o x - s e r v i c e a, 3 a f z a f 3 a f % o a, ' a 1/2 c " a — a 3/4 a ™ a €,

<#root>

Router#

show iox-service

I O x I n f r a s t r u c t u r e S u m m a r y :

-----

I O x s e r v i c e ( C A F ) :

Running

I O x s e r v i c e ( H A ) : R u n n i n g

I O x s e r v i c e ( I O x m a n ) : R u n n i n g

L i b v i r t d : R u n n i n g

Router#

I O x

a, m f 1/4 a f " a, 1/4 ^ C A F i 1/4 % o a © E a © Y e ; C e c S ¶ æ ... a « a a a E a | a ,, a, a ' a ^ a € a f t a f a, m a, 1 a

• I O x a, m f 1/4 a f " a, 1/4 ^ C A F i 1/4 % o a © E a © Y e ; C e c S ¶ æ ... a s a a a ,,

• show iox-

s e r v i c e c % o 1 a " © E X E C a f c a f 1/4 a f % o a, 3 a f z a f 3 a f % o a, ' a © Y e ; E a — a | a ,, a € a 1/2 a ,, a † ° a S > a • a, C e a

• show iox-

s e r v i c e c % o 1 a " © E X E C a f c a f 1/4 a f % o a, 3 a f z a f 3 a f % o a a - a, " a f © a f 1/4 a, ' e c " a — a 3/4 a ™

a, " a f — a, . a f s a f 2 : i o x e " a © s a, 3 a f z a f 3 a f % o a © R a 1/2 c "

a > e a, a, S a « a € a e - j a © a 3/4 a « c ¢ a ™ a, ^ a t a « a € a © Y e ; E a, 3 a f 3 a f a, E a, © a f v a f - a f 1/4 a, . a f

<#root>

Router#

sh run | include iox

iox

Router#



- 17.4.2i^3æœ^ä, <æ—ã «ä^â@šĩ¼%o
- 17.5.1 ä»¥€™

ã...-é-<æ™,ç,1ã Sã€ã,ã,1ã,3ã-ã “ã “ã @è,,†ã¼±æ€Sã,æ-;ã @ãfãfãf¼ã,1ã Sã;@æfã™ã,ä^â

- Cisco 800ã,ãfãf¼ã,°ç”£æ¥ç”ã,µf¼ãf“ã,1ç#ã ^ãžãfãf¼ã,çĩ¼šCisco IOSã,½ãfãf^ã,|ã,Sã,çãfãfãf¼ã,15.9(3)M4ã»¥€™ i¼^7æœ^ä «ä^â@šĩ¼%oã€,
- Cisco CGR 1000ã,3ãf3ãf”ãf¥ãf¼ãf^ãfçã,ãf¥ãf¼ãf<i¼šCGR 1000 IOxã,3ãf3ãf”ãf¥ãf¼ãf^ãf—ãf©ãfãfãfãfã,©ãf¼ãfãfã,;ãf¼ãfã,lä,šã,çã-ã€æ-;ã @ãfãfãf¼ã,
- Cisco IC3000 Industrial Compute Gateway:Industrial Compute Gatewayã,½ãfãf^ã,lä,šã,çãfãfãf¼ã,11.4.1ã»¥€™

æœ€ã,,ã@Œã...”ã Sæœ€æ-°ã @æf...ã ±ã «ã ¢ã,,ã |ã-ãã “ã @ã,çãf%ããfã,ãã,¶ã,¶ããã IDã @è©^ç^ã,»ã,-ã,ãfSãfã,ã,ç...Sã—ã |ãããããããã,ã€,

### Cisco IOS ã Šã, ^ã³ IOS XE ã,½ãfãf^ã,|ã,Sã,ç

Cisco IOS ã,½ãfãf^ã,lä,šã,çã Šã, ^ã³ IOS XE

ã,½ãfãf^ã,|ã,Sã,çã @è,,†ã¼±æ€Sã «ã,^ã,ã¼µã³ã @ã-èf½æ€Sã,ã^æ-ã Sãããã,ã,^ã†ã€

[Cisco Software Checker](#)

ã,æãã¼ã—ã |ã,,ã¼ã™ã€,ã “ã @ãf,ãf¼ãfãã «ã,^ã,Šã€ç%ãã@šã @ã,½ãfãf^ã,|ã,ã,»ã,ãfãfãfãfã,£

ã,çãf%ããfã,ãã,¶ãããã Šã,^ã³ã,,ã,çãf%ããfã,ãã,¶ããã Sè^-æ~Žãã,Œã |ã,,ã,è,,†ã¼±æ

Fixedã€i¼%ã,ç%ãã@šã Šãããã¼ã™ã€,ã¼ã Yè©²ã½”ã™ã,ã^ãããããã @ãfãfã

First Fixedã€i¼%ã,ç%ãã@šã Šãããã¼ã™ã€,

ã Šã@çæS~ã-ã @Cisco Software Checker

ã,ã½ç”ã—ã |æ-;ã @æ-¹æ³ã Šã,çãf%ããfã,ãã,¶ããã,æœœç’çã Šãããã¼ã™ã€,

- ã,½ãfãf^ã,lä,šã,çã 1ã ¢ã»¥ã,Šã @ãfãfãf¼ã,1ã,é,æŠžã—ã¼ã™ã€,
- ç%ãã@šã @ãfãfãf¼ã,1ã @ãfã,1ãfã,ããã,€ .txtãfã,;ã,ããfãã,ã,çãfãfã—ãfãf¼ãf%ãã™ã,ç
- **show version** ã,3ãfžãfãf%ã @ã†ãŠã,ã...¥ãŠã™ã,ç

æœœç’çã,é-ãš<ã—ã Yã¼Œã Šã€ãã™ãã¹ã |ã @ã,ã,1ã,3ã,»ã,ãfãfãfãfã,£

ã,çãf%ããfã,ãã,¶ãããã ç%ãã@šã @ã,çãf%ããfã,ãã,¶ãããããã Yã-æœœæ-°ã @ã...-é-<

ã¼ã Yã€æ-;ã @ã½çã¼ã,ã½çç”ã—ã |ã€ Cisco IOS ã¼ã Yã- IOS XE

ã,½ãfãf^ã,|ã,Sã,çãfãfãf¼ã,1¼^15.1(4)M2ã,, 3.13.8S

ããã©i¼%ã,ã...¥ãŠã™ã,ãã “ã ”ã Šã€ãããã @ãfãfãf¼ã,1ã Œã,ã,1ã,³

ã,»ã,ãfãfãfãfã,£

ã,çãf%ããfã,ãã,¶ãããã @ã½±éYçã,ã—ããã |ã,,ã,ãããããã @ã†ããã,ã^æ-ã Sãããã¼ã



ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å ±ã¯ã€ã,ã,¹ã,³è£½ã"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,å³⁄è±jã



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。