

# Windows Cisco Duo Device

## Health Application for Windows Cisco Duo Device



Severity: **High** | CVE-2023-

Product: Cisco Duo Device Health Application for Windows

[20229](#)

Published: 2023-08-16 16:00

Version: 1.0 : Final

CVSS Score: [7.1](#)

Workarounds: No workarounds available

Cisco ID: [CSCwf88153](#)

Summary: A security vulnerability in the Cisco Duo Device Health Application for Windows, affecting versions 1.0 and earlier, allows an attacker to execute arbitrary code on the device. The vulnerability is caused by a buffer overflow in the application's file handling logic. The severity is High (CVSS 7.1). No workarounds are available. The Cisco ID is CSCwf88153.

### Summary

Cisco Duo Device Health Application for

Windows (CryptoService) is affected by a security vulnerability (CVE-2023-20229) that allows an attacker to execute arbitrary code on the device.

The vulnerability is caused by a buffer overflow in the application's file handling logic. The severity is High (CVSS 7.1). No workarounds are available.

The affected versions are 1.0 and earlier. The vulnerability is identified by the Cisco ID CSCwf88153.

For more information, please refer to the [Cisco Security Advisory](https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-duo-dha-filewrite-xPMBMZAK).

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-duo-dha-filewrite-xPMBMZAK>

### References

1. [Cisco Security Advisory: cisco-sa-duo-dha-filewrite-xPMBMZAK](#)

2. [Cisco Duo Device Health Application for Windows \(CryptoService\)](#)

3. [CVE-2023-20229](#)

4. [Cisco Duo Device Health Application for Windows](#)

5. [Cisco Duo Device Health Application for Windows \(CryptoService\)](#)

6. [Cisco Duo Device Health Application for Windows \(CryptoService\)](#)

7. [Cisco Duo Device Health Application for Windows \(CryptoService\)](#)

ã, .ã, 1ã, 3ã -ã€ã"ã®è,,tã¼±æ€Sã€C Cisco Duo Device Health Application for  
macOSã«ã -ã½±éÿã, 'ã, Žã ^ãªã,,ã"ã"ã, 'çç°èªã -ã¾ã -ãÿã€,

### ã>žéç-

ã"ã®è,,tã¼±æ€Sã«ã¾ã!ã™ã,ã>žéç-ã-ã,ã,Šã¾ã>ã,"ã€,

### ã;®æ£æ, ^ãçã, ½ãf•ãf^ã, |ã,Šã,ç

ã, .ã, 1ã, 3ã -ã"ã®ã, çãf%ãã,ã,ã, ¶ãfã«è~è¼%ã•ã, Cãÿè,,tã¼±æ€Sã«ã¾ã!ã™ã,ç,,i

ãŠã®çæS~ãCã,ããfã,1ãf^ãf¼ãf«ã-ãÿã,Šã,µãfãf¼ãf^ã,ã-ã'ãÿã,ŠãŠããã,ãã®ã  
ãfãf¼ã,ãfSãfãããf•ã,£ãf¼ãfãf£

ã,»ãffãfã«ã¾ã-ã|ã®ãçã"ãªã,Šã¾ã™ã€,ããã®ã,^ãtãªã,½ãf•ãf^ã,|ã,Šã,ç

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã¾ãÿã€ãŠã®çæS~ãCã,½ãf•ãf^ã,|ã,Šã,çã,ãfã,|ãfãfãf¼ãf%ãŠããã,ãã®ã-ã€ã,ã

ã,ããffãf-ã,°ãf-ãf¼ãf%ãŠã™ã€,ç,,iã,ÿã®ã,»ã,ãfãfãfãfã,£ã,½ãf•ãf^ã,|ã,Šã,ç

ã,çãffãf-ãfãf¼ãf^ã«ã,^ã£ã|ã€ãŠã®çæS~ã«æ-°ã-ã,,ã,½ãf•ãf^ã,|ã,Šã,ç

ãfãã,ãã,»ãfã,1ã€è½ãŠã,½ãf•ãf^ã,|ã,Šã,çãfã,£ãf¼ãfãf£

ã,»ãffãfã€ã¾ãÿã-ãfã,ãf£ãf¼ãfãfã,ãfSãf³

ã,çãffãf-ã,°ãf-ãf¼ãf%ã«ã¾ã™ã,æ"©é™ãCã»ã,Žã•ã,Cãã,ã"ã"ã-ã,ã,Šã¾ã

Cisco.comã®ã.ã.1ã.3ã.ãfãf¼ãf^ &

[ãfã,|ãfãfãf¼ãf%ãfSãfãã,ã«ã-ã€ããfãã,»ãfã,1ããfã,|ãfãfãf¼ãf%ã«é-çã™ã,ãæf..](#)

Devicesi¼%]

ãf,,ãf¼ãf«ã,ã½ç"ã™ã,ãŠã®çæS~ã®ã,«ã,1ã,çãfãfãf¼ãfãfãã,ãã,1ã,µãfãf¼ãf^ç,,ã>ã,,èçç°

[ã,½ãf•ãf^ã.ã.šã.cã®ã,çãffãf-ã,°ãf-ãf¼ãf%ã, 'ææèèŽã™ã,«éšã«ã-ã€ã,ã,1ã,³](#)

ã,»ã,ãfãfãfãfã,£ã,çãf%ããã,ãã,¶ãfã

ãfSãf¼ã,ãŠã...¥æ%ãŠããã,ã,ã,1ã,³è½ã"ã®ã,çãf%ããã,ãã,¶ãfã,ã®šæeÿçš,ã«ãç,ç

ã,½ãfãfãfãfã,ãfSãfãã,€ã¼ã,çç°èªã-ã|ããããã•ã,,ã€,

ã,,ãšã,Cã®ãã'ã^ã,,ã€ã,çãffãf-ã,°ãf-ãf¼ãf%ã™ã,ãfãfãã,ãã,1ã«ããã^tãªãfãfãã

Technical Assistance

Centeri¼^TACi¼%ã,,ã-ãããã-ã¥ç',ã-ã|ã,,ã,ãfãfãfãfãfãfã,1ãf-ãfãã,ããfãfãfãã

ã,µãf¼ãf"ã,1ã¥ç',ã,'ã"ã^ç"ãŠãªã,,ãŠã®çæS~

ã, .ã, 1ã, 3ãã, %ç'æŽÿè¾ã...¥ã-ãÿãCã,ã,1ã,3ã®ã,µãf¼ãf"ã,1ã¥ç',ã,'ã"ã^ç"ãã,,ãÿã

[cisco-worldwide-](#)

[contacts.htmli¼%ã«é€ççµjã-ã|ã,çãffãf-ã,°ãf-ãf¼ãf%ã,ã...¥æ%ã-ã|ããããããã](#)





## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。