

MDMā, 'ā½ç"ā—āŸā,»ā,āf¥ā,çā, "āf³āf%ā

ā†...ā®¹

æ!,è!❖

[MDMāf—āfāf•ā, jā, māf«](#)

[ā, çāf%āf❖ā, mā, ¶āfª](#)

[OSā❖®æœ€ā°❖è!❖ā»¶](#)

[é†❖è!❖ā❖ªā%æ'](#)

[Macā,³āf❖ā, ā, çā❖®macOSæ;ā¼µæ©Ÿèf½ā❖®æ%ø;èª❖](#)

[ā, "āf³āf%āf❖ā, māf³āf^ā❖sā❖®Macā,³āf❖ā, ā, çā, macOSæ;ā¼µæ©Ÿèf½ā❖®æ%ø;èª❖](#)

[MDMā, 'ā½ç"ā—āŸMacā,³āf❖ā, ā, çā, macOSæ;ā¼µæ©Ÿèf½ā❖®æ%ø;èª❖](#)

[MDMā, 'ā½ç"ā—āŸMacā,³āf❖ā, ā, çā, macOSæ;ā¼µæ©Ÿèf½ā❖®ā%Šé™¶](#)

[āf•āf«āf†ā, fā, ¹ā, ā, çā, ā, »ā, ¹](#)

[1.18.0ā, ā, Šā%ø❖ā❖®āf❖āf¼ā, āfSāf³ā❖®ā,³āf❖ā, ā, çā❖«ā³¼ā❖™ā, çā, "āf³āf%āf❖ā, māf³āf^ā❖sā](#)

[ā, "āf³āf%āf❖ā, māf³āf^ā❖sā❖®Cisco Orbitalā❖®āf•āf«āf†ā, fā, ¹ā, ā, çā, ā, »ā, ¹ā❖®æ%ø;èª❖](#)

[ā, "āf³āf%āf❖ā, māf³āf^ā❖sā❖®Cisco Secure Endpoint Connector](#)

[1.18.0ā»¥é™❖ā❖®āf•āf«āf†ā, fā, ¹ā, ā, çā, ā, »ā, ¹ā❖®æ%ø;èª❖](#)

[MDMā, 'ā½ç"ā—āŸā,³āf❖ā, ā, çā❖®āf•āf«āf†ā, fā, ¹ā, ā, çā, ā, »ā, ¹ā❖®æ%ø;èª❖](#)

[Cisco Orbitalā❖"MDMā❖®āf•āf«āf†ā, fā, ¹ā, ā, çā, ā, »ā, ¹ā❖®æ%ø;èª❖](#)

[MDMè"ā@šāf—āfāf•ā, jā, māf«ā❖®ā³¼](#)

[macOS 10.15ā»¥ā%ø❖ā❖®MDMè"ā@šā³¼](#)

[æ-°ā❖—ā❖, āf†ā, fāf-ā, āf^āfªæS<é€](#)

[āf❖āf¼ā, āfSāf³1.14.0 i½ž 1.16.2](#)

[āf❖āf¼ā, āfSāf³1.18.0ā»¥é™❖](#)

[macOS 11.0ā❖Šā, ā❖³Mac Connector 1.14.1ā❖«é-çā❖™ā, çā—ççŸ¥ā❖®ā•❖é;€](#)

[MacOS 10.15/11.0ā❖Šā, ā❖³Mac Connector 1.14.0ā❖«é-çā❖™ā, çā—ççŸ¥ā❖®ā•❖é;€](#)

[ā, ā, ¹āf†āf æ;ā¼µæ©Ÿèf½ā❖®ā, çāf³ā, māf³ā, ¹āf^āf¼āf«æ™, ā❖®æ—ççŸ¥ā❖®ā•❖é;€](#)

[Intuneā+•é-ā, māf³ā, ¹āf^āf¼āf«ā, ¹ā, āfªāf—āf^](#)

[Macā,³āf❖ā, ā, çā❖®āf-āf©āf³āf%ā%ā%æ'¼ā^āf❖āf¼ā, āfSāf³1.18.0ā»¥é™❖¼%ø](#)

[æ"è", ā+¥æ'](#)

æ!,è!❖

[ā❖"ā❖®āf%ā, āf¥āf;āf³āf^ā❖sā❖-ā€ç®çç†è€...ā❖CEMac Connector](#)

[1.14ā»¥é™❖ā, ā°Žā...¥ā❖™ā, çāŸā, ❖ā❖®æœ€èç'ā❖®ā%ø;èª'ā❖æ%ø;é†ā❖«ā❖mā❖, ā❖|èª-æ'](#)

MDMāf—āfāf•ā, jā, māf«

ā;...è!❖ā❖ªā%ø;èª❖ā, ā»~ā, Žā❖™ā, <MDMāf—āfāf•ā, jā, māf«ā, 'ā½ç"ā—ā❖|Macā,³āf❖ā, ā, çā, 'ā°

ā, çāf%āf❖ā, mā, ¶āfª

Macā,³āf❖ā, ā, çā❖®āf❖āf¼ā, āfSāf³1.14ā❖sā❖-ā€æ³'æ,, ā❖CEā;...è!❖ā❖ªā%ø;èª'ā❖CEā°Žā...¥ā❖



MDM, 'a1/2;ç'”ã—ãYMacã, 3ãfã, ã, çmacOSæ;ã¼µæ©Yèf½ã®æ%ø;èª


æ³T¼šmacOSæ;ã¼µæ©Yèf½ãã€MDMçµæç”±ãšã•ã<ã®ã¼ã£ã!æ%ø;èªã™ã,ã

1.

ç®;ç†ãf—ãfãf•ã,ã,ããf«ãæé;ãšçš,,ã«ã°Žã...Yã•ã,æãYã,ããf³ãf%øãfã,ããf³ãf^ãšã

2.

Preferences]ãfšã,ãf³ã◊ã,%æ%ãã◊šæ%ãèª◊ã◊šã◊ã◊ã³ã◊™ã€,



ã,ãf³ãf%ãf◊ã,ãf³ãf~ã◊šã◊®Cisco Secure Endpoint Connector
1.18.0ã»¥é™◊ã◊®ãf•ãf«ãf#ã,£ã,¹ã,ã,çã,ã,»ã,¹ã◊®æ%ãèª◊

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

System Extensions

PayloadEnabled

PayloadIdentifier

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.system-extension-policy

PayloadUUID

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadVersion

1

RemovableSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

Privacy Preferences Policy Control

PayloadEnabled

PayloadIdentifier

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.TCC.configuration-profile-policy

PayloadUUID

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadVersion

1

Services

SystemPolicyAllFiles

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.svc

IdentifierType

bundleID

StaticCode

0

Allowed

1

CodeRequirement

identifier ampdaemon and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = TDNYQP7VRK

Identifier

/opt/cisco/amp/ampdaemon

IdentifierType

path

StaticCode

0

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.orbital.app" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.orbital.app

IdentifierType

bundleID

StaticCode

0

FilterDataProviderBundleIdentifier

com.cisco.endpoint.svc.networkextension

FilterDataProviderDesignatedRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc.networkextension" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

FilterGrade

firewall

FilterPackets

FilterSockets

FilterType

Plugin

PayloadDisplayName

Web Content Filter Payload

PayloadIdentifier

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.webcontent-filter

PayloadUUID

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadVersion

1

PluginBundleID

com.cisco.endpoint.svc

UserDefinedName

AMP Network Extension

VendorConfig

PayloadDescription

PayloadDisplayName

Cisco Secure Endpoint Settings [DEMO]

AllowNonAdminUserApprovals

AllowUserOverrides

AllowedKernelExtensions

TDNYQP7VRK

com.cisco.amp.nke

com.cisco.amp.fileop

PayloadDescription

PayloadDisplayName

Approved Kernel Extensions

PayloadEnabled

PayloadIdentifier

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.syspolicy.kernel-extension-policy

PayloadUUID

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadVersion

1

æ-°ã—ã,,ãf‡ã,£ãf-ã,-ãf^ãfªæS<é€

ãfãf¼ã,,ãfSãf³1.14.0 i½ž 1.16.2

Macã,³ãfã,-ã,¿1.14ãSã-ã€ãf‡ã,£ãf-ã,-ãf^ãfªæS<é€ã«æ-ã@2ãã@ã%æ'ã€ã°Žã

1. Applicationsãf‡ã,£ãf-ã,-ãf^ãfªã@ããã%ã€Cisco AMPãã,%Cisco AMP for Endpointsã«ã%æ'ãã,€ã¼ã—ãŸã€,
2. ã,³ãfžãf³ãf%ãf©ã,ããf³ãf!ãf¼ãf‡ã,£ãf^ãf‡ã,£ampcliã€ /opt/cisco/ampãã,%/Applications/Cisco AMP for Endpoints/AMP for Endpoints Connector.app/Contents/MacOSã«çS»è;€ãã,€ã¼ã—ãŸã€,ãf‡ã,£ãf-ã,-ãf^ãfª/opt/cisco/am


Macã,³ãfã,-ã,¿ãfãf¼ã,,ãfSãf³1.14.0 i½ž

1.16.2ã@ã@€ã...ããf‡ã,£ãf-ã,-ãf^ãfªæS<é€ãæ-ã@ãããŠã,ŠãSã™ã€,

```

â"œâ"€â"€ Applications
â",   â""â"€â"€ Cisco AMP for Endpoints
â",   â""â"€â"€ AMP for Endpoints Connector.app
â",   â",   â""â"€â"€ Contents
â",   â",   â""â"€â"€ MacOS
â",   â",
â",   â""â"€â"€ AMP for Endpoints Service.app
â",   â",   â""â"€â"€ Contents
â",   â",   â""â"€â"€ MacOS
â",   â",   â""â"€â"€ ampcli
â",   â",   â""â"€â"€ ampdaemon
â",   â",   â""â"€â"€ amscansvc
â",   â",   â""â"€â"€ ampcreport
â",   â",   â""â"€â"€ ampupdater
â",   â",   â""â"€â"€ SupportTool
â",   â",
â",   â""â"€â"€ Support Tool.app
â"œâ"€â"€ Library
â",   â"œâ"€â"€ Application Support
â",   â",   â""â"€â"€ Cisco
â",   â",   â""â"€â"€ AMP for Endpoints Connector
â",   â",   â""â"€â"€ SupportTool

```


- [Don't

Allow]ã€Œ,æŠžã•ã,ŒãŸãŸã,ã«ãf—ãfã³ãf—ãf^ãŒæŒ^ã•ã,ŒãŸã 'ã^ã—ã




Network Filter]ã,é,æŠžã—ã¾ã™

ã,'ã,ãfãffã,ã—ã|ã€ãf—ãfã³ãf—ãf^ã,'ãtãé-ãã¾ã™ã€,



- æœ%ãŠ¹ã«ã™ã,ã€ "ã€ Secure Endpoint Network Extensionã•ã,£ãf«ã,¿ãŒ[Network Preferences]ãšãf¼ã,ã«èj "çªã•ã,Œã¾ã™ã€,



- MacOS

11ãšãŒã€ Macã,³ãfã,ã,¿1.12ãã,%,Macã,³ãfã,ã,¿1.14ã,ã®ã,Œãffãf—ã,°ãf-ãf¼ã Extension Failed to

Loadã€ã,ã,€æ™,çš,ã«ç™ç"Ÿã•ã>ã,ã€ "ã€ "ãŒãšãã¾ã™ã€,

ã,ã,¹ãf†ãf æ<¡ã¼pe©Ÿèf½ã®ã,Œãf³ã,ªãf³ã,¹ãf^ãf¼ãf«æ™,ã®ã

- macOS

12ã,ã,Šã%ã€ã¾ãŸãŒMDMã,'ã½¿ç""ã—ã|ã€,ã€ãã,ã 'ã^ã€ Macã,³ãfã,ã,ã,

12ãšãŒã€ã€"ã®ãf%ã,ãfãfãfãf³ãf^ãŒèª-æ~žã™ã,ã,ãRemovableSystemExtensions MDMãf—ãfãfã,ã,ããf¼ã®è¿½ãŠã«ã,ã,Šã€ã,ã,ãç "ã°|æ"¹ã-,ã•ã,Œã€|ã€,ã€

Intuneã±•é-ã,ªãf³ã,¹ãf^ãf¼ãf«ã,¹ã,ãfãf—ãf^

- MicrosoftãŒŒç®¡ç†ã™ã,ãmacOSã«Secure Endpoint

Connectorã,ã,ªãf³ã,¹ãf^ãf¼ãf«ã™ã,éš>ã«ã½¿ç«ãªã,¹ã,ãfãf—ãf^ãŒã€æ-¡ã®ã 'æœ

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。