Identity Services Engineã�®ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å

å†…å®¹

æ¦‚è¦�
Cisco ISEã�®ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å�Žé›†
ã,¹ãƒ†ãƒƒãƒ— 1ï¼šISEã,³ãƒ³ãƒ�ãƒ¼ãƒ�ãƒ³ãƒˆã�®ãƒ‡ãƒ�ãƒƒã,°ã�®æœ‰åŠ¹åŒ–
ã,¹ãƒ†ãƒƒãƒ— 2ï¼šå•�é¡Œã�®å†�ç�¾
ã,¹ãƒ†ãƒƒãƒ— 3ï¼šãƒ‡ãƒ�ãƒƒã,°ã�®ç„¡åŠ¹åŒ–
ã,¹ãƒ†ãƒƒãƒ— 4ï¼šã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å�Žé›†

æ¦‚è¦�

ã�“ã�®ãƒ‰ã,ãƒ¥ãƒ¡ãƒ³ãƒˆã�§ã�¯ã€�CLIã�¾ã�Ÿã�¯GUIã,'ä½¿ç”¨ã�—ã�¦Cisco ISE 3.xã�‹ã,‰ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã,'å�Žé›†ã�™ã,‹æ–¹æ³•ã�«ã�¤ã�„ã�¦èª¬æ˜Žã�—ã�¾

Cisco ISEã�®ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å�Žé›†

ã,¹ãƒ†ãƒƒãƒ— 1ï¼šISEã,³ãƒ³ãƒ�ãƒ¼ãƒ�ãƒ³ãƒˆã�®ãƒ‡ãƒ�ãƒƒã,°ã�®æœ‰åŠ¹åŒ–

ISEã�®ã�•ã�¾ã�–ã�¾ã�ªå•�é¡Œã,'ãƒˆãƒ©ãƒ–ãƒ«ã,·ãƒ¥ãƒ¼ãƒ†ã,£ãƒ³ã,°ã�™ã,‹ã�«ã�¯ã€�ã�• 3.xã�«ã�¯ãƒ‡ãƒ�ãƒƒã,°ã�®äº‹å‰�ã�«è¨å®šã�•ã,Œã�Ÿã,«ãƒ†ã,´ãƒªã�Œã�,ã,Šã€�ã�“ã,Œã,'

TACã,¨ãƒ³ã,¸ãƒ‹ã,¢ã�Œè¦�æ±,ã�™ã,‹ãƒ‡ãƒ�ãƒƒã,°ã�®ãƒªã,¹ãƒˆã�¯ã€�å„ã�«ã�“ã�®ãƒªã,¹ãƒˆã,

ã�“ã,Œã,‰ã�®äº‹å‰�è¨å®šã�•ã,Œã�Ÿãƒ‡ãƒ�ãƒƒã,°ã,'è¦‹ã�¤ã�'ã,‹ã�«ã�¯ã€�
Operations > Troubleshoot > Debug Wizard > Debug Profile Configuration.

å�„è¡Œã�®å…ˆé ã�«ã�,ã,‹é�©åˆ‡ã�ªãƒ�ã,§ãƒƒã,¯ãƒœãƒƒã,¯ã,¹ã,'é�¸æŠžã�—ã�¦ã€�ãƒ‡ãƒ�ã



☐	Name	Description
☑	802.1X/MAB	802.1X/MAB
☐	Active Directory	Active Directory
☐	Application Server Issues	Application Server Issues
☐	BYOD portal/Onboarding	BYOD portal/Onboarding

æ¬¡ã�«ã€�å�„è¡Œã�®å…ˆé ã�«ã�‚ã‚‹é�©å^‡ã�ªãƒ�ã‚§ãƒƒã‚¯ãƒœãƒƒã‚¯ã‚¹ï¼ˆèµ¤ï¼‰ã�¨save changesï¼ˆç·‘ï¼‰ã‚’é�¸æŠžã�—ã�¦ã€�ã�"ã‚Œã‚‰ã�®ãƒ‡ãƒ�ãƒƒã‚°ã‚'æœ‰åŠ¹ã�«ã�™ã‚‹å¿…



Selected profile 802.1X/MAB

Choose on which ISE nodes you want to enable this profile.

☑	Host Name	Persona	Role
☑	ise322.example.com	Administration, Monitoring, Policy Service	STANDALONI

ãƒšãƒ¼ã‚¸ã�Œ[Debug Profile Configuration]ã�«æˆ»ã‚Šã€�ãƒ‡ãƒ�ãƒƒã‚°ã‚¹ãƒ†ãƒ¼ã‚¿ã‚¹ã�Œ[ENABLED]ã�«å¤‰ã‚�ã‚Šã€�ã�"ã



☐	Name	Description	Status
☐	802.1X/MAB	802.1X/MAB	ENABLED

ã,¹ãƒ†ãƒƒãƒ— 2ï¼šå•�é¡Œã�®å†�ç�¾

å¿…è¦�ã�ªãƒ‡ãƒ�ãƒƒã,°ã�Œã�™ã�¹ã�¦æœ‰åŠ¹ã�«ã�ªã�£ã�Ÿã,‰ã€�ãƒã,°ã,'ç"Ÿæˆ�ã�™ã

- ãƒ¬ã,¯ãƒªã,¨ãƒ¼ã,·ãƒ§ãƒ³ã�®ã,¿ã,¤ãƒ ã,¹ã,¿ãƒ³ãƒ—
- macã,¢ãƒ‰ãƒ¬ã,¹ã€�IPã,¢ãƒ‰ãƒ¬ã,¹ã€�ãƒ¦ãƒ¼ã,¶å��ã€�ã,»ãƒƒã,·ãƒ§ãƒ³IDã�ªã�©ã€�ã,¤ã +ãƒ¦ãƒ¼ã,¶å��ã�§å��å^†ã�§ã�™ï¼‰

ã,¹ãƒ†ãƒƒãƒ— 3ï¼šãƒ‡ãƒ�ãƒƒã,°ã�®ç„¡åŠ¹åŒ–

å•�é¡Œã�Œå†�ç�¾ã�•ã,Œã�Ÿç›´å¾Œã�«ã€�æ–°ã�—ã��ç"Ÿæˆ�ã�•ã,Œã�Ÿãƒã,°ã�Œé�Ž



Debug Nodes

Selected profile 802.1X/MAB

Choose on which ISE nodes you want to enable this profile.

☐	Host Name	Persona	Role
☐	ise322.example.com	Administration, Monitoring, Policy Service	STANDAL

ã,¹ãƒ†ãƒƒãƒ— 4ï¼šã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å�Žé›†

ç§»å‹•å…ˆ Operations > Troubleshooting > Download Logs ISEãƒŽãƒ¼ãƒ‰ï¼ˆãƒ‡ãƒ�ãƒƒã,°ã�Œæœ‰åŠ¹ã�«ã�ªã�£ã�¦ã�„ã,‹ãƒŽãƒ¼ãƒ‰ï¼‰ã,'é�¸æŠž Support Bundle]ï¼ˆèµ¤ï¼‰ã�¾ã�Ÿã�¯[Download specific log file]ï¼ˆã,ªãƒ¬ãƒ³ã,¸è‰²ï¼‰ã�®2ã�¤ã�®ã,ªãƒ—ã,·ãƒ§ãƒ³ã�Œã�,ã,Šã�¾ã�™ã€,


Diagnostic Tools
Download Logs
Debug Wizard
Appliance node list
ise322
Support Bundle
Debu
Include full configurat
Include debug logs

ãƒ‡ãƒ�ãƒƒã‚°ãƒã‚°ã�§ã�¯ã€�ä½¿ç”¨å�¯èƒ½ã�ªã�™ã�¹ã�¦ã�®ãƒã‚°ãƒ•ã‚¡ã‚¤ãƒ«ã�®å®Œå…¨ã


Support Bundle
Debug Logs
Delete
Expand All
Collapse All

Debug Log Type	Log File	Description
ocsp (2) (8.0 KB)		
passiveid (7) (4.0 KB)		
profiler (9) (1.4 MB)		
prometheus (3) (76 KB)		
prrt-management (9) (404 KB)		
☐	prrt-management (all logs)	Protocol Runtime policy de related messages
☐	prrt-management.log	
☐	prrt-management.log.2023-03-13-1	
☐	prrt-management.log.2023-03-14-1	
☐	prrt-management.log.2023-03-15-1	

ã‚µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�¯ã€�é¸æŠžã�—ã�Ÿã‚°ãƒ«ãƒ¼ãƒ—ã�®ã�™ã�¹ã�¦ã�®ãƒã‚°ã‚'å



☐ Include full configuration database

☐ Include debug logs

☐ Include local logs

☐ Include core files

☐ Include monitoring and reporting logs

☐ Include system logs

☐ Include policy configuration

- å®Œå…¨ã�ªè¨å®šãƒ‡ãƒ¼ã‚¿ãƒ™ãƒ¼ã‚¹ã�¯ã€�å®Œå…¨ã�ªISEè¨å®šã‚’ã‚µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ã
- ãƒ‡ãƒ�ãƒƒã‚°ãƒã‚°ã�¯ã�™ã�¹ã�¦ã�®ISEã‚³ãƒ³ãƒ�ãƒ¼ãƒ�ãƒ³ãƒˆã�‹ã‚‰ã�®ã�™ã�¹ã�¦
- ãƒãƒ¼ã‚«ãƒ«ãƒã‚°ã�«ã�¯ã€�å±•é–‹å†…ã�®ã�“ã�®ãƒŽãƒ¼ãƒ‰ã�®RADIUSèª�è¨¼ã‚’ç¤ºã�
- ã‚³ã‚¢ãƒ•ã‚¡ã‚¤ãƒ«ã�ŒåŽŸå› ã�§ã‚µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�Œå¢—åŠ ã�™ã‚‹ã�“ã�¨ã�Œ
- ãƒ¢ãƒ‹ã‚¿ãƒªãƒ³ã‚°ã�Šã‚ˆã�³ãƒ¬ãƒ�ãƒ¼ãƒˆãƒã‚°ã�«ã�¯é�‹ç”¨ãƒ‡ãƒ¼ã‚¿ã�Œå�«ã�¾ã‚Œã‚‹
- ã‚·ã‚¹ãƒ†ãƒ ãƒã‚°ã�«ã�¯ã€�ã‚·ã‚¹ãƒ†ãƒ å›°æœ‰ã�®ãƒã‚°ã�Œå�«ã�¾ã‚Œã�¾ã�™ï¼ˆOSã�
- ãƒ�ãƒªã‚·ãƒ¼è¨å®šï¼š xml ISEã�§è¨å®šã�•ã‚Œã�Ÿãƒ�ãƒªã‚·ãƒ¼ã�®ãƒ�ãƒ¼ã‚¸ãƒ§ãƒ³

ã�»ã�¨ã‚“ã�©ã�®ã‚·ãƒŠãƒªã‚ªã�§ã�¯ã€�ãƒ‡ãƒ�ãƒƒã‚°ãƒã‚°ã�¨ãƒãƒ¼ã‚«ãƒ«ãƒã‚°ã‚’å�«ã‚�ã‚‹ã�



Support Bundle Debug Logs

☐ Include full configuration database

☑ Include debug logs

☑ Include local logs

☐ Include core files

☐ Include monitoring and reporting logs

☑ Include system logs

☐ Include policy configuration

From Date

03/21/2023 (mm/dd/yyyy)

To Date

03/21/2023 (mm/dd/yyyy)

* Note: Output from the 'show tech-support' CLI command will be included along w

Support Bundle - Encryption

● Public Key Encryption

○ Shared Key Encryption

ã�™ã�¹ã�¦ã�Œè¨å®šã�•ã‚Œã�Ÿã‚‰ã€� Create Support Bundle ãƒœã‚¿ãƒ³ã‚’æŠ¼ã�—ã�¦å¾…ã�¡ã�¾ã�™ã€‚



Support Bundle - Status Summary

File Name: ise-support-bundle-pk-ise322-admin-03-21-2023-11-02.tar.gpg

Start Time: Tue Mar 21 11:02:04 CET 2023

Message: Support Bundle generation is in progress..

Progress: Creating support bundle..

5%

ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®ä½œæˆ�ãƒ—ãƒã,»ã,¹ã�Œå®Œä°†ã�™ã,‹ã�¨ã€�ãƒ€ã,¦ãƒ³ãƒãƒ¼ã
Download ãƒœã,¿ãƒ³ã,'ã,¯ãƒªãƒƒã,¯ã�™ã,‹ã�¨ã€�ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�ŒPCã�®ãƒãƒ¼ã,«ãƒ«ã

Webã,¤ãƒ³ã,¿ãƒ¼ãƒ•ã,§ã,¤ã,¹ã�Œä½¿ç"¨ã�§ã��ã�ªã�„å ´å�ˆã�¯ã€�CLIã�‹ã,‰ã,µãƒ�ãƒ¼ãƒˆãƒ

```
backup-logs name repository ftp {encryption-key plain key | public-key}
```

nameï¼ˆå��å‰�ï¼‰ï¼šã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®å��å‰�

ftp:ISEã�§è¨å®šã�•ã,Œã�¦ã�„ã,‹ãƒªãƒ�ã,¸ãƒˆãƒªã�®å��å‰�

keyï¼šã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã�®æš—å�·åŒ–/å¾©å�·åŒ–ã�«ä½¿ç"¨ã�™ã,‹ã,ãƒ¼ã�§ã�™ã

ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ã,'ã,¢ãƒƒãƒ—ãƒãƒ¼ãƒ‰ã�™ã,‹å…¬å¼�ãƒ„ãƒ¼ãƒ«ã�¯ã€�https://mycase.cl

ã,µãƒ�ãƒ¼ãƒˆãƒ�ãƒ³ãƒ‰ãƒ«ãƒ•ã,¡ã,¤ãƒ«ã�®æ‹¡å¼µå�ã,'zipã�¾ã�Ÿã�¯å¤‰æ›´ã�—ã�ªã�„ã�§

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。