

MDM ìœ^{1/4}ë;œ ë³î•^ ì—”ë“œí?¬ì?íS, Mac
ì»¤ë,,¥í,,° ë°? Orbital—? ëŒ€í•œ ê¶Œí•œ
êµ¬ì,,±: ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤, ìœìS¤í...œ
í™•ìž¥

ëa©ì°°

ì†Œê°œ

MDM ì”,ëjœí•.,

ìž?ë_

ì†Œ OS ìš”êµ ì, -í•

ìš”í•œ ë³€ê^{2/2} ì, -í•

Mac ì»¤ë,,¥í,,° macOS í™•ìž¥ ìS¹ì?

ì—”ë“œí?¬ì?íS, ì—?œ Mac ì»¤ë,,¥í,,° macOS í™•ìž¥ ìS¹ì?

MDM ì”, í†µí•œ Mac ì»¤ë,,¥í,,° macOS í™•ìž¥ ìS¹ì?

MDM ì”, ì,-ìS© ì•~ì— ëS¥ ì»¤ë,,¥í,,° macOS í™•ìž¥ ì œê±°

ì,ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤

ì—”ë“œí?¬ì?íS, ì—?œ 1.18.0 ì?í „ì?~ ì»¤ë,,¥í,,° ë²,ì „ì—?œ ëŒ€í•œ ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤ ìS¹ì?

ì—”ë“œí?¬ì?íS, ì—?œ Cisco Orbitalì?~ ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤ ìS¹ì?

ì—”ë“œí?¬ì?íS, ì—?œ Cisco Secure Endpoint Connector 1.18.0 ì?íf?—?œ ëŒ€í•œ ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤ ìS¹ì?

MDM ì”, ì,-ìS©í~ëS” ì»¤ë,,¥í,,°ì—?œ ëŒ€í•œ ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤ ìS¹ì?

MDM ì”, í†µí•œ Cisco Orbitalì?~ ì „ì²’ ë””ìS¤í?¬ ì•ì„,ìS¤ ìS¹ì?

ìf””Œ MDM ì»”í”¼ê: ë?í?~ì...~ì””ëjœí..

macOS 10.15 ì?í „ì?~ìS© ìf””Œ MDM ì»”í”¼ê: ë?í?~ì...~

ìf””ë%oí,,°ë|_êµìj;

ë?,ì „, 1.14.0~1.16.2

ë?,ì „, 1.18.0 ì?íf?

macOS 11.0 ë°? Mac Connector 1.14.1ì?í~ìŒë ìS,, ë-,ì œ.

MacOS 10.15/11.0 ë°? Mac Connector 1.14.0ì?í~ìŒë ìS,, ë-,ì œ.

ìœìS¤í...œ í™•ìž¥ì?—ì œê±°í~ëS” ë?í”ì?~ìŒë ìS,, ë-,ì œ

Intune ë°?í~ì?íS¤í?—ë?í”ìS,,

ë?í~ìf””Œëzœë”Œ Mac ì»¤ë,,¥í,,°(ë?,ì „, 1.18.0 ì?íf?)

ë°?í~ì?íS,,

ì†Œê°œ

ì?í~ì,œì—?ì,œëS” ë?í~ì?íS,, ë-,ì œ Mac ì»¤ë,,¥í,,° 1.14 ì?íf?ì?,, ë?í~ì?í~ëS” ìµœê·¼ì?~
ë?í~ì?íS,, ë-,ì œ ë?í~ì?íS,, ë-,ì œ ë?í~ì?íS,, ë-,ì œ

MDM í”,,ë;œí•,,

13

Mac ì»œë„¥í„° ë²„ì „ 1.14ì—♦ ì£¼ì♦ ~ êº€ í„„ìš”í•œ ë³€ê²½ ì„í•ì♦’ ë♦„ìž...ë♦~ì—^ìŠµëëœ.

- „j²“ ё””иšxí → „j¹” иšxí iš¹i?
 - iкeišxí...æ íTM...ižxí iš¹i?

macOS 11 ì◆ìf◆ì—◆ì„œ ì—"ë"œí◆ìf◆ì„œ, ë3'í~ë¥¼ë3'ìž¥í~ëœ©' Mac ì»œ„¥í„° 1.14
ì◆ìf◆ì◆ì„œ ì„œ. ì◆ì„œ Mac ì»œ„¥í„°ëS" ì◆ì„œ ë2'ì„œ macosì—◆ì„œ
ìž'ë◆ì„œ ì„œ. ì„œ

ì̄ēī†CE OS ì̄š”ēp̄ ī, -í•

Cisco Secure Endpoint Mac OS X 10.14.0 für macOS High Sierra.

- macOS 11(macOS 10.15.4~macOS 11.0.1)
 - macOS 10.15.5~macOS 10.15.4(macOS 10.15.0~macOS 10.15.4)
 - macOS 10.14(macOS 10.13.6~macOS 10.14.5)

Cisco Secure Endpoint Mac OS X 10.14.1 für macOS Mojave.

- macOS 11(macOS 10.15.7...œ í™•íž¥ í◊¬í•”)
 - macOS 10.15(macOS 10.15.7, í™•íž¥ í◊¬í•”).
 - macOS 10.14(macOS 10.14.6, í™•íž¥ í◊¬í•”)

Í „iž- Mac i»xé,, Yí,, ° Í „íTM^I,,+í♦€ OS í „íTM^I,,+ í“æéY¼ í ° j;°í•ík<œí~x.

↳ “Is”’í•æ ë³€ê²¹/₂ í,-ní•

Mac ì»œé„, ¥í, ° 1.14í—‡ì„œéŠ” ì„, ê°€í§€ í~‡ì—‡ì„œ ìœíš”í•œ ë³ê€²½ ì, -í•ì‡’
ë‡ì„œíž...ë‡ì—^ìŠµë^cëœ.

1. ì»œë, ¥í,, °í—◆ì„œ ì, -ñí©í•~ëŠ" macOS Extensions íšì◆,
 2. ì „ì²' ë""íšœí◆- ì•ì„, íšœ
 3. ìƒ" ë""ë %oí,, °ë!- êµì°

Mac ®, ¥, ° macOS ™•ž¥ Š¹?

Mac OS X 10.14 Mojave 10.14.5 macOS 10.14.5

ë‘♦ ê°€]S€ ë ^ê±°ì<œ ì»¤ë,,♦ í™•íž¥ì♦, ampfileop.kextì™€ ampnetworkflow.kextëŠ” ifëjœiš’
macOS ì<œišxí...œ í™•íž¥ì♦,, ï§€]♦í·~ï§€] i·ŠëŠ” ì♦ì „macOS ë²„ì „ì—♦ì„œ ì♦ì „ë²„ì „ê³¼ì♦~
í·í™~] „ì±ì♦,, ì<œ „í·í?~í·~é♦~í·~íž~íšµëc^ë<¤.

macOS 11** ی♦'íf♦ی—♦ ی„íš"í•œ یŠ¹ی♦:

• ë;œë“œí• ì»¤ë,,¥í,,° ì»¤ë,,♦ í™•ìž¥ ìŠ¹ì♦,

ì♦’ëÿ-í•œ ìŠ¹ì♦,ì♦€ ì—”ë“œí♦-ì♦,íŠ,ì♦~ macOS Security & Privacy Preferences(ë³’ì•^ ë°♦ ë°œì♦,ì•ë³’ë³’í~, í™~ë²½ ì,,¤ì •)ì—♦ì,,œ ë~♦ëŠ” [MDM\(Mobile Device Management\)](#) í”,ë;œí•,ì♦.. í†µ’ ìŠ¹ì♦,ë♦ ì~ìžìŠµë[^]ë<¤.

ì—”ë“œí♦-ì♦,íŠ,ì—♦ì,,œ Mac ì»¤ë,,¥í,,° macOS í™•ìž¥ ìŠ¹ì♦,

ìœìŠ¤í...œ ë°♦ ì»¤ë,,♦ í™•ìž¥ì♦€ macOS Security & Privacy Preferences ì°½ì—♦ì,,œ ì~ë♦™ìœ¼ë;œ ìŠ¹ì♦,í• ì~ìžìŠµë[^]ë<¤.



MDM-ի համար, ինքը կատարում է Mac օպերատորի պահանջման համար՝ օգտագործելով macOS ինքնաշխատ համակարգը:

Ì°, ê³ : macOS ExtensionséŠ” MDMi„, ítµí·’ i‡Œê,‰%o iš¹i„, ë „ i—†iŠæ^ë ∞ . Connectoré¥¼ i„, xì¹~i~ê, ° i „, i— MDM í”, „ëjœí„, i„, ë „, êµ-ì¶·ë „, iš€ i„, Ši„, ë „, ê²½iš° iš¹i„, ë „, ë „, i—^iš©ë „, iš€ i„, Šiœ¼ë©° i¶“êº€ êºœiž...i„, ë „, é „, êº€ iš€ i„, í·ífœ i„, i„, i„, ë „, e „, ejœ i„, „iš“í·í©ë „, ^ë ∞ .

1. ế€ë̄l̄ ī „ë̄œí„, ï̄ ’ ï̄t CÉ,‰% œ ë̄œí ï̄-œ ï̄-“œí ï̄-ì̄ ſ̄ ï̄-œ macos Extensions ï̄~

í~ë♦™ iš¹i♦.

2. Mac ì»¤ë,,¥í,,°ë¥¼ í„,ìž¬ êµí¶•ë♦œ ë²„ì „ë³’ë¤ ìµœì² „ì „œ½ëœ
ì—...ë·ë ^ì♦ë“œí•©ë²ë¤. è‘€ë!¬ í„,ëjœíŒŒí♦½ì♦’ êµ¬í¶•ë♦œ ì—”ë“œí♦-ì♦,íš,ëŠ”
ì—...ë·ë ^ì♦ë“œ í„, è‘€ë!¬ í„,ëjœíŒŒí♦½ì♦, ìtŒê,%oí•~ì—”ì♦,ì♦í~ë³
ì—...ë·ë ^ì♦ë“œê°€ ì™„ëfŒë♦~ëC’ iš¹i♦ j♦, è°>ìŠµë<ë¤.

ë³’ì•^ì—”ë“œí♦-ì♦,íš, í™•ìž¥i♦€ ë¤ì♦Œê³½ ê°™i♦€ iž~ì♦’ëjœë“œ è°♦ ìt♦ì,±ì♦, ê°€ì§,,
è‘€ë!¬ í„,ëjœí•,ëjœ iš¹i♦,í· ì~ iž^ìŠµë<ë¤.

iž~ì♦’ëjœë“œ	ì†♦ì,±	ê°€ì¹~
ìœiŠ¤í...œ í™•ìž¥	í—ìš©ë♦œ ìœiŠ¤í...œ í™•ìž¥	com.cisco.endpoint.svc.securityextensions com.cisco.endpoint.svc.networkextensions
	í—ìš©ë♦œ ìœiŠ¤í...œ í™•ìž¥ ìœ í~•	ì—”ë“œí♦-ì♦,íš, è³’ì•^ í™•ìž¥, ë,,ìŠ,ìŒí♦- í™•ìž¥
	í—ìš©ë♦~ëŠ” íŒ€ ì♦ë³„ìž♦	DE8Y96K9QP
SystemPolicyKernelExtensions	í—ìš©ë♦œ ì»¤ë,,♦ í™•ìž¥	com.cisco.amp.fileop, com.cisco.amp.n
	í—ìš©ë♦~ëŠ” íŒ€ ì♦ë³„ìž♦	TDNYQP7VRK
ì»¤ë½~í...♦ì,í·í„°	iž♦ë♦™ í„í„° ì,—ìš©	í€ë¤
	í„í„° ë♦°ì♦’í„° ê³µê,%oìž♦ è²^ë¤ ì♦ë³„ìž♦	com.cisco.endpoint.svc.networkextensions
	í„í„°DataProviderDesignatedRequirement	anchor apple generic and identifier "com.cisco.endpoint.svc.networkextensions and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* ex */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU DE8Y96K9QP)
	í„í„° ë“±ê,%o	ë°Œí™”ë²½
	í„í„°ë,Œë♦½ìš°ì €	í€ë¤
	í„í„°íŒí·.	í€ë¤
	í„í„° ì†Œí¼“	ì°,
	í”ŒëÝ¬ë, ì♦, è²^ë¤ ID	com.cisco.endpoint.svc
	ì,—ìš©ìž♦ ì·ì♦~ì♦’ë!„	Cisco Secure Endpoint Filter(1.18.0 ì♦ ì»¤ë,,¥í,,° è²„ì „ì♦~ è²½ìš° AMP ë,,ìŠ,ìŒí♦- í™•ìž¥)

MDMì♦,, ì,—ìš© í•~ì—”ëSY ì»¤ë,,¥í,,° macOS í™•ìž¥ ì œê±°

MacOS 12 ì♦`if♦ì—♦ì,,œëŠ” ì•,ëž~ì—♦ì,,¤ë¤...ë♦œ ê²fj²~ëÝ¼ macOS í™•ìž¥i♦,,
RemovableSystemExtensions ì†♦ì,±ìœ½ëjœ [ì♦’ë♦™ì♦ì♦’œí¼ëjœ í‘œìœí•](#) ì~ iž^ìŠµë<ë¤.
ì,ë³ : macOS í™•ìž¥

<code>iZ̄ i♦ ē œë“œ</code>	<code>i†♦ i„±</code>	<code>ê°€i¹~</code>
<code>i<œìŠ¤í...œ</code> <code>i™•iŽ¥</code>	<code>i♦ ē♦ ™ <♦</code> <code>i<œìŠ¤í...œ i™•iŽ¥</code>	<code>com.cisco.endpoint.svc.securityextension,</code> <code>com.cisco.endpoint.svc.networkextension</code>

ì „ì²’ ë””íŠ¤í◊¬ ì•ì„íŠ¤

ì „ Mac ì»¤ë„¥í„° ë²„ì „ì— ðì„œëŠ” ì„¬ìš©ìž ðê°€ ampdaemon í„ë|œê·ëž” ì— ð ëŒ€í·œ ì „ì²“ ë”“ìŠ¤í ð— ì„ì„ìŠ¤ ê¶ŒÍ·œì ð„ ë¶€í—í „ì·¼ í—ìŠ¤ë„ë¤. Mac ì»¤ë„¥í„° 1.14ì— ðëŠ” ë¤ì ðŒì— ð ëŒ€í·œ ì „ì²“ ë”“ìŠ¤í ð— ì„ì„ìŠ¤ê°€ í„ìš”í„@ë„ë¤.

- "AMP for Endpoints" → "AMP API"
 - "AMP API" → "AMP API"

Mac ì»œ,¥í,° 1.16.0 ì♦f♦ì—♦ëŠ" ë«ì♦Œì—♦ ëŒ€í•œ ì¶"ê°€ ì „ì²' ë""íŠœí♦¬ ì•ì„ìŠœê°€ í„ìš"í•@ë[^]ë«ì.

- "Cisco Orbital" (Cisco Orbital) — Advantage over Premier is that it's TM registered.

Mac ì»¤ë,,¥í,,° 1.18 ì♦`íf♦ì—♦ëŠ" è«¤ì♦Œì—♦ èŒ€í•œ ì „ì²' è""'íŠ¤í♦¬ ì•¡ì„)Š¤ê°€ í„)š"í•@ë^ë«¤.


- "ë³î•^ì—”ë“œí♦¬ì♦,íŠ,ì„œë¹„ìŠ¤"
 - "ë³î•^ì—”ë“œí♦¬ì♦,íŠ,ìœìŠ¤í...œ ëª..ë<^í,º"
 - ì•ì±...ì—♦ì„œ ï~¤ë¹„íƒ^ì♦’ í™œì„±í™”ë♦œ ê²½ìšº "Cisco Orbital"(Advantage êº♦ Premier ê³,ì.µ—♦ì„œ ì,¬ìš© êº€ëŠ¥)

ampdaemon í „ë ïæé· ,ëž „ì♦€ ë♦” ì♦ ïf♦ Mac ì»¤ë„¥í,,° ë² „ì „ 1.14 ì♦ ïf♦ ì♦~ ì „ì²’ ë””ìŠ¤í♦-
ì•jì,,ìŠ¤é°€ í•,,ìš”í•~ì§€ ì•ìŠµë[^]ë¤.

ì „ì²’ ë””ìŠ¤í♦- ì•jì,,ìŠ¤ ìŠ¹ì♦,ì♦€ ì—“ë“œí♦-ì♦,ìŠ,ì♦~ macOS Security & Privacy
Preferences—♦ì,,œ ë~♦ëŠ” [MDM\(Mobile Device Management\)](#) í”,ëjœí•,ì♦, ì†µí•’ ë¶€ì—-í• ì^~
ìž”ìŠµë[^]ë¤.

ì—“ë“œí♦-ì♦,ìŠ,ì—♦ì,,œ 1.18.0 ì♦ ì „ì♦~ ì»¤ë„¥í,,° ë² „ì „ì—♦ ëŒ€í•œ ì „ì²’
ë””ìŠ¤í♦- ì•jì,,ìŠ¤ ìŠ¹ì♦,

ì „ì²’ ë””ìŠ¤í♦- ì•jì,,ìŠ¤ëŠ” macOS Security & Privacy Preferences ì°½ì—♦ì,,œ ì^~ë♦™ìœ¼ëjœ
ìŠ¹ì♦,ì• ì^~ ìž”ìŠµë[^]ë¤.



—”œí?—ì?íŠ,)—♦ì,,œ Cisco Orbitalì~ ì „ì²’ è””íŠ¤í?—ì?í„íŠ¤ íŠ¹ì?,

ì „ì²’ è””íŠ¤í?—ì?í„íŠ¤ë” macOS Security & Privacy Preferences ì°½ì—♦ì,,œ ì~ë?™ìœ¼ë;œ íŠ¹ì?í• ì~ ìž`íŠµë[^]ë[^]¤.

Security & Privacy

General FileVault Firewall Privacy

Accessibility

Input Monitoring

Full Disk Access

Files and Folders

Screen Recording

Automation

Developer Tools

Analytics & Improvements

Advertising

Allow the apps below to access data like Messages, Safari, Home, Time Machine certain administrative settings for all users on Mac.

Terminal

Cisco Orbital

AMP for Endpoints Service

AMP Security Extension

+

-

1


2

Click the lock to prevent further changes.

Cisco Secure Endpoint Connector 1.18.0
Cisco Orbital - Cisco AMP for Endpoints

macOS Security & Privacy Preferences

ìš¹ì◊í• ì^~ ìž^ìšμë<^ë<¤.



MDMì ♀ „ ì,-¬ìŠ©í•~ëŠ" ì»¤ë„¥í,,°ì—♀ èŒ€í•œ ì „ì²' è""”ìŠ¤í♀- ì•ì„ìŠ¤ ìŠ¹ì♀,

1. Ê€|¬ ï”, ë|œí•,, ï|’ ïtŒê‰‰ ë°°í|¬ë|œ |—”ë|œí|¬ì|, Š|—|œ macOS Extensionsì|~|~ë|™ Š||œ .

2. Mac ì»¤ë,,¥í,,°ë¥¼ í,,ìž¬ êµì¶·ë◆œ è²,,ì „ë³’ë¤ ìµœì« è²,,ì „ìœ¼ë;œ
 ì...ê;ë ^í◆·ë“œí·©ë⁺ë¤. ê‘€ë|¬ í”„ë;œí·„ì◆· êµ¬ì¶·ë◆œ ì—“ë“œí◆·¬ì◆,íŠ;ëŠ”
 ì...ê;ë ^í◆·ë“œ í,, ê‘€ë|¬ í”„ë;œí·„ì◆, „ì†Œê;%oí~ì—¬ì◆,ì<◆í~ê³ ì—...ê;ë ^í◆·ë“œê°€
 í™ „ëfŒë◆~ë©`íŠ¹ì◆,ì◆,, è°`ìŠµëë~ë¤.

ì „ „í²’ è””íŠœí?¬ ì•ì„íŠœëŠ” SystemPolicyAllFiles î†?ì„±ì? „ ê°€ì§ „ ê‘€ë|¬ í”,ëjœí„ „
í” „é? ¼ì?é? „íœ ê,°ë? „í„ì„ • ì „ì±... ì œì‘ íŽ?í?éjœë“œì—?ì„œ ìŠ?ì? „ë? „ ì~ ìž?íŠµë[^]ë[^]œ. è? „
ê“œì? „ í·ë? C? € Secure Endpoint Service(1.18.0 ì? ‘ì „ ì?më„¥í? „ è? „ì „ìš? AMP for Endpoints

Service)™€Secure Endpoint System Monitor(1.18.0 i♦ ‘ i „ i»¤é„¥í„° è²„i „iš© AMP Security Extension)i-♦ ê°?ê°? í•~ë,~í"© iž^iŠµë<^ë¤.

í„œë... í—”ë“œí?¬í? „íš, í„œë „íš(AMP for Endpoints Service)	í†?í„± í—”íš©ë? ..	é°€í¹~ í°,
	í½”ë“œ íš”éµ í, ¬í•	anchor apple generic and identifier "com.cisco.endpoint.svc" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)
	í<?é³ „íž? íœ í•	com.cisco.endpoint.svc
	í<?é³ „íž? íœ í•	é²ë“œ ID
Secure Endpoint System Monitor(AMP é³í„í™•íž¥)	í—”íš©ë? ..	í°,
	í½”ë“œ íš”éµ í, ¬í•	anchor apple generic and identifier "com.cisco.endpoint.svc.securityextension" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)
	í<?é³ „íž? íœ í•	com.cisco.endpoint.svc.securityextension
	í<?é³ „íž? íœ í•	é²ë“œ ID

êµù¶·—♦ i»¤ë„¥í„° ë²„ì „ 1.12.7 i♦`if♦i♦` i„¤i~ë♦œ i»‘í„°ê€€ i♦`-i·` ë♦~i-` iž^ëŠ” ê²½iš°
í·`ë¹ i»‘í„°i—♦ ëŒ€í· ampdaemoni—♦ i „i²` ë""iŠ¤í♦`-i·i„iŠ¤ ê¶Œí·œi♦,,
ë¶€í·-i·` ãëC` i♦` i”“ê€€ i·`ø i„i”“çë`

ì, „œ̄ a ...	i † ð ì „ ±	ê ° € i 1 ~
	í — ^ iš © ë ð ..	ì ° ,
i • ° í „ , ë ð ° ë a -	i½"ë“œ i š " ë pt ì, „ í •	ì < ë³ „ iž ð ampdaemon ë ° ð i • µ i » œ apple i ð ¼ ë ° ~ ë ° ð i ð , j ð ì „ œ 1 [field.1.2.840.113635.100.6.2.6] /* iž ð ð œ */ ë ° ð i ð , j ð ì „ œ leaf [field.1.2.840.113635.100.6.1.13] /* iž ^ ð ð œ */ ë ° ð i ð , j ð ì „ œ leaf [subject.OU] = TDNYQP7VRK
	i < ð ë³ „ iž ð	/opt/cisco/amp/ampdaemon
	i < ð ë³ „ iž ð œ í •	ê 2 ¼ ë j œ

MDM-iQ, ítuí•œ Cisco Orbitalì~ ì „i²’ e””íŠ¤í•- ì•jì,,íŠ¤ íŠ¹í•,

	ì„¤ë^... Cisco Orbital	ì†♦ì„± í—^ìš©ë♦ “ ì½”ë“œ ìš”êµ ì,¬í• ì<♦ë³ „ìž♦ ì<♦ë³ „ìž♦ ìœ ì•	ê°€ì¹~ ì°, anchor apple generic and identifier "com.cisco.endpoint.orbital.app" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP) com.cisco.endpoint.orbital.app ë²ë“¤ ID

ìf~í”Œ MDM ì»”í”¹/₄ê· ,ë ^ì♦? ì... ~ í”, „ë;œí„,

ì♦? ìf~í”Œ MDM ì»”í”¹/₄ê· ,ë ^ì♦? ì... ~ í”, „ë;œí„, ì♦€ € ì°, ì°ë;œ ì,¬ìš©í• ì”~ ìž^ìŠµë[^]ë¤.

- ë³ì• ”ë“œí♦¬ì♦,íŠ, Mac ì»¤ë,,¥í,,°ì—♦ ëŒ€í•œ ìœìŠ¤í...œ í™•ìž¥ ìŠ¹ì♦,
- Secure Endpoint Mac ì»¤ë,,¥í,,° ë°♦ Orbitalì—♦ ëŒ€í•œ ì „í²’ ë””ìŠ¤í♦¬ ì•ì„,ìŠ¤ë¥¼
í—^ìš©í•©ë[^]ë¤.
- ì»¤ë,,¥í,,°ë¥¼ ì œê±°í• ë•Œ ìœìŠ¤í...œ í™•ìž¥ì♦, „ìž♦ë♦™ìœ¹/₄ë;œ ì œê±°í• ì”~ ìž^ìŠµë[^]ë¤.
ì°, ê³ : RemovableSystemExtensions ê¶Œí•œì♦’ ì—^ìš©ë♦~ë©’ ë£”íŠ, ê¶Œí•œì♦,, ê°€ì§,,
ë“ë” ì,¬ìš©ìž♦ ë~♦ëŠ” í”, „ë;œì„,ìŠ¤ì—♦ì„,œëŠ” ì,¬ìš©ìž♦ ì”í~, í”, „ë;¬í”, „íŠ, ì—tì♦’
ìœìŠ¤í...œ í™•ìž¥ì♦, „ì œê±°í• ì”~ ìž^ìŠµë[^]ë¤. ë””ë♦¹ì„œ RemovableSystemExtensions
ì†♦ì„±ì♦€ ê’€ë!¬ìž♦ë°€ ì»¤ë,,¥í,,° ì œê±°ë¥¼ ìž♦ë♦™í™”í•~ë ñëŠ” ê²½ìš°ì—♦ë§Œ
ì,¬ìš©í•ì”¹/₄ ì•©ë[^]ë¤.

<http://www.apple.com/DTDs/PropertyList-1.0.dtd>">

PayloadContent

AllowUserOverrides

AllowedSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

System Extensions

PayloadEnabled

PayloadIdentifier

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.system-extension-policy

PayloadUUID

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadVersion

1

RemovableSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

Privacy Preferences Policy Control

PayloadEnabled

PayloadIdentifier

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.TCC.configuration-profile-policy

PayloadUUID

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadVersion

1

Services

SystemPolicyAllFiles

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.svc

IdentifierType

bundleID

StaticCode

0

Allowed

1

CodeRequirement

```
identifier ampdaemon and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate  
leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = TDNYQP7VRK
```

Identifier

/opt/cisco/amp/ampdaemon

IdentifierType

path

StaticCode

0

Allowed

1

CodeRequirement

```
anchor apple generic and identifier "com.cisco.endpoint.orbital.app" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or  
certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate  
leaf[subject.OU] = DE8Y96K9QP)
```

Identifier

com.cisco.endpoint.orbital.app

IdentifierType

bundleID

StaticCode

0

FilterDataProviderBundleIdentifier

com.cisco.endpoint.svc.networkextension

FilterDataProviderDesignatedRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc.networkextension" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

FilterGrade

firewall

FilterPackets

FilterSockets

FilterType

Plugin

PayloadDisplayName

Web Content Filter Payload

PayloadIdentifier

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.webcontent-filter

PayloadUUID

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadVersion

1

PluginBundleID

com.cisco.endpoint.svc

UserDefinedName

AMP Network Extension

VendorConfig

PayloadDescription

PayloadDisplayName

Cisco Secure Endpoint Settings [DEMO]

PayloadEnabled

PayloadIdentifier

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadOrganization

Cisco Systems, Inc.

PayloadRemovalDisallowed

PayloadScope

System

PayloadType

Configuration

PayloadUUID

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadVersion

1

macOS 10.15 ì♦† „ ë²„ì „ìš© ìƒ~í”Œ MDM ì» „í”¼ê·ë ^ì♦†...~

- ὶ»¤ë,,♦ í™•ìž¥ iS¹ì♦, è°♦ ὶ»¤ë,,¥í,,°ì—♦ èŒ€í•œ ì „ì²’ è””iS¤í♦—ì•jì,,iS¤ ê¶Œí•œ è¶€í—
 - ì°,ê³ : M1 ì♦`ìf♦ Apple ì œí”ì♦€ ì♦` êµ—ì,,±ì♦` í♦—í•” è♦œ í”,ëœí•”ì♦,, ì,—iS©í•`ì^
 ì—†iSµë[^]ë¤

AllowNonAdminUserApprovals

AllowUserOverrides

AllowedKernelExtensions

TDNYQP7VRK

com.cisco.amp.nke

com.cisco.amp.fileop

PayloadDescription

PayloadDisplayName

Approved Kernel Extensions

PayloadEnabled

PayloadIdentifier

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.syspolicy.kernel-extension-policy

PayloadUUID

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadVersion

1

ìf ^ e"'"e %oí, °e!¬ êµì; °

ë2,,ì „ 1.14.0~1.16.2

Mac connector 1.14ì—?ì„œëŠ” è""ë %oít ë|¬ êµ-ì|ò—? è' ? ê°ëì§€ è³€ê²½ ì,-í·?í’
ì ?ìš©ë?©ë<ë<¤.

1. Applications ë””ë‰oít ë|~í?~í?‘ë|,,í?‘ Cisco AMPì—ë|,,œ Cisco AMP for Endpointsë;æ ë³€ê²%ë~í~íŠµë[^]ë[^]æ.
 2. ëa...ë[^]íæ, ìœ í[^]ë|~í[^]ampclië°€/opt/cisco/ampì—ë|,,œ/Applications/Cisco AMP for Endpoints/AMP for Endpoints Connector.app/Contents/MacOSë;æ í?‘ë?™í~íŠµë[^]ë[^]æ. ë””ë‰oít ë|~í~íŠµë[^]ë[^]æ if ìœ,,í[^]í—ë|ë[^]ë[^]ampcli í”„ë|æ·, ëz~í—ë|ëŒ€í•œ symlinkë¥¼ í?~í|..í•©ë[^]ë[^]æ.

Applications
Cisco AMP for Endpoints
AMP for Endpoints Connector.
Contents
MacOS
AMP for Endpoints Service.app
Contents
MacOS
ampcli
ampdaemon
amscansvc
ampcreport
ampupdater
SupportTool
Support Tool.app
Library
Application Support
Cisco

â", â", â""â"€ AMP for Endpoints Connector
â", â", â""â"€ SupportTool
â", â""â"€ Logs
â", â""â"€ Cisco
â"œâ"€ Users
â", â""â"€ *
â", â""â"€ Library
â", â""â"€ Logs
â", â""â"€ Cisco
â""â"€ opt
 â""â"€ cisco
 â""â"€ amp
 â""â"€ ampcli


ë2,ì,, 1.18.0 ì? ^íf?


Mac à»œ„¥í,° 1.18à—à„œéŠ" à«ààŒé³¼ êºTMà? à• í"Œé |¬à¼€à... à... à‰ít à|¬ êµ¬à¡ºéº€ à³€é²½à? à©é[^]à«à.

1. Applications є””є %оі† є|~і?~і?‘ Cisco AMP for Endpointsì—?і, œ Cisco Secure Endpointœ є³€ê²%є ~і—і§þє[^]є[^]¤.

MacOS 10.15/11.0







ì·œìŠ¤í...œ í™•ìž¥í◊,, ì·œê±°í~ëš" ë◊™ì·^ ì·Œë ¤ìš,, ë¬,ì·œ

Intune è°ºí?¬ ì„¤ì¹~ ìŠ¤í?¬ë |½íŠ,

- Microsofttì—diamond ìœ ìœ ì§€ ê'€€ |¬í~ëŠ" macOSi—diamond Secure Endpoint Connectorë¥¼ ì„¤í~í~ëŠ" ê?° ê? „ìœì?` ê?~ëŠ" ìŠ¤í?` ñe|½íŠ, ê°€ ì—ñê, °ì—diamond ì~ìŠ¤íŒ...ë?©ë[^]ë<¤.

<https://github.com/microsoft/shell-intune-samples/tree/master/macOS/Apps/Cisco%20AMP>

© Macmillan, 1998, 1.18.0

ê°œì•ì◊?`ë¥

2020..., 12ì” li? ¼

- Mac ی»¤ë,,¥í,,° 1.14.1ì◆€ è◆" ی◆'if◆ macOS 10.15—◆ì„œ یœìŠ¤í...œ í™•ìž¥ì◆,,
ì„-ìš©í•~ì§€ یŠìŠµë€^ë«¤.
 - "ìž◆é|^_íœìœìž◆  œëëœìž◆" یœìŠ¤í...œ í™•ìž¥ì—◆ Mac ی»¤ë,,¥í,,° 1.14.0ì◆~ìš¹ì◆,ì◆'
ì„ìš"í•œ í„°è^,ë,,◆ í™•ì◆,ì—◆ èŒ€í•œ í¶"ê°€ ی§€ì¹".

2020..., 11ì>" 9ì◆¼

2020ë..., 11ì»” 3ì◆¼

- 1.14.0 Mac ی»¤ë, ¥í,, °í♦~ ë|`é|`-íŠ¤ ë, íŠœëŠ" 2020ë..., 11ì>íž...ë<^ë<¤.
 - 1.14.0 Mac ی»¤ë, ¥í,, °ëŠ" macOS 10.15.5 ی♦`ìf♦`-í—♦`ì,, œ ì<øíŠ¤í...œ í™·íž¥í♦,, ì,-íš©í·©ë<^ë<¤. ی♦`ì,, ì—♦`ëŠ" 10.15.6ì♦`ì—íŠµë<^ë<¤.
 - Known Issues ì,, ì...í♦`ì¶"í¶"ë°ëë♦`ì—íŠµë<^ë<¤.
 - ë""ë %oí,, °ë|`-íµì|`° è°æìš"ë¥¼ ì—...ë♦`ì`íŠ,í-íŠµë<^ë<¤.

2021..., 6ì>” 3ì◆¼

- Cisco Orbitalı— ∞ i „ i^2 “ ∞  $i \cdot j \cdot j_3$ ∞ ∞ ∞

2021..., 10ì»” 13ì◆?¼

- Mac ì»¤ë, ¥í, ° macOS Extensions with MDM ì, „ì... ì—? ì œê±°ë¥¼ ì¶"ê°€í—ìŠµë[^]ë¤.
 - Uninstall of System Extensions ì, „ì... ì—? ì•Œé ¤ì§,, è—,ì œê°€ ì¶"ê°€ë? ì—ìŠµë[^]ë¤.

2022..., 2ì»” 25ì◆¼

- `ë|¬ë,Œëžœë”©`

이 번역에 관하여

Cisco는 전 세계 사용자에게 다양한 언어로 지원 콘텐츠를 제공하기 위해 기계 번역 기술과 수작업 번역을 병행하여 이 문서를 번역했습니다. 아무리 품질이 높은 기계 번역이라도 전문 번역가의 번역 결과물만큼 정확하지는 않습니다. Cisco Systems, Inc.는 이 같은 번역에 대해 어떠한 책임도 지지 않으며 항상 원본 영문 문서([링크 제공됨](#))를 참조할 것을 권장합니다.