



Access Rules

IPv4 IPv6

Item 1-5 of 7 Rows per page: 5

Priority	Enable	Action	Service	Source Interface	Source	Destination	Time	Day	Delete
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	WAN1	Any	192.168.254.0 ~ 192.168.254.255	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN1	Any	Any	Always		
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	WAN2	Any	192.168.254.0 ~ 192.168.254.255	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN2	Any	Any	Always		

Add Restore to Default Rules Page 1 of 2

2x'ê³,, Access Rules Service(i·jì,, ìšā ê·ai™ ì,,æë¹,,ìšā) íž'î̂ ìš€ê°€ ì—'ë|½ëk^ëk. Action(ìž'î̂—...) è"œëj;ëk'ìš' ëª@ëj; ì—ì,,œ Allow(ì—îš©)ë¼¼ ì,, íf ì·î̂—î̂ ìš,ëž'í"½ì̂,, í—îš©í·©ëk^ëk. ê;ë ìš€ ì·šìœ¼ë© Deny(ê±°ë¶¼)ë¼¼ ì,, íf ì·î̂—î̂ ìš,ëž'í"½ì̂,, ê±°ë¶¼í·©ëk^ëk.

Access Rules

Services

Action :

Service :

Log :

Source Interface :

Source IP :

Destination IP :

---

Scheduling

Time :

From :  (hh:mm) To :  (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

3x'ê³,, Service(ì,,œë¹,,ìšā) è"œëj;ëk'ìš' ëª@ëj; ì—ì,,œ ì̂ ì·î̂œ ì,,œë¹,,ìšāë¼¼ ì,, íf ì·©ëk^ëk. ì̂ ì·î̂œ ì,,œë¹,,ìšāë¼¼ ì,,ìš©í· ì̂—î̂š" ê²½ìš° ì,,œë¹,,ìšā ê'€ì-ë¼¼ ì̂ ì·©ëk^ëk.

ì°\_ê³ : ì̂ ì·î̂œëš" ì,,œë¹,,ìšāë¼¼ ì,,ìš©í· ì̂—î̂ž'êš" ê²½ìš° 6ëk'ê³,,ëj;œ ê±'ë,,^ëœëk^ëk.

### Access Rules

**Services**

Action :

Service :

Log :

Source Interface :

Source IP :

Destination IP :

---

**Scheduling**

Time :

From :  (hh:mm) To :  (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

4ë'ê³,,

if i°½ì é,~íf€è,©è^èα. Service Name(i,,œë¹,,ìšσ ì é'è!,,) í•,,ë"œèì— ì,,œë¹,,ìšσ ì é'è!,,ì,,  
 ìž...ë ¥í•©è^èα.

Service Name :

Protocol :

Port Range :  to


All Traffic [TCP&UDP/1~65535]  
 DNS [UDP/53~53]  
 FTP [TCP/21~21]  
 HTTP [TCP/80~80]  
 HTTP Secondary [TCP/8080~8080]  
 HTTPS [TCP/443~443]  
 HTTPS Secondary [TCP/8443~8443]  
 TFTP [UDP/69~69]  
 IMAP [TCP/143~143]  
 NNTP [TCP/119~119]  
 POP3 [TCP/110~110]  
 SNMP [UDP/161~161]

5ë"è³,.. Protocol ë"œë;ë¸¸' ëª©ë; ì— ì,,œ ì ì ì ^í•œ í"„ë;œíí ì½œ ìœ í"•ì ì,, ì, íf ì•©ë¸ë¸.

· TCP(Transmission Control Protocol) â€" ë³îžÿëœ ì „ìíì ì ì „ìš"í•œ ì• í"CE ì—ì¼€ ì...~ì— ì,,œ ì, ìš©í•~ëš" ì „ìí ë³„ì „ë;œíí ì½œìž...ë¸ë¸.

· UDP(User Datagram Protocol) - ë°ì ì„ë;ëž" ìí¼"ì ì, ìš©í•~ì— ì"ìš¸íš, ê°„ ííµì ì„, ì„ì •©ë¸ë¸. TCPë³'ë¸ ë¹ ëš'ìš€ëšCE ì„±ê³µì ìœ¼ë;œ ì „ë¸-í• ê°€ëš'ì„±ì € ë,®ìšµë¸ë¸.

· IPv6(Internet Protocol version 6) â€" ë¼ìš"íCE... ì¼ìííœë;œ ìš€ì •ëœ ë„,ìš¸ì;œí ì—ë¼¼ ííµì' ë¼ìš"íCE...ë~ëš" íCE"í,ì ì" ì"ìš¸íš, ê°„ì— ì ì„ì„, ê°„ íš,ëž"í"½ì „ ë"ë %øì...~ì•©ë¸ë¸.



6ë"è³,.. Port Range(ì—ìš¸, ë²"íœ,) í•,ë"œì— ì—ìš¸, ë²"íœ„ë¼¼ ìž...ë ¥í•©ë¸ë¸. ì ì"ë²"íœ„ëš" ì, íf ì•œ í"„ë;œíí ì½œì— ë"ë¼ ë¸ë¸|...ë¸ë¸.

ëª©ë; ì— ì"ê°€ë¼¼ ì ì ì•©ë¸ë¸. ì ì ì ê²CE í•ë©" ì„œë¹ „ìš¸ê°€ Service(ì„œë¹ „ìš¸) ë"œë;ë¸¸' ëª©ë; ì— ì"ê°€ëœ©ë¸ë¸.

ê°, íf€ ìµ...ìœ¼ë;œëš" ì, ì œ, ì—...ë°ì ì"ìš¸, ë~ëš" ìí"ë;œ ì"ê°€ë"±ì ì"ìž"ìšµë¸ë¸.

OK(íí•ì)ë¼¼ ì ì ì•©ë¸ë¸. ê, ëŸ-ë©" ì°½ì ì"ë¸ìž"ê³ ì, ìš©ìž"ê°€ Access Rule Service ìž"ìš€ë;œ ëœì„ê°ë¸ë¸.

Service Name :

Protocol :

Port Range :  to

All Traffic [TCP&UDP/1~65535]

DNS [UDP/53~53]

FTP [TCP/21~21]

HTTP [TCP/80~80]

HTTP Secondary [TCP/8080~8080]

HTTPS [TCP/443~443]

HTTPS Secondary [TCP/8443~8443]

TFTP [UDP/69~69]

IMAP [TCP/143~143]

NNTP [TCP/119~119]

POP3 [TCP/110~110]

SNMP [UDP/161~161]

7è<ê³,.. Log(ë;æê.) ë“æë;ë&#x2193' ëª©ë; ð—ð,,æ Log packets match this rule(îð´ ê·œi¹™ê³¼ ì¼ì¹~í·~ëš" íE"í,· ë;æê.)ìð,, ì, ífð'í~ì— ì·jì,,ìšæ ê·œi¹™ê³¼ ì¼ì¹~í·~ëš" ì~ì< íE"í,ìð,, ê,°ë;ð'í·©ë<ê&#x2193. ê,ë ðìš€ ì·šìð€ ê²½ìš° Not Log(ê,°ë;ð'í·)ë¼¼ ì, ífð'í·©ë<ê&#x2193.

### Access Rules

**Services**

Action :

Service :

Log :

Source Interface :

Source IP :

Destination IP :

---

**Scheduling**

Time :

From :  (hh:mm) To :  (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

8x"e3,, Source Interface e"aejekaš' eae; i--i,,ce i' e'cei1TMi~ i' i-¥i,, e"eš" i,j,,ož'išm¼ i,, íf'í•©ek'ek. itCeišm i,j,,ož'išm eš" íš,ěž'í"½i' i'ceiž'e~ eš" i,j,,ož'išm...ek'ek.

- LAN a€" e¼iš'í,,o~ ejcei»- i' i-- e,,míš,¼Ceí-.
- WAN1 a€" WAN(Wide Area Network) e~eš" e¼iš'í,,o€ ISP e~eš" ekaiCE íTM%o e¼iš'í,,o--i,,ce i,j,,o,,i,, e°€i ,ĩm eš" e,,míš,¼Ceí-.
- WAN2 a€" e³ĩ° e,,míš,¼Ceí- e¼eš" i' i' i,, i'ceiTM,j'~e³ WAN1e³¼ eTMi¼í•©ek'ek.
- ANY a€" e"e" i,j,,ož'išm¼ i,-iš©í• i~ iž'išm ek'ek.

9x"e3,, Source IP(itCeišm IP) e"aejekaš' eae; i--i,,ce i' m...i,, i,, íf'í•~ i-- i,j,,ož'išm--i,,ce í--iš©í•ê±e,~ ê±e°e¶í• itCeišm IP i¼itCeí e2"ice,,e¼ íš€i'í•©ek'ek. i,j,,ož'išm-- e,,i'©í~eš" íCe"í,i'€ itCeišm IP e° e°i' iš€ IPi-- i' i' íTMi'e©ek'ek.

- Any a€" i' i,, išm e'cei1TMi' itCeišm i,j,,ož'išm e" e" íš,ěž'í"½i-- i' iš©e©ek'ek. i,-iš© e°€eš'í•ce e"aejekaš' eae; i' m e¼,¼i-- i' e"ceê°€ i--išm ek'ek.
- Single a€" i' i,, išm e'cei1TMi' itCeišm i,j,,ož'išm e" i'¼ IP i¼itCeí--

· Range: Range 192.168.1.1~192.168.1.255

· Single: Single 192.168.1.1

### Access Rules

**Services**

Action : Allow

Service : All Traffic [TCP&UDP/1~65535]

Service Management

Log : Log packets match this rule

Source Interface : LAN

Source IP : ANY

Destination IP : ANY

**Scheduling**

Time : Always

From : 00:00 (hh:mm) To : 00:00 (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

Save Cancel


· Any: Any 192.168.1.1~192.168.1.255

· Single: Single 192.168.1.1


· Range: Range 192.168.1.1~192.168.1.255

· IP: IP 192.168.1.1

10. Access Rules - Configuring a rule to allow traffic from 192.0.2.1 to 192.0.2.254. The screenshot shows the "Access Rules" configuration page with the "Destination IP" field set to "Range" and the IP addresses "192.0.2.1" and "192.0.2.254" entered. The "Action" is set to "Allow", "Service" is "All Traffic [TCP&UDP/1~65535]", "Log" is "Log packets match this rule", "Source Interface" is "LAN", and "Source IP" is "ANY". The "Scheduling" section is set to "Always" with no specific time restrictions and "Effective on" checked for "Everyday".



11. Access Rules - Saving the rule. The screenshot shows the "Save" button highlighted in blue, indicating the rule has been successfully saved.



12. Access Rules - Editing a rule. The screenshot shows the "Edit" button highlighted in blue, indicating the rule is being modified.



Access Rules

IPv4 IPv6

Item 1-5 of 5 Rows per page : 5

Priority	Enable	Action	Service	Source Interface	Source	Destination	Time	Day	Delete
1	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	192.0.2.1 ~ 192.0.2.254	Always		
2	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN1	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN2	Any	Any	Always		

Add Restore to Default Rules Page 1 of 1

12ë³,,(i,, íf í·-í·) ë¸ë;í-í,,æ ì·í·~ë" ì·j,,ì¸ ê·œì¹ì,, ì,, íf í·œ ë¸ì·¸ Delete(i,ì) ë²,,ì¸¼ì,, í·ë'è'í·-í· ì·j,,ì¸ ê·œì¹ì ë¸ë;í-í,,æ ì·j,,ì¸ ê·œì¹ì,, ì,ì œí·¸ë¸.

Access Rules

IPv4 IPv6

Item 1-5 of 5 Rows per page : 5

Priority	Enable	Action	Service	Source Interface	Source	Destination	Time	Day	Delete
1	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	192.0.2.1 ~ 192.0.2.254	Always		
2	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN1	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN2	Any	Any	Always		

Add Restore to Default Rules Page 1 of 1

### IPv4 ì·j,,ì¸ ê·œì¹ì ì·j·½

ì·j,,ì¸ ê·œì¹ì ì¸¼ì,,ë¸ì·¸ë í·ë¸-í·œ ì·j,,ì¸ ê·œì¹ì í·¸ë³¼ ì·œê°,, ì·j·¸ë¸-í·œ í¸œì,,± íf í·œì¼ è·¸ ì¸¼ì,,ì,, ì¸ì·¸ë" è° è,,ì·¸ë¸ è¸¸ë¸. IPv4ì-í,,æë¸ë ì¸¸ë¸ì·¸ë¸.

1ë¸ë³,, ì¹ ì·¸"¼ê·ë ì·¸ì...~ ìœ í·ë'í·-í·œ¼ ì,-ì¸í·ê³ Firewall > Access Rules¼ ì,, íf í·¸ë¸. IPv4 Access Rules ì¸ì¸ë¸ì-ì¼ë¸.

Access Rules

IPv4 IPv6

Item 1-5 of 5 Rows per page : 5

Priority	Enable	Action	Service	Source Interface	Source	Destination	Time	Day	Delete
1	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	192.0.2.1 ~ 192.0.2.254	Always		
2	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN1	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN2	Any	Any	Always		

Add Restore to Default Rules Page 1 of 1





2ë¸ë³,, í...¸ë'è"í-í,,æ ì·j,,ì¸ ê·œì¹ì,, ì,, íf í·ê³ Edit(í·¸ì·) ì,,ì·¸ì¼ì,, í·ë'è'í·-í· í·¸ë¸ ì·j,,ì¸ ê·œì¹ì-ì¸¼ì,,ë¸ ê·¸ë¸¼ì,, ì¸¸ë¸ì·¸ë¸.

ip, e3: if^ ipi,, isx e-oei1TM1, i||"e°eí. e-CE i~i·½ e,°eš¥i, i||"e°eí. i~e, iz^išµe^eα.

Access Rules

IPv4 IPv6

Item 1-5 of 5 Rows per page: 5

Priority	Enable	Action	Service	Source Interface	Source	Destination	Time	Day	Delete
1	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	192.0.2.1 ~ 192.0.2.254	Always		 
2	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		 
	<input checked="" type="checkbox"/>	Allow	All Traffic [1]	LAN	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN1	Any	Any	Always		
	<input checked="" type="checkbox"/>	Deny	All Traffic [1]	WAN2	Any	Any	Always		

Add Restore to Default Rules Page 1 of 1

3e^e3,, Time e°e;e^eš' e°e; i—i,, e i°e°e,, i, i, if°í·°e^eα. i~i·½i, i, -iš°í· i°e°e,°e¥¼ iš°i·í·°e^eα.

· Always â€” i°i,, isx e-oei1TM1' e°e" iš°i¼ e° i°e°e,, i—i i°iš°e°e^eα. e,°e3, i°i°e¼e;e i, if°e~i- iz^išµe^eα. i° i~µi...i, i, if°í·~eš" e²½i° Save(i e¥¼ i°e°e' i°e³ 6e°e³, e;e e±'e, e°e^e^eα.

· Interval â€” i, -iš°i°e°e°e°e i°e°e i°e°e,, e°e²°i, e,°e°i°e¼e;e i°i,, isx e-oei1TM1' i°iš°e°e^eα.

Access Rules

Services

Action : Allow

Service : All Traffic [TCP&UDP/1~65535]

Service Management

Log : Log packets match this rule

Source Interface : LAN

Source IP : ANY

Destination IP : Range 192.0.2.1 to 192.0.2.254

Scheduling

Time : Interval

From : 09:00 (hh:mm) To : 15:00 (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

Save Cancel

4e^e3,, From

ö To í, „œi— ì, ì, ìŠœ êœi™ ì ìš©ë ~ëŠ" ìœê°, ê°, ê²©ì, 24ìœê°, í•ì ìœ¼ëjœ ìž...ë ¥í•©ë^ëœ.

### Access Rules

**Services**

Action :

Service :

Log :

Source Interface :

Source IP :

Destination IP :   to

---

**Scheduling**

Time :  (Always, Interval)

From :  (hh:mm) To :  (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

5ë"ë³, ì, ì, ìŠœ êœi™ ì ìš©í• ë, ìšœ ì~ti— ìž^ëŠ" í™•ì, ëžëì, ì, ífí•©ë^ëœ. ì, ì, ìŠœ êœi™ ì, ífëœ ë, ìšœi— ëšœ ì ìš©ë ©ë^ëœ. ê, °ë³, ì ìœ¼ëjœ Everydayê°€ ì, ífëœ©ë^ëœ.

ì, ì, ìŠœ êœi™— ëœí•œ ë" ë" ë³ê²½ ì, -í•ì, ì ìž¥í•ë œë' Saveë¼ í•ë!í•©ë^ëœ. ë"ë"ì ìšœi— ì, œ ë³ê²½ëœ ìfíœë¼ ì œê³µí•ëŠ" í™•ì, ì½ì' ë, ífëœ, ©ë^ëœ.

### Access Rules

**Services**

Action :

Service :

Log :

Source Interface :

Source IP :

Destination IP :   to

---

**Scheduling**

Time :

From :  (hh:mm) To :  (hh:mm)

Effective on :  Everyday  Sun  Mon  Tue  Wed  Thu  Fri  Sat

6ε<ê³,, è<æ¥, ì•jì,,ìš<æ ê•œi¹™ì•, ì¶"ê°éí•~è æë©' OKê¥¼ í•é'í•©è<ê<æ. ì•jì,,ìš<æ ê•œi¹™ì• Ìž~ì• Ìš€èjœ è•œi•,ê°èè æë©' ì•î†œè¥¼ í•é'í•©è<ê<æ.

Settings are successful. Press 'OK' to add another access rule, or press 'Cancel' to return to the page of Access Rules.

ê²°ëj

ì•î œ RV016, RV042, RV042G è~èš" RV082 VPN Routerì— IPv4 ì•jì,,ìš<æ ê•œi¹™ì•, ì•,ì•î•í-~ìšµè<ê<æ.

ì•éÿ-í•œ è•¼ìš°í,,òì— èœéí•œ è" è" Ìš€ì•èì— ì•jì,,ìš<æí•~è æë©' [ì—è,è¥¼ í•é'í•î—](#) ì•œí^ Ìž~ì• Ìš€è¥¼ [¹™ì•ì•î•ì•œì~æ](#).

이 번역에 관하여

Cisco는 전 세계 사용자에게 다양한 언어로 지원 콘텐츠를 제공하기 위해 기계 번역 기술과 수작업 번역을 병행하여 이 문서를 번역했습니다. 아무리 품질이 높은 기계 번역이라도 전문 번역가의 번역 결과물만큼 정확하지는 않습니다. Cisco Systems, Inc.는 이 같은 번역에 대해 어떠한 책임도 지지 않으며 항상 원본 영문 문서(링크 제공됨)를 참조할 것을 권장합니다.