

Gebruikers verwijderen uit Secure Access Dashboard Provisioned met Microsoft Azure

Inhoud

[Inleiding](#)

[Voorwaarden](#)

[Vereisten](#)

[Gebruikte componenten](#)

[Configureren](#)

[1. Geef aan welke gebruikers moeten worden verwijderd](#)

[2. Verwijder de gewenste gebruikers](#)

[3. Provisioning stoppen en starten](#)

[Verifiëren](#)

[Verifiëren vanaf de logbestanden op de Azure-portal](#)

[Gerelateerde informatie](#)

Inleiding

In dit document wordt beschreven hoe gebruikers kunnen worden verwijderd van het Secure Access-dashboard dat door Microsoft Azure is geleverd.

Voorwaarden

Vereisten

Cisco raadt kennis van de volgende onderwerpen aan:

- Beveiligde toegang
- Microsoft Azure
- Gebruikersprovisioning met Enterprise Toepassingen in Azure

Gebruikte componenten

De informatie in dit document is gebaseerd op de volgende software- en hardware-versies:

- Beveiligde toegang
- Microsoft Azure


De informatie in dit document is gebaseerd op de apparaten in een specifieke laboratoriumomgeving. Alle apparaten die in dit document worden beschreven, hadden een opgeschoonde (standaard)configuratie. Als uw netwerk live is, moet u zorgen dat u de potentiële impact van elke opdracht begrijpt.

Configureren

1. Geef aan welke gebruikers moeten worden verwijderd

Identificeer de gebruiker die uit het dashboard moet worden verwijderd.

- Navigeren naar [Secure Access UI](#)
- Connect > Users and Groups
- Bij dit voorbeeld, zult u zien hoe te verwijderen `user2`



The screenshot shows the Cisco Secure Access interface. On the left is a navigation menu with options: Overview, Connect, Resources, Secure, Monitor, Admin, and Workflows. The main content area is titled 'Users and User Groups' and includes a search bar for 'Search by User name' with '2 results' shown. Below the search bar is a table with the following data:

Name	Email	Source	Connected(VPN) ⓘ	Enrolled(ZTNA) ⓘ
user1	user1@[redacted]onmicrosoft.com	Azure	0	0
user2	user2@[redacted]onmicrosoft.com	Azure	0	0

A red arrow points to the 'user2' row in the table.

2. Verwijder de gewenste gebruikers

Navigeren naar de [Azure-portal](#)

- Enterprise Applications
- Selecteer uw provisioning Enterprise Application
- Users and Groups, kies vervolgens de gebruikers die u wilt verwijderen
- Klik op de knop `Remove`

Microsoft Azure Search resources, services, and docs (G+)

Home > user sync-User Prov-Cisco Secure Access

user sync-User Prov-Cisco Secure Access | Users and groups

Enterprise Application

+ Add user/group | Edit assignment | **Remove** | Update credentials | Columns | Got feedback?

The application will appear for assigned users within My Apps. Set 'visible to users?' to no in properties to prevent this. →

Assign users and groups to app-roles for your application here. To create new app-roles for this application, use the [application registration](#)

First 200 shown, to search all users & gro...

	Display Name	Object Type	Role assigned
<input type="checkbox"/>	US user1	User	User
<input checked="" type="checkbox"/>	US user2	User	User

3. Provisioning stoppen en starten

Na het verwijderen van de gewenste gebruikers, navigeer naar **Provisioning**.

Microsoft Azure Search resources, services, and docs (G+)

Home > user sync-User Prov-Cisco Secure Access

user sync-User Prov-Cisco Secure Access | Users and groups

Enterprise Application

+ Add user/group | Edit assignment | Remove | Update credentials | Columns | Got feedback?

The application will appear for assigned users within My Apps. Set 'visible to users?' to no in properties to prevent this. →

Assign users and groups to app-roles for your application here. To create new app-roles for this application, use the [application registration](#)

First 200 shown, to search all users & gro...

	Display Name	Object Type	Role assigned
<input type="checkbox"/>	US user1	User	User

- **Klik op Stop Provisioning**

« Start provisioning **Stop provisioning** Restart provisioning Edit provisioning Provision on demand

Overview

- Provision on demand
- Manage**
 - Provisioning
 - Users and groups
 - Expression builder
- Monitor**
 - Provisioning logs
 - Audit logs
 - Insights
- Troubleshoot**
 - New support request

Current cycle status

Incremental cycle completed. 100% complete

Users
1

[View provisioning logs](#)

Statistics to date

- View provisioning details
- View technical information

Manage provisioning

- Update credentials
- Edit attribute mappings
- Add scoping filters
- Provision on demand

- Klik vervolgens op Start Provisioning

« Start provisioning Stop provisioning Restart provisioning Edit provisioning Provision on demand Refresh Got feedback?

Overview

- Provision on demand
- Manage**
 - Provisioning
 - Users and groups
 - Expression builder
- Monitor**
 - Provisioning logs

Current cycle status

Incremental cycle stopped. 0% complete

Users
1

[View provisioning logs](#)

Statistics to date

- View provisioning details
- View technical information

Nu verify de gewenste gebruikers uit het Secure Access-dashboard zijn verwijderd.

Verifiëren

user2Zoals u kunt zien, is naar wens verwijderd van het Secure Access-dashboard.

Secure Access

Users and User Groups

Manage your organization's users and user groups. To add new users and user groups, provision them through a supported identity provider. Once added, users and user groups can then be added to an access rule. [Help](#)

Users Groups

Users

Manage your organization's users and their devices connections and enrollments. To add new users, click Provision Users. At anytime, you can disconnect or unenroll a user's device. [Help](#)

Q Search by User name 1 results

Name	Email	Source	Connected(VPN) ⓘ	Enrolled(ZTNA) ⓘ
user1	user1@██████████onmicrosoft.com	Azure	0	0

Verifiëren vanaf de logbestanden op de Azure-portal

Ga naar de [Azure-portal](#).

- Enterprise Applications
- **Selecteer uw provisioning** Enterprise Application
- Users and Groups
- **Klik op** View Provisioning logs

Start provisioning Stop provisioning Restart provisioning Edit provisioning

Overview

Provision on demand

Manage

Provisioning

Users and groups

Expression builder

Monitor

Provisioning logs

Current cycle status

Incremental cycle completed.

100% complete

Users

1

Statistics to date

- View provisioning details
- View technical information

View provisioning logs

- Het logbestand geeft aan **Action** zoals **Disable** met **Status** as **Success**, wat bevestigt dat de gebruiker is verwijderd van de provisioning op het Secure Access-doelsysteem

Provisioning Logs

Download Learn more Refresh Columns Got feedback?

Identity Name or ID

Date : Last 24 hours Show dates as: Local Status : All Action : All Application contains 6e611dfd-43ed-43b8-bd7e-37ebc1fbf809 Add filters

Date	Iden...	Action	Source System	Target System	Status
12/20/2023, 4:57:27 PM	Display Na Source ID t Target ID u	Disable	Azure Active Directory	CiscoUmbrella	Success

Provisioning log details



Steps Troubleshooting & Recommendations Modified Properties Summary

- 1. Import urn:ietf:params:scim:schemas:extension:enterprise:2.0:User from Azure Active Directory ✓
- 2. Match urn:ietf:params:scim:schemas:extension:enterprise:2.0:User between Azure Active Directory and CiscoUmbrella ✓
- 3. Determine if urn:ietf:params:scim:schemas:extension:enterprise:2.0:User is in scope ✓
- 4. Provision urn:ietf:params:scim:schemas:extension:enterprise:2.0:User in CiscoUmbrella ✓

EntryExportUpdateSoftDelete

Result	Success
Description	User 'user2@[REDACTED]onmicrosoft.com' was updated in CiscoUmbrella
ReportableIdentifier	user2@[REDACTED].onmicrosoft.com

Gerelateerde informatie

- [Gebruikershandleiding voor beveiligde toegang](#)
- [Cisco Technical Support en downloads](#)
- [Provisioning Gebruikers en Groepen van Azure](#)

Over deze vertaling

Cisco heeft dit document vertaald via een combinatie van machine- en menselijke technologie om onze gebruikers wereldwijd ondersteuningscontent te bieden in hun eigen taal. Houd er rekening mee dat zelfs de beste machinevertaling niet net zo nauwkeurig is als die van een professionele vertaler. Cisco Systems, Inc. is niet aansprakelijk voor de nauwkeurigheid van deze vertalingen en raadt aan altijd het oorspronkelijke Engelstalige document ([link](#)) te raadplegen.