

ä, °å®%å...¨ç»^ç«¬Macè;žæŽŸå™™å'Œä½;ç”MDMçš,

ç»®å½•

ç®€ä»«

MDMé...ç½®æ-†ä»¶

å»°è®®

æœ€ä½žæ“ä½œç³»ç»Ÿè!æ±,

é†æè!æ’æ”¹

Macè;žæŽŸå™™macOSæ%å±•çš,æ%å½††

åœ»ç»^ç«¬ä.Šæ%å½††Mac Connector macOSæ%å±•

ä½žç”MDMæ%å½††Macè;žæŽŸå™™macOSæ%å±•

ä½žç”MDMå é™™Macè;žæŽŸå™™macOSæ%å±•

å...çŒç»è®žé—®

åœ»ç»^ç«¬ä.Šæ%å½††å¹æ—®äž1.18.0çš,è;žæŽŸå™™ç%å^æœ-è;è;Œå...çŒç»è®žé—®

æ%å½††ç»^ç«¬çš,Cisco Orbitalå...çŒç»è®žé—®

åœ»ç»^ç«¬ä.Šæ%å½††æœŒçš’å®%å...¨ç»^ç«¬è;žæŽŸå™™1.18.0åŠæ’ é«ç%å^æœ-çš,å...çŒç»è®žé—®

æ%å½††ä½žç”MDMå¹è;žæŽŸå™™è;è;Œå...çŒç»è®žé—®

æ%å½††ä½žç”MDMçš,Cisco Orbitalçš,å®Œå...çŒç»è®žé—®

MDMé...ç½®é...ç½®æ-†ä»¶çª³¼

MacOS 10.15æ^æ’æ—ç%å^æœ-çš,MDMé...ç½®çª³¼

æ-å»°ç»®å½•ç»“æž,

ç%å^æœ-1.14.0å¹1.16.2

ç%å^æœ-1.18.0åŠæ’ é«ç%å^æœ-

MacOS 11.0å’ŒMac Connector 1.14.1çš,å²çŸŸé—®éç~ã€

MacOS 10.15/11.0å’ŒMac Connector 1.14.0çš,å²çŸŸé—®éç~ã€

åç,è½žç³»ç»Ÿæ%å±•æ—¶çš,å²çŸŸé—®éç~

Intuneéf”ç½žå®%èŒ...è,šæœ-

é†æ-å¹½åçš,Macè;žæŽŸå™™¼ç%å^æœ-1.18.0åŠæ’ é«ç%å^æœ-¼%å

ä;®èçž†åçª³å½•

ç®€ä»«

æœ-æ-†æ;Œä»«ç»ç®;ç†å’ é«ç½²Macè;žæŽŸå™™1.14åŠæ’ é«ç%å^æœ-çš,æœ€æ-å’æ”¹å’Œæœ

MDMé...ç½®æ-†ä»¶»¶

å¼°çf^å»°è®®ä½žç”æž’å°æ%œœœæ%å½††æœŒé™™çš,MDMé...ç½®æ-†ä»¶»¶æœŸéf”ç½²Macè;žæŽŸå™™

å»°è®®

Macè;žæŽŸå™™ç%å^æœ-1.14å½•å...Ÿå°†ä,œå°œœœæ³”æ,çš,æ’æ”¹¼š

- å...çŒç»è®žé—®æ%å½††
- ç³»ç»ŸæœŸæŸå®%¹

éœ€è Mac connector 1.14æ^-æ' é«~ç%o^æœ-æ%o èf½çj@äz macOS
11å Šæ' é«~ç%o^æœ-ä, Šçš,, ç»^ç«-äz æŠæ€€, è¾æ—šçš,, MacèzæŽŸå™™ äœ¨ è™äºç%o^æœ-çš,, ma
MacèzæŽŸå™™ ç%o^æœ-1.16å¼•å...Ÿäº†å¹Intelçj-ä»¶ä, ŠCisco
Orbitalçš,,æ™-æCE ä€€, Orbitalå æ™-ä»¶äœ¨ ç-ç•Ÿä, éšèz†ä¼~åšzæ^-é«~çºšâ±, å æ™™i¼CEå¹¶åœ¨ ä æ™™ç™™
Orbitalçš,,æ™-æCE i¼CEè@jå^ä, ŽOrbital Node
1.21ä, €èµ•å ä, fã€, è-•å, é~...æœ-æ-†æjçš,, Cisco
Orbitaléf¨ å†i¼CEäº†èš£æœ%oå...³å |, å½•æŽ¨^äºOrbitalæ%o€œœçš,, éç åª-å... çf ç~è@z é—@æ

æœ€ä½Žæ“ ä½œç³»ç»Ÿè | æ±,

æœ€ çš'å@%oå... ç»^ç«-MacèzæŽŸå™™ 1.14.0æ™-æCE macOSç%o^æœ-i¼š

- macOS 11i¼CEå, macOSç³»ç»ŸŸæ%o©å±•ã€,
- macOS 10.15.5å Šæ' é«~ç%o^æœ-i¼CEå, macOSç³»ç»ŸŸæ%o©å±•ã€,
- macOS 10.15.0è†³ macOS 10.15.4i¼CEå, macOSå†...æ, æ%o©å±•ã€,
- macOS 10.14i¼CEå, macOSå†...æ, æ%o©å±•ã€,

æœ€ çš'å@%oå... ç»^ç«-MacèzæŽŸå™™ 1.14.1æ™-æCE macOSç%o^æœ-i¼š

- macOS 11i¼CEå, macOSç³»ç»ŸŸæ%o©å±•ã€,
- å, macOSå†...æ, æ%o©å±•çš,, macOS 10.15ã€,
- macOS 10.14i¼CEå, macOSå†...æ, æ%o©å±•ã€,

å@%oå... ç»^ç«-MacèzæŽŸå™™ ç%o^æœ-1.16.0ä, å¼•å...Ÿäº†å¹Intelçj-ä»¶ä, Šçš,, Cisco

Orbitalçš,,æ™-æCE ä€€, äœ¨ Secure Endpoint
MacèzæŽŸå™™ ç%o^æœ-1.20.0ä, å¼•å...Ÿäº†å¹Appleçj...çj-ä»¶ä, Šçš,, Cisco
Orbitalçš,,æ™-æCE ä€€,

æœ%oå...³å½“å%o MacèzæŽŸå™™ å...¼å@¹æ€ši¼CEè-å, é~...æ“ ä½œç³»ç»ŸŸæ...¼å@¹æ€šè; äã€,

é† è | æ' æ™¹

MacèzæŽŸå™™ 1.14äœ¨»Ÿä, ç, %oä, æ-¹é çå¼•å...Ÿäº†é† è | æ' æ™¹i¼š

1. æ%o¹å††èzæŽŸå™™ ä½ç™™ çš,, macOSæ%o©å±•
2. å...ç£ ç~è@z é—@
3. æ-ºå»ºç»@å½ç»“æž,,

MacOS

12å¼•å...Ÿäº†MDMéœ€%oéj¼CEä»¶ä... è@, å é™èzæŽŸå™™ çš,, macOSæ%o©å±•i¼CEè€CEæ— éœ€æ

MacèzæŽŸå™™ macOSæ%o©å±•çš,, æ%o¹å††

MacèzæŽŸå™™ ä½ç™™ System Extensionsæ^—legacy Kernel
Extensionsæ Ÿç'æžš macOSç%o^æœ-æ%o€œœçš,, ç³»ç»ŸŸæ»åš¨ ä€€, äœ¨ macOS
11ä, Ši¼CE System Extensionsåº†æ»æ æ ç macOS
[11å Šæ' é«~ç%o^æœ-ä, ä, ä æ™™-æ™-æCE çš,, æ—šç%o^å†...æ, æ%o©å±•ã€, æ%o€œœ%o macOSç%o^æœ-](#)

Mac OS 10.14.1... macOS 10.14.1

1. Secure Endpoint File Monitor AMP Security Extension Endpoint Security
2. Cisco Secure Endpoint Filter AMP Network Extension

Mac OS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

- macOS 10.14.1... macOS 10.14.1
- macOS 10.14.1... macOS 10.14.1
- macOS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

- macOS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1

Mac OS 10.14.1... macOS 10.14.1



ä½ç”MDMæ%¹â††Macè¿žæŽŸâ™™macOSæ%©â±•

æ³•æ,,ï¼šmacOSæ%©â±•ä,èf½é€šè¿†MDMè¿>è¿(Eè¿½æ°-â®;æ%¹ã€¡,æžœæœ”â®%è£...è¿žæŽŸâ™™¹<â®

1.

âœ”â²è¿½æ°-éƒ”ç½²ç®¿ç♦té...♦ç½®æ-†ä»¶çš,,ç»^ç«-ä,šæ%œ<âš”æ%¹â††macOSæ%©â±•ã€,
2.â°†Macè¿žæŽŸâ™™â♦†ç°šâ^œ”â½”â%œ♦éƒ”ç½²çš,,è¿žæŽŸâ™™æ’æ-°çš,,ç%œ^æœ-ã€,â²â>žæ°éƒ

Macè;žæŽŸá™™ 1.16.0á Šæ' é« ~ç%o^æœ-éœ€è | éç á-çš,,á... çf ç~è®žé—®i¼š

- â€œCisco Orbitalâ€ (i¼^âœ ç-ç•Ÿä,á ç" i¼%oi¼Œæ ä¾¾~âšžá'ŒPremierè®žé—®

Macè;žæŽŸá™™ 1.18á Šæ' é« ~ç%o^æœ-è | æ±,â®Œá... çf ç~è®žé—®i¼š


- "â®%oá... ç»^ç«^æœ äšj"
- "â®%oá... ç»^ç«^ç³»ç» Ÿç» 'æžš"
- áœ ç-ç•Ÿä,á ç" Orbitalæ—¶â€œCisco Orbitalâ€ (á ç-ä,žAdvantageá'ŒPremierá±,ä, €àæ ä¾¾)

ampdaemonç <â° ä,á† éœ€è | ä½žç" Macè;žæŽŸá™™ 1.14ç%o^á Šæ' é« ~ç%o^æœ-èž>è;Œá... çf ç

á ç-ä»Ÿáœ ç»^ç« çš,,macOSâ®%oá... á'Œéš çš é | -é€%oéj¹ä,æ^-éšžèžçš»áš è®¾á±ç®;ç† (MD


áœ ç»^ç«^ä,Šæ%o¹á††á¹æ—©ä°ž1.18.0çš,,èžæŽŸá™™ ç%o^æœ-èž>è;Œá... çf ç~è®žé—®

á ç-ä»Ÿä»žmacOSâ®%oá... á'Œéš çš é | -é€%oéj¹çª—æ ¼æ%o<áš æ%o¹á††á... çf ç~è®žé—®ã€,




æ%¹â††ç»^ç«̄çš,,Cisco Orbitalå...`ç£❖ç>~è®¿é—®

å❖¯ä»¥ä»ŽmacOSå®%å...`â'Œéš❖çš❖é|_é€%oéj¹çª—æ¼æ%o<åš`æ%¹â††å...`ç£❖ç>~è®¿é—®ã€,



åæ¨ç»^ç«-ä,Šæ%01å††æ€Ÿš'å®%0å...¨ç»^ç«-èžæŽŸå™™ 1.18.0åŸæ>é«~ç%0^æœ-ç
åŸ-ä»Ÿä»ŽmacOSå®%0å...¨å'ŒéšŸŸé|-é€%0éj1çª—æ¼æ%0<åš¨æ%01å††å...¨ç£Ÿç>è®žé—®ã€,



æ%0¹á††á½¿ç”MDMá¹è¿žæŽŸá™è¿>è¿Œá...¿çƒ❖ç>è®¿é—®

æ”æ,,❖¿¼šmacOSæ%0©á±•ä,❖éƒ½é€šè¿¿MDMè¿>è¿Œè¿½æ°á®;æ%0¹á€!æžœáœ”á®%0èƒ...è¿žæŽŸá™”á¹&á%

1.

áœ”á²è¿½æ°éƒ”¿½²ç®¿❖té...❖ç½®æ-†ä»¶¿š,,ç>^ç«¬ä,šæ%0<áš”æ%0¹á††macOSæ%0©á±•ä€,

2.á°†Macè¿žæŽŸá™”á❖†ç°šá°æ”á½”á%0❖éƒ”¿½²çš,,è¿žæŽŸá™”æ¿æ-°çš,,ç%0^æœ-ã€,á²è¿½æ°-

á...¿çƒ❖ç>è®¿é—®á❖”±ç®¿¿❖té...❖ç½®æ-†ä»¶éš❖çš❖é!-é€%0é¿¿ç-ç•¥æžšá^¶è”ÿè½½æ%0¹á††¿

æ❖❖è¿°	á±žæ€§	ä»·á€¼
á®%0á...¿ç>^ç«¬æœ❖áš¿¼^é❖¿á❖’ç>^ç«¬¿š,,AMPæœ❖áš¿¼%0	á...❖è®,	true
	CodeRequirement	é”šappleé€šç””á¿Œæ †è leaf[field.1.2.840.1133 1[field.1.2.840.11363 leaf[field.1.2.840.1133 DE8Y96K9QP)
	æ †è-†ç-!-	com.cisco.endpoint.svc

æ◆◆èç°	â±žæ€§	ä»·â€¼
	IdentifierType	æ◆†ç»'â€...ID
â®%â...ç»^ç«-ç³»ç»ÿç»‘æŽš¼^AMPâ®%â...æ%©â±•¼%	â...◆è®,	true
	CodeRequirement	é”šappleé€šç””â’ææ †è-†ç-†â€com.cisco.endpoint.leaf[field.1.2.840.113635.100.6.2.6] /*â~âœ”*/â’ææ †è-†ç-†â€com.cisco.endpoint.leaf[field.1.2.840.113635.100.6.1.13] /*â~âœ”*/â’ææ †è-†ç-†â€com.cisco.endpoint.leaf[subject.OU] = DE96Y9QP)
	æ †è-†ç-†â€	com.cisco.endpoint.svc.s
	IdentifierType	æ◆†ç»'â€...ID

âl,æžœæ,çš,,éfç½²â€...æ<-â²â®%è£...èçžæŽš¼™ç%âœ-1.12.7æ^-æ>æ—©ç%âœ-çš,,è®;ç®—æœ°¼â€â

æ◆◆èç°	â±žæ€§	ä»·â€¼
ampdaemon	â...◆è®,	true
	CodeRequirement	æ †è-†ç-†â€ampdaemonâ’æanchor apple genericâ’æcertificate 1[field.1.2.840.113635.100.6.2.6] /*â~âœ”*/â’æcertificate 1[field.1.2.840.113635.100.6.1.13] /*â~âœ”*/â’æcertificate leaf[subject.OU] = TDNYQP7VRK
	æ †è-†ç-†â€	/opt/cisco/amp/ampdaemon
	IdentifierType	è·â³¼,,

æ%â±†â¼ç”MDMçš,,Cisco Orbitalçš,,â®â...ç£◆ç»~è®çé—®

âl,æžœæ,çš,,éfç½²â€...æ<-â¼ç”Ciscoâ®%â...ç»^ç«-MacèçžæŽš¼™ç%âœ-1.16.0æ^-æ>é«~ç%âœ-çš,,è®;ç®—æœ°âš¼â€â¼â,ç-ç»¥â,â◆ç””â®†Orbital¼â€â™â»◆éœ€è|◆â»¥â,é

æ◆◆èç°	â±žæ€§	ä»·â€¼
Cisco Orbital	â...◆è®,	true
	CodeRequirement	é”šappleé€šç””â’ææ †è-†ç-†â€com.cisco.endpoint.orbital.appâ◆â’æ(certificate 1[field.1.2.840.113635.100.6.1.9] /*â~âœ”*/æ^-certificate 1[field.1.2.840.113635.100.6.2.6] /*â~âœ”*/â’æcertificate 1[field.1.2.840.113635.100.6.1.13] /*â~âœ”*/â’æcertificate leaf[subject.OU] = DE8Y96K9QP)
	æ †è-†ç-†â€	com.cisco.endpoint.orbal.app
	IdentifierType	æ◆†ç»'â€...ID

MDMé...◆ç½®é...◆ç½®æ-†â»¶çª°â¼<

æçª°â¼<MDMé...◆ç½®é...◆ç½®æ-†â»¶â◆ç””â¼œâ◆,è£fâ€

- æ%â±†â®%â...ç»^ç«-MacèçžæŽš¼™çš,,ç³»ç»ÿç»ÿæ%©â±•â€

- æŽ^ä°ä@%å...ç»^ç«-Macè¿žæŽ¥á™á'Œè½"é"è®¾å¼çš,,å... çfç>~è®¿é—®æfé™ã€,
- åœ°ä,è½½è¿žæŽ¥á™æ—¶å...è®,æ—æç°å,è½½ç³»ç»ÿæ%©å±•ã€, æ³æ,,ï¼šå½"å...è®,RemovableSystemExtensionsæfé™æ—¶ï¼Œä»»ã½•å...æœ%ørootæ

<http://www.apple.com/DTDs/PropertyList-1.0.dtd>>

PayloadContent

AllowUserOverrides

AllowedSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

System Extensions

PayloadEnabled

PayloadIdentifier

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.system-extension-policy

PayloadUUID

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadVersion

1

RemovableSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

Privacy Preferences Policy Control

PayloadEnabled

PayloadIdentifier

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.TCC.configuration-profile-policy

PayloadUUID

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadVersion

1

Services

SystemPolicyAllFiles

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.svc

IdentifierType

bundleID

StaticCode

0

Allowed

1

CodeRequirement

identifier ampdemon and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = TDNYQP7VRK

Identifier

/opt/cisco/amp/ampdaemon

IdentifierType

path

StaticCode

0

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.orbital.app" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.orbital.app

IdentifierType

bundleID

StaticCode

0

FilterDataProviderBundleIdentifier

com.cisco.endpoint.svc.networkextension

FilterDataProviderDesignatedRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc.networkextension" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

FilterGrade

firewall

FilterPackets

FilterSockets

FilterType

Plugin

PayloadDisplayName

Web Content Filter Payload

PayloadIdentifier

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.webcontent-filter

PayloadUUID

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadVersion

PluginBundleID

com.cisco.endpoint.svc

UserDefinedName

AMP Network Extension

VendorConfig

PayloadDescription

PayloadDisplayName

Cisco Secure Endpoint Settings [DEMO]

PayloadEnabled

PayloadIdentifier

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadOrganization

Cisco Systems, Inc.

PayloadRemovalDisallowed

PayloadScope

System

PayloadType

Configuration

PayloadUUID

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadVersion

1

MacOS 10.15 æ^–æ>´æ—©ç%o^æœ¬çš,,MDM é... ç½®ç²°ä¾¼<

- æ%o¹å††å†...æ æ%o©å±•å¹æŽ`ä^è;žæŽŸå™™·å...`ç£ ç>~è®;é—®æ çé™™ çä€
 - æ³·æ,, ç¼šM1å'Œè¾fæ–°çš,,Appleä°šå" çä, çèf½ä½çç""åŒ...å ç«æé... ç½®çš,,é... ç½®çš

AllowNonAdminUserApprovals

AllowUserOverrides

AllowedKernelExtensions

TDNYQP7VRK

com.cisco.amp.nke

com.cisco.amp.fileop

PayloadDescription

PayloadDisplayName

Approved Kernel Extensions

PayloadEnabled

PayloadIdentifier

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.syspolicy.kernel-extension-policy

PayloadUUID

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadVersion

1

æ–°â»°ç>®â½•ç»“æž,,

ç%o^æœ-1.14.0â^°1.16.2

Macè;žæŽŷâ™™1.14â¹ç>®â½•ç»“æž,,è;è;Ēä†ä,æé¹æ>´æ”i¼š

1. â”ç”ç>®â½•â²ä»ŽCisco AMPé‡â½ââ,°Cisco AMP for EndpointsãĒ,
2. â½â»æ;Ēâ®žç”ç”â°ampcliâ²ä»Ž/opt/cisco/ampçš»è‡³/Applications/Cisco AMP for Endpoints/AMP for Endpoints

Connector.app/Contents/MacOS/ampcli

MacOS 1.14.0 to 1.16.2

```

Applications
  Cisco AMP for Endpoints
    Connector.app
      Contents
        MacOS
          AMP for Endpoints Service.app
            Contents
              MacOS
                ampcli
                ampdaemon
                amscansvc
                ampcreport
                ampupdater
                SupportTool
          Support Tool.app
Library
  Application Support
  Cisco
  AMP for Endpoints Connector
  SupportTool
  Logs
  Cisco
Users
  *
  Library
  Logs
  Cisco
opt
  cisco
  amp
  ampcli

```

MacOS 1.18.0

MacOS 1.18.0 to 1.18.0


1. ampcli

MacOS 1.18.0


```

Applications
|  Cisco Secure Endpoint
|    Secure Endpoint Connector.app
|      Contents
|        MacOS
|      Secure Endpoint Service.app
|      Contents


```

- `! , æžœç” ± ä Ž é € % œ < © â € œ ä` `â... ê Ò , â € ê è € Ć â - æ ¶ ^ æ ç œ ° ¼ Ć â ^ ™ ä » Ž â € œ â ° Š â , â € â » ¾ æ †`



- `â - ç ” â Ž ¼ Ć Secure Endpoint Network Extension è ç æ » œ ™ ” ä ¼ š â ^ - â œ ” Network Preferences é j m é ç ä , Š ä € ,`



- `â œ ” macOS`
`11 ä , Š ¼ Ć â ½ “ æ % œ š è j Ć ä » Ž Mac è ç ž æ Ž ¥ â ™ ” 1.12 â ^ ° Mac è ç ž æ Ž ¥ â ™ ” 1.14 ç š , â ç œ s æ - ¶ ¼ Ć â ½ ” è ç ž æ Ž ¥ â`

`â , è ½ ½ ç ³ » ç » Ÿ æ % œ © â ± • æ - ¶ ç š , , â · ç Ÿ ¥ é - ® é ç ~`

- `â œ ” macOS`
`12 â ¹ < â % œ i ¼ Ć æ ^ - è € ... æ œ ° â ½ ç ” ” MDM æ - ¶ ¼ Ć â ½ “ æ % œ š è j Ć Mac è ç ž æ Ž ¥ â ™ ” ç š , â , è ½ ½ æ - ¶ i`
`MDM é ... ç ½ ® æ - † ä » ¶ â - t é ¥ i ¼ Ć â œ ” macOS 12 ä , è ç è j Ć ä ° † ä , € ä ° æ ” 1 è ç ž æ Ž ¥`

`Intune é f · ç ¹ / ² â ® % œ è £ ... è , š æ œ ¬`

- `æ œ ä œ , æ % œ ç ® j ä ° † â - â , ® ä Š © â œ ” Microsoft ç » æ Š œ ç š , macOS ä , Š â ® % œ è £ ... â ® % œ â ... ” ç » ^ ç « - è ç ž æ Ž ¥`

<https://github.com/microsoft/shell-intune-samples/tree/master/macOS/Apps/Cisco%20AMP>

`é † æ - ° â ½ â ç š , Mac è ç ž æ Ž ¥ â ™ ” i ¼ ^ ç % œ ^ æ œ ¬ 1.18.0 â Š æ ’ é`

`æ œ æ , , i ¼ š â - 1 â ° Ž ä ½ Ž ä ° Ž 1.18.0 ç š , è ç ž æ Ž ¥ â ™ ” ç % œ ^ æ œ - i ¼ Ć ç Ž ° æ œ % œ MDM é ... ç ½ ® æ - é œ œ â ¹ é ç , â ³ â`

ä;®è®çáŽ†á◆²ç^{oa}á½•

2020á¹´12æœ¹æ—¥

- Macè;žæŽ¥á™¹¹.14.1ä,◆á†◆ä½¿ç”” macOS 10.15,Šçš,,ç³»ç»Ýæ%©á±•ã€,
- æœ%â...³ç»^ç«¯æ£€æÝ¥á“ªº>ç³»ç»Ýæ%©á±•éœ€è◆Macè;žæŽ¥á™¹¹.14.0á®;æ%¹çš,,é™,,áŠ æŒ†á

2020á¹´11æœ¹9æ—¥

- á²æ>æ£á...ç£◆ç>~è®;é—®ä»£ç◆è|◆æ±,MDMèÝè½½ä,çš,,æ◆†ç>’áŒ...IDã€,

2020á¹´11æœ¹3æ—¥

- 1.14.0 Macè;žæŽ¥á™¹çš,,á◆’á,fæ—¥æœÝä,º2020á¹´11æœ¹ã€,
- 1.14.0 Macè;žæŽ¥á™¹”ä½¿ç””System Extensions with macOS 10.15.5á◆Šæ>é«~ç%ôæœ-ã€,ä»¥á%◆æ~10.15.6ã€,
- æ»»áŠ äº†á²çÝ¥é—®éç~éƒˆá†ã€,
- æ>æ-ºçš,,ç>®á½•ç>“æŽ,,á¤§çº²ã€,

2021á¹´6æœ¹3æ—¥

- æ»»áŠ äº†á◆’Cisco OrbitalæŽ^äºˆá... ç£◆ç>~è®;é—®æ◆fé™◆çš,,è’æ~Žã€,

2021á¹´10æœ¹13æ—¥

- æ»»áŠ á^ é™¤á,æœ%MDMçš,,Macè;žæŽ¥á™¹macOSæ%©á±•éƒˆá†ã€,
- ä,ºáœœá◆,è½½ç³»ç»Ýæ%©á±•â€◆éƒˆá†æ»»áŠ äº†âœœá²çÝ¥é—®éç~â€◆ã€,

2022á¹´2æœ¹25æ—¥

- é†◆æ-ºá½á◆◆

关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。