

RV016, RV042, RV042G, RV082

VPN Client Software

Introduction

VPN Client Software is a software that allows you to connect to a VPN server. It is available for Windows, Mac OS X, and Linux. The software is installed on your computer and you can use it to connect to a VPN server. The software is available for download from the Cisco website.

Supported Platforms

- RV016
- RV042
- RV042G
- RV082

Supported Versions

4.2.1.02

Installation

1. Download the software from the Cisco website.
2. Run the installer.
3. Follow the prompts to install the software.
4. Enter the username and password when prompted.
5. Click the **Setup** button to complete the installation.

Password

Username : admin

Old Password : *****

New Username : example

Confirm New Username : example

New Password : *****

Confirm New Password : *****

Minimum Password Complexity : Enable

Password Strength Meter :

Password Aging Enforcement : Disable Change the password after Days

Username: admin

ç¬ā°ĀæŸi¼šāœ“Old Password—æ@µ,è¾“ā...Ÿæ—šā¬†ç ◆ã€,

ç¬ā,‰æŸi¼šāœ“New

Username—æ@µ,è¾“ā...Ÿæ‰œœœçš,ç””æ^◆◆ã€,ā|,æžœè| ◆äç◆ç™ā½”ā‰◆ç”” æ^·ā◆◆i¼Ā

ç¬ā>æŸi¼šāœ“Confirm New

Username—æ@µ,é†◆æ-°è¾“ā...Ÿæ‰œœœçš,ç”” æ^·ā◆◆ã€,ā|,æžœè| ◆äç◆ç™ā½”ā‰◆ç”” æ

ç¬ā”æŸi¼šāœ“New

Password—æ@µ,è¾“ā...Ÿæ‰œœœçš,ā¬†ç◆ã€,ā¹ā°žā¬†ç ◆i¼Āæ,“ā◆¬ä»ä½ç””ā—æ¬æ°ā—

ç¬ā...æŸi¼šāœ“Confirm New Password—æ@µ,é†◆æ-°è¾“ā...Ÿæ‰œœœçš,æ-°ā¬†ç ◆ã€,

æŸéª7.i¼ā◆¬é‰œ‰i¼‰œè| ◆ā¹ā¬†ç ◆ā®žæ-½æœœä½žā®‰...”ç°šā^«i¼Āè¬é‰œ‰ä,Minimum Password Complexity—æ@µä,çš,,Enable◆é‰œ‰æ†ã€,

æ³·æ,,◆i¼šæœœä½žā¬†ç ◆ā◆æ◆,æšèè| ◆æ±,ā¬†ç ◆è³ā°āĀ...ā◆«8ä,ª—ç¬|i¼Āā¹¶ä,“ä,žç”

ā¬†ç ◆ā¼°ā°|ç”±āŸ°ā°žā◆æ◆,æšèèš,,ā™çš,,ā¬†ç ◆ā¼°ā°|è;”è;”ç°ã€,è¾“ā...Ÿā¬†ç ◆æ—¶ä½

ç¬8æŸā€,i¼ā◆¬é‰œ‰i¼‰œè| ◆ā◆ç””ā¬†ç ◆èç†æœŸi¼Āè¬·ç,1ā†»Password Aging Enforcement—æ@µä,çš,,Change the Password after ____

Days◆•é‰œ‰æĀ‰œ’®ã€,ā|,æžœé‰œ‰æ<©æªé‰œ‰é;¹i¼ĀĀ™äç...é;»āœ”æ—¶é—ā^°æœŸā◆ž

Timesaveri¼šā!,æžœæ,“āœ”æŸéª8ä,é‰œ‰æ<©Disablei¼^è;”ç°æ,“ä,◆ā,Āæœæā¬†ç ◆èç†æœŸi¼‰œ‰i¼Ā

æŸéª9āœ“Change the password after ____

Days—æ@µ,è¾“ā...Ÿā¬†ç ◆ā^°æœŸā¹<ā‰◆çš,,ā◆©æ°ã€,é»è®ªā€¼ä,° 180 ā◆©ã€,

æŸéª10ā◆•ā†»Saveä; ◆ā~æ>’æ”¹ã€,

关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。

关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。