

# RV016 VPN Client Software for RV042, RV042G, and RV082

© 2008 Cisco Systems, Inc.

RV016 VPN Client Software for RV042, RV042G, and RV082  
VPN Client Software for RV042, RV042G, and RV082 (LAN) is a Cisco Systems, Inc. product. All rights reserved. Cisco Confidential

© 2008 Cisco Systems, Inc.

- RV016
- RV042
- RV042G
- RV082

© 2008 Cisco Systems, Inc.

© 2008 Cisco Systems, Inc.

© 2008 Cisco Systems, Inc.

© 2008 Cisco Systems, Inc. All rights reserved. Cisco Confidential  
Network Setup Wizard

### Network

Host Name :  (Required by some ISPs)

Domain Name :  (Required by some ISPs)

---

#### IP Mode

Mode	WAN	LAN
<input checked="" type="radio"/> IPv4 Only	IPv4	IPv4
<input type="radio"/> Dual-Stack IP	IPv4 and IPv6	IPv4 and IPv6

IPv4 | IPv6

---

#### LAN Setting

MAC Address :

Device IP Address :

Subnet Mask :  ▼

Multiple Subnet :  Enable

---

#### WAN Setting

Interface	Connection Type	Configuration
WAN1	Obtain an IP automatically	<input type="button" value="Edit"/>
WAN2	Obtain an IP automatically	<input type="button" value="Edit"/>

---

#### DMZ Setting

Enable DMZ

### Network

Host Name :  (Required by some ISPs)

Domain Name :  (Required by some ISPs)

æ—¶és™i¼šæÿ◊ä>Internetæœ◊åš;æ◊◊å¾>å•†(ISP)è! ◊æ±,æ,¨å^té...◊ä,»æœ°å◊◊å'Œåÿÿ.

ç¬ä°Œæÿi¼šåœ¨Host

Nameå—æ@ï, i¼Œè¾¼“å...ÿæ-°çš,,ä,»æœ°å◊◊å€,,ä,»æœ°å◊◊æ~é»~è®¸åå◊◊çš°æ^-ç””æ^æŒåå

ç¬ä, %œæÿi¼šåœ¨Domain

Nameå—æ@ï, è¾¼“å...ÿæ-°åÿÿå◊◊å€,,åÿÿå◊◊æ~å¾>è·ç””±å™”åœ¨ISPç¼¼ç»œä,šè¬å^«çš,,é»~è



LAN IP Address :

Subnet Mask :

ç→å...æŸi¼šåœ`LAN IP Addresså—æ@ü,è¾“å...ŸLAN  
 IPåœ°å◆€ä»Ÿæ»åš æ-°å◆ç½'ã€,,æ¤IPåœ°å◆€ç”” ä°žä»žä,◆å◆€çš,,å◆ç½'è®:é—®è®¾å¤†ã€  
 æŸéª 7.åœ`Subnet Maskå—æ@ü,è¾“å...Ÿæ-°LAN  
 IPçš,,å◆ç½'æž©ç ◆ã€,è:™å◆`ä»Ÿç;®å®šå◆ç½'çš,,å¤šå°◆ã€,  
 æŸéª 8å◆•å†»Add to  
 listã€,è¾“å...Ÿçš,,IPåœ°å◆€ã'€å◆ç½'æž©ç ◆ä¼šæ¾¾ç¤°åœ`ä,‹éçšš,,å^—èj`ä,ã€,

LAN IP Address :

Subnet Mask :

192.168.2.1/255.255.255.0

æŸéª9.i¼^å◆`é€%oi¼%œè! ◆å†æ-°éjç>®æ»åš å°å^—èj`ä,¼€è`ç,¹å†»Add  
 New¼€çš,,¶å◆žæ%oSè;€æŸéª6å°8ã€,

LAN IP Address :	<input type="text" value="192.168.2.1"/>
Subnet Mask :	<input type="text" value="255.255.255.0"/>
<input type="button" value="Update"/>	
192.168.2.1/255.255.255.0	
<input type="button" value="Delete"/> <input type="button" value="Add New"/>	
<input type="button" value="OK"/> <input type="button" value="Cancel"/> <input type="button" value="Close"/>	

10. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

11. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

12. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

13. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

14. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

15. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

15. LAN IP Address : 192.168.2.1, Subnet Mask : 255.255.255.0

## IPv6 LAN Setting

1. LAN IP Address : 2001:0db8:3c4d:0015:0000:0000:abcd:ef1

2. LAN IP Address : 2001:0db8:3c4d:0015:0000:0000:abcd:ef1

IPv4	IPv6
<b>LAN Setting</b>	
IPv6 Address :	<input type="text" value="2001:0db8:3c4d:0015:0000:0000:abcd:ef1"/>
Prefix Length:	<input type="text" value="64"/>

1. LAN IP Address : 2001:0db8:3c4d:0015:0000:0000:abcd:ef1

2. LAN IP Address : 2001:0db8:3c4d:0015:0000:0000:abcd:ef1

Addressâ—æ®µ,è¼“â...¥IPv6âœ°â◆€i¼ŒÄä,°è·ç”±â™”â^té...◆æ-°çš,,IPv6âœ°â◆€ã€è·ç”±â™”çš,,

ç¬ā,‰æ¥i¼šâœ°Prefix

Lengthâ—æ®µ,è¼“â...¥â‰◆ç¼€é·žâ°|i¼ŒÄä,°è·ç”±â™”â^té...◆æ-°çš,,IPv6â‰◆ç¼€é·žâ°|ã€è·

ç¬â>æ¥i¼šç,¹â‡»éjµ◆Çâ°·éf”çš,,Saveä»¥ä◆â~â·²è¿èjŒçš,,IPv6é...◆ç½®ã€,

## 关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。

## 关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。