

安裝Telepresence Management Suite(TMS)發行金鑰

目錄

[簡介](#)

[必要條件](#)

[需求](#)

[採用元件](#)

[設定](#)

[從Windows Server訪問Web介面](#)

[遠端訪問網路介面](#)

[安裝版本金鑰](#)

[驗證](#)

[疑難排解](#)

簡介

本文檔介紹如何安裝Telepresence Management Suite(TMS)發行金鑰。

必要條件

需求

思科建議您瞭解以下主題：

已檢視TMS安裝指南必要條件[TMS指南](#)

已部署Windows 2K12伺服器或類似版本

已在Windows 2K12伺服器上安裝Firefox、Chrome或Internet Explorer等網路瀏覽器 (可選)

已在Windows 2K12 Server上成功安裝SQL

已下載並安裝Telepresence Management Suite [TMS軟體](#)

已使用管理員許可權獲得對Web介面的訪問

已申請並收到帶有Cisco Telepresence管理套件版本金鑰的許可證電子郵件

採用元件

本檔案中的資訊是根據以下軟體版本：

Windows 2K12伺服器

Windows SQL Server

Telepresence管理套件(TMS)版本15.3.X

遠端案頭應用程式

Windows 2K12伺服器上的Web瀏覽器，如Firefox、Chrome或Internet Explorer（可選）

包含版本金鑰的許可電子郵件

本文中的資訊是根據特定實驗室環境內的裝置所建立。文中使用到的所有裝置皆從已清除（預設）的組態來啟動。如果您的網路正在作用，請確保您已瞭解任何指令可能造成的影響。

設定


以下Web介面範例視訊補充說明檔案：

附註：無法為此實驗環境裝置顯示許可證電子郵件示例。


附註：TMS發行金鑰應該採用以下格式：XXXXXXXX-XX-XXXXXXXX，其中X值表示發行金鑰中的唯一字元。

從Windows Server訪問Web介面


第1步：通過遠端案頭訪問承載TMS的Windows伺服器。開啟Web瀏覽器並導航至 <https://localhost/tms>：



第2步：出現提示時，使用具有**管理員**許可權的帳戶登入：




步驟3:首次登入到Web介面時，按一下**Advanced**，然後按一下**Add Exception**:



第4步：按一下**Confirm Security Exception**：

附註：如果未收到此提示，請禁用彈出視窗阻止程式。




附註：此時，您應該可以訪問TMS Web介面。


遠端訪問網路介面

第1步：在本地電腦上開啟Web瀏覽器，並輸入TMS <https://X.X.X.X/tms>的URL。


附註：將X.X.X.X替換為Windows伺服器IP地址。



第2步：出現提示時，使用管理員帳戶登入：



步驟3:首次登入到Web介面時，按一下Advanced，然後按一下Add Exception:




第4步：按一下Confirm Security Exception:如本檔案的從Windows伺服器存取Web介面一節所述。

附註：如果未收到此提示，請禁用彈出視窗阻止程式。


附註：此時，您應該可以訪問TMS Web介面。

安裝版本金鑰

第1步：導航到管理工具>配置>常規設定:



第2步：驗證以前是否未應用發行金鑰。在General Settings網頁的右下角確認TMS序列號標籤為TRIAL：



步驟3:從許可證電子郵件中複製TMS發行金鑰，然後在TMS發行金鑰欄位中輸入該金鑰。按一下Web介面左下方的Save。

附註：TMS發行金鑰應該採用以下格式：XXXXXXXX-XX-XXXXXXXX，其中X值表示發行金鑰中的唯一字元。

General Settings

TMS Release Key: [Redacted]

Default ISDN Zone: RTP

Default IP Zone: RTP

Default User Language: English (US)

Software Directory: C:\Program Files (x86)\TANDBERG-TMS\www\msi\public\data\SystemSoftware\

System Contact Name: [Empty]

System Contact Email Address: [Empty]

Global Phone Book Sort: System Specific Sort

Route Phone Book Entries: Yes

Cisco System Phone Books: Use centralized TMS phone books only (corporate phone book)

Phone Books Update Frequency: Every Day

Phone Books Update Time of Day: 5:00 PM

Alternate System Name Rules for Endpoints (order of name to use): Use System Name only (displays "no-name" if blank)

Provisioning Mode: Off

Enable Login Banner: No [Edit Login Banner]

Show Systems in Navigator Tree: Yes

Enable TMS Redundancy: No

Licenses and Option Keys

Total System Licenses: 3

Available System Licenses: 3

Option Keys: [Empty]

No option key added.

Save [Cancel]

licensetms/administrator (licensetms/administrator) (UTC-05:00) Server Time: 03:41 AM (UTC-05:00) S/N: TRIAL (LICENSETMS) Version: 15.3.0

驗證

驗證是否正確新增了發行金鑰。檢視Web介面的右下方，注意S/N:TRIAL(VMname)s現在顯示S/N:[序列號](VMname):

Portal

Systems

- Endpoints: 0
- MCUs: 0
- Gatekeepers: 1
- Gateways: 0
- Unmanaged Endpoints: 0
- Border Controllers: 0
- Recording and streaming devices: 0
- Other: 0

Total number of systems: 1

Total number of licenses: 10

Number of free licenses: 9

Systems sorted by ticket level

- Systems with uppermost ticket level Critical: 0
- Systems with uppermost ticket level Major: 0
- Systems with uppermost ticket level Minor: 0
- Systems with uppermost ticket level Warning: 1

Conferences and reservations

- Pending: 0
- Active: 0
- Finished: 0
- Requests: 0

System Usage

Booked Endpoints

Endpoints in Call

licensetms/administrator (licensetms/administrator) (UTC-05:00) Server Time: 01:06 AM (UTC-05:00) S/N: 80BI (LICENSETMS) Version: 15.3.0

疑難排解

如果您遇到錯誤，請聯絡Cisco TAC。